

DAFTAR PUSTAKA

Al-oqla, F. M. and Sapuan, S. M. (2014) 'Natural fiber reinforced polymer composites in industrial applications : feasibility of date palm fibers for sustainable automotive industry', *Journal of Cleaner Production*, 66, pp. 347–354. doi: 10.1016/j.jclepro.2013.10.050.

Alam, P. *et al.* (2019) 'The fatigue of carbon fiber reinforced plastics - A review', *Composites Part B*, 166(February), pp. 555–579. doi: 10.1016/j.compositesb.2019.02.016.

Altin Karataş, M. and Gökkaya, H. (2018) 'A review on machinability of carbon fiber reinforced polymer (CFRP) and glass fiber reinforced polymer (GFRP) composite materials', *Defence Technology*, 14(4), pp. 318–326. doi: 10.1016/j.dt.2018.02.001.

Amran, Y. H. M. *et al.* (2018) 'Properties and applications of FRP in strengthening RC structures : A review', 16(September), pp. 208–238. doi: 10.1016/j.istruc.2018.09.008.

Aveen, K. P. *et al.* (2021) 'Materials Today : Proceedings A review on the effects of input parameters & filler composition on delamination during machining of FRP composites', *Materials Today: Proceedings*, (xxxx). doi: 10.1016/j.matpr.2021.02.264.

B, R. R., Asokan, R. and Daniel, J. (2017) 'Fracture toughness on GFRP with multi fillers', *Materials Today: Proceedings*, 5(11), pp. 24486–24496.

Cihan, M., Sobey, A. J. and Blake, J. I. R. (2019) 'Mechanical and dynamic performance of woven flax / E-glass hybrid composites', *Composites Science and Technology*, 172(January), pp. 36–42. doi: 10.1016/j.compscitech.2018.12.030.

Davies, G. (2003) *Materials for Automobiles Bodies*.

Eschen, H., Harnisch, M. and Schüppstuhl, T. (2018) 'Flexible and automated production of sandwich panels for aircraft interior', *Procedia Manufacturing*, 18, pp. 35–42. doi: 10.1016/j.promfg.2018.11.005.

Farhan, A. *et al.* (2019) ‘Analysing impact properties of CNT filled bamboo / glass hybrid nanocomposites through drop-weight impact testing , UWPI and compression-after-impact behaviour’, *Composites Part B*, 168(July 2018), pp. 166–174. doi: 10.1016/j.compositesb.2018.12.061.

Ferreira, B. T. *et al.* (2019) ‘Sisal-glass hybrid composites reinforced with silica microparticles’, *Polymer Testing*, 74(November 2018), pp. 57–62. doi: 10.1016/j.polymertesting.2018.12.026.

Fleischer, J. *et al.* (2018) ‘Composite materials parts manufacturing’, *CIRP Annals*, 67(2), pp. 603–626. doi: 10.1016/j.cirp.2018.05.005.

Fombuena, V. *et al.* (2014) ‘Characterization of green composites from biobased epoxy matrices and bio-fillers derived from seashell wastes’, *Materials and Design*, 57, pp. 168–174. doi: 10.1016/j.matdes.2013.12.032.

Fujimoto, S. etsu and Sekine, H. (2007) ‘Identification of crack and disbond fronts in repaired aircraft structural panels with bonded FRP composite patches’, *Composite Structures*, 77(4), pp. 533–545. doi: 10.1016/j.compstruct.2005.08.005.

Jarrah, M., Pournamazian, E. and Houshmand, M. (2018) ‘The effect of elevated temperatures on the tensile performance of GFRP and CFRP sheets’, *Construction and Building Materials*, 190, pp. 38–52. doi: 10.1016/j.conbuildmat.2018.09.086.

Jawaid, M. and Rangappa, S. M. (2020) *Bamboo Fiber Composites: Processing, Properties and Applications*. Edited by S. Siengchin. Singapore: Springer.

John, M. J. and Thomas, S. (2008) ‘Biofibres and biocomposites’, 71, pp. 343–364. doi: 10.1016/j.carbpol.2007.05.040.

Kerni, L. *et al.* (2020) ‘Materials Today : Proceedings A review on natural fiber reinforced composites’, *Materials Today: Proceedings*, 28, pp. 1616–1621. doi: 10.1016/j.matpr.2020.04.851.

Khalil, H. P. S. A. *et al.* (2010) ‘Exploring biomass based carbon black as

filler in epoxy composites : Flexural and thermal properties’, *Materials and Design*, 31(7), pp. 3419–3425. doi: 10.1016/j.matdes.2010.01.044.

Koricho, E. G. *et al.* (2015) ‘Effect of hybrid (micro- and nano-) fillers on impact response of GFRP composite’, *COMPOSITE STRUCTURE*, 134, pp. 789–798. doi: 10.1016/j.compstruct.2015.08.106.

Ku, H. *et al.* (2011) ‘Composites : Part B A review on the tensile properties of natural fiber reinforced polymer composites’, 42, pp. 856–873. doi: 10.1016/j.compositesb.2011.01.010.

Kumar, K. V. *et al.* (2020) ‘Effect of bio waste (conch shell) particle dispersion on the performance of GFRP composite’, *Integrative Medicine Research*, 9(4), pp. 7123–7135. doi: 10.1016/j.jmrt.2020.04.042.

Kumar, K. V., Marcel, A. A. and Rajadurai, J. S. (2020) ‘Materials Today : Proceedings Mechanical property analysis on bamboo-glass fiber reinforced hybrid composite structures under different lamina orders’, *Materials Today: Proceedings*, (xxxx). doi: 10.1016/j.matpr.2020.08.423.

Lee, J., Kim, B. and Ko, D. (2019) ‘Development of vacuum-assisted prepreg compression molding for production of automotive roof panels’, *Composite Structures*, 213(April 2018), pp. 144–152. doi: 10.1016/j.compstruct.2019.01.092.

Li, M. *et al.* (2020) ‘Recent advancements of plant-based natural fiber – reinforced composites and their applications ☆’, 200(February). doi: 10.1016/j.compositesb.2020.108254.

Mallick, P. K. (2007) *Fiber-Reinforced Composites Materials Manufacturing and Design*. Third. Boca Raton: CRC Press. doi: <https://doi.org/10.1201/9781420005981>.

Mathivanan, N. R., Aiyappa, A. C. and Kumar, M. H. (2020) ‘Materials Today : Proceedings Experimental investigation on the effect of varying percentage of E-waste particulate filler in GFRP composite laminates’, *Materials Today: Proceedings*, 28, pp. 1130–1134. doi: 10.1016/j.matpr.2020.01.094.

Mazumdar, S. K. (2002) *Composites Composites, New York*.

Melo, D. D. and Radford, D. W. (2005) 'Time and temperature dependence of the viscoelastic properties of CFRP by dynamic mechanical analysis', 70, pp. 240–253. doi: 10.1016/j.compstruct.2004.08.025.

Mishra, B. P., Mishra, D. and Panda, P. (2020) 'Materials Today : Proceedings An experimental investigation of the effects of reinforcement of graphene fillers on mechanical properties of bi-directional glass / epoxy composite', *Materials Today: Proceedings*, 33, pp. 5429–5441. doi: 10.1016/j.matpr.2020.03.154.

Moe, M. and Liao, K. (2003) 'Durability of bamboo-glass fiber reinforced polymer matrix hybrid composites', 63, pp. 375–387.

Muflikhun, M. A. (2021) 'Evaluation of Failure Behavior of CFRP SPCC Hybrid Laminates under Tensile Loading'.

Rajaei, M. *et al.* (2019) 'A comparative study on effects of natural and synthesised nano-clays on the fire and mechanical properties of epoxy composites', *Composites Part B*, 165(July 2018), pp. 65–74. doi: 10.1016/j.compositesb.2018.11.089.

Rothon, R. (ed.) (2017) *Fillers for Polymer Applications*. Springer International Publishing.

Sajith, S., Arumugam, V. and Dhakal, H. N. (2017) 'Comparison on mechanical properties of lignocellulosic flour epoxy composites prepared by using coconut shell , rice husk and teakwood as fillers', *Polymer Testing*, 58, pp. 60–69. doi: 10.1016/j.polymertesting.2016.12.015.

Salleh, Z. *et al.* (2014) 'Mechanical Properties of Activated Carbon (AC) Coconut Shell Reinforced Polypropylene Composites Encapsulated with Epoxy Resin', *Procedia - Social and Behavioral Sciences*, 9(Icbee 2013), pp. 92–96. doi: 10.1016/j.apcbee.2014.01.017.

Samanta, S. *et al.* (2015) 'Characterization of mechanical properties of

hybrid bamboo / GFRP and jute / GFRP composites', 2, pp. 1398–1405. doi: 10.1016/j.matpr.2015.07.059.

Seshanandan, G., Ravindran, D. and Sornakumar, T. (2016) 'ScienceDirect Mechanical properties of nano titanium oxide particles - hybrid jute-glass FRP composites', *Materials Today: Proceedings*, 3(6), pp. 1383–1388. doi: 10.1016/j.matpr.2016.04.019.

Shakir Abbood, I. *et al.* (2020) 'Properties evaluation of fiber reinforced polymers and their constituent materials used in structures – A review', *Materials Today: Proceedings*, 43, pp. 1003–1008. doi: 10.1016/j.matpr.2020.07.636.

Shubham, S. K. *et al.* (2020) 'Materials Today : Proceedings Study of nano-fillers embedded in polymer matrix composites to enhance its properties – A review', *Materials Today: Proceedings*, 26, pp. 3024–3029. doi: 10.1016/j.matpr.2020.02.629.

Siddika, A. *et al.* (2019) 'Strengthening of reinforced concrete beams by using fiber-reinforced polymer composites: A review', *Journal of Building Engineering*, 25(February), p. 100798. doi: 10.1016/j.jobbe.2019.100798.

Sravanthi, K., Mahesh, V. and Rao, B. N. (2021) 'Materials Today : Proceedings Influence of micro and nano carbon fillers on impact behavior of GFRP composite materials', *Materials Today: Proceedings*, 37, pp. 1075–1078. doi: 10.1016/j.matpr.2020.06.298.

Sutherland, L. S. (2018) 'A review of impact testing on marine composite materials: Part I – Marine impacts on marine composites', *Composite Structures*, 188(November 2017), pp. 197–208. doi: 10.1016/j.compstruct.2017.12.073.

Umapathi, D., Devaraju, A. and Harikumar, R. (2021) 'Materials Today : Proceedings Exploration of mechanical properties of flax fibre and GFRP hybrid composites', *Materials Today: Proceedings*, 39, pp. 875–878. doi: 10.1016/j.matpr.2020.10.938.

Vardhan, D. H., Ramesh, A. and Reddy, B. C. M. (2020) 'Effect of ceramic fillers on flexural strength of the GFRP composite material', *Materials Today:*

Proceedings, 37(Part 2), pp. 1739–1742. doi: 10.1016/j.matpr.2020.07.356.

Vita, A. *et al.* (2019) ‘Comparative life cycle assessment of low-pressure RTM, compression RTM and high-pressure RTM manufacturing processes to produce CFRP car hoods’, *Procedia CIRP*, 80, pp. 352–357.

Wallenberger, F. T. and Bingham, P. A. (eds) (2010) *Fiberglass and Glass Technology*. Springer.

Yao, Z. T. *et al.* (2013) ‘Mechanical and thermal properties of polypropylene (PP) composites filled with modified shell waste’, 262, pp. 212–217. doi: 10.1016/j.jhazmat.2013.08.062.

Zhang, Y. *et al.* (2013) ‘Tensile and interfacial properties of unidirectional flax / glass fiber reinforced hybrid composites’, *Composites Science and Technology*, 88, pp. 172–177. doi: 10.1016/j.compscitech.2013.08.037.