



DAFTAR PUSTAKA

- Acharya, B.N., Saraswat, D., Tiwari, M., Shrivastava, A.K., Ghorpade, R., Bapna, S., and Kaushik, M.P., 2010, Synthesis and antimalarial evaluation of 1,3,5-trisubstituted pyrazolines, *Eur. J. Med. Chem.*, 45, 430–438.
- Aksöz, B.E., and Ertan, R., 2012, Spectral properties of chalcones II, *Fabab J. Pharm. Sci.*, 37, 205–216.
- Anonim, 2018, *World malaria report 2018*, World Health Organization, Luxembourg.
- Ardiansah, B., 2019, Chalcones bearing N, O, and S-heterocycles: Recent notes on their biological significances, *J. Appl. Pharm. Sci.*, 9 (8), 117–129.
- Basco, L.K., 2007, *Field application of in vitro assays for the sensitivity of human malaria parasites to antimalarial drugs*, World Health Organization, Jenewa.
- Batista, R., Júnior, A.J.S., and Oliveira, A.B., 2009, Plant-derived antimalarial agents: new leads and efficient phytomedicines. part II. non-alkaloidal natural products, *Molecules*, 14, 3037–3072.
- Bhutani, R., Pathak, D.P., Husain, A., Kapoor, G., and Kant, R., 2015, A review on recent development of pyrazoline as a pharmacologically active molecule, *Int. J. Pharm. Sci. Res.*, 6, 4113–4128.
- Bloland, P.B., 2013, *Drug resistance in malaria*, World Health Organization, Jenewa.
- Borgatti, T.F., Do Nascimento, M.F.A., Bernardino, J.F., Martins, L.C.O., Taranto, A.G., and De Oliveira, A.B., 2017, Synthesis, SAR, and docking studies disclose 2-aryl furan-1,4-naphthoquinones as *in vitro* antiplasmodial hits, *J. Trop. Med.*, 2017, 1–11.
- Bukhari, S.N.A., Jasamai, M., Jantan, I., and Ahmad, W., 2013, Review of methods and various catalysts used for chalcone synthesis, *Mini. Rev. Org. Chem.*, 10, 73–83.
- Burrows, J.N., Huijsdijnen, R.H., Möhrle, J.J., Oeuvray, C., and Wells, T.N., 2013, Designing the next generation of medicines for malaria control and eradication, *Malar. J.*, 12, 1–20.
- Emayavaramban, M., Santhi, N., Gopi, C., Manivannan, C., and Raguraman, A.,



- 2013, Synthesis, characterization and anti-diabetic activity of 1,3,5-triaryl- 2-pyrazolines in acetic acid solution under ultrasound irradiation, *Int. Lett. Chem. Phys. Astron.*, 14, 172–185.
- Garland, M., 2010, Malaria, *InnovAiT*, 3, 269–276.
- Gil, A., Pabón, A., Galiano, S., Burguete, A., Pérez-Silanes, S., Deharo, E., Monge, A., and Aldana, I., 2014, Synthesis, biological evaluation and structure-activity relationships of new quinoxaline derivatives as anti-plasmodium *Falciparum* agents, *Molecules*, 19 (2), 2166–2180.
- Gupta, D., and Jain, D.K., 2015, Chalcone derivatives as potential antifungal agents: synthesis, and antifungal activity, *J. Adv. Pharm. Technol. Res.*, 6, 114–117.
- Gupta, R., Gupta, N., and Jain, A., 2010, Improved synthesis of chalcones and pyrazolines under ultrasonic irradiation, *Indian J. Chem. - Sect. B Org. Med. Chem.*, 49, 351–355.
- Hapsari, M., Windarti, T., Purbowatiningrum, Ngadiwiyyana, and Ismiyarto, 2018, Synthesis of 4-hydroxy-3-methylchalcone from Reimer-Tiemann reaction product and its antibacterial activity test, *IOP Conf. Ser. Mater. Sci. Eng.*, 349, 1–7.
- Hughes, J.P., Rees, S.S., Kalindjian, S.B., and Philpott, K.L., 2011, Principles of early drug discovery, *Br. J. Pharmacol.*, 162, 1239–1249.
- Jainey, P.J., and Bhat, I.K., 2012, Antitumor, analgesic, and anti-inflammatory activities of synthesized pyrazolines, *J. Young Pharm.*, 4, 82–87.
- Karthikeyan, C., Moorthy, N.S.H., Ramasamy, S., Vanam, U., Manivannan, E., Karunagaran, D., and Trivedi, P., 2014, Advances in chalcones with anticancer activities, *Recent Pat. Anticancer Drug Discov.*, 10, 97–115.
- Kirchner, S., Power, B. J., Waters, A. P., 2016, Recent advances in malaria genomics and epigenomics, *Genome Medicine*, 8(92), 1-17
- Koudokpon, H., Armstrong, N., Dougnon, T. V., Fah, L., Hounsa, E., Bankolé, H.S., Loko, F., Chabrière, E., and Rolain, J.M., 2018, Antibacterial activity of chalcone and dihydrochalcone compounds from *Uvaria chamae* roots against multidrug-resistant bacteria, *Biomed Res. Int.*, 2018, 1–10.
- Kumar, A., Varadaraj, B.G., and Singla, R.K., 2013, Synthesis and evaluation of antioxidant activity of novel 3,5-disubstituted-2-pyrazolines, *Bull. Fac. Pharmacy, Cairo Univ.*, 51, 167–173.



Kumar, G., Tanwar, O., Kumar, J., Akhter, M., Sharma, S., Pillai, C.R., Alam, M.M., and Zama, M.S., 2018, Pyrazole-pyrazoline as promising novel antimalarial agents: a mechanistic study, *Eur. J. Med. Chem.*, 149, 139– 147.

Kumar, R., Mohanakrishnan, D., Sharma, A., Kaushik, N.K., Kalia, K., Sinha, A.K., and Sahal, D., 2010, Reinvestigation of structure-activity relationship of methoxylated chalcones as antimalarials: synthesis and evaluation of 2,4,5-trimethoxy substituted patterns as lead candidates derived from abundantly available natural β-asarone, *Eur. J. Med. Chem.*, 45, 5292–5301.

Kumaraswamy, D., and Prashanth, D., 2017, Synthesis and evaluation of pyrazoline derivatives as antibacterial agents, *Int. J. Pharm. Biol. Sci.*, 7, 84– 93.

Lahsasni, S.A., Al Korbi, F.H., and Aljaber, N.A.A., 2014, Synthesis, characterization and evaluation of antioxidant activities of some novel chalcones analogues, *Chem. Cent. J.*, 8, 1–10.

Lefevre, T., Ohm, J., Dabiré, K.R., Cohuet, A., Choisy, M., Thomas, M.B., and Cator, L., 2018, Transmission traits of malaria parasites within the Mosquito: genetic variation, phenotypic plasticity, and consequences for control, *Evol. Appl.*, 11, 456–469.

Lévai, A., and Jeko, J., 2007, Synthesis of carboxylic acid derivatives of 2-pyrazolines, *Arkivoc*, 1, 134–145.

Maria, K., Dimitra, H.-L., and Maria, G., 2008, Synthesis and anti-inflammatory activity of chalcones and related Mannich bases, *Med. Chem.*, 4, 586–596.

McKenzie, B.A., Wilson, A.E., and Zohdy, S., 2019, *Aedes albopictus* is a competent vector of zika virus: a meta-analysis, *PLoS One*, 14, 1–16.

Monath, T.P., and Vasconcelos, P.F.C., 2015, Yellow fever, *J. Clin. Virol.*, 64, 160–173.

Ni, L., Meng, C.Q., and Sikorski, J.A., 2004, Recent advances in therapeutic chalcones, *Expert Opin. Ther. Pat.*, 14, 1669–1691.

Nielsen, A.T., and Houlihan, W.J., 2011, *The Aldol condensation*, In, Evans, P.A., and Weinreb, S.M., (eds), *Organic Reactions*. John Wiley & Sons., Inc., Hoboken.

Okolo, C., Eban, L., Amazu, L., Chukwu, L., Ohadoma, S., and Osuala, F., 2020, *In-vitro* anti-malarial activity of Chikadoma plant from the rainforest of Southern Nigeria, *J. Drug Deliv. Ther.*, 10(5), 251–254.



Özdemir, A., 2013, Synthesis and antimicrobial activity of some pyrazoline derivatives bearing amide moiety, *Marmara Pharm. J.*, 3, 187–187.

Pannu, A.K., 2019, Malaria today: Advances in management and control, *Trop. Doct.*, 49, 160–164.

Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2015, *Introduction to Spectroscopy*, 5th Ed., Cengage Learning, Stamford.

Pise, A.S., Jadhav, S.D., Burungale, A.S., Devkate, S.S., and Gawade, R.B., 2018, Ultrasound assisted synthesis of 1,5-diaryl and 1,3,5-triaryl-2-pyrazolines by using KOH/EtOH system with Cu(I) catalyst, *Asian J. Chem.*, 30, 894– 896.

Powell, J.R., 2018, Perspective piece mosquito-borne human viral diseases: why *Aedes aegypti*?, *Am. J. Trop. Med. Hyg.*, 98, 1563–1565.

Rahman, M.A., and Siddiqui, A.A., 2010, Review article pyrazoline derivatives: a worthy insight into the recent advances and potential pharmacological activities, *Int. J. Pharm. Sci. Drug Res.*, 2, 165–175.

Rosa, G.P., Seca, A.M.L., Barreto, M.D.C., and Pinto, D.C.G.A., 2017, Chalcone: A valuable scaffold upgrading by green methods, *ACS Sustain. Chem. Eng.*, 5, 7467–7480.

Rosenthal, P.J., 2003, Antimalarial drug discovery: old and new approaches, *J. Exp. Biol.*, 206, 3735–3744.

Sahu, N.K., Balbhadra, S.S., Choudhary, J., and Kohli, D.V., 2012, Exploring pharmacological significance of chalcone scaffold: A Review, *Curr. Med. Chem.*, 19, 209–225.

Saranya, A. V., and Ravi, S., 2012, Synthesis, characterization and anti-bacterial activity of pyrimidine, cyclohexenoneand 1,5-diketone derivatives of furfural chalcone, *J. Pharm. Res.* 5(2), 1098-1101.

Sinha, S., Sarma, P., Sehgal, R., and Medhi, B., 2017, Development in assay methods for *in vitro* antimalarial drug efficacy testing: A systematic review, *Front. Pharmacol.*, 8, 1–14.

Smit, F.J., Bezuidenhout, J.J., Bezuidenhout, C.C., and N'Da, D.D., 2016, Synthesis and *in vitro* biological activities of ferrocenyl-chalcone amides, *Med. Chem. Res.*, 25(4), 568–584.

Suma, A.A.T., Wahyuningsih, T.D., and Mustofa, 2019, Efficient synthesis of



chloro chalcones under ultrasound irradiation, their anticancer activities and molecular docking studies, *Rasayan J. Chem.*, 12, 502–510.

Suma, A.A.T., Wahyuningsih, T.D., and Mustofa, 2019, Synthesis, cytotoxicity evaluation and molecular docking study of *N*-phenylpyrazoline derivatives, *Indones. J. Chem.*, 19, 1081–1090.

Suryani, N., Matsjeh, S., and Swasono, R.T., 2019, Synthesis and heme polymerization inhibitory activity (HPIA) assay of chalcone, flavone and flavanone derivatives, *Mater. Sci. Forum*, 948, 109–114.

Susanti, E., Matsjeh, S., Mustofa, and Wahyuningsih, T.D., 2014, Improved synthesis of 2',6'-dihydroxy-3,4-dimethoxy chalcone by grinding technique to synthesize 5-hydroxy-3',4'-dimethoxy flavone, *Indones. J. Chem.*, 14, 174–178.

Suwito, H., Jumina, Mustofa, Pudjiastuti, P., Fanani, M.Z., Kimata-Ariga, Y., Katahira, R., Kawakami, T., Fujiwara, T., Hase, T., Sirat, H.M., and Puspaningsih, N.N.T., 2014, Design and synthesis of chalcone derivatives as inhibitors of the ferredoxin-ferredoxin-NADP⁺ reductase interaction of *Plasmodium falciparum*: pursuing new antimalarial agents, *Molecules*, 19, 21473–21488.

Tadigoppula, N., Korthikunta, V., Gupta, S., Kancharla, P., Khaliq, T., Soni, A., Srivastava, R.K., Srivastava, K., Puri, S.K., Raju, K.S.R., Wahajuddin, Sijwali, P.S., Kumar, V., and Mohammad, I.S., 2013, Synthesis and insight into the structure-activity relationships of chalcones as antimalarial agents, *J. Med. Chem.*, 56, 31–45.

Uqwu, D. I., Ezema, B. E., Eze, F. U., Onoabedje, E. A., Ezema, C. G., Ekoh, O. C., Ayogu, J. I., 2015, Synthesis and antimalarial Activities of Chalcone Derivatives, *Int. J. Chemtech. Res.*, 7(4), 1966-1984

Wanare, G., Aher, R., Kawathekar, N., Ranjan, R., Kaushik, N.K., and Sahal, D., 2010, Synthesis of novel α-pyranochalcones and pyrazoline derivatives as *Plasmodium falciparum* growth inhibitors, *Bioorg. Med. Chem. Lett.*, 20, 4675–4678.

Wang, H., Zheng, J., Xu, W., Chen, C., Wei, D., Ni, W., and Pan, Y., 2017, A new series of cytotoxic pyrazoline derivatives as potential anticancer agents that induce cell cycle arrest and apoptosis, *Molecules*, 22, 1–14.

Wellem, T.E., and Plowe, C.V., 2001, Chloroquine-resistant malaria, *J. Infect. Dis.*, 184, 770–776.



UNIVERSITAS
GADJAH MADA

**SINTESIS TURUNAN KALKON DAN PIRAZOLINA BERBASIS FURAN DAN METOKSIASETOFENON
SERTA UJI AKTIVITASNYA
SEBAGAI SENYAWA ANTIMALARIA**

JECKY, Dra. Tutik Dwi Wahyuningsih, M.Si., Ph.D.; Dr. Endang Astuti, M.Si.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yusuf, M., and Jain, P., 2014, Synthetic and biological studies of pyrazolines
and related heterocyclic compounds, *Arab. J. Chem.*, 7, 553–596.