

DAFTAR PUSTAKA

- Akbani, R., Kwek, S., & Japkowicz, N., 2004, Applying Support Vector Machines to Imbalanced Datasets. European Conference on Machine Learning, LNAI 3201, 39–50, Springer-Verlag Berlin Heidelberg.
- Ali, S., Hassan, M., Islam, A., & Ahmad, F., 2014, A Review of Methods Available to Estimate Solvent-Accessible Surface Areas of Soluble Proteins in the Folded and Unfolded States. *Current Protein & Peptide Science*, 15,5, 456–476. <https://doi.org/10.2174/-1389203715666140327114232>
- Andersen, P. H., Nielsen, M., dan Lund, O. L. E., 2006, Prediction of residues in discontinuous B-cell *epitops* using protein 3D structures. *Protein Science*, 15, 2558–2567. <https://doi.org/10.1110/ps.062405906.2558>
- Astriany, D., Sari, Y. I. P., Baroroh, U., Yusuf, M., Maksum, I. P., Natalia, D., & Subroto, T. (2020). In Silico Study of Single Chain Fragment Variable Antibody and Indonesian Serotype-2 NS1 Dengue Virus Antigen, 26, 102–106. <https://doi.org/10.2991/ahsr.k.200523.025>
- Batuwita, R., & Palade, V., 2010, FSVM-CIL : Fuzzy Support Vector Machines for Class Imbalance Learning. *IEEE Transaction on Fuzzy System*, 18(3), 558–571.
- Batuwita, R., dan Palade, V., 2012, *Class imbalance learning* methods for support vector. In H. He dan Y. Ma (Eds.), *Imbalanced Learning: Foundations, Algorithms, and Applications* (pp. 83–99). Berlin, Germany: John Wiley & Sons, Inc
- Batuwita, R., dan Palade, V., 2009, A New Performance Measure for *Class imbalance Learning* . Application to Bioinformatics Problems. *International Conference on Machine learning and Applications*, 545–550, Miami Beach, Florida: IEEE Computer Society. <https://doi.org/10.1109/ICMLA.2009.126>
- Berman, H. M., Westbrook, J., Feng, Z., Gilliland, G., Bhat, T. N., Weissig, H., Bourne, P. E., 2000, The Protein Data Bank. *Nucleic Acids Research*, 28,1, 235–242.
- BIOVIA, Dassault Systèmes, Biovia Discovery Studio Visualizer, v19.0.1.18287, San Diego: Dassault Systèmes, 2018

- Blaszczynski, J., dan Stefanowski, J., 2014, Neighbourhood sampling in bagging for *imbalanced* data. *Neurocomputing*, 2, 5–6, <https://doi.org/10.1016/j.neucom.2014.07.064>
- Bolshakova, N., & Azuaje, F., 2003, Cluster validation technique for genome expression, *Signal Processing*, 83, 825–833. Retrieved from www.ComputerScienceWeb.com akses terakhir 3 Januari 2021
- Breiman, dan Cutler, A., 2005, Random Forest, Berkeley url: https://www.stat.berkeley.edu/~breiman/RandomForests/cc_home.htm (terakhir diakses 10 Januari 2018)
- Brown, F., Dougan, G., Hoey, E.M., Martin, S.J., Rima, B.K., Trudgett, A., 1993, *Vaccine Design*, John Wiley & Sons Ltd, England
- Bublil, E. M., Freund, T., Mayrose, I., Penn, O., Roitburd-berman, A., Rubinstein, N. D., Pupko, T., Gershoni, J. M. (2007). Stepwise Prediction of Conformational Discontinuous B-Cell Epitopes Using the Mapitope Algorithm. *PROTEINS: Structure, Function, and Bioinformatics*, 304(December 2006), 294–304. <https://doi.org/10.1002/prot>
- Campello, R. J. G. B., Moulavi, D., Sander, J. (2013). Density-Based Clustering Based on Hierarchical Density Estimates. In J. Pei, V. S. Tseng, L. Cao, H. Motoda, & G. Xu (Eds.), *Advances in Knowledge Discovery and Data Mining PAKDD Part II LNAI* (pp. 160–172). Springer, Berlin, Heidelberg.
- Chanderan, N. and Abdullah, J., 2017, Hierarchical density-based clustering of malware behaviour', *Journal of Telecommunication, Electronic and Computer Engineering*, 9,2–10, pp. 159–164.
- Chawla, N. , Bowyer, K., Hall, L., Kegelmeyer, W., 2002, SMOTE: Synthetic minority *oversampling* technique, *J.Artif.Intell.Res*, 16, 341–378.
- Chawla, N.V., Lazarevic, A., Hall, L. O., dan Bowyer, K.W. , SMOTEBoost: Improving prediction of the minority class in boosting, *Proc. Knowl. Discov. Databases*, 2003, 107–119.
- Chen, J., Liu, H., Yang, J., dan Chou, K. C., 2007, Prediction of linear B-cell *epitopes* using amino acid pair antigenicity scale', *Amino Acids*, 33,3, 423–428. <http://doi.org/10.1007/s00726-006-0485-9>

- Chen, C., Liaw, A., Breiman, L., 2004, Using random forest to learn *imbalanced* data, *Dept. Statistics, Univ. California Berkeley, Tech. Rep.*, p. 12.
- Doig, A. J., & Sternberg, M. J. E., 1995, Side-chain conformational entropy in protein folding, 2247–2251.
- Ester, M., Krigel, H.-P., Sander, J., & Xu, X. (1996). Density-Based Clustering Methods. In KDD-96 (pp. 226–231). <https://doi.org/10.1016/B978-044452701-1.00067-3>
- Galar, M., Fern, A., Barrenechea, E., dan Bustince, H., 2012, Hybrid-Based Approaches. *IEEE Transactions On Systems, Man, And Cybernetics -Part C: Applications And Reviews*, 42(4), 463–484.
- Garcia, V., Sanchez, J.S., dan Mollineda, R.A., 2007, An empirical study of the behaviour of *classifiers* on *imbalanced* and overlapped datasets', in: Proceedings of Progress in Pattern Recognition, Image Analysis and Applications 2007, Lecture Notes in Computer Science, vol.4756, Springer, Berlin, Heidelberg, 2007, pp.397–406.
- Haixiang, G., Yijing, L., Shang, J., Mingyun, G., dan Yuanyue, H., 2017, *Learning from class-imbalanced data : Review of methods and applications*, *Expert Systems With Applications*, 73, 220–239. <http://doi.org/10.1016/j.eswa.2016.12.035>
- Hamelryck, T., 2005, 'An amino acid has two sides: A new 2D measure provides a different view of solvent exposure', *Proteins: Structure, Function and Genetics*, 59, 1, 38–48. <http://doi.org/10.1002/prot.20379>
- He, H. and Ma, Z., 2013, *Imbalance Learning Foundations, Algorithms and Applications*, *IEEE and John Wiley & Sons*.
- He, H. and Garcia, E. A., 2009, *Learning from Imbalanced Data*, *IEEE Transactions on Knowledge and Data Engineering*, 21,9, pp. 1263–1284.
- Hido, S., & Kashima, H., 2009, Roughly Balanced Bagging for *Imbalanced* Data. *Stat. Anal. Data Min.*, 2, 412–426.
- Hu, Y., Lin, S., Lin, Y., Lin, K., dan You, S., 2014, A meta-learning approach for B-cell conformational *epitope* prediction. *BMC Bioinformatics*, 15,378, 1–15.

- Hubbard, S.J. and Thornton, J.M., 1993, NACCESS computer program. Department of Biochemistry and Molecular Biology, University College of London.
- Hubbard, S. J., Beynon, R. J., dan Thornton, J. M., 1998, Assessment of conformational parameters as predictors of limited proteolytic sites in native protein structures, *Protein Engineering*, 11,5, 349–359. <http://doi.org/10.1093/protein/11.5.349>
- Iranmehr, A., Masnadi-shirazi, H., dan Vasconcelos, N., 2019, Neurocomputing Cost-sensitive support vector machines. *Neurocomputing*, 343, 50–64. <https://doi.org/10.1016/j.neucom.2018.11.099>
- Jackson, R. M., 1999, Comparison of protein-protein interactions in serine protease-inhibitor and antibody-antigen complexes: implications for the protein docking problem', *Protein Science : A Publication of the Protein Society*, 8, 603–613. <http://doi.org/10.1110/ps.8.3.603>
- Jang, S., Park, S. H., dan Baek, J., 2017, Real-time contrasts control chart using random forests with weighted voting, *Expert Systems With Applications*, 71, 358–369. <http://doi.org/10.1016/j.eswa.2016.12.002x>
- Jespersen, M. C., Peters, B., Nielsen, M., dan Marcatili, P., 2017, BepiPred-2.0: improving sequence-based epitope prediction using conformational epitopes. *Nucleic Acids Research*, 45(May), 24–29. <https://doi.org/10.1093/nar/gkx346>
- Jo, T., dan Japkowicz, N., 2004, *Class imbalances* versus small disjuncts, *ACMSIGKDD Explor. Newslett*, 6,1:40–49.
- Kabsch, W. and Sander, C., 1983, Dictionary of Protein Secondary Structure: Pattern Recognition of Hydrogen-Bonded and Geometrical Features, *Biopolymers*, 22, pp. 2577–2637.
- Kawashima, S., Pokarowski, P., Pokarowska, M., Kolinski, A., Katayama, T., dan Kanehisa, M., 2008, AAindex : amino acid index database , progress report 2008. *Nucleid Acids Research*, 36(November 2007), 202–205. <https://doi.org/10.1093/nar/gkm998>
- Khoshgoftaar, T. M., Hulse, J. Van, & Napolitano, A., 2011, Comparing Boosting and Bagging Techniques With Noisy and Imbalanced Data. *IEEE Transactions On Systems, Man, And Cybernetics -Part A: Systems And Humans*, 41(3), 552–568.

- Kringelum, J. V., Lundegaard, C., Lund, O., dan Nielsen, M., 2012, Reliable B Cell *Epitope* Predictions : Impacts of Method Development and Improved Benchmarking. *PLOS Computational Biology*, 8,12: 1–10. <https://doi.org/10.1371/journal.pcbi.1002829>
- Kringelum, J. V., Nielsen, M., Padkjær, S. B., dan Lund, O., 2013, Structural analysis of B-cell *epitopes* in antibody: Protein complexes, *Molecular Immunology*, 53,1–2: 24–34. <http://doi.org/10.1016/j.molimm.2012.06.001>
- Kulkarni-kale, U., Bhosle, S., & Kolaskar, A. S., 2005, CEP : a conformational *epitope* prediction server. *Nucleic Acids Research*, 33(Web Server issue), 168–171. <https://doi.org/10.1093/nar/gki460>
- Lapin, M., Hein, M., dan Schiele, B., 2014, Learning Using Privileged Information: SVM+ and Weighted SVM. *Neural Network*, 53, 95–108.
- Lee, B. and Richards, F. M., 1971, The Interpretation of Protein Structures : Estimation of Static Accessibility, *J Mol. Biol.*, 55, 379–400.
- Li, P., Pok, G., Å, K. S. J., Shon, H. S., dan Ryu, K. H., 2011, QSE : A new 3-D solvent exposure measure for the analysis of protein structure. *Proteomics*, 11, 3793–3801. <https://doi.org/10.1002/pmic.201100189>
- Liang, S., Zheng, D., Standley, D. M., Yao, B., Zacharias, M., dan Zhang, C., 2010, ‘EPSVR and EPMeta : prediction of antigenic *epitopes* using support vector regression and multiple server results’, *BMC Bioinformatics*, 11:381, <http://www.biomedcentral-.com/1471-2105/11/381>
- Liang, S., Zheng, D., Zhang, C., dan Zacharias, M., 2009, Prediction of antigenic *epitopes* on protein surfaces by consensus scoring, *BMC Bioinformatics*, 10,1, 302. <http://doi.org/10.1186/1471-2105-10-302>
- Lim, P., Goh, C. K., & Tan, K. C. (2017). Evolutionary Cluster-Based Synthetic *Oversampling Ensemble* (ECO-Ensemble) for *Imbalance Learning*. *IEEE Transactions on Cybernetics*, 47(9), 2850–2861. <https://doi.org/10.1109/TCYB.2016.2579658>
- Liu, X.-Y., Wu, J., dan Zhou, Z.-H., 2009, Exploratory *undersampling* for *class imbalance learning*, *IEEE Trans. Syst., Man, Cybern. B, Appl. Rev.*, 39, 2,539–550.

- Liu, J., 2021, Fuzzy support vector machine for imbalanced data with borderline noise. *Fuzzy Sets and Systems*, 413, 64–73. <https://doi.org/10.1016/j.fss.2020.07.018>
- Lo, Y. T., Pai, T. W., Hsu, H. H., dan Tsai, H. K., 2014, *Epitope and Paratope Region Analysis*, *Eighth International Conference on Complex, Intelligent and Software Intensive Systems*, 510–514. <https://doi.org/10.1109/CISIS.2014.73>
- López, V., Río, S., Benítez, J. M., dan Herrera, F., 2015, *Cost-sensitive linguistic fuzzy rule based classification systems under the MapReduce framework for imbalanced big data*, *Fuzzy Sets and Systems*, 258, 5–38. <http://doi.org/10.1016/j.fss.2014.01.015>
- Loyola-gonzález, O., Martínez-trinidad, J. F., dan Carrasco-choa, J. A., 2016, Neurocomputing Study of the impact of *resampling* methods for contrast pattern based classifiers in *imbalanced* databases, *Neurocomputing*, 175, 935–947. <http://doi.org/10.1016/j.neucom.2015.04.120>
- McConkey, B.J., Sobolev, V. and Edelman, M., 2002, Quantification of protein surfaces, volumes and atom-atom contacts using a constrained Voronoi procedure. *Bioinformatics*, 18, 1365–1373
- McInnes, L. and Healy, J., 2017, Accelerated Hierarchical Density Based Clustering', *IEEE International Conference on Data Mining Workshops, ICDMW, 2017-November*, pp. 33–42. doi: 10.1109/ICDMW.2017.12.
- Mihel, J., Šiki, M., Tomi, S., Jeren, B., dan Vlahovi, K., 2008, PSAIA – Protein Structure and Interaction Analyzer. *BMC Structural Biology*, 11, 1–11. <https://doi.org/10.1186/1472-6807-8-21>
- Miller, S., Janin, J., Lesk, A. M., dan Chothia, C., 1987, Interior and surface of monomeric proteins, *Journal of Molecular Biology*, 196, 3, 641–656. [http://doi.org/10.1016/0022-2836\(87\)90038-6](http://doi.org/10.1016/0022-2836(87)90038-6)
- Murzin, A. G., Brenner, S. E., Hubbard, T., dan Chothia, C., 1995, SCOP: A Structural Classification of Proteins Database for the Investigation of Sequences and Structures. *Jurnal Mol. Biol.*, 247, 536–540.
- Napierala, K., Stefanowski, J., Wilk, Sz., 2010, *Learning from imbalanced data in presence of noisy and borderline examples*, *Proceedings of Seventh International Conference RSCTC, Lecture Notes in Artificial Intelligence, vol. 6086, Springer, Berlin, Heidelberg, 2010*, pp. 158–167.

- Nardin, E., 2010, 'The past decade in malaria synthetic peptide vaccine clinical trials, *Human Vaccines*, 6:1, 27-38, DOI: 10.4161/hv.6.1.9601
- Nelson, W. G., De Marzo, A. M., dan Isaacs, W. B., 2003, Prostate Cancer, *New England Journal of Medicine*, 349, 4, 366–381. <http://doi.org/10.1056/NEJMra021562>
- Nielsen, M., Lundegaard, C., Worning, P., Hvid, C.S., Lamberth, K., Buus, S., Brunak, S., and Lund, O., 2004, Improved prediction of MHC class I and class II *epitopes* using a novel Gibbs sampling approach. *Bioinformatics* 20: 1388–1397.
- Nishikawa, K., dan Ooi, T., 1980, Prediction Of The Surface-Interior Diagram Of Globular Proteins By An Empirical Method, *Int J Peptide Protein Res*, 16, 19–32.
- Novitriani, K., Gaffar, S., Alisjahbana, B., Baroroh, U., Rizki, A., Yusuf, M., dan Subroto, T. (2020). In Silico Study of Single Chain Fragment Variable (ScFv) on Chikungunya Virus Using Indonesian Strain, 26, 25–29. <https://doi.org/10.2991/ahsr.k.200523.008>
- Ofran, Y., Schlessinger, A., dan Rost, B., 2008, Automated identification of complementarity determining regions (CDRs) reveals peculiar characteristics of CDRs and B cell *epitopes*, *Journal of Immunology* (Baltimore, Md. : 1950), 181,9, 6230–6235. <http://doi.org/181/9/6230>
- Osajima, T., Suzuki, M., Neya, S., dan Hoshino, T., 2014, Computational and statistical study on the molecular interaction between antigen and antibody. *Journal of Molecular Graphics and Modelling*, 53, 128–139. <https://doi.org/10.1016/j.jmgm.2014.07.005>
- Parker, J.M., Guo, D., and Hodges, R.S., 1986, New hydrophilicity scale derived from high-performance liquid chromatography peptide retention data: Correlation of predicted surface residues with antigenicity and X-ray- derived accessible sites. *Biochemistry* 25: 5425–5432.
- Ponomarenko, J. V, & Bourne, P. E., 2007, Antibody-protein interactions : benchmark datasets and prediction tools evaluation, 19. <https://doi.org/10.1186/1472-6807-7-64>
- Ponomarenko, J., Bui, H., Li, W., Fusseder, N., Bourne, P. E., Sette, A., dan Peters, B., 2008, ElliPro : a new structure-based tool for the prediction of antibody

epitopes, *BMC Bioinformatics*, 9, 514, 1–8. <https://doi.org/10.1186/1471-2105-9-514>

Prati, R., Batista, G., Monard, M., 2004, *Class imbalance* versus class overlapping: an Analysis of a *learning* system behavior, *Proceedings of the Third Mexican International Conference on Artificial Intelligence*, pp.312–321.

Qi, T., Qiu, T., Zhang, Q., Tang, K., Fan, Y., Qiu, J., ... Cao, Z., 2014, SEPPA 2.0 - More refined server to predict spatial *epitope* considering species of immune host and subcellular localization of protein antigen, *Nucleic Acids Research*, 42, W1, 59–63. <http://doi.org/10.1093/nar/gku395>

Rabb, H., 2002, The T cell as a bridge between innate and adaptive immune systems: Implications for the kidney, *Kidney International*, 61,6, pp. 1935–1946. doi: 10.1046/j.1523-1755.2002.00378.x.

Radji, M. (2009). Vaksin Kanker. *Jurnal Ilmu Kefarmasian*, VI(3), 109–118.

Ramaraj, T., Angel, T., Dratz, E. A., Jesaitis, A. J., dan Mumey, B., 2012, ‘Antigen-antibodi interface properties: Composition, residue interactions, and features of 53 non-redundant structures, *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1824, 3, 520–532. <http://doi.org/10.1016/j.bbapap.2011.12.007>

Raff E, 2017, JSAT: Java statistical analysis tool, a library for *machine learning*. *Journal of Machine learning Research* 18:1-5

Ren, J., Liu, Q., Ellis, J., dan Li, J., 2015, Positive-unlabeled *learning* for the prediction of conformational B-cell *epitopes*, *BMC Bioinformatics*, 16, Suppl 18, S12. <http://doi.org/10.1186/1471-2105-16-S18-S12>

Ren, J., Liu, Q., Ellis, J., dan Li, J., 2014, Tertiary structure-based prediction of conformational B-cell *epitopes* through B factors. *Bioinformatics*, 30, 264–273. <https://doi.org/10.1093/bioinformatics/btu281>

Rousseeuw, P. J., 1987, Silhouettes: a graphical aid to the interpretation and validation of cluster analysis. *Journal of Computational and Applied Mathematics*, 20, 53–65.

Rost, B., dan Sander, C., 1994, Conservation and prediction of solvent accessibility in protein families, *Proteins: Structure, Function and Genetics*, 20, 3, 216–226. <http://doi.org/10.1002/prot.340200303>

- Rubinstein, N. D., Mayrose, I., Halperin, D., Yekutieli, D., Gershoni, J. M., dan Pupko, T., 2008, Computational characterization of B-cell *epitopes*, *Molecular Immunology*, 45, 12, 3477–3489. <http://doi.org/10.1016/j.molimm.2007.10.016>
- Rueckert C, Guzmán CA, 2012, Vaccines: From Empirical Development to Rational Design, *PLoS Pathog*, 8,11,:e1003001. <https://doi.org/10.1371/journal.ppat.1003001>
- Salvador, A., Igartua, M., Hernández, R. M., dan Pedraz, J. L., 2011, An Overview on the Field of Micro- and Nanotechnologies for Synthetic Peptide-Based Vaccines, *Journal of Drug Delivery*, 2011, 1–18. <https://doi.org/10.1155/2011/181646>
- Schlessinger, A., Ofran, Y., Yachdav, G., dan Rost, B., 2006, Epitome: database of structure-inferred antigenic *epitopes*, *Nucleic Acids Research*, 34, Database issue, D777-80. <http://doi.org/10.1093/nar/gkj053>
- Seiffert, C., Khoshgoftaar, T., Hulse, J.V., dan Napolitano, A., 2010, Rusboost: A hybrid approach to alleviating *class imbalance*, *IEEE Trans. Syst., Man, Cybern. A, Syst., Humans*, 40, 1, 185–197.
- Shalev-shwartz, S., Singer, Y., Srebro, N., 2007. Pegasos: Primal Estimated sub-Gradient Solver for SVM. In: International Conference on Machine Learning (ICML). New York. 807-814.
- Sivalingam, G. N., dan Shepherd, A. J., 2012, An analysis of B-cell *epitope* discontinuity, *Molecular Immunology*, 51(3–4), 304–309, <http://doi.org/10.1016/j.molimm.2012.-03.030>
- Skwarczynski, M., dan Toth, I., 2016, Peptide-based synthetic vaccines, *Chemical Science*, 7,2, 842–854. <https://doi.org/10.1039/c5sc03892h>
- Soria-Guerra, R. E., Nieto-Gomez, R., Govea-Alonso, D. O., dan Rosales-Mendoza, S., 2015, An overview of bioinformatics tools for *epitope* prediction: Implications on vaccine development, *Journal of Biomedical Informatics*, 53, 405–414. <http://doi.org/10.1016/j.jbi.2014.11.003>
- Sowah, R. A., Agebure, M. A., Mills, G. A., Koumadi, K. M., & Fiawoo, S. Y., 2016, New Cluster *Undersampling* Technique for *Class imbalance Learning*, *International Journal of Machine learning and Computing*, 6, 3, 205–214. <https://doi.org/10.18178/ijmlc.-2016.6.3.599>

- Steuer, R., dan Lopez, G. Z., 2008, Global Network Properties. In B. H. Junker & F. Schreiber (Eds.), *Analysis of Biological Networks* (pp. 31–43). Wiley-Interscience.
- Sun, J., Wu, D., Xu, T., Wang, X., Xu, X., Tao, L., ... Cao, Z. W., 2009, SEPPA: A computational server for spatial *epitope* prediction of protein antigens, *Nucleic Acids Research*, 37, SUPPL. 2, 612–616. <http://doi.org/10.1093/nar/gkp417>
- Sun, J., Xu, T., Wang, S., Li, G., Wu, D., dan Cao, Z., 2011, Does difference exist between *epitope* and non-*epitope* residues? Analysis of the physicochemical and structural properties on conformational *epitopes* from B-cell protein antigens, *Immunome Research*, 7(3), 1–11. <http://doi.org/imprimé>
- Sun, P., Ju, H., Liu, Z., Ning, Q., Zhang, J., Zhao, X., ... Li, Y., 2013, Bioinformatics resources and tools for conformational B-cell *epitope* prediction, *Computational and Mathematical Methods in Medicine*, 2013. <http://doi.org/10.1155/2013/943636>
- Sun, Z., Song, Q., Zhu, X., Sun, H., Xu, B., dan Zhou, Y., 2015, A novel *ensemble* method for classifying *imbalanced* data. *Pattern Recognition*, 48,5, 1623–1637. <https://doi.org/10.1016/j.patcog.2014.11.014>
- Suryani, Y., Taupiqurrohman, O., Yusuf, M., Subroto, T., dan Nuswantara, S. (2019). Immunoinformatics Study on Early 4 Protein of Human Papillomavirus Type 16 for Cervical Cancer Vaccine Peptide Candidate. *Jurnal Biodjati*, 4(2), 252–262. <https://doi.org/10.15575/biodjati.v4i2.5414>
- Sweredoski, M. J., dan Baldi, P., 2008, Structural bioinformatics PEPITO: improved discontinuous B-cell *epitope* prediction using multiple distance thresholds and half sphere exposure, *Bioinformatics Applications Note*, 24,12, 1459–1460. <http://doi.org/10.1093/bioinformatics/btn199>
- Taupiqurrohman, O., Yusuf, M., Nuswantara, S., dan Subroto, T. (2016). Perancangan Vaksin Virus Papilloma Manusia Tipe-16 Berbasis Epitop dengan Berbantuan Imunoinformatika Opik. Seminar Nasional Kimia Dan Pendidikan Kimia, 8(3), 166–171.
- Taylor, W.R., Thornton, J.M., Turnell, W.G.: An ellipsoidal approximation of protein shape. *Journal of Molecular Graphics* 1983, 1:30-38.

- Thornton, J. M., Edwards, M. S., Taylor, W. R., dan Barlow, D. J., 1986, Location of “continuous” antigenic determinants in the protruding regions of proteins, *The EMBO Journal*, 5(2), 409–413.
- Tien, M. Z., Meyer, A. G., Sydykova, D. K., Spielman, S. J., dan Wilke, C. O., 2013, Maximum allowed solvent accessibilities of residues in proteins, *PLoS ONE*, 8,11, <http://doi.org/10.1371/journal.pone.0080635>
- Tsai, C., Lin, W., Hu, Y., dan Yao, G.-T., 2019, Under-sampling *class imbalanced* datasets by combining clustering analysis and instance selection. *Information Sciences*, 477, 47–54.
- Wang, S., Yao, T., 2009, Diversity analysis on *imbalanced* data sets by using *ensemble* models, *Proceedings of IEEE Symposium on Computational Intelligence and Data Mining*, pp. 324–331
- Wang, M., Zhu, D., Zhu, J., Nussinov, R., & Ma, B., 2019, HHS Public Access. *J Mol Recognition*, 31(5), 1–27. <https://doi.org/10.1002/jmr.2693>.Local
- Wei, Z., Han, K., Yang, J., Shen, H., dan Yu, D., 2016, Neurocomputing Protein – protein interaction sites prediction by ensembling SVM and sample-weighted random forests, *Neurocomputing*, 193, 201–212. <http://doi.org/10.1016/j.neucom.2016.02.022>
- Weiss, G. M., & Provost, F., 2003, *Learning When Training Data are Costly: The Effect of Class Distribution on Tree Induction*. *Journal of Artificial Intelligence Research*, 19, 315–354.
- Winham, S. J., Freimuth, R. R. and Biernacka, J. M., 2013, A weighted random forests approach to improve predictive performance, *Statistical Analysis and Data Mining*, 6, 6, pp. 496–505. doi: 10.1002/sam.11196.
- Xia, J., Zhang, S., Cai, G., Li, L., Pan, Q., Yan, J., dan Ning, G., 2017, *Adjusted weight voting algorithm for random forests in handling missing values*, 69, 52–60. <http://doi.org/10.1016/j.patcog.2017.04.005>
- Yaqub, M., Javaid, M. K., Cooper, C., dan Noble, J. A., 2014, Investigation of the Role of Feature Selection and Weighted Voting in Random Forests for 3-D Volumetric Segmentation’, 33(2), 258–271.
- Zaki, M.J, Wagner, M.J., 2011, *Data Mining and Analysis: Fundamental Concepts and Algorithms*, Cambridge University Pers.

- Zhang, W., Xiong, Y., Zhao, M., Zou, H., Ye, X., & Liu, J., 2011, Prediction of conformational B-cell *epitopes* from 3D structures by random forests with a distance-based feature. *BMC Bioinformatics*, 12(341).
- Zhang, C., Li, Y., Tang, W., Zhou, Z., Sun, P., dan Ma, Z., 2016, The Relationship between B-cell *Epitope* and Mimotope Sequences, *Protein and Peptide Letters*, 23,2, 132–41. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/26715528>
- Zhang, J., Zhao, X., Sun, P., Gao, B., & Ma, Z., 2014, Conformational B-Cell *Epitopes* Prediction from Sequences Using *Cost-sensitive Ensemble Classifiers* and Spatial Clustering. *BioMed Research International*, 2014, 1–12.
- Zhao, L., dan Li, J., 2010, Mining for the antibody-antigen interacting associations that predict the B cell *epitopes*, *Structural Biology*, 10, Suppl 1, 1–13. <http://doi.org/10.1186/1472-6807-10-S1-S6>
- Zhao, L., Wong, L., Lu, L., Hoi, S. C. H., dan Li, J., 2012, B-cell *epitope* prediction through a graph model. *BMC Bioinformatics*, 13(Sup 17)(S20), 1:12.
- Zhao, L., Hoi, S. C. H., Li, Z., Wong, L., Nguyen, H., dan Li, J., 2014, Coupling Graphs , Efficient Algorithms and B-Cell *Epitope* Prediction. *IEEE/ACM Transaction On Computational Biology And Bioinformatics*, 11(1), 7–16.
- Zheng, W., Ruan, J., Hu, G., Wang, K., Hanlon, M., dan Gao, J., 2015, Analysis of conformational B-cell *epitopes* in the antibody-antigen *complex* using the depth function and the convex hull', *PLoS ONE*, 10,8, 1–16. <http://doi.org/10.1371/journal.pone.0134835>
- Zhu, J., dan Jr, W. P. P., 2016, Applying a weighted random forests method to extract karst sinkholes from LiDAR data, *Journal of Hydrology*, 533, 343–352. <http://doi.org/10.1016/j.jhydrol.2015.12.012>
- Zhou, C., Chen, Z., Zhang, L., Yan, D., Mao, T., Tang, K., Qiu, T., Cao, Z., 2019, SEPPA 3 . 0 — enhanced spatial *epitope* prediction enabling glycoprotein antigens. *Nucleic Acids Research*, 47(May), 388–394. <https://doi.org/10.1093/nar/gkz413>