

DAFTAR PUSTAKA

- Aguilar, M. A., Aguilar, F. J. & Aguera, F. (2008). Assessing geometric reliability of corrected images from very high resolution satellites. *Photogrammetric Engineering and Remote Sensing*, 74(12), 1551 – 1560.
- Aguilar, M. A., Aguilar, F. J., Lorca, A. G., Guirado, E., Betlej, M., Cichón, P., Nemmaoui, A., Vallario, A., & Parente, C. (2016). Assessment of Multiresolution Segmentation for Extracting Greenhouses from Worldview-2 Imagery. *International Archives of the Photogrammetry, Remote Sensing & Spatial Information Sciences*, 41, 145 - 152.
- Anderson, J. R. Land-Use Classification Schemes. *Photogrammetric Engineering* (1971), 379 – 387.
- Arnold, C. L. Jr., & Gibbons, C. J. (1996). Impervious surface coverage: The emergence of a key environmental indicator. *Journal of the American Planning Association*, 62(2), 243–258.
- Aronoff, S. 1985. The Minimum Accuracy Value as an Index of Classification Accuracy. *Photogrammetric Engineering and Remote Sensing*, 51(1), 99–111.
- Arrahman, I. (2018). *Analisis kemampuan klasifikasi citra berbasis objek untuk pemetaan penutup lahan skala detail di sebagian Kota Bandar Lampung*. Yogyakarta: Universitas Gadjah Mada.
- Arrahman, I. & Kamal, M. (2021). Analisis kemampuan klasifikasi citra berbasis objek untuk pemetaan penutup lahan skala detail di sebagian Kota Bandar Lampung. *Geomatika*, 27(1), 27 – 40.
- Asad, M., Ahmad, S. R., Ali, F., Mehmood, R., Butt, M. A., & Rathore, S. (2017). Use of remote sensing for urban impervious surfaces: A case study of Lahore. *International Journal of Engineering and Applied Sciences*, 4(8), 86 – 92.
- Baatz, M., & Schape, A. (2000). Multiresolution Segmentation: An Optimization Approach for High Quality Multi-Scale Image Segmentation. *Dieser Beitrag wurde nach Begutachtung durch das Programmkomitee*, 1-12.
- Bhatta, B. (2013). *Research Methods in Remote Sensing*. New York: Springer.
- Blaschke, T. (2010). Object based image analysis for remote sensing. *ISPRS Journal of Photogrammetry and Remote Sensing*, 65(1), 2–16.
- Blaschke, T., Lang, S., & Hay, G.J. (2008). *Object-based image analysis: spatial concepts for knowledge-driven remote sensing applications*. Springer Science & Business Media.
- Campbell, J. (2007). *Introduction to remote sensing (4th ed.)*. New York: The Guilford Press.

- Campbell, J. B., & Wynne, R. H. (2011). *Introduction to Remote Sensing: Fifth Edition*. New York: The Guilford Press.
- Cohen, Y. & Shoshany, M. (2002). A national knowledge-based crop recognition in mediterranean environment. *International Journal of Applied Earth Observation and Geoinformation*, 4, 75–87.
- Congalton, R. G., & Green, K. (2009). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices Second Edition*. Boca Raton: CRC Press.
- Corcoran, J., Knight, J., Pelletier, K., Rampi, L. & Wang, Y. (2015). The effects of point or polygon based training data on RandomForest classification accuracy of wetlands. *Remote Sensing*, 7, 4002 – 4025.
- Crespi, M., Colosimo, G., Vendictis, L. D., Fratarcangeli, F. & Pieralice, F. (2010). GeoEye-1: Analysis of radiometric and geometric capability. *Personal Satellite Services*, 43, 354 – 369.
- Danoedoro, P., McDonald, G., & Phinn, S. (2004). Developing a Versatile Land-use Information System Based on Satellite Imagery for Local Planning in Indonesia Phase I: Establishment of Classification Scheme. *GISDECO 2004: Seventh International Seminar on GIS for Developing Countries*.
- Danoedoro, P. (2008). *Membangun Sistem Klasifikasi Penggunaan Lahan Multiguna Berbasis Penginderaan Jauh dan Sistem Informasi Geografis Untuk Pengelolaan Lingkungan*. Disampaikan dalam Fora Tematik Sumberdaya Alam Darat (SDAD) yang diselenggarakan oleh Badan Koordinasi Survei dan Pemetaan Nasional, 7 Agustus 2008 di Jakarta.
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: CV Andi Offset.
- Dare, P.M. (2005) Shadow analysis in high-resolution satellite imagery of urban areas. *Photogrammetric Engineering and Remote Sensing*, 71, 169–177.
- Digital Globe. (2017). *Absolute Radiometric Calibration: 2016v0*. (Diakses: 6 Juli 2021).
- Doyle, F. J. (1975). Cartographic Presentation of Remote Sensor Data. In R. G. Reeves, A. Anson, & D. Landen. *Manual of Remote Sensing*, 2, 1077- 1104. Virginia: American Society of Photogrammetry.
- Ehlers, M., Klonus, S., Astrand, P. J., & Rosso, P. (2010). Multi-sensor image fusion for pansharpening in remote sensing. *International Journal of Image and Data Fusion*, 1(1), 25 – 45.
- Fariz, T. R. (2018). OBIA classification and built-up land indices NDBI for estimation of settlement density in Pontianak City. *Jurnal Geografi: Media Informasi Pengembangan dan Profesi Kegeografian*, 14(2), 36-44.

- Fernández, I., Aguilar, F., Aguilar, M. A., Álvarez, F. & Saldaña, M. D. M. (2013). Impervious surface areas classification from GeoEye-1 satellite imagery using OBIA approach in a coastal area of Almeria (Spain). *6th EARSeL Workshop on Remote Sensing of the Coastal Zone, Italy*.
- GeoEye. (2007). *GeoEye-1 Fact Sheet*. (Diakses: 5 Juli 2021).
- Ghassemian, H. (2016). A review of remote sensing image fusion methods. *Information Fusion*, 32, 75 – 89.
- Jawak, S. D., & Luis, A. J. (2013). A comprehensive evaluation of PAN-sharpening algorithms coupled with resampling methods for image synthesis of very high resolution remotely sensed satellite data. *Advances in Remote Sensing*, 2013(2), 332-344.
- Kamal, M., Phinn, S., & Johansen, K. (2014). Characterizing the spatial structure of mangrove features for optimizing image-based mangrove mapping. *Remote Sensing*, 6, 984 – 1006.
- Kamal, M., & Johansen, K. (2017). Explicit area-based accuracy assessment for mangrove tree crown delineation using Geographic Object-Based Image Analysis (GEOBIA). *In Earth Resources and Environmental Remote Sensing/GIS Applications VIII*, 10428, 104280I.
- Kawakubo, F., Morato, R., Martins, M., Mataveli, G., Nepomuceno, P., & Martines, M. (2019). Quantification and analysis of impervious surface area in the metropolitan region of São Paulo, Brazil. *Remote Sensing*, 11(8), 1 – 18.
- Klonus, S. (2008). Comparison of Pansharpening Algorithms for Combining Radar and Multispectral Data. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 37, 189 – 194.
- Kulkarni, A. (1986). Digital Processing of Remotely Sensed Data. *Advances in Electronics and Electron Physics*, 66, 309 – 368.
- Kulkarni, A. (2012). *An object-based image analysis approach for detecting urban impervious surfaces. Dissertation*. Louisiana: Louisiana State University.
- Laben, C.A. & Brower, B. V. (2000). Process for Enhancing the Spatial Resolution of Multispectral Imagery Using Pan-Sharpener. *US Patent: 6,011,875*.
- Lewinski, S. & Bochenek, Z. (2008). Rule-based classification of SPOT imagery using object-oriented approach for detailed land cover mapping. *Proceeding of the 28th EARSeL Symposium, Remote Sensing for a Changing Europe*.
- Lillesand, T. M., Kiefer, W. R., & Chipman, J. W. (2007). *Remote Sensing and Image Interpretation: Sixth Edition*. Hoboken: John Wiley & Sons, Inc.
- Lu, D. & Weng, Q. (2006). Use of impervious surface in urban land use classification. *Remote Sensing of Environment*, 102(1–2), 146–160.

- Lucchese, L. & Mitray, S.K. (2001). Color image segmentation: A state-of-the-art survey. *Indian National Science Academy (INSA-A)*, 207–221.
- Moreira, R. C. & Galvao, L. S. (2010). Variation in spectral shape of urban materials. *Remote Sensing Letters*, 1(3), 149 – 158.
- Morgan, J. L., Gergel, S. E., & Coops, N. C. (2010). Aerial photography: a rapidly evolving tool for ecological management. *BioScience*, 60(1), 47–59.
- Myint, S. W., Gober, P., Brazel, A., Grossman-Clarke, S., & Weng, Q. (2011). Per-pixel vs. object-based classification of urban land cover extraction using high spatial resolution imagery. *Remote Sensing of Environment*, 115(5), 1145-1161.
- Navulur, K. (2007). *Multispectral Image Analysis Using the Object-Oriented Paradigm*. New York: CRC press.
- O’Neil-Dunne, J., Pelletier, K., MacFaden, S., & Troy, A. (2009). Object-Based High-Resolution Land-Cover Mapping: Operational Considerations. *17th International Conference on Geoinformatics*.
- Pal, S. K. & Pal, N. R. (1987). Segmentation based on measures of contrast, homogeneity, and region size. *IEEE Transactions on System, Man, and Cybernetics*, 17(5), 857–868.
- Paolini, L., Grings, F., Sobrinos, J. A., Munoz, J. C. J. & Karszenbaum, H. (2006). Radiometric correction effects in Landsat multi-date/multi-sensor change detection studies. *International Journal of Remote Sensing*, 27(4), 685 – 704.
- Pappas E.A., Smith D.R., Huang C., Shuster W.C., Bonta J.V. (2008). Impervious surface impacts to runoff and sediment discharge under laboratory rainfall simulation. *Catena*, 72: 146–152.
- Poli, D., Remondino, F., Angiuli, E., & Agugiaro, G. (2015). Radiometric and geometric evaluation of GeoEye-1, WorldView-2 and Pléiades-1A stereo images for 3D information extraction. *ISPRS Journal of Photogrammetry and Remote Sensing*, 100, 35–47.
- Prasad, R., Sinha, A. K. & Ranjan, K. R. (2002). Visual Interpretation of FCC Image for Land Use and Land Cover Mapping: An Expert System Approach. Proceedings of the 41st SICE Annual Conference. *SICE 2002*, 4, 2093 – 2098.
- Republik Indonesia. (2009). Peraturan Menteri Pekerjaan Umum No. 12/PRT/M/2009 tentang Pedoman Penyediaan dan Pemanfaatan Ruang Terbuka Non Hijau di Wilayah Kota/Kawasan Perkotaan. Jakarta.
- Richards, J. A. (1993). *Remote Sensing Digital Image Analysis an Introduction, Second Edition*. Berlin: Springer-Verlag.

- Setiani, A., Prasetyo, Y., & Subiyanto, S. (2016). Optimalisasi Parameter Segmentasi Berbasis Algoritma Multiresolusi Untuk Identifikasi Kawasan Industri antara Citra Satelit Landsat dan Alos Palsar (Studi Kasus: Kecamatan Tugu Dan Genuk, Kota Semarang). *Jurnal Geodesi Undip*, 5(4), 112–121.
- Shandilya, K. K., Shukla, S. P. & Pathak, V. (2013). Applications of Remote Sensing. In Veress, B. & Szigethy, J. *Horizons in Earth Science Research*. New York: Nova Science Publishers.
- Standar Nasional Indonesia. (2010). *Klasifikasi Penutup Lahan*. Jakarta: Badan Standardisasi Nasional.
- Sugg, Z. P., Finke, T., Goodrich, D. C., Moran, M. S. & Yool, S. R. (2014). Mapping impervious surfaces using object-oriented classification in a semiarid urban region. *Photogrammetric Engineering & Remote Sensing*, 80(14), 343 – 352.
- Sinaga, S. M. U. B. (2019). *Geographic Object Based Image Analysis (GEOBIA) untuk Identifikasi Jenis Vegetasi (Studi Kasus: Dataran Tinggi Dieng, Jawa Tengah)*. Yogyakarta: Universitas Gadjah Mada.
- Sutanto, P. (1992). *Penginderaan Jauh Jilid I*. Yogyakarta: Gadjah Mada University Press.
- Syarif, A. M. (2017). *Geospatial object-based image analysis foto udara format kecil untuk klasifikasi penutup lahan skala detail*. Yogyakarta: Universitas Gadjah Mada.
- Thome, K., Markham, B., Barker, J., Slater, P., & Biggar, S. (1997). Radiometric Calibration of Landsat. *Photogrammetric Engineering & Remote Sensing*, 63(7), 853 – 858.
- Trimble. (2016). *eCognition Developer 9.2 User Guide*. Munich: Trimble Documentation.
- Vincett, P. S. & Sahyun, M. R. V. (2003). *Photographic Processes and Materials*. Encyclopedia of Physical Science and Technology (Third Edition), 91 – 123.
- Vrabel, J., P. Doraiswamy, J. McMurtrey, & A. Stern. (2002). Demonstration of the Accuracy of Improved Resolution Hyperspectral Imagery. *SPIE Symposium Proceedings*, 4725, 556–567.
- Waldner, F. (2020). The T index: Measuring the reliability of accuracy estimates obtained from non-probability samples. *Remote Sensing*, 12(15), 1 – 11.
- Walter, V. (2004). Object-based classification of remote sensing data for change detection. *ISPRS Journal of Photogrammetry and Remote Sensing*, 58, 225–238.
- Weng, Q. (2001). Modeling urban growth effect on surface runoff with the integration of remote sensing and GIS. *Environmental Management*, 28, 737–748.
- Weng, Q. H. (2012). Remote sensing of impervious surfaces in the urban areas: Requirements, methods, and trends. *Remote Sensing of Environment*, 117, 34–49.

- Wu, C. (2004). Normalized spectral mixture analysis for monitoring urban composition using ETM_b imagery. *Remote Sensing of Environment*, 93, 480–492.
- Wu, H., Ye, L., Shi, W., & Clarke, K. C. (2014). Assessing the effects of land use spatial structure on urban heat islands using HJ-1B remote sensing imagery in Wuhan, China. *International Journal of Applied Earth Observation and Geoinformation*, 32, 67 – 68.
- Wu, J. (2013). Key concepts and research topics in landscape ecology revisited: 30 years after the Allerton Park workshop. *Landscape Ecol* 28(1), 1–11.
- Wu, J. (2014). Urban ecology and sustainability: the state-of-the-science and future directions. *Landscape and Urban Planning* 125, 209 – 221.
- Xiangchao, M., Huanfeng, S., Huifang, L., Liangpei, Z. & Randi, F. (2019). Review of the pansharpening methods for remote sensing images based on the idea of meta-analysis: Practical discussion and challenges. *Information Fusion*, 46, 102 – 113.
- Xu, H. (2012). Rule-based impervious surface mapping using high spatial resolution imagery. *International Journal of Remote Sensing*, 34(1), 27 – 44.
- Xu, R., Liu, J., & Xu, J. (2018). Extraction of High-Precision Urban Impervious Surfaces from Sentinel-2 Multispectral Imagery via Modified Linear Spectral Mixture Analysis. *Sensors*, 18, 1 – 15.
- Yuan, F., & Bauer, M. E. (2006). Mapping Impervious Surface Area Using High Resolution Imagery: A Comparison of Object-Based and Per Pixel Classification. *American Society for Photogrammetry and Remote Sensing Annual Conference Proceedings*, Reno, Nevada.
- Yuhendra, Sumantyo, J. T., & Kuze, H. (2011). Performance analyzing of high resolution pansharpening techniques increasing image quality for classification using supervised kernel support vector machine. *Research Journal of Information Technology*, 3(1), 12 – 23.
- Zhan, Q., Molenaar, M., Tempfli, K. & Shi, W. (2005). Quality assessment for geo-spatial objects derived from remotely sensed data. *International Journal of Remote Sensing*, 26(14), 2953 – 2974.
- Zhang, X., Xiao, P., & Feng, X. (2012). Impervious surface extraction from high-resolution satellite image using pixel and object-based hybrid analysis. *International Journal of Remote Sensing*, 34(12), 4449 – 4465.
- Zhang, Y. (2004). Understanding Image Fusion. *Photogrammetry Engineering and Remote Sensing*, 70, 657 – 661.
- Zhou, W., & Troy, A. (2008). An object-oriented approach for analysing and characterizing urban landscape at the parcel level. *International Journal of Remote Sensing*, 29(11), 3119–3135.

Zhou, W., Schwarz, K. & Cadenasso, M.L. (2010). Mapping urban landscape heterogeneity: agreement between visual interpretation and digital classification approaches. *Landscape ecology*, 25(1), 53-67.