

DAFTAR PUSTAKA

- Aachmann, F. L., Sørli, M., Skjåk-Bræk, G., Eijsink, V. G. H., & Vaaje-Kolstad, G. (2012). NMR structure of a lytic polysaccharide monooxygenase provides insight into copper binding, protein dynamics, and substrate interactions. *Proceedings of the National Academy of Sciences of the United States of America*, 109(46), 18779–18784. <https://doi.org/10.1073/pnas.1208822109>
- Abril, J. F., & Castellano, S. (2018). Genome annotation. *Encyclopedia of Bioinformatics and Computational Biology: ABC of Bioinformatics*, 1–3, 195–209. <https://doi.org/10.1016/B978-0-12-809633-8.20226-4>
- Ahmed, I., Yokota, A., Yamazoe, A., & Fujiwara, T. (2007). Proposal of *Lysinibacillus boronitolerans* gen. nov. sp. nov., and transfer of *Bacillus fusiformis* to *Lysinibacillus fusiformis* comb. nov. and *Bacillus sphaericus* to *Lysinibacillus sphaericus* comb. nov. *International Journal of Systematic and Evolutionary Microbiology*, 57(5), 1117–1125. <https://doi.org/10.1099/ijs.0.63867-0>
- Allievi, Claudia, M., Florencia, S., Mariano, P. A., Mercedes, P. M., Ruzal, S. M., & Carmen, S. R. (2011). Metal biosorption by surface-layer proteins from *Bacillus* species. *Journal of Microbiology and Biotechnology*, 21(2), 147–153. <https://doi.org/10.4014/jmb.1009.09046>
- Allievi, M. C., Palomino, M. M., Acosta, M. P., Lanati, L., Ruzal, S. M., & Sánchez-Rivas, C. (2014). Contribution of S-layer proteins to the mosquitocidal activity of *Lysinibacillus sphaericus*. *PLoS ONE*, 9(10). <https://doi.org/10.1371/journal.pone.0111114>
- Aly, C., Mulla, M. S., & Federici, B. A. (1989). Ingestion, dissolution, and proteolysis of the *Bacillus sphaericus* toxin by mosquito larvae. *Journal of Invertebrate Pathology*, 53(1), 12–20. [https://doi.org/10.1016/0022-2011\(89\)90068-2](https://doi.org/10.1016/0022-2011(89)90068-2)
- Andreeva, Z. I., Nesterenko, V. F., Fomkina, M. G., Ternovsky, V. I., Suzina, N. E., Bakulina, A. Y., Solonin, A. S., & Sineva, E. V. (2007). The properties of *Bacillus cereus* hemolysin II pores depend on environmental conditions. *Biochimica et Biophysica Acta - Biomembranes*, 1768(2), 253–263. <https://doi.org/10.1016/j.bbamem.2006.11.004>
- Aprilyanto, V., & Sembiring, L. (2016). *Filogenetika Molekuler, Teori dan Aplikasi*. Innosain.

- Arkin, A. P., Cottingham, R. W., Henry, C. S., Harris, N. L., Stevens, R. L., Maslov, S., Dehal, P., Ware, D., Perez, F., Canon, S., Sneddon, M. W., Henderson, M. L., Riehl, W. J., Murphy-Olson, D., Chan, S. Y., Kamimura, R. T., Kumari, S., Drake, M. M., Brettin, T. S., ... Yu, D. (2018). KBase: The United States department of energy systems biology knowledgebase. *Nature Biotechnology*, 36(7), 566–569. <https://doi.org/10.1038/nbt.4163>
- Baida, G. E., & Kuzmin, N. P. (1996). Mechanism of action of hemolysin III from *Bacillus cereus*. *Biochimica et Biophysica Acta - Biomembranes*, 1284(2), 122–124. [https://doi.org/10.1016/S0005-2736\(96\)00168-X](https://doi.org/10.1016/S0005-2736(96)00168-X)
- Bankevich, A., Nurk, S., Antipov, D., Gurevich, A. A., Dvorkin, M., Kulikov, A. S., Lesin, V. M., Nikolenko, S. I., Pham, S., Prjibelski, A. D., Pyshkin, A. V., Sirotkin, A. V., Vyahhi, N., Tesler, G., Alekseyev, M. A., & Pevzner, P. A. (2012). SPAdes: A new genome assembly algorithm and its applications to single-cell sequencing. *Journal of Computational Biology*, 19(5), 455–477. <https://doi.org/10.1089/cmb.2012.0021>
- Becker, N., Petric, D., Zgomba, M., Boase, C., Dahl, C., Madon, M., & Kaiser, A. (2010). Mosquitoes and Their Control. In *Springer-Verlag* (2nd editio). Springer.
- Berry, C., Hindley, J., Ehrhardt, A. F., Grounds, T., De Souza, I., & Davidson, E. W. (1993). Genetic determinants of host ranges of *Bacillus sphaericus* mosquito larvicidal toxins. *Journal of Bacteriology*, 175(2), 510–518. <https://doi.org/10.1128/jb.175.2.510-518.1993>
- Berry, Colin. (2012). The bacterium, *Lysinibacillus sphaericus*, as an insect pathogen. *Journal of Invertebrate Pathology*, 109(1), 1–10. <https://doi.org/10.1016/j.jip.2011.11.008>
- Bolger, A. M., Lohse, M., & Usadel, B. (2014). Trimmomatic: A flexible trimmer for Illumina sequence data. *Bioinformatics*, 30(15), 2114–2120. <https://doi.org/10.1093/bioinformatics/btu170>
- Boonyos, P., Soonsanga, S., Boonserm, P., & Promdonkoy, B. (2010). Role of cysteine at positions 67, 161 and 241 of a *Bacillus sphaericus* binary toxin BinB. *BMB Reports*, 43(1), 23–28. <https://doi.org/10.5483/BMBRep.2010.43.1.023>
- Broadwell, A. H., Baumann, L., & Baumann, P. (1990). The 42- and 51-kilodalton mosquitocidal proteins of *Bacillus sphaericus* 2362: Construction of recombinants with enhanced expression and in vivo studies of processing and toxicity. *Journal of Bacteriology*, 172(5), 2217–2223. <https://doi.org/10.1128/jb.172.5.2217-2223.1990>
- Burgos, Y., & Beutin, L. (2010). Common origin of plasmid encoded alpha-hemolysin genes in *Escherichia coli*. *BMC Microbiology*, 10.

<https://doi.org/10.1186/1471-2180-10-193>

- Chaisson, M. J., & Pevzner, P. A. (2008). Short read fragment assembly of bacterial genomes. *Genome Research*, 18(2), 324–330. <https://doi.org/10.1101/gr.7088808>
- Charles, J. F., & Nicolas, L. (1986). RECYCLING OF BACILLUS SPHAERICUS 2362 IN MOSQUITO LARVAE : A LABORATORY STUDY. *Recycling Of Bacillus Sphaericus 2362 in Mosquito Larvae : A Laboratory Study*, 101–111.
- Charles, J. F., Nielsen-LeRoux, C., & Delécluse, A. (1996). Bacillus sphaericus toxins: Molecular biology and mode of action. *Annual Review of Entomology*, 41(1), 451–472. <https://doi.org/10.1146/annurev.en.41.010196.002315>
- Chen, Y. C., Liu, T., Yu, C. H., Chiang, T. Y., & Hwang, C. C. (2013). Effects of GC Bias in Next-Generation-Sequencing Data on De Novo Genome Assembly. *PLoS ONE*, 8(4). <https://doi.org/10.1371/journal.pone.0062856>
- Cholishoh, A. (2019). *Pengendalian Nyamuk Culex quinquefasciatus Say, 1823 (Diptera: Culicidae) dengan Menggunakan Bakteri Entomopatogenik Lysinibacillus sphaericus (ex Meyer and Neide, 1904) Ahmed et al., 2007 dari Berbagai Kotoran Burung*. Universitas Gadjah Mada.
- Clark, M. A., & Baumann, P. (1991). Modification of the Bacillus sphaericus 51- and 42-kilodalton mosquitocidal proteins: Effects of internal deletions, duplications, and formation of hybrid proteins. *Applied and Environmental Microbiology*, 57(1), 267–271. <https://doi.org/10.1128/aem.57.1.267-271.1991>
- Coorevits, A., Dinsdale, A. E., Heyrman, J., Schumann, P., van Landschoot, A., Logan, N. A., & de Vos, P. (2012). Lysinibacillus macroides sp. nov., nom. rev. *International Journal of Systematic and Evolutionary Microbiology*, 62(5), 1121–1127. <https://doi.org/10.1099/ijs.0.027995-0>
- Darling, A. C. E., Mau, B., Blattner, F. R., & Perna, N. T. (2004). Mauve: Multiple alignment of conserved genomic sequence with rearrangements. *Genome Research*, 14(7), 1394–1403. <https://doi.org/10.1101/gr.2289704>
- Davidson, E. W., Singer, S., & Briggs, J. D. (1975). Pathogenesis of Bacillus sphaericus strain SSII-1 infections in Culex pipiens quinquefasciatus (= C. pipiens fatigans) larvae. *Journal of Invertebrate Pathology*, 25(2), 179–184. [https://doi.org/10.1016/0022-2011\(75\)90066-X](https://doi.org/10.1016/0022-2011(75)90066-X)
- De Melo, J. V., Jones, G. W., Berry, C., Vasconcelos, R. H. T., De Oliveira, C. M. F., Furtado, A. F., Peixoto, C. A., & Silva-Filha, M. H. N. L.

- (2009). Cytopathological effects of *Bacillus sphaericus* Cry48Aa/Cry49Aa toxin on binary toxin-susceptible and -resistant *Culex quinquefasciatus* larvae. *Applied and Environmental Microbiology*, 75(14), 4782–4789. <https://doi.org/10.1128/AEM.00811-09>
- de Sá, P. H. C. G., Guimarães, L. C., das Graças, D. A., de Oliveira Veras, A. A., Barh, D., Azevedo, V., da Costa da Silva, A. L., & Ramos, R. T. J. (2018). Next-generation sequencing and data analysis: Strategies, tools, pipelines and protocols. *Omics Technologies and Bio-Engineering: Towards Improving Quality of Life*, 1, 191–207. <https://doi.org/10.1016/B978-0-12-804659-3.00011-7>
- Didelot, X., Bowden, R., Wilson, D. J., Peto, T. E. A., & Crook, D. W. (2012). Transforming clinical microbiology with bacterial genome sequencing. *Nature Reviews Genetics*, 13(9), 601–612. <https://doi.org/10.1038/nrg3226>
- Dussán, J., Andrade, D., Lozano, L., & Vanegas, S. (2002). Caracterización fisiológica y genética de cepas nativas de *Bacillus sphaericus*. *Revista Colombiana de Biotecnología*, 4(1), 89–99. <http://www.revistas.unal.edu.co/index.php/biotecnologia/article/view/30097>
- Eijsink, V. G. H., Petrovic, D., Forsberg, Z., Mekasha, S., Røhr, Å. K., Várnai, A., Bissaro, B., & Vaaje-Kolstad, G. (2019). On the functional characterization of lytic polysaccharide monooxygenases (LPMOs). *Biotechnology for Biofuels*, 12(1), 1–16. <https://doi.org/10.1186/s13068-019-1392-0>
- Elbers, A. R. W., Koenraad, C. J. M., & Meiswinkel, R. (2015). Mosquitoes and Culicoides biting midges: Vector range and the influence of climate change. *OIE Revue Scientifique et Technique*, 34(1), 123–137. <https://doi.org/10.20506/rst.34.1.2349>
- Foster, W. A., & Walker, D. E. (2019). Mosquitoes (Culicidae). In L. Durden & G. Mullen (Eds.), *Medical and Veterinary Entomology* (3rd editio, pp. 261–325). Academic Press.
- Frederiksen, R. F., Paspaliari, D. K., Larsen, T., Storgaard, B. G., Larsen, M. H., Ingmer, H., Palcic, M. M., & Leisner, J. J. (2013). Bacterial chitinases and chitin-binding proteins as virulence factors. *Microbiology (United Kingdom)*, 159(PART 5), 833–847. <https://doi.org/10.1099/mic.0.051839-0>
- Guerineau, M., Alexander, B., & Priest, F. G. (1991). Isolation and identification of *Bacillus sphaericus* strains pathogenic for mosquito larvae. *Journal of Invertebrate Pathology*, 57(3), 325–333. [https://doi.org/10.1016/0022-2011\(91\)90136-E](https://doi.org/10.1016/0022-2011(91)90136-E)

- Guo, G., Zhang, L., Zhou, Z., Ma, Q., Liu, J., Zhu, C., Zhu, L., Yu, Z., & Sun, M. (2008). A new group of parasporal inclusions encoded by the S-layer gene of *Bacillus thuringiensis*. *FEMS Microbiology Letters*, 282(1), 1–7. <https://doi.org/10.1111/j.1574-6968.2008.01087.x>
- Gurevich, A., Saveliev, V., Vyahhi, N., & Tesler, G. (2013). QUAST: Quality assessment tool for genome assemblies. *Bioinformatics*, 29(8), 1072–1075. <https://doi.org/10.1093/bioinformatics/btt086>
- Hernández-Santana, A., Gómez-Garzón, C., & Dussán, J. (2016). Complete genome sequence of *Lysinibacillus sphaericus* WHO reference strain 2362. *Genome Announcements*, 4(3), 9–10. <https://doi.org/10.1128/genomeA.00545-16>
- Hill, S., & Roxanne, C. (2009). *Feature Creature: Southern House Mosquitoes*. University of Florida.
- Hire, R. S., Hadapad, A. B., Dongre, T. K., & Kumar, V. (2009). Purification and characterization of mosquitocidal *Bacillus sphaericus* BinA protein. *Journal of Invertebrate Pathology*, 101(2), 106–111. <https://doi.org/10.1016/j.jip.2009.03.005>
- Hu, X., Fan, W., Han, B., Liu, H., Zheng, D., Li, Q., Dong, W., Yan, J., Gao, M., Berry, C., & Yuan, Z. (2008). Complete genome sequence of the mosquitocidal bacterium *Bacillus sphaericus* C3-41 and comparison with those of closely related bacillus species. *Journal of Bacteriology*, 190(8), 2892–2902. <https://doi.org/10.1128/JB.01652-07>
- Hu, X., Li, J., Hansen, B. M., & Yuan, Z. (2008). Phylogenetic analysis and heterologous expression of surface layer protein SlpC of *Bacillus sphaericus* C3-41. *Bioscience, Biotechnology and Biochemistry*, 72(5), 1257–1263. <https://doi.org/10.1271/bbb.70747>
- Hynönen, U., & Palva, A. (2013). Lactobacillus surface layer proteins: Structure, function and applications. *Applied Microbiology and Biotechnology*, 97(12), 5225–5243. <https://doi.org/10.1007/s00253-013-4962-2>
- Illumina Inc. (2017). Illumina sequencing introduction. *Illumina Sequencing Introduction*, October, 1–8. https://www.illumina.com/documents/products/illumina_sequencing_introduction.pdf
- Janesch, B., Messner, P., & Schäffer, C. (2013). Are the surface layer homology domains essential for cell surface display and glycosylation of the S-layer protein from *Paenibacillus alvei* CCM 2051T? *Journal of Bacteriology*, 195(3), 565–575. <https://doi.org/10.1128/JB.01487-12>
- Jeong, H., Jeong, D. E., Sim, Y. M., Park, S. H., & Choi, S. K. (2013). Genome sequence of *Lysinibacillus sphaericus* strain KCTC 3346T.

Genome Announcements, 1(4), 4–5.
<https://doi.org/10.1128/genomeA.00625-13>

Jones, G. W., Nielsen-Leroux, C., Yang, Y., Yuan, Z., Fiúza Dumas, V., Monnerat, R. G., & Berry, C. (2007). A new Cry toxin with a unique two-component dependency from *Bacillus sphaericus*. *The FASEB Journal*, 21(14), 4112–4120. <https://doi.org/10.1096/fj.07-8913com>

Jones, G. W., Wirth, M. C., Monnerat, R. G., & Berry, C. (2008). The Cry48Aa-Cry49Aa binary toxin from *Bacillus sphaericus* exhibits highly restricted target specificity. *Environmental Microbiology*, 10(9), 2418–2424. <https://doi.org/10.1111/j.1462-2920.2008.01667.x>

Jurat-Fuentes, J. L., & Jackson, T. A. (2012). Bacterial entomopathogens. In *Insect Pathology* (Second Edi). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-384984-7.00008-7>

Kellen, W. R., Clark, T. B., Lindegren, J. E., Ho, B. C., Rogoff, M. H., & Singer, S. (1965). *Bacillus sphaericus* Neide as a pathogen of mosquitoes. *Journal of Invertebrate Pathology*, 7(4), 442–448. [https://doi.org/10.1016/0022-2011\(65\)90120-5](https://doi.org/10.1016/0022-2011(65)90120-5)

Kemenkes RI. (2020). *Penyakit Virus Zika (Zika Fever)*. <https://infeksiemerging.kemkes.go.id/Penyakit-Virus/Penyakit-Virus-Zika-Zika-Fever>. <https://infeksiemerging.kemkes.go.id/penyakit-virus/penyakit-virus-zika-zika-fever>

Kern, J., & Schneewind, O. (2010). BslA, the S-layer adhesin of *B. anthracis*, is a virulence factor for anthrax pathogenesis. *Molecular Microbiology*, 75(2), 324–332. <https://doi.org/10.1111/j.1365-2958.2009.06958.x>

Kimura, M. (1980). A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16(2), 111–120. <https://doi.org/10.1007/BF01731581>

Krauthammer, M., Rzhetsky, A., Morozov, P., & Friedman, C. (2000). Using BLAST for identifying gene and protein names in journal articles. *Gene*, 259(1–2), 245–252. [https://doi.org/10.1016/S0378-1119\(00\)00431-5](https://doi.org/10.1016/S0378-1119(00)00431-5)

Kumar, S., Stecher, G., Li, M., Knyaz, C., & Tamura, K. (2018). MEGA X: Molecular evolutionary genetics analysis across computing platforms. *Molecular Biology and Evolution*, 35(6), 1547–1549. <https://doi.org/10.1093/molbev/msy096>

Labourel, A., Frandsen, K. E. H., Zhang, F., Brouilly, N., Grisel, S., Haon, M., Ciano, L., Ropartz, D., Fanuel, M., Martin, F., Navarro, D., Rosso, M. N., Tandrup, T., Bissaro, B., Johansen, K. S., Zerva, A., Walton, P. H., Henrissat, B., Leggio, L. Lo, & Berrin, J. G. (2020). A fungal family of lytic polysaccharide monooxygenase-like copper proteins. *Nature*

Chemical Biology, 16(3), 345–350. <https://doi.org/10.1038/s41589-019-0438-8>

- Lacey, L. A., Day, J., & Heitzman, C. M. (1987). Long-term effects of *Bacillus sphaericus* on *Culex quinquefasciatus*. *Journal of Invertebrate Pathology*, 49(1), 116–123. [https://doi.org/10.1016/0022-2011\(87\)90133-9](https://doi.org/10.1016/0022-2011(87)90133-9)
- Lacey, L. A., Grzywacz, D., Shapiro-Ilan, D. I., Frutos, R., Brownbridge, M., & Goettel, M. S. (2015). Insect pathogens as biological control agents: Back to the future. *Journal of Invertebrate Pathology*, 132, 1–41. <https://doi.org/10.1016/j.jip.2015.07.009>
- Lacey, L. A., & Undeen, A. H. (1986). Microbial control of black flies and mosquitoes. *Annual Review of Entomology*, 31(February 1986), 265–296. <https://doi.org/10.1146/annurev.en.31.010186.001405>
- Langmead, B., & Salzberg, S. L. (2012). Fast gapped-read alignment with Bowtie 2. *Nature Methods*, 9(4), 357–359. <https://doi.org/10.1038/nmeth.1923>
- Lekakarn, H., Promdonkoy, B., & Boonserm, P. (2015). Interaction of *Lysinibacillus sphaericus* binary toxin with mosquito larval gut cells: Binding and internalization. *Journal of Invertebrate Pathology*, 132, 125–131. <https://doi.org/10.1016/j.jip.2015.09.010>
- Li, H., & Durbin, R. (2009). Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics*, 25(14), 1754–1760. <https://doi.org/10.1093/bioinformatics/btp324>
- Li, H., Handsaker, B., Wysoker, A., Fennell, T., Ruan, J., Homer, N., Marth, G., Abecasis, G., & Durbin, R. (2009). The Sequence Alignment/Map format and SAMtools. *Bioinformatics*, 25(16), 2078–2079. <https://doi.org/10.1093/bioinformatics/btp352>
- Limpanawat, S., Promdonkoy, B., & Boonserm, P. (2009). The C-terminal domain of BinA Is responsible for bacillus sphaericus binary toxin BinA-BinB interaction. *Current Microbiology*, 59(5), 509–513. <https://doi.org/10.1007/s00284-009-9468-x>
- Liu, J. W., Porter, A. G., Wee, B. Y., & Thanabalu, T. (1996). New gene from nine *Bacillus sphaericus* strains encoding highly conserved 35.8-kilodalton mosquitocidal toxins. *Applied and Environmental Microbiology*, 62(6), 2174–2176. <https://doi.org/10.1128/aem.62.6.2174-2176.1996>
- Lozano, L. C., Ayala, J. A., & Dussán, J. (2011). *Lysinibacillus sphaericus* S-layer protein toxicity against *Culex quinquefasciatus*. *Biotechnology Letters*, 33(10), 2037–2041. <https://doi.org/10.1007/s10529-011-0666-9>
- Manimegalai, K., & Sukanya, S. (2014). Biology of the filarial vector, *Culex*

- quinquefasciatus (Diptera:Culicidae). *Int.J.Curr.Microbiol.App.Sci*, 3(4), 718–724. <http://www.ijcmas.com>
- Manjeet, K., Purushotham, P., Neeraja, C., & Podile, A. R. (2013). Bacterial chitin binding proteins show differential substrate binding and synergy with chitinases. *Microbiological Research*, 168(7), 461–468. <https://doi.org/10.1016/j.micres.2013.01.006>
- Miller, J. R., Koren, S., & Sutton, G. (2010). Assembly algorithms for next-generation sequencing data. *Genomics*, 95(6), 315–327. <https://doi.org/10.1016/j.ygeno.2010.03.001>
- Musso, D., & Gubler, Du. J. (2016). Zika Virus. *Clinical Microbiology Reviews*, 29(3), 487–524. <https://doi.org/10.1001/jamadermatol.2016.1635>
- Newell, P. D., Roco, C. A., Fricker, A. D., Merkel, S. M., & Chandransu, P. (2013). A Small-Group Activity Introducing the Use and Interpretation of BLAST †. *Journal of Microbiology & Biology Education*, 14(2), 238–243. <https://doi.org/10.1128/jmbe.v14i2.637>
- Nielsen, R., Paul, J. S., Albrechtsen, A., & Song, Y. S. (2011). Genotype and SNP calling from next-generation sequencing data. *Nature Reviews Genetics*, 12(6), 443–451. <https://doi.org/10.1038/nrg2986>
- Nishiwaki, H., Nakashima, K., Ishida, C., Kawamura, T., & Matsuda, K. (2007). Cloning, functional characterization, and mode of action of a novel insecticidal pore-forming toxin, sphaericolysin, produced by *Bacillus sphaericus*. *Applied and Environmental Microbiology*, 73(10), 3404–3411. <https://doi.org/10.1128/AEM.00021-07>
- Oei, C., Hindley, J., & Berry, C. (1992). Binding of purified *Bacillus sphaericus* binary toxin and its deletion derivatives to *Culex quinquefasciatus* gut: Elucidation of functional binding domains. *Journal of General Microbiology*, 138(7), 1515–1526. <https://doi.org/10.1099/00221287-138-7-1515>
- Oliveira, C. D., Tadei, W. P., & Abdalla, F. C. (2009). Occurrence of apocrine secretion in the larval gut epithelial cells of *Aedes aegypti* L., *Anopheles albitalis* Lynch-Arribálzaga and *Culex quinquefasciatus* say (Diptera: Culicidae): a defense strategy against infection by *Bacillus sphaericus* Neide? *Neotropical Entomology*, 38(5), 624–631. <https://doi.org/10.1590/s1519-566x2009000500010>
- Overbeek, R., Olson, R., Pusch, G. D., Olsen, G. J., Davis, J. J., Disz, T., Edwards, R. A., Gerdes, S., Parrello, B., Shukla, M., Vonstein, V., Wattam, A. R., Xia, F., & Stevens, R. (2014). The SEED and the Rapid Annotation of microbial genomes using Subsystems Technology (RAST). *Nucleic Acids Research*, 42(D1), 206–214. <https://doi.org/10.1093/nar/gkt1226>

- Peña-Montenegro, T. D., Lozano, L., & Dussán, J. (2015). Genome sequence and description of the mosquitocidal and heavy metal tolerant strain *Lysinibacillus sphaericus* CBAM5. *Standards in Genomic Sciences*, 10(FEBRUARY2015). <https://doi.org/10.1186/1944-3277-10-2>
- Peña, G., Miranda-Rios, J., De La Riva, G., Pardo-López, L., Soberón, M., & Bravo, A. (2006). A *Bacillus thuringiensis* S-layer protein involved in toxicity against *Epilachna varivestis* (Coleoptera: Coccinellidae). *Applied and Environmental Microbiology*, 72(1), 353–360. <https://doi.org/10.1128/AEM.72.1.353-360.2006>
- petersen, L. R., Jamieson, D. J., Powers, A. M., & Honein, M. A. (2016). Zika virus. *Zika Virus*, March 2015, 313–320. <https://doi.org/10.5206/uwomj.v85i2.4143>
- Priest, F. G., Goodfellow, M., & Todd, C. (1988). A Numerical Classification of the Genus *Bacillus*. *Journal of General Microbiology*, 134, 1847–1882.
- Promdonkoy, B., Promdonkoy, P., Wongtawan, B., Boonserm, P., & Panyim, S. (2008). Cys31, Cys47, and Cys195 in BinA are essential for toxicity of a binary toxin from *Bacillus sphaericus*. *Current Microbiology*, 56(4), 334–338. <https://doi.org/10.1007/s00284-007-9065-9>
- Putri, L. K. (2019). *Isolasi dan Uji Patogenisitas Bakteri Lysinibacillus sphaericus NEIDE dari Tanah Sekitar Perakaran terhadap Larva Culex quinquefasciatus SAY*. Universitas Gadjah Mada.
- Quick, V. S., & Sikela, J. (n.d.). *Percent Identity of Genomic DNA and Amino Acid Sequences*. Center for Academic Research and Training in Anthropogeny. Retrieved March 1, 2021, from <https://carta.anthropogeny.org/moca/topics/percent-identity-genomic-dna-and-amino-acid-sequences#:~:text=Percent identity refers to a,to a degree reflects relatedness>.
- Quinlan, A. R., & Hall, I. M. (2010). BEDTools: A flexible suite of utilities for comparing genomic features. *Bioinformatics*, 26(6), 841–842. <https://doi.org/10.1093/bioinformatics/btq033>
- Rahman, A., Nahar, N., Jass, J., Olsson, B., & Mandal, A. (2016). Complete genome sequence of *Lysinibacillus sphaericus* B1-CDA, a bacterium that accumulates arsenic. *Genome Announcements*, 4(1), 1–3. <https://doi.org/10.1128/genomeA.00999-15>
- Rey, A., Silva-Quintero, L., & Dussán, J. (2016a). Complete genome sequence of the larvicidal bacterium *Lysinibacillus sphaericus* strain OT4b.25. *Genome Announcements*, 4(3), 10–11. <https://doi.org/10.1128/genomeA.00257-16>
- Rey, A., Silva-Quintero, L., & Dussán, J. (2016b). Complete genome

sequence of the larvicidal bacterium *Lysinibacillus sphaericus* strain OT4b.25. *Genome Announcements*, 4(3), 10–12.
<https://doi.org/10.1128/genomeA.00257-16>

Rojas-Pinzón, P. A., & Dussán, J. (2017a). Contribution of *Lysinibacillus sphaericus* hemolysin and chitin-binding protein in entomopathogenic activity against insecticide resistant *Aedes aegypti*. *World Journal of Microbiology and Biotechnology*, 33(10), 0.
<https://doi.org/10.1007/s11274-017-2348-9>

Rojas-Pinzón, P. A., & Dussán, J. (2017b). Contribution of *Lysinibacillus sphaericus* hemolysin and chitin-binding protein in entomopathogenic activity against insecticide resistant *Aedes aegypti*. *World Journal of Microbiology and Biotechnology*, 33(10), 1–9.
<https://doi.org/10.1007/s11274-017-2348-9>

Rosselló-Mora, R., & Amann, R. (2001). The species concept for prokaryotes. *FEMS Microbiology Reviews*, 25(1), 39–67.
[https://doi.org/10.1016/S0168-6445\(00\)00040-1](https://doi.org/10.1016/S0168-6445(00)00040-1)

Russell, B. L., Jelley, S. A., & Yousten, A. A. (1989). Carbohydrate metabolism in the mosquito pathogen *Bacillus sphaericus* 2362. *Applied and Environmental Microbiology*, 55(2), 294–297.
<https://doi.org/10.1128/aem.55.2.294-297.1989>

Rutherford, K., Parkhill, J., Crook, J., Horsnell, T., Rice, P., Rajandream, M.-A., & Barrell, B. (2000). Artemis: Sequence Visualization and Annotation. *Bioinformatics*, 16, 944–945.

Sakakibara, J., Nagano, K., Murakami, Y., Higuchi, N., Nakamura, H., Shimozato, K., & Yoshimura, F. (2007). Loss of adherence ability to human gingival epithelial cells in S-layer protein-deficient mutants of *Tannerella forsythensis*. *Microbiology*, 153(3), 866–876.
<https://doi.org/10.1099/mic.0.29275-0>

Sanitt, P., Promdonkoy, B., & Boonserm, P. (2008). Targeted mutagenesis at charged residues in *Bacillus sphaericus* BinA toxin affects mosquito-larvicidal activity. *Current Microbiology*, 57(3), 230–234.
<https://doi.org/10.1007/s00284-008-9180-2>

Seemann, T. (2014). Prokka: Rapid prokaryotic genome annotation. *Bioinformatics*, 30(14), 2068–2069.
<https://doi.org/10.1093/bioinformatics/btu153>

Settem, R. P., Honma, K., Nakajima, T., Phansopa, C., Roy, S., Stafford, G. P., & Sharma, A. (2013). A bacterial glycan core linked to surface (S)-layer proteins modulates host immunity through Th17 suppression. *Mucosal Immunology*, 6(2), 415–426.
<https://doi.org/10.1038/mi.2012.85>

- Shimotahira, N., Oogai, Y., Kawada-Matsuo, M., Yamada, S., Fukutsuji, K., Nagano, K., Yoshimura, F., Noguchi, K., & Komatsuzawa, H. (2013). The surface layer of *Tannerella forsythia* contributes to serum resistance and oral bacterial coaggregation. *Infection and Immunity*, 81(4), 1198–1206. <https://doi.org/10.1128/IAI.00983-12>
- Singkhamanan, K., Promdonkoy, B., Chaisri, U., & Boonserm, P. (2010). Identification of amino acids required for receptor binding and toxicity of the *Bacillus sphaericus* binary toxin. *FEMS Microbiology Letters*, 303(1), 84–91. <https://doi.org/10.1111/j.1574-6968.2009.01865.x>
- Sleytr, U. B., & Beveridge, T. J. (1999). Bacterial S-layers. *Trends in Microbiology*, 7(6), 253–260. [https://doi.org/10.1016/S0966-842X\(99\)01513-9](https://doi.org/10.1016/S0966-842X(99)01513-9)
- Smith, A. W., Cámara-Artigas, A., Brune, D. C., & Allen, J. P. (2005). Implications of high-molecular-weight oligomers of the binary toxin from *Bacillus sphaericus*. *Journal of Invertebrate Pathology*, 88(1), 27–33. <https://doi.org/10.1016/j.jip.2004.10.005>
- Sogandi, S. (2018). *Biologi Molekuler: Identifikasi Bakteri Secara Molekuler* (Issue July). Universitas 17 Agustus 1945.
- Stein, L. (2001). Genome annotation: From sequence to biology. *Nature Reviews Genetics*, 2(7), 493–503. <https://doi.org/10.1038/35080529>
- Suginta, W., Sirimontree, P., Sritho, N., Ohnuma, T., & Fukamizo, T. (2016). The chitin-binding domain of a GH-18 chitinase from *Vibrio harveyi* is crucial for chitin-chitinase interactions. *International Journal of Biological Macromolecules*, 93, 1111–1117. <https://doi.org/10.1016/j.ijbiomac.2016.09.066>
- Thanabalu, T., Hindley, J., Jackson-Yap, J., & Berry, C. (1991). Cloning, sequencing, and expression of a gene encoding a 100-kilodalton mosquitocidal toxin from *Bacillus sphaericus* SSII-1. *Journal of Bacteriology*, 173(9), 2776–2785. <https://doi.org/10.1128/jb.173.9.2776-2785.1991>
- Thanabalu, Thirumaran, & Porter, A. G. (1996). A *Bacillus sphaericus* gene encoding a novel type of mosquitocidal toxin of 31.8 kDa. *Gene*, 170(1), 85–89. [https://doi.org/10.1016/0378-1119\(95\)00836-5](https://doi.org/10.1016/0378-1119(95)00836-5)
- Wang, X., King Jordan, I., & Mayer, L. W. (2014). A Phylogenetic Perspective on Molecular Epidemiology. In *Molecular Medical Microbiology: Second Edition* (Vols. 1–3). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-397169-2.00029-9>

- Wang, Y. T., Oh, S. Y., Hendrickx, A. P. A., Lunderberg, J. M., & Schneewind, O. (2013). *Bacillus cereus* G9241 S-layer assembly contributes to the pathogenesis of anthrax-like disease in mice. *Journal of Bacteriology*, 195(3), 596–605. <https://doi.org/10.1128/JB.02005-12>
- Whitehorn, J., & Farrar, J. (2010). Dengue. *British Medical Bulletin*, 95(1), 161–173. <https://doi.org/10.1093/bmb/ldq019>
- WHO. (2006). Pesticides and Their Application for The Control of Vectors and Pests of Public health Importance. In *Department of Control of Neglected Tropical Diseases WHO Pesticides evaluation scheme (WHOPES)* (6th ed.). Department of Control of Neglected Tropical Diseases WHO Pesticides evaluation scheme (WHOPES).
- Woese, C. R. (1987). Bacterial evolution. *Microbiological Reviews*, 51(2), 221–271. [https://doi.org/0146-0749/87/020221-51\\$02.00/0](https://doi.org/0146-0749/87/020221-51$02.00/0)
- Wong, E., Vaaje-Kolstad, G., Ghosh, A., Hurtado-Guerrero, R., Konarev, P. V., Ibrahim, A. F. M., Svergun, D. I., Eijssink, V. G. H., Chatterjee, N. S., & van Aalten, D. M. F. (2012). The *Vibrio cholerae* colonization factor GbpA possesses a modular structure that governs binding to different host surfaces. *PLoS Pathogens*, 8(1), 1–13. <https://doi.org/10.1371/journal.ppat.1002373>
- Wraight, S. P., Molloy, D. P., & Singer, S. (1987). Studies on the culicine mosquito host range of *Bacillus sphaericus* and *Bacillus thuringiensis* var *israelensis* with notes on the effects of temperature and instar on bacterial efficacy. *Journal of Invertebrate Pathology*, 49(3), 291–302. [https://doi.org/10.1016/0022-2011\(87\)90061-9](https://doi.org/10.1016/0022-2011(87)90061-9)
- Yakovchuk, P., Protozanova, E., & Frank-Kamenetskii, M. D. (2006). Base-stacking and base-pairing contributions into thermal stability of the DNA double helix. *Nucleic Acids Research*, 34(2), 564–574. <https://doi.org/10.1093/nar/gkj454>
- Yan, W., Xiao, X., & Zhang, Y. (2017). Complete genome sequence of *Lysinibacillus sphaericus* LMG 22257, a strain with ureolytic activity inducing calcium carbonate precipitation. *Journal of Biotechnology*, 246, 33–35. <https://doi.org/10.1016/j.jbiotec.2017.02.016>
- Yousten, A. A., & Davidson, E. W. (1982). Ultrastructural Analysis of Spores and Parasporal Crystals Formed by *Bacillus sphaericus* 2297. *Microbiology*, 44(6), 1449–1455.
- Zerbino, D. R., & Birney, E. (2008). Velvet: Algorithms for de novo short read assembly using de Bruijn graphs. *Genome Research*, 18(5), 821–829. <https://doi.org/10.1101/gr.074492.107>
- Zhang, W., Wang, H., Liu, J., Zhao, Y., Gao, K., & Zhang, J. (2013). Adhesive ability means inhibition activities for *Lactobacillus* against

pathogens and S-layer protein plays an important role in adhesion. *Anaerobe*, 22, 97–103. <https://doi.org/10.1016/j.anaerobe.2013.06.005>

Zhou, Z., Peng, D., Zheng, J., Guo, G., Tian, L., Yu, Z., & Sun, M. (2011). Two groups of S-layer proteins, SLP1s and SLP2s, in *Bacillus thuringiensis* co-exist in the S-layer and in parasporal inclusions. *BMB Reports*, 44(5), 323–328. <https://doi.org/10.5483/BMBRep.2011.44.5.323>