

DAFTAR PUSTAKA

- Ahmad, A. M. (2017). Factors influencing waiting time as key of patient satisfaction in the Emergency Department in King Fahd Armed Forces Hospital, Saudi Arabia. *International Journal of Business and Management*, 12(5), 79. <https://doi.org/10.5539/ijbm.v12n5p79>
- Australasian College for Emergency Medicine (2014), *Emergency department design guideline*, 4 edn, Australasian College for Emergency Medicine, Melbourne Australia.
- Australian College for Emergency Medicine. (2016). Emergency department design. *Ciottonone's Disaster Medicine*, 125–130. <https://doi.org/10.1016/B978-0-323-28665-7.00021-2>.
- Australasian College for Emergency Medicine. (2019). Position statements emergency departement overcrowding. *Emergency Medicine*, 6(3), 245–246. <https://doi.org/10.1111/j.1442-2026.1994.tb00173.x>.
- Australian Institute of Health and Welfare. (2018). Emergency department care 2017-18. in *australian hospital statistics*. <https://www.aihw.gov.au/reports/hospitals/emergency-department-care-2017-18/contents/table-of-contents>
- Asplin, B. R., Magid, D. J., Rhodes, K. V., Solberg, L. I., Lurie, N., & Camargo, C. A. (2003). A conceptual model of emergency department crowding. *Annals of Emergency Medicine*, 42(2), 173–180. <https://doi.org/10.1067/mem.2003.302>.
- Bein, K. J., Berendsen Russell, S., Muscatello, D., Chalkley, D., Ivers, R., & Dinh, M. M. (2017). Feeling the HEAT: using hourly emergency activity tracking to demonstrate a novel method of describing activity and patient flow. *EMA - Emergency Medicine Australasia*, 29(2), 173–177. <https://doi.org/10.1111/1742-6723.12712>.
- Boyle, A., Beniuk, K., Higginson, I., & Atkinson, P. (2012). Emergency department crowding: time for interventions and policy evaluations. *Emergency Medicine International*, 2012, 1–8. <https://doi.org/10.1155/2012/838610>
- Brouns, SH, Stassen, PM, Lambooi, SL, Dieleman, J, Vanderfeesten, IT & Haak, HR 2015, 'organisational factors induce prolonged emergency department length of stay in elderly patients—a retrospective cohort study', *PloS One*, vol. 10, no. 8, p. e0135066.

- Budiarsana 2015, 'Description of patient flow in an Indonesian emergency hospital of a major teaching hospital', master of nursing science thesis, The University of Adelaide, Adelaide.
- Bukhari, H. *et al.* (2014). Analysis of waiting time in emergency department of al-noor specialist hospital , Makkah , Saudi Arabia', *Open Journal of Emergency Medicine*, (December), pp. 67–73.
- Burns ME, Galbraith AA, Ross-Degnan D, Balaban RB. (2014). Feasibility and evaluation of a pilot community health worker intervention to reduce hospital readmissions. *Int J Qual Health Care*. 2014; 26:358–65. doi:10.1093/intqhc/mzu046. [PubMed: 24744082]
- Cakir, O. D., Cevik, S. E., Bulut, M., Guneyeses, O., & Aydin, S. A. (2014). Emergency department overcrowding in turkey: Reasons, facts and solutions. *Journal of the Nepal Medical Association*, 52(195), 878–885. <https://doi.org/10.31729/jnma.2708>
- Canadian Association of Emergency Physicians (2009). Position statement on emergency department overcrowding', *Canadian Journal of Emergency Medicine*, 3(2), pp. 82–88. Available at: http://caep.ca/sites/caep.ca/files/caep/PositionStatments/2009_crowding_ps.pdf.
- Casalino, E, Wargon, M, Peroziello, A, Choquet, C, Leroy, C, Beaune, S, Pereira, L, Bernard, J & Buzzzi, J 2014, 'Predictive factors for longer length of stay in an emergency department: a prospective multicentre study evaluating the impact of age, patient's clinical acuity and complexity, and care pathways', *Emergency Medicine Journal*, vol. 31, no. 5, p. 361.
- Centers for Disease Control and Prevention. Emergency department visits among adults aged 60 and over: United States, 2014–2017. <https://www.cdc.gov/nchs/products/databriefs/db367.htm#:~:text=In%202014%E2%80%932017%2C%20the%20emergency,persons%20aged%2090%20and%20over>. Diakses pada 26 Maret 2021.
- Centers for Disease Control and Prevention. (2016). Emergency Department Visits. <https://www.cdc.gov/nchs/fastats/emergency-department.htm>. Diakses pada 30 Februari 2020.
- Chang, G, Weiss, A, Kosowsky, JM, Orav, EJ, Smallwood, JA & Rauch, SL 2012, 'Characteristics of adult psychiatric patients with stays of 24 hours or more in the emergency department', *Psychiatric Services*, vol. 63, no. 3, pp. 283–286.
- Chaou, CH, Chiu, TF, Yen, AM, Ng, CJ & Chen, HH 2016, 'Analyzing factors affecting emergency department length of stay-using a competing risk-

accelerated failure time model', *Medicine (Baltimore)*, vol. 95, no. 14, p. e3263.

Chen, J. Y.-H., Chang, F.-Y., Lin, C.-S., Wang, C.-H., Tsai, S.-H., Lee, C.-C., & Chen, S.-J. (2021). Impact of the COVID-19 pandemic on the loading and quality of an emergency department in Taiwan: Enlightenment from a low-risk country in a public health crisis. *Journal of Clinical Medicine*, 10(6), 1150. <https://doi.org/10.3390/jcm10061150>

Colak Oray N, Yanturali S, Atilla R, Ersoy G, Topacoglu H. A new model in reducing emergency department crowding: The electronic blockage system. *Turkiye Acil Tip Derg.* 2014;14(2):64-70. doi:10.5505/1304.7361.2014.13285

Crawford, K, Morphet, J, Jones, T, Innes, K, Griffiths, D & Williams, A 2014, 'Initiatives to reduce overcrowding and access block in Australian emergency departments: A literature review', *Collegian*, vol. 21, no. 4, pp. 359-366.

Deli H, Hasanah O, Novayelinda R, et al. Analisis faktor-faktor yang mempengaruhi length of stay (LOS) pasien anak di instalasi gawat darurat (IGD). 2020;16(1):59-65. doi:10.31983/link.v16i1.5719

Departemen Kesehatan Republik Indonesia. (2012). Peran instalasi gawat darurat IGD dalam hospital disaster plan. [https://www.depkes.go.id/development/site/jkn/index.php?cid=1946&id=per-an-instalasi-gawat-darurat-\(igd\)-dalam-hospital-disaster-plan.html](https://www.depkes.go.id/development/site/jkn/index.php?cid=1946&id=per-an-instalasi-gawat-darurat-(igd)-dalam-hospital-disaster-plan.html). 2012. Diakses pada tanggal 29 Februari 2020.

Direktorat Bina Pelayanan Keperawatan dan Teknis Medik. (2011). *Standar Pelayanan Keperawatan Gawat Darurat Di Rumah Sakit*. 1–21.

Eitel DR, Travers DA, Rosenau AM, et al. The emergency severity index triage algorithm version 2 is reliable and valid. *Acad Emerg Med* 2003;10:1070–80.

Fee, C, Burstin, H, Maselli, JH & Hsia, RY 2012, 'Association of emergency department length of stay with safety net status', *JAMA: The Journal of the American Medical Association*, vol. 307, no. 5, pp. 476-482.

Galdas, P. M., Cheater, F., & Marshall, P. (2005). Men and health help-seeking behaviour: Literature review. *Journal of Advanced Nursing*, 49, 616-623. doi:10.1111/j.1365- 2648.2004.03331.x

Gilboy N, Tanabe T, Travers D, Rosenau AM. (2011). Emergency severity index (ESI): A triage tool for emergency department care, Version 4. *Implementation*

Handbook 2012 Edition. AHRQ Publication No. 12-0014. Rockville, MD: Agency for Healthcare Research and Quality.

- George, F., & Evridiki, K. (2015). The effect of emergency department crowding on patient outcomes. *Health Science Journal*, 9(1), 1–6.
- Hansen KM, Nielsen H, Vest-Hansen B, Mollekaer A, Thomsen RW, Molgaard O, et al. Readmission and mortality in patients discharged with a diagnosis of medical observation and evaluation (Z03*-codes) from an acute admission unit in Denmark: a prospective cohort study. *BMC Health Serv Res*. 2017;17(1):211
- Higginson, I. (2012). Emergency department crowding, pp. 437–444. doi: 10.1136/emmermed-2011-200532.
- Hodgins, MJ, Moore, N & Legere, L 2011, 'Who is sleeping in our beds? Factors predicting the ED boarding of admitted patients for more than 2 hours', *Journal of Emergency Nursing*, vol. 37, no. 3, pp. 225-230.
- Hoot N, Aronsky D. (2006). An early warning system for overcrowding in the emergency department. *AMIA Annu Symp Proc*. Published online 2006:339-343.
- Horwitz, LI, Green, J & Bradley, EH 2010, 'US emergency department performance on wait time and length of visit', *Annals of Emergency Medicine*, vol. 55, no. 2, pp. 133- 141.
- Ismail A. Analisis faktor yang mempengaruhi length of stay pasien di instalasi gawat darurat menggunakan pendekatan time frame guide emergency model of care. *Perpusatakaan Univ Airlangga*. Published online 2017:2020.
- Irman O. Hubungan length of stay dengan kepuasan keluarga pasien prioritas satu di IGD RSUD dr. Hendrikus Fernandez Larantuka. 2018;3(2):135-141.
- Jimenez MLD, Manzanera RL, Mira JJ, Navarro IM, Wong JQ. A descriptive study on the factors affecting the length of stay in the emergency department of a tertiary private hospital in the Philippines. *Acta Med Philipp*. 2018;52(6):519-525.
- Johnson, KD & Winkelman, C 2011, 'The effect of emergency department crowding on patient outcomes: a literature review', *Advanced Emergency Nursing Journal*, vol. 33, no. 1, pp. 39-54.
- Kasenda, M., Saehu, M. S., & Wurjatmiko, A. T. (2020). Faktor – faktor yang berhubungan dengan pelaksanaan triage oleh perawat. *Jurnal Ilmiah Karya Kesehatan*, 1(2), 2747–2108.

- Kanzaria, HK, Probst, MA, Ponce, NA & Hsia, RY 2014, 'The association between advanced diagnostic imaging and ED length of stay', *The American Journal of Emergency Medicine*, vol. 32, no. 10, pp. 1253-1258.
- Kawano, T, Nishiyama, K & Hayashi, H 2014, 'Execution of diagnostic testing has a stronger effect on emergency department crowding than other common factors: a cross-sectional study', *PloS One*, vol. 9, no. 10, p. e108447.
- Kementrian Kesehatan RI (2008). Kepmenkes nomor: 129/Menkes/Sk/Ii/2008 tentang standar pelayanan minimal rumah sakit Menteri Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI (2009). Keputusan Menteri Kesehatan Republik Indonesia Nomor 856 / Menkes / Sk / Ix / 2009 Tentang standar Instalasi Gawat Darurat (IGD) Rumah Sakit‘.
- Kementerian Kesehatan RI . (2009). Standar Instalasi Gawat Darurat (IGD) Rumah Sakit. *Menteri Kesehat Republik Indones peraturan Menteri Kesehat Republik Indonesia*. Published online 2009:1-29.
- Kementrian Kesehatan RI (2018). Kepmenkes Nomor: 47/Menkes/Sk/iv/2018 tentang pelayanan kegawatdaruratan.
- Keskinolu, P., & Inan, F. (2014). Analysis of emergency department visits by elderly patients in an urban public hospital in Turkey. *Journal of Clinical Gerontology and Geriatrics*, 5(4), 127–131. <https://doi.org/10.1016/j.jcgg.2014.07.001>
- Kocher KE, Meurer WJ, Desmond JS, Nallamotheu BK. Effect of testing and treatment on emergency department length of stay using a national database. *Acad Emerg Med*. 2012;19(5):525-534. doi:10.1111/j.1553-2712.2012.01353.x.
- Kreindler, SA, Cui, Y, Metge, CJ & Raynard, M 2016, 'Patient characteristics associated with longer emergency department stay: a rapid review', *Emergency Medicine Journal*, vol. 33, no. 3, pp. 194-199.
- Kundre R. Hubungan tingkat kegawatan dengan lama tinggal. 2017. *E-journal Keperawatan*, vol 5, no.1.
- Kusumawati, H. I., Magarey, J., & Rasmussen, P. (2019). Analysis of factors influencing length of stay in the Emergency Department in public hospital, Yogyakarta, Indonesia. *Australasian Emergency Care*, 22(3), 174–179. <https://doi.org/10.1016/j.auec.2019.06.001>.

- Lapić, I & Rogić, D 2015, 'Laboratory utilization in the emergency department—are the requested tests patient-oriented?', *Signa Vitae*, vol. 10, no. Suppl. 1, pp. 81-83.
- Latham, LP & Ackroyd, SS 2014, 'Emergency department utilization by older adults: A descriptive study', *Canadian Geriatrics Journal*, vol. 17, no. 4, pp. 118-125.
- Li, L, Georgiou, A, Vecellio, E, Eigenstetter, A, Toouli, G, Wilson, R & Westbrook, JI 2015, 'The effect of laboratory testing on emergency department length of stay: A multihospital longitudinal study applying a cross-classified random-effect modeling approach', *Academic Emergency Medicine*, vol. 22, no. 1, pp. 38-46.
- Lowthian, JA, Curtis, AJ, Cameron, PA, Stoelwinder, JU, Cooke, MW & McNeil, JJ 2011, 'Systematic review of trends in emergency department attendances: an Australian perspective', *Emergency Medicine Journal*, vol. 28, no. 5, pp. 373-377.
- Lyons, M., Brown, R., & Wears, R. (2007). Factors that affect the flow of patients through triage. *Emergency Medicine Journal*, 24(2), 78–85. <https://doi.org/10.1136/emj.2006.036764>
- Maghfiroh S, Ratna PP, Alik SM. Hubungan waktu tunggu dan length of stay (los) dengan kepuasan pasien di Instalasi Gawat Darurat RSUD Jombang. *J Keperawatan Muhammadiyah*. 2019;4(1):2019. <http://journal.um-surabaya.ac.id/index.php/JKM>.
- Mahmoodian, F., Eqtesadi, R., & Ghareghani, A. (2014). Waiting times in Emergency Department after using the emergency severity index triage tool. *Archives of Trauma Research*, 3(4), 3–7. <https://doi.org/10.5812/atr.19507>
- Mahsanlar, Y, Parlak, I, Yolcu, S, Akay, S, Demirtas, Y & Eryigit, V 2014, 'Factors affecting the length of stay of patients in Emergency Department observation units at teaching and research hospitals in Turkey', *Turkish Journal Of Emergency Medicine*, vol. 14, no. 1, pp. 3-8.
- Mentzoni I, Bogstrand ST, Faiz KW. Emergency department crowding and length of stay before and after an increased catchment area. *BMC Health Serv Res*. 2019;19(1):1-11. doi:10.1186/s12913-019-4342-4.
- Milani, S. A., Crooke, H., Cottler, L. B., & Striley, C. W. (2016). Sex differences in frequent ED use among those with multimorbid chronic diseases. *American Journal of Emergency Medicine*, 34(11), 2127–2131. <https://doi.org/10.1016/j.ajem.2016.07.059>

- Morley C, Unwin M, Peterson GM, Stankovich J, Kinsman L. *Emergency Department crowding: A systematic review of causes, consequences and solutions*. Vol 13.; 2018. doi:10.1371/journal.pone.0203316
- Mohammad Nejad E, Ehsani S, Salari A, et al. Refusal in reporting medication errors from the perspective of nurses in emergency Ward. *J gbfm*. 2013; 10: 61-68 [In Persian].
- National Ambulatory Care Reporting System. (2015). Emergency Department visits in Canada. <https://www.cihi.ca/en/national-ambulatory-care-reporting-system-metadata-nacrs>. Diakses pada 30 Februari 2020.
- NSW Ministry Of Health. Emergency Department models of care. *NSW Gov Heal*. 2012;(July):1-68. www.ecinsw.com.au.
- Ozsaker E, Demir-Korkmaz F, Dolek M. Analyzing individual characteristics and admission causes of elderly patients to emergency departments. *Turkish J Geriatr*. 2011;14(2):128e134.
- Pines, JM, Russell AL, & Hollander JE 2009, 'Racial disparities in emergency department length of stay for admitted patients in the United States', *Academic Emergency Medicine*, vol. 16, no. 5, pp. 403-410.
- Prisk D, Jonathan Godfrey AR, Lawrence A. Emergency Department length of stay for maori and european patients in New Zealand. *West J Emerg Med*. 2016;17(4). doi:10.5811/westjem.2016.5.29957.
- Radcliff, S. (2011). The Effect of Emergency Department length of stay on clinical outcomes for critically ill or injured patients', *Nursing Theses and Capstone Projects*. Available at: http://digitalcommons.gardnerwebb.edu/nursing_etd/165.
- Rathlev, N. *et al.* (2012). Time series analysis of Emergency Department length of stay per 8-hour shift', *Western Journal of Emergency Medicine*, 13(2), pp. 163–168. doi: 10.5811/westjem.2011.7.6743.
- Rose, L, Gray, S, Burns, K, Atzema, C, Kiss, A, Worster, A, Scales, DC, Rubenfeld, G & Lee, J 2012, 'Emergency department length of stay for patients requiring mechanical ventilation: a prospective observational study', *Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine*, vol. 20, no. 30, pp. 30-30.
- Salway, R., Valenzuela, R., Shoenberger, J., Mallon, W., & Viccellio, A. (2017). Emergency Department (Ed) overcrowding: Evidence-based answers to frequently asked questions. *Revista Médica Clínica Las Condes*, 28(2), 213–219. <https://doi.org/10.1016/j.rmclc.2017.04.008>
- Shafiei, T, Gaynor, N & Farrell, G 2011, 'The characteristics, management and

outcomes of people identified with mental health issues in an emergency department, Melbourne, Australia', *Journal of Psychiatric and Mental Health Nursing*, vol. 18, no. 1, pp. 9-16.

Skinner J. Forecasting Emergency Department overcrowding. *SPNHA Rev.* 2016;12(1):96-109.

<http://scholarworks.gvsu.edu/spnhareview%5Cnhttp://scholarworks.gvsu.edu/%5Cnhttp://scholarworks.gvsu.edu/spnhareview/vol12/iss1/8>.

Søvsø, M. B., Hermansen, S. B., Færk, E., Lindskou, T. A., Ludwig, M., Møller, J. M., Jonciauskiene, J., & Christensen, E. F. (2018). Diagnosis and mortality of emergency department patients in the North Denmark region. *BMC Health Services Research*, 18(1), 1–9. <https://doi.org/10.1186/s12913-018-3361-x>

Stephens, RJ, White, SE, Cudnik, M & Patterson, ES 2014, 'Factors associated with longer length of stay for mental health emergency department patients', *Journal of Emergency Medicine*, vol. 47, no. 4, pp. 412-419.

Sullivan, C. *et al.* (2016). The four hour rule: The national emergency access Target in Australia - systematic literature review appendix a', *Australian Health Review*, 40(3), pp. 319–323. Available at: http://www.publish.csiro.au/AH/acc/AH15071/AH15071_AC.pdf.

Tekwani, K. L., Kerem, Y., Mistry, C. D., Sayger, B. M., & Kulstad, E. B. (2013). Emergency department crowding is associated with reduced satisfaction scores in patients discharged from the emergency department. *Western Journal of Emergency Medicine*, 14(1), 11–15. <https://doi.org/10.5811/westjem.2011.11.11456>.

Todisco, C. (2015). Overcrowding and clinical risk in emergency departments. A model for the reduction in NEDOCs: Preliminary results. *Acta Biomedica*, 86(2), 170–175.

Tzelepis, F., Sanson-Fisher, R. W., Zucca, A. C., & Fradgley, E. A. (2015). Measuring the quality of patient-centered care: Why patient-reported measures are critical to reliable assessment. *Patient Preference and Adherence*, 9, 831–835. <https://doi.org/10.2147/PPA.S81975>.

Van der Linden MC, de Beaufort RAY, Meylaerts SAG, van den Brand CL, van der Linden N. The impact of medical specialist staffing on emergency department patient flow and satisfaction. *Eur J Emerg Med.* 2017; 26 (1). pp 47-52. doi: 10.1097/MEJ.0000000000000487.

Ward BW, Schiller JS. Prevalence of multiple chronic conditions among US adults: estimates from the national health interview survey, 2010. *Prev Chronic Dis.* 2013;10. doi:10.5888/pcd10.120203. 24.

Weiss AJ, Wier LM, Stocks C, Blanchard J. Overview of emergency department

visits in the united states, 2011. *Hosp Emerg Dep Background, Issues, Trends*. 2015;(May 2013):69-87.

Weng, S., Cheng, B.-C., Kwong, S. T., Wang, L., & Chang, C.-Y. (2011). *Simulation optimization for Emergency Departement resources allocation*. 1231–1238.

Wibulpolprasert, A, Sittichanbuncha, Y, Sricharoen, P, Borwornsrisk, S & Sawanyawisuth, K 2014, 'Factors associated with overcrowded emergency rooms in Thailand: a medical school setting', *Emergency Medicine International*, vol. 2014.

Wickman, L., Svensson, P., & Djärv Therese Djärv. (2017). *Effect of crowding on length of stay for common chief complaints in the emergency department*. 44(August), 0–4.

World Health Organization. 2016. ICD-10 International Statistical Classification of Diseases and Related Health Problems 10th revision, vol. 1 Tabular List.

World Health Organization. 2016. ICD-10 International Statistical Classification of Diseases and Related Health Problems 10th revision, vol. 3 Alphabetical Index.

Yarmohammadian MH, Rezaei F, Haghshenas A, Tavakoli N. Overcrowding in emergency departments: A review of strategies to decrease future challenges. *J Res Med Sci*. 2017;22(1). doi:10.4103/1735-1995.200277.

Zayyan Alsharqi, O., AlBarakati, M., Aziz AlQamdi, A., Al-Borie, H. M., & Khalaf