



DAFTAR PUSTAKA

- Andiese, V. W. (2012). Pengujian Metode Hidrograf Satuan Sintetik Gama I Dalam Analisis Debit Banjir Rancangan DAS Bangga. *MEKTEK*. 14 (1), hal 1-9
- Aher, P. D., Adinarayana, J. dan Gorantiwar, S. D. (2014). Quantification of morphometric characterization and prioritization for management planning in semi-arid tropics of India: A remote sensing and GIS approach'. *Journal of Hydrology*. Vol 511, hal 850-860
- Aldhara, H. S., Ali, S. H., dan Ghareb, J. I. S. A. (2019). Analysis of Basin Geometry in Ataq Region , Part of Shabwah Yemen : Using Remote Sensing and Geographic Information System Technique. *Bulletin of Pure an Applied Sciences*. 38 (1), hal 1-15
- Ali, U., Ali, S. A., Ikbal, J., Bashir, M., Fadhi, M., Ahmad, M., Aldharab, H., dan Ali S. (2018). Soil Erosion Risk and Flood Behavior Assesment of Sukhnag Catchment, Kasmir Basin : Using GIS and Remote Sensing. *Journal of Remote Sensing & GIS*. 7 (1), hal 1-8
- Altaf, F., Meraj, G., dan Romshoo, S. A. (2013). Morphometric Analysis to Infer Hydrological Behaviour of Lidder Watershed, Western Himalaya, India. *Geography Journal*. Volume 2013 (1), hal 1-14
- Ardinanto, G. (2013). *Komparasi Hidrograf Satuan Sintetik Gama I Dan Hidograf Satuan Alami Sub DAS Garang*. Tesis. Yogyakarta : Universitas Gadjah Mada
- Asdak, C. (2007). *Hidrologi dan Pengelolaan Daerah Aliran Sungai*. Yogyakarta: Universitas Gadjah Mada Press.
- Asfaw, D. dan Workineh, G. (2019). Quantitative analysis of morphometry on Ribb and Gumara watersheds: Implications for soil and water conservation. *International Soil and Water Conservation Research*. Volume 7 (2019), hal 150-157
- Awasthi A. K., Rawat, Umakant., Dubey, Abhishek., Dwivedi, P. K., Mishra, S.K., dan Tripathi, S. T. (2019). Morphometric Study Of Bains River, Sub-Watersheds Of Sonar River (A Sub-Basin Of Ken River Basin) Using RS & GIS. *International Journal of Current Advanced Research*. Volume 8 (2019), hal. 16895-16901.
- Biswas, S., Sudhakar, S. and Desai, V. R. (1999). Prioritisation of subwatersheds based on Morphometric Analysis Of Drainage Basin: A Remote Sensing and GIS Approach. *Journal of the Indian Society of Remote Sensing*. 27(3), hal. 155–166.
- Bungin, E. R. (2008). *Aplikasi GIS Untuk Kajian Parameter DAS Pada Hidrograf Satuan Sintetik Gama I*. Tesis. Yogyakarta : Universitas Gadjah Mada.
- Chopra, R., Dhiman., dan Sharma, P. (2005) Morphometric Analysis of Sub-Watersheds in Gurdaspur District, Punjab Using Remote Sensing dan GIS techniques. *Journal of The Indian Society of Remote Sensing*. 33, hal 531-538.
- Dewi, Y. T. (2011). *Kajian Kritis Kinerja Beberapa Rumusan Hidrograf Satuan Sintetik*. Tesis. Yogyakarta : Universitas Gadjah Mada



- Dooge, J.C.I. (1973). Linear Theory of Hydrologic Systems. *Technical Bulletin*. New York : Agricultural Research Service, United States Department of Agriculture.
- Esper, A. M.Y. (2008). Morphometric Analysis of Colanguil River Basin and Flash Flood Hazard, San Juan, Argentina. *Environ Geol* . Volume 55 (2008), hal. 107-111.
- Farhan, Y dan Anaba, O. (2016). Watershed Prioritization Based On Morphometric Analysis and Soil Loss Modeling in Wedi Kerakn Using GIS Technique. *International Journal of Plant & Soil Science*. 10 (6), hal1-18.
- Hadisusanto, N. (2011). *Aplikasi Hidrologi*. Yogyakarta: Jogja Media Utama.
- Hadley, R.F., dan Schumm, S.A. (1961). Sediment Sources and Drainage Basin Characteristics in Upper Cheyenne River Basin. *Water Supply Paper* 1531-B, U.S. Geological Survey, hal. 137–196.
- Harlin, J. M. (1984). Watershed morphometry and time to hydrograph peak. *Journal of Hydrology*. 67(1–4), hal. 141–154.
- Haryanto, E. T. Sukiyah, E., Rendra, P. P. R., Hendarmawan., dan Suratman. (2019). Implication of catchment morphometric on small river discharge of upper Citarik river, West Java. *Indonesian Journal of Geography*. 51(2), hal. 224–230.
- Horton, R.E. (1932). Drainage Basin Characteristics. *Transactions of the American Geophysical Union*. Volume 13, hal. 350–361.
- Horton, R.E. (1945). Erosional Development of Streams and Their Drainage Basins; Hydro-Physical Approach to Quantitative Morphology. *Bulletin of the Geological Society of America*. 56(3), hal. 275–370.
- Irianto, S. (2002). *Kajian Hidrologi Daerah Aliran Sungai Ciliwung Menggunakan Model Hec-1*. Tesis. Bogor : Institut Pertanian Bogor.
- Kasim, T. W. (2019). Analisis Debit Banjir Sungai Meluopo Dengan Metode HSS Gama I. *RADIAL*. Vol 7 (2), hal 172-180.
- Kaur, M., Singh, S., Vema, V. K., dan Pateriy, B. (2014). Quantitative Geomorphological Analysis and land Use/Land Cover Change Detection of Two Sub-Watersheds in Region of Punjab, India. *The International Archives of The Photogrammetry, Remote Sensing and Spatial Information Science*. Vol. XL-8.
- Kemetrican Kehutanan. (2013). Peraturan Direktur Jendral Bina Pengelolaan Daerah Aliran Sungai Dan Perhutanan Sosial tentang Pedoman Identifikasi Karakteristik Daerah Aliran Sungai No. P.3/V-Set/2013
- Kouli, M., Vallianatos, F., Souplos, P., dan Alexakis, D. (2007). GIS-based Morphometric Analysis of Two Major Watersheds, Western Crete, Greece. *Journal of Environmental Hydrology*. 1(15), hal 1-17
- Krisnayanti, D. S., Frans, J. H. dan Halema, E. U. M. (2019). Analisis Parameter Alfa Hidrograf Satuan Sintetik. *Jurnal Teknik Sipil*. VIII(2), hal 227–240.
- Linsley, R. K., Kohler, M. A., dan Paulhus, J. L. H. (1982). *Hydrology for Engineers*. New York: Mc Graw Hill Book Company.



- Malik, A., Kumar, A. dan Kandpal, H. (2019). Morphometric analysis and prioritization of sub-watersheds in a hilly watershed using weighted sum approach. *Arabian Journal of Geosciences*. 12(4), 118
- Melton, M. A. (1958). Correlations Structure of Morphometric Properties of Drainage Systems and Their Controlling Agents. *Journal of Geology*. 66 (4), hal 442–460.
- Miller, V. C. (1953). *A Quantitative Geomorphic Study of Drainage Basin characteristics in The Clinch Mountain area Virginia and Tennessee*. Columbia : Department Geology Columbia University.
- Natakusumah, D. K., Hatmoko, W., dan Harlan, D. (2011). Prosedur Umum Perhitungan Hidrograf Satuan Sintetis dengan Cara ITB dan Beberapa Contoh Penerapannya. *Jurnal Teknik Sipil*. 18 (3), hal 251-291
- Nag, S. K. dan Chakraborty, S. (2003). Influence of Rock Types and Structures in Development of Drainage network in Hard Rock Area. *Journal of Indian Society of Remote Sensing*. 31 (1), hal 25-35
- Ningkeula, E. S. (2016). Analisis Karakteristik Morfometri dan Hidrologi Sebagai Ciri Karakteristik Biogeofisik DAS Wai Samal Kecamatan Seram Utara Timur Kobi Kabupaten Maluku Tengah', *Agrikan: Jurnal Ilmiah Agribisnis dan Perikanan*. 9(2), hal. 76-86
- Nooka R, K., Venkateswara, V., Amminedu, E., dan Murthy, K. S. R. (2005). Check Dam Positioning by Prioritization Micro-watersheds using SYI Model and Morphometric Analysis : Remote Sensing and GIS Perspective. *Journal of the Indian Society of Remote Sensing*. 33(1), hal. 25–38.
- Ozdemir, H., & Bird, D. (2009). Evaluation of Morphometric Parameters of Drainage Networks Derived from Topographic Maps and DEM Inpoint Floods. *Environmental Geology*. 56 (7), hal. 1405–1415.
- Oruonye, E. D., Ezekiel, B. B., Atiku, H. G., Baba, E. and Musa, N. I. (2016). Drainage Basin Morphometric Parameters of River Lamurde: Implication For Hydrologic and Geomorphic Processes. *Journal of Agriculture and Ecology Research International*. 5 (2), hal 1-11.
- Pawar, D.H., & Raskar, A.K., (2009). Linear Aspects of Basin Morphometry of Panchaganga River (Kolhapur), Western Maharastra. *International Referred Research Journal*. 2 (20), hal 95-97
- Prasad, R. K., Mondal, N. C., Banerjee, P., Nandakumar, M. V., dan Singh V. S. (2008). Deciphering Potential Groundwater Zone in Hare Rock Through The Application of GIS. *Environment Geology*. 55, hal 467-475.
- Rastogi, R. A., & Sharma, T. C. (1976). Quantitative analysis of drainage basin characteristics. *Journal of Soil and Water Conservation India*. 26(1–4). 18–25.
- Reddy, O. G. P., Maji, A. K., dan Gajbhiye, S. K. (2004). Drainage Morphometry and Its Influence on Landform Characteristic in Basaltic Terrain, Central India – A Remote Sensing and GIS Approach. *International Journal of Applied Earth Observation and Geoinformatic*. 6 (1), hal 1-6.



- Romshoo, S. A., Bhat, S. A. dan Rashid, I. (2012). Geoinformatics For Assessing The Morphometric Control on Hydrological Response at Watershed Scale in The Upper Indus Basin. *Journal of Earth System Science*. 121(3), hal. 659–686.
- Schumm, S.A.(1956). Evolution of Drainage Systems and Slopes in Badlands at Perth Amboy, NewJersey. *GSA Bulliten*. 67 (5), hal. 597–646.
- Seyhan, Ersin. (1990). *Dasar-dasar Hidrologi*. Yogyakarta : Gadjah Mada University Press.
- Seyhan, E. dan Keet. (1981). *Multivariate Statistical Analysis, Application to Hydromorphometrical Data*. Amsterdam: Communication of The Institute of Earth Sciences.
- Singh, S dan Singh, M. C. (1997). Morphometric Analysis of Kanhar River Basin. *National Geograpichal Journal of India*. 43, hal 31-43
- Sinha, S, K., dan Parker, G. (1996). Causes of Concavity in Longitudinal Profile of Rivers. *Water Resource Research*. 32 (5), hal 1417-1428.
- Soemarto, CD. (1987). *Hidrologi Teknik*. Surabaya : Usaha Nasional.
- Soewarno. (1991). *Hidrologi Pengukuran dan Pengolahan Data Aliran Sungai (Hidrometri)*. Bandung : Nova.
- USDA. (2014). Keys To Soil Taxonomy. Wasingthon, DC : USDA
- Sreedevi, P. D., Owais, H. H., Khan., dan Ahmed, S. (2009). Morphometric Analysis Of A Watershed Of South India Using SRTM data and GIS. *Journal of the Geological Society of India*. 73(4), hal. 543–552.
- Sri-Harto. (1993). *Analisis Hidrologi*. Jakarta : Gramedia Pustaka Utama.
- Sri-Harto. (1985). *Hidrologi Terapan*. Yogyakarta : Universitas Gadjah Mada Press
- Strahler, A. N. (1964). Quantitative geomorphology of drainage basins and channel networks In: V. Chow (Ed.), *Handbook of Applied Hydrology*. New York: McGraw Hill.
- Sugiyanta, I Gede. 2017. *Geomorfologi*. Yogyakarta : Mobius.
- Sukristiyanti, S., Maria, R., Lestiana, H. (2017). Watershed-based Morphometric Analysis : A Review. *Global colloquium On Geosience and Engineering*. 188 (1), hal 1-5.
- Suprayogi, S., Purnama, S., dan Darmanto, D. (2014). *Pengelolaan Daerah Aliran Sungai*. Yogyakarta : Gadjah Mada University Press.
- Suprayogi, D., Rifai, dan Latifa, R. (2021). Hec-HMS Model for Urban Flood Analysis in Belik River, Yogyakarta, Indonesia. *Asean Journal on Science & Technology for Development*. 38 (1), hal 15-20.
- Surabhi, B., & Ahmed, S.A., (2014). Morphometric Analysis To Determine Floods in The Upper Krishna Basin using Cartosat DEM. *Journal Geocarto International* : Volume 29, 2014 - Issue 8, hal. 878-894.
- Tempo.co.(2016, 4 Desember). Pakai Satelit Baru, Google Maps Bakal Semakin jelas. Diakses pada 12 Juli 2021, dari <https://tekno.tempo.co/read/825354/pakai-foto-satelit-baru-google-maps-bakal-semakin-jelas/full&view=ok>
- Triatmodjo, B. (2010). *Hidrologi Terapan*. Yogyakarta: Beta Offset.



- Tunas, I. G., Anwar, N. and Lasminto, U. (2017). Analysis of Main Morphometry Characteristic of Watershed and It's Effect to The Hydrograph Parameters. *IPTEK, The Journal for Technology and Science*. 28(1), hal. 30–36.
- Taofik, O. K., Innocent, B., Christoper, N., Godwin, J. G., & James, A. S. (2017). A Comparative Analysis Of Drainage Morphometry On Hydrologic Characteristic Of Kreke And Ukoghor Basins On Flood Vulnerability In Makurdi Town, Nigeria. *Hydrology*. 5 (3), hal 32-40.
- Waikar, M. L. and Nilawar, A. P. (2014). Morphometric Analysis of a Drainage Basin Using Geographical Information System: A Case study. *International Journal of Multidisciplinary and Current Research*, 2(2014), hal. 179.
- Wardhono, A., Rondhi, M., Irawan, J. F., dan prakoso, B. (2010). Identification And Mapping Of Disaster Risk Of Flash Floods In Jember Regency, East Java, Indonesia. Asia International Symposium. Hue city, Vietnam.
- Wilkerson, J.L. (2009). *Regional Regression Equations to Estimate Synthetic Unit Hydrograph Parameters For Indiana*. MS.c. Thesis. Indiana:Purdue University.
- Zakerinejad, R., Hochschild, V., Rahmi, M, dan Maeker, M. (2016). Morphometric Analysis of The Zargos Mountains Using High Resolution DEM to Assess Gully Erosion Processes : A Case Study in The Fars Province Southwest of Iran. *IGRDJ*. 6 (4), hal 1-17.