DAFTAR ISI

HALAMAN PENGESAHAN ii
HALAMAN PERNYATAAN BEBAS PLAGIASI iii
MOTTO iv
KATA PENGANTAR v
DAFTAR ISI vii
DAFTAR GAMBAR x
DAFTAR TABEL xiii
INTISARI xiv
ABSTRACT xv
BAB I 1
PENDAHULUAN 1
1.1 Latar Belakang 1
1.2 Rumusan Masalah 2
1.3 Tujuan Penelitian 2
1.4 Manfaat Penelitian 2
1.5 Batasan Masalah 3
1.6 Sistematika Penulisan 3
BAB II 5
LANDASAN TEORI 5
2.1 Tinjauan Pustaka 5
2.2 Dasar Teori 6
2.2.1 *Tumbler Tank* atau *Mixing Tank* 6
2.2.2 *Existing* and *New Environment* 8
2.2.3 *Tagging* and *Addressing* 9
2.2.4 *Programmable Logic Control (PLC) OMRON CP1L* 9
2.2.5 *Human Machine Interface NB10W* 11
2.2.6 *CX Programmer* 12
2.2.7 *NB-Designer* 15
2.2.8 Sensor dan Aktuator 18

BAB III 20
METODE PENELITIAN 20
3.1 Waktu dan Tempat Pelaksanaan Penelitian 20
3.2 Pencatatan Alamat dari *Existing Environment* 20
3.3 Perancangan Sistem 21
3.3.1 Perancangan Sistem Perangkat Keras 21
3.3.2 *Flowchart* Sistem 22
3.3.2.1 *Flowchart Automatic Mode* 22
3.3.2.2 *Flowchart Manual Mode* 24
3.3.2.3 *Flowchart Home Position* 25
3.4 Perancangan Program pada *PLC* 25
3.5 Perancangan *HMI* 26
3.6 Komunikasi *PLC* dan *HMI* 26
BAB IV 27
HASIL DAN PEMBAHASAN 27
4.1 Hasil Perancangan Sistem 27
4.1.1 Perancangan Program *PLC* 27
4.1.1.1 *Input* 27
4.1.1.2 *Analog* 28
4.1.1.3 *Recorder* 30
4.1.1.4 *Channel* 34
4.1.1.5 *Manual* 35
4.1.1.6 *Auto* 39
4.1.1.7 *Home* 40
4.1.1.8 *Indicator* 41
4.1.1.9 *Output* 44
4.1.1.10 *Screen* 45
4.1.1.11 *End* 47
4.1.2 Rancangan Tampilan *HMI* 47
4.1.2.1 *Screen Opening* 47
4.1.2.2 *Screen Menu* 48
4.1.2.3 *Screen Hand Mode (Manual)* 51

4.1.2.4 *Screen Auto Mode* 51
4.1.2.5 *Screen Home Pos* 53
4.1.2.6 *Screen Channel* 54
4.1.2.7 *Screen Error* 54
4.2 Mode Kontrol Sistem 55
4.2.1 Sistem Mode Auto 55
4.2.2 Sistem Mode Manual 61
4.2.3 Sistem Mode *Home Position* 66
BAB V 72
KESIMPULAN DAN SARAN 72
5.1 Kesimpulan 72
5.2 Saran 72
DAFTAR PUSTAKA 73

DAFTAR GAMBAR

Gambar 2.1 *Tumbler tank* (Dokumentasi) 7
Gambar 2.2 Sensor *proximity* pada sensor atas dan *home position* pada *tumbler tank* (Dokumentasi) 8
Gambar 2.3 Unit *PLC OMRON CP1L* (Omron, 2020) 10
Gambar 2.4 *Input* dan *output CP1L 40 I/O* (OMRON, 2014) 11
Gambar 2.5 *Human machine interface NB10W* (Artiyasa et al., 2019) 12
Gambar 2.6 *Interface CX Programmer* (Omron, 2002) 13
Gambar 2.7 *Project workspace CX Programmer* (Omron, 2002) 14
Gambar 2.8 *Diagram workspace CX Programmer* (Omron, 2002) 14
Gambar 2.9 *Mnemonics view pada CX Programmer* (Omron, 2002) 15
Gambar 2.10 Tampilan awal *NB Designer* (OMRON, 2019) 15
Gambar 2.11 *Menu view NB Designer* (OMRON, 2019) 16
Gambar 2.12 *Proximity sensor* (Fabre, 2016) 19
Gambar 2.13 Motor asinkron (Ardi, 2012) 19
Gambar 3.1 Perancangan sistem perangkat keras 21
Gambar 3.2 *Flowchart automatic mode* 23
Gambar 3.3 *Flowchart manual mode* 24
Gambar 3.4 *Flowchart home position* 25
Gambar 3.5 Komunikasi *PLC – HMI* 26
Gambar 4.1 Alamat *input* sensor 27
Gambar 4.2 *Ladder diagram analog input* 28
Gambar 4.3 *Ladder diagram analog output* 29
Gambar 4.4 *Channel selection recorder* 31
Gambar 4.5 *Channel tagname recorder* 33
Gambar 4.6 *Ladder diagram channel* 35
Gambar 4.7 *Hand mode active* 37
Gambar 4.8 *Incline forward manual* 37
Gambar 4.9 *Incline backward manual* 38
Gambar 4.10 *Mixer brake manual* 38

Gambar 4.11 *Mixer motor manual* 38
Gambar 4.12 *Mixer low speed manual* 39
Gambar 4.13 *Mixer inching manual* 39
Gambar 4.14 *Ladder diagram auto* 40
Gambar 4.15 *Ladder diagram home* 41
Gambar 4.16 *Ladder Diagram Indicator* 44
Gambar 4.17 *Ladder diagram output* 45
Gambar 4.18 *Ladder diagram screen* 47
Gambar 4.19 Tampilan *End* 47
Gambar 4.20 *Opening screen* 48
Gambar 4.21 *Screen menu* 50
Gambar 4.22 *Login screen* 50
Gambar 4.23 *Screen handmode* 51
Gambar 4.24 *Screen auto* 52
Gambar 4.25 S*creen home position* 53
Gambar 4.26 *screen channel* 54
Gambar 4.27 *screen error* 55
Gambar 4.28 *Channel* 1 56
Gambar 4.29 *Address W28.00* 56
Gambar 4.30 *Address D900* 57
Gambar 4.31 Pemindahan data *channel* 1 57
Gambar 4.32 Tampilan *screen auto* 58
Gambar 4.33 Alur data kecepatan 58
Gambar 4.34 Alur data waktu 59
Gambar 4.35 D1 pada bagian analog 59
Gambar 4.36 Parameter pada *Screen Auto* 60
Gambar 4.37 Program *tank* bergerak ke atas mode *auto* 60
Gambar 4.38 Program *tank* berputar mode *auto* 61
Gambar 4.39 Program *tank* turun mode *auto* 61
Gambar 4.40 Tombol *lift up* 61
Gambar 4.41 Program *lift up* 62
Gambar 4.42 W24.03 pada bagian *output* 62

Gambar 4.43 Tombol *lift down* 62
Gambar 4.44 *Address* W22.10 63
Gambar 4.45 *Address* W24.04 63
Gambar 4.46 Tombol *mixer run* 64
Gambar 4.47 W22.12 64
Gambar 4.48 *Address* W24.05 65
Gambar 4.49 *Mixer inching* 66
Gambar 4.50 *Screen home position* 66
Gambar 4.51 *Address* W23.07 67
Gambar 4.52 W105 *Home reset run* 67
Gambar 4.53 *Address* W110.00 dan *timer* 450 68
Gambar 4.54 *Address* W110.01 dan *timer* 440 68
Gambar 4.55 *Address* W110.02 dan *timer* 430 69
Gambar 4.56 *Home reset performed* 69
Gambar 4.57 *Address* W105.01 70
Gambar 4.58 *Address* W112.00 70
Gambar 4.59 *Address* W112.01 70
Gambar 4.60 *Address* W112.02 71

DAFTAR TABEL

Tabel 3.1 *Address existing environment* 20