

DAFTAR PUSTAKA

- Anggraini, D. (2020). Studi Komparatif Laju Disolusi Tablet Asam Mefenamat Generik Bermerek yang Beredar di Kota Pekanbaru. *SCIENTIA : Jurnal Farmasi dan Kesehatan*, 10(2), 160–165. <https://doi.org/10.36434/scientia.v10i2.319>
- Apeji, Y., Zechariah, F., Anyebe, S., Tytler, B., Olowosulu, A., & Oyi, A. (2019). Effect of Mode of Superdisintegrant Incorporation on Tableting Properties of Metronidazole Granules. *Pharmaceutical Sciences Asia*, 46, 25–32. <https://doi.org/10.29090/psa.2019.01.017.0068>
- Bandari, S., Mittapalli, R. K., & Gannu, R. (2014). Orodispersible tablets: An Overview. *Asian Journal of Pharmaceutics (AJP)*, 2(1).
- Bele, M. H., & Derle, D. V. (2012). Mechanism of Disintegrant Action of Polacrillin Potassium: Swelling or Wicking? *Acta Pharmaceutica Sinica B*, 2(1), 70–76. <https://doi.org/10.1016/j.apsb.2011.12.002>
- Bhowmik, D. (2009). Fast Dissolving Tablet: An Overview. *Journal of Chemical and Pharmaceutical Research*, 1(1), 15.
- Bhusnure, O. G., Gholve, S. B., Giram, P. S., Thonte, S. S., Mane, J. M., Kazi, P. A., & Bhange, M. A. (2015). Role of Superdisintegrant in Fast Dissolving Tablets. *International Journal of Pharmacy and Pharmaceutical Research*, 4(2), 263–281.
- Bindra, D. S., Stein, D., Pandey, P., & Barbour, N. (2014). Incompatibility of Croscarmellose Sodium with Alkaline Excipients in A Tablet Formulation. *Pharmaceutical Development and Technology*, 19(3), 285–289. <https://doi.org/10.3109/10837450.2013.778869>
- Brniak, W., Jachowicz, R., & Pelka, P. (2015). The practical approach to the evaluation of methods used to determine the disintegration time of orally disintegrating tablets (ODTs). *Saudi Pharmaceutical Journal*, 23(4), 437–443. <https://doi.org/10.1016/j.jsps.2015.01.015>
- Choudhary, N., & Avari, J. (2015). Formulation and evaluation of taste mask pellets of granisetron hydrochloride as oro dispersible tablet. *Brazilian Journal of Pharmaceutical Sciences*, 51(3), 569–578. <https://doi.org/10.1590/S1984-82502015000300009>

- Comoglu, T., & Özyılmaz, D. (2019). Orally Disintegrating Tablets and Orally Disintegrating Mini Tablets – Novel Dosage Forms for Pediatric Use. *Pharmaceutical Development and Technology*, 24(7), 902–914. <https://doi.org/10.1080/10837450.2019.1615090>
- Conceição, J., Adeoye, O., Cabral-Marques, H., Concheiro, A., Alvarez-Lorenzo, C., & Sousa Lobo, J. M. (2020). Orodispersible Carbamazepine/Hydroxypropyl- β -Cyclodextrin Tablets Obtained by Direct Compression with Five-in-One Co-processed Excipients. *AAPS PharmSciTech*, 21(2), 39. <https://doi.org/10.1208/s12249-019-1579-5>
- Dawadi, S., Pandey, B., Nepal, S., Gurau, Y., Shahi, R., Gautam, B., Akauliya, D., Pandit, M., Chaudhary, S., & Mahat, C. A. (2020). Formulation and Evaluation of Orally Disintegrating Tablet of Metoclopramide Hydrochloride. *World Journal of Current Medical and Pharmaceutical Research*, 322–329. <https://doi.org/10.37022/wjcmpr.vi.162>
- Desai, P. M., Er, P. X. H., Liew, C. V., & Heng, P. W. S. (2014). Functionality of Disintegrants and Their Mixtures in Enabling Fast Disintegration of Tablets by a Quality by Design Approach. *AAPS PharmSciTech*, 15(5), 1093–1104. <https://doi.org/10.1208/s12249-014-0137-4>
- Desai, P. M., Liew, C. V., & Heng, P. W. S. (2012). Understanding Disintegrant Action by Visualization. *Journal of Pharmaceutical Sciences*, 101(6), 2155–2164. <https://doi.org/10.1002/jps.23119>
- Desai, P. M., Liew, C. V., & Heng, P. W. S. (2016). Review of Disintegrants and the Disintegration Phenomena. *Journal of Pharmaceutical Sciences*, 105(9), 2545–2555. <https://doi.org/10.1016/j.xphs.2015.12.019>
- Ekmekciyan, N., Tuglu, T., El-Saleh, F., Muehlenfeld, C., Stoyanov, E., & Quodbach, J. (2018). Competing for water: A new approach to understand disintegrant performance. *International Journal of Pharmaceutics*, 548(1), 491–499. <https://doi.org/10.1016/j.ijpharm.2018.07.025>
- Fu, Y., Yang, S., Jeong, S. H., Kimura, S., & Park, K. (2004). Orally fast disintegrating tablets: Developments, technologies, taste-masking and clinical studies. *Critical Reviews in Therapeutic Drug Carrier Systems*, 21(6), 433–476. <https://doi.org/10.1615/critrevtherdrugcarriersyst.v21.i6.10>
- Gharti, K., Sharma, B., & Bharati, L. (2015). Formulation and in-vitro evaluation of levocetirizine dihydrochloride orodispersible tablets. *Journal of Chemical and Pharmaceutical Research*, 7, 792–799.

- Gupta, A. K., Mittal, A., & Jha, K. K. (2012). Fast Dissolving Tablet: A Review. *The Pharma Innovation*, 1(1), 1–8.
- Handbook of pharmaceutical excipients* (6. ed). (2009). APhA, (PhP) Pharmaceutical Press.
- Hannan, P. A., Khan, J. A., Khan, A., & Safiullah, S. (2016). Oral Dispersible System: A New Approach in Drug Delivery System. *Indian Journal of Pharmaceutical Sciences*, 78(1), 2–7.
- Hiew, T. N., Johan, N. A. B., Desai, P. M., Chua, S. M., Loh, Z. H., & Heng, P. W. S. (2016). Effect of moisture sorption on the performance of crospovidone. *International Journal of Pharmaceutics*, 514(1), 322–331. <https://doi.org/10.1016/j.ijpharm.2016.06.022>
- Hiremath, P., Nuguru, K., & Agrahari, V. (2019). Chapter 8—Material Attributes and Their Impact on Wet Granulation Process Performance. In A. S. Narang & S. I. F. Badawy (Eds.), *Handbook of Pharmaceutical Wet Granulation* (pp. 263–315). Academic Press. <https://doi.org/10.1016/B978-0-12-810460-6.00012-9>
- Hiremath, S. P., & Mekanapur, C. (2017). Formulation and Evaluation of Orodispersible Tablets of A Model Anti-Hypertensive Drugs. *International Journal of Pharmacy and Pharmaceutical Sciences*, 9(11), 34–38. <https://doi.org/10.22159/ijpps.2017v9i11.18967>
- Huang, W. X., Desai, M., Tang, Q., Yang, R., Vivilecchia, R. V., & Joshi, Y. (2006). Elimination of metformin–croscarmellose sodium interaction by competition. *International Journal of Pharmaceutics*, 311(1), 33–39. <https://doi.org/10.1016/j.ijpharm.2005.12.017>
- Kementerian Kesehatan RI. (2020). *Farmakope Indonesia, Edisi VI*. Departemen Kesehatan Republik Indonesia, Jakarta.
- Khalid M, E.-S. (2011). Application of the Mixture Experimental Design for Development of Novel Combination of Superdisintegrants in Formulation of Fast Dissolving Salbutamol Sulphate Tablet. *Az. J. Pharm. Sci.*, 43.
- Konapure, S. A., Chaudhari, P. S., Oswal, R., Kshirsagar, S. S., Antre, R. V., & Chorage, T. V. (2011). Mouth dissolving tablets an innovative technology. *International Journal of Applied Biology and Pharmaceutical Technology*, 2(1), 496–503.
- Koner, J. S., Rajabi-Siahboomi, A. R., Missaghi, S., Kirby, D., Perrie, Y., Ahmed, J., & Mohammed, A. R. (2019). Conceptualisation, Development, Fabrication and

In Vivo Validation of a Novel Disintegration Tester for Orally Disintegrating Tablets. *Scientific Reports*, 9(1), 12467. <https://doi.org/10.1038/s41598-019-48859-x>

Kraemer, J., Gajendran, J., Guillot, A., Schichtel, J., & Tuereli, A. (2012). Dissolution testing of orally disintegrating tablets. *The Journal of Pharmacy and Pharmacology*, 64(7), 911–918. <https://doi.org/10.1111/j.2042-7158.2012.01473.x>

Kumar, R. S., & Kumari, A. (2019). Superdisintegrant: Crucial elements for mouth dissolving tablets. *Journal of Drug Delivery and Therapeutics*, 9(2), 461–468. <https://doi.org/10.22270/jddt.v9i2.2480>

Larsen, J., & Melander, C. (2012). Study of interaction between croscarmellose and escitalopram during sample preparation. *Drug Development and Industrial Pharmacy*, 38(10), 1195–1199. <https://doi.org/10.3109/03639045.2011.643896>

Mahrous, G. M., Kassem, M. G., Ibrahim, M. A., & Auda, S. H. (2016). Formulation and evaluation of orally disintegrating clopidogrel tablets. *Brazilian Journal of Pharmaceutical Sciences*, 52(2), 309–318. <https://doi.org/10.1590/S1984-82502016000200009>

Mahrous, G. M., Shazly, G. A., & Ibrahim, M. A. (2011). Formulation and Evaluation of Meclizine HCl Orally Disintegrating Tablets. *Bulletin of Pharmaceutical Sciences. Assiut*, 34(2), 141–148. <https://doi.org/10.21608/bfsa.2011.63260>

Mamatha, B., Srilatha, D., Sivanarayani, C., desu, P., Rao, P., & Kumar, P. (2019). *Co-Processed Excipients: An Overview*. <https://doi.org/10.20959/wjpr201715-10078>

Modi, A., Pandey, A., Singh, V., Bonde, D., Jain, S., & Shinde. (2012). *Formulation and Evaluation of Fast Dissolving Tablets of Diclofenac Sodium Using Different Superdisintegrants by Direct Compression Method. 1.*

Mourad, hamdy, & Kadry, H. (2016). Formulation and Optimization of Vardenafil Hydrochloride Oral Disintegrating Tablets: Effect of Superdisintegrants. *Al-Azhar Journal of Pharmaceutical Sciences*, 53(1), 39–57. <https://doi.org/10.21608/ajps.2016.6892>

Muñoz, H., Castan, H., Clares, B., & Ruiz, M. A. (2014). Obtaining fast dissolving disintegrating tablets with different doses of melatonin. *International Journal of Pharmaceutics*, 467(1), 84–89. <https://doi.org/10.1016/j.ijpharm.2014.03.054>

- Nagar, P. K. (2014). Superdisintegrant—Current Approach. *Journal of Drug Delivery and Therapeutics*, 4(3), 37–44. <https://doi.org/10.22270/jddt.v4i3.831>
- Naikwade, J. T., Patil, V. V., Katkade, M. H., Thorat, V. D., Ansari, T., & Vaidya, C. R. (2013). Formulation & Evaluation of Fast Dissolving Tablets of Amlodipine Besylate by Using Co-Processed Superdisintegrants. *Journal of Pharmaceutical Research International*, 865–879. <https://doi.org/10.9734/BJPR/2013/4092>
- Natham, R., Natarajan, R., & Patel, R. (2011). A study on the effect of superdisintegrants and processing methods on the physicochemical and in-vitro release characteristics of immediate release tablets of olopatadine hydrochloride. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2, 305–313.
- Nazmi, M., Islam, A., Bhuiyan, M., & Reza, M. (2013). Effect of superdisintegrants and method of preparation on disintegration time and release profile of carbamazepine from immediate release tablet. *Journal of Applied Pharmaceutical Science*, 3, 80–84. <https://doi.org/10.7324/JAPS.2013.3515>
- Omidian, H., & Park, K. (2008). Swelling agents and devices in oral drug delivery. *Journal of Drug Delivery Science and Technology*, 18(2), 83–93. [https://doi.org/10.1016/S1773-2247\(08\)50016-5](https://doi.org/10.1016/S1773-2247(08)50016-5)
- Pahwa, R., & Gupta, N. (2011). Superdisintegrants in the development of orally disintegrating tablets: A review. *International Journal of Pharmaceutical Sciences and Research*, 2(11), 2767–2780.
- Palmer, D., Levina, M., Nokhodchi, A., Douroumis, D., Farrell, T., & Rajabi-Siahboomi, A. (2011). The Influence of Sodium Carboxymethylcellulose on Drug Release from Polyethylene Oxide Extended Release Matrices. *AAPS PharmSciTech*, 12(3). <https://doi.org/10.1208/s12249-011-9648-4>
- Panigrahi, R., Behera, S., Choudhury, P., & Chowdary, K. (2012). Effect of Combination of Superdisintegrants on Fast Dissolving Tablet of Gliclazide. *Webmed Central Pharmaceutical Sciences*, 3(4), 16.
- Pathan, I. B., Shingare, P. R., & Kurumkar, P. (2013). Formulation design and optimization of novel mouth dissolving tablets for venlafaxine hydrochloride using sublimation technique. *Journal of Pharmacy Research*, 6(6), 593–598. <https://doi.org/10.1016/j.jopr.2013.04.054>
- Patil, C., & Das, S. (2011). Effect of various superdisintegrants on the drug release profile and disintegration time of lamotrigine orally disintegrating tablets.

- African Journal of Pharmacy and Pharmacology*, 5(1), 76–82. Scopus.
<https://doi.org/10.5897/ajpp10.279>
- Quodbach, J., & Kleinebudde, P. (2015). Performance of tablet disintegrants: Impact of storage conditions and relative tablet density. *Pharmaceutical Development and Technology*, 20(6), 762–768.
<https://doi.org/10.3109/10837450.2014.920357>
- Quodbach, J., Moussavi, A., Tammer, R., Frahm, J., & Kleinebudde, P. (2014). Tablet Disintegration Studied by High-Resolution Real-Time Magnetic Resonance Imaging. *Journal of Pharmaceutical Sciences*, 103(1), 249–255.
<https://doi.org/10.1002/jps.23789>
- Rahman, M. M., Sumon, R., Hasan, Sayeed, Alam, M. A., Jha, M., Ahsan, M. Q., & Ferdaus, M. (2011). Effect of mode of addition of disintegrants on dissolution of model drug from wet granulation tablets. *International Journal of Pharma Sciences and Research*, 2.
- Rajeswari, S., & Kumari, M. Y. (2019). Formulation and Evaluation of Famotidine Tablets Using Synthetic Superdisintegrants. *International Journal of Pharmacy and Pharmaceutical Sciences*, 17–25.
<https://doi.org/10.22159/ijpps.2019v11i8.33175>
- Rojas, J., Buckner, I., & Kumar, V. (2012). Co-processed excipients with enhanced direct compression functionality for improved tableting performance. *Drug Development and Industrial Pharmacy*, 38(10), 1159–1170.
<https://doi.org/10.3109/03639045.2011.645833>
- Rojas, J., Guisao, S., & Ruge, V. (2012). Functional Assessment of Four Types of Disintegrants and their Effect on the Spironolactone Release Properties. *AAPS PharmSciTech*, 13(4), 1054–1062. <https://doi.org/10.1208/s12249-012-9835-y>
- Satpute, M., & Tour, N. (2013). Formulation and in vitro evaluation of fast dissolving tablets of metoprolol tartrate. *Brazilian Journal of Pharmaceutical Sciences*, 49, 783–792. <https://doi.org/10.1590/S1984-82502013000400018>
- Shah, M., & Patel, D. (2020). Design and Evaluation of Fast Dissolving Tablet Containing Tadalafil Solid Dispersion. *Journal of Critical Reviews*, 7(2), 579–582.
- Shah, U., & Augsburger, L. (2001). Evaluation of the Functional Equivalence of Crospovidone NF from Different Sources. I. Physical Characterization. *Pharmaceutical Development and Technology*, 6(1), 39–51.
<https://doi.org/10.1081/PDT-100000012>

- Shah, U., & Augsburger, L. (2002). Multiple sources of sodium starch glycolate, NF: Evaluation of functional equivalence and development of standard performance tests. *Pharmaceutical Development and Technology*, 7(3), 345–359. Scopus. <https://doi.org/10.1081/PDT-120005731>
- Slavkova, M., & Breitzkreutz, J. (2015). Orodispersible drug formulations for children and elderly. *European Journal of Pharmaceutical Sciences*, 75, 2–9. <https://doi.org/10.1016/j.ejps.2015.02.015>
- Sushma, T., Priyadarshini, A., & Yamsani, S. K. (2018). *Formulation and Evaluation of Etodolac Oral Disintegrating Tablets*. 12, 10.
- Thulluru, A., Shankar, R., Kumar, P., & Kumar, P. (2013). Formulation and Evaluation of Fast Disintegrating Tablets (FDT) of Salbutamol Sulphate by Using Combination of Superdisintegrants. *Inventi Rapid: Novel Excipients*, 2013(4), 7.
- Vemula, S., Bura, B., & Kebamo, S. (2015). Effect of Combination of Superdisintegrants on the Dissolution Rate: Meclizine Hydrochloride Fast Dissolving Tablets. *Science, Technology and Arts Research Journal*, 4, 124. <https://doi.org/10.4314/star.v4i1.21>
- Vemula, S. K., & Neduri, K. (2015). *Lovastatin Fast Dissolving Tablets: Formulation and In Vitro Evaluation*. <https://doi.org/10.15192/PSCP.ASR.2015.11.2.7682>
- Vemula, S. K., & Vangala, M. (2014). Formulation Development and Characterization of Meclizine Hydrochloride Sublimated Fast Dissolving Tablets. *International Scholarly Research Notices*, 2014. <https://doi.org/10.1155/2014/281376>
- Wu, Y., Levons, J., Narang, A. S., Raghavan, K., & Rao, V. M. (2011). Reactive Impurities in Excipients: Profiling, Identification and Mitigation of Drug–Excipient Incompatibility. *AAPS PharmSciTech*, 12(4), 1248–1263. <https://doi.org/10.1208/s12249-011-9677-z>
- Yoshita, T., Uchida, S., & Namiki, N. (2013). Clinical Disintegration Time of Orally Disintegrating Tablets Clinically Available in Japan in Healthy Volunteers. *Biological and Pharmaceutical Bulletin*, 36(9), 1488–1493. <https://doi.org/10.1248/bpb.b13-00353>
- Zarmpi, P., Flanagan, T., Meehan, E., Mann, J., & Fotaki, N. (2017). Biopharmaceutical aspects and implications of excipient variability in drug product performance. *European Journal of Pharmaceutics and Biopharmaceutics*, 111, 1–15. <https://doi.org/10.1016/j.ejpb.2016.11.004>

- Zarmpi, P., Flanagan, T., Meehan, E., Mann, J., & Fotaki, N. (2020). Biopharmaceutical Understanding of Excipient Variability on Drug Apparent Solubility Based on Drug Physicochemical Properties. Case Study: Superdisintegrants. *The AAPS Journal*, 22(2). <https://doi.org/10.1208/s12248-019-0406-y>
- Zhao, N., & Augsburger, L. L. (2005). The influence of swelling capacity of superdisintegrants in different pH media on the dissolution of hydrochlorothiazide from directly compressed tablets. *AAPS PharmSciTech*, 6(1), E120–E126. <https://doi.org/10.1208/pt060119>
- Zhao, N., & Augsburger, L. L. (2006). The Influence of Product Brand-to-Brand Variability on Superdisintegrant Performance A Case Study with Croscarmellose Sodium. *Pharmaceutical Development and Technology*, 11(2), 179–185. <https://doi.org/10.1080/10837450600561281>