

## DAFTAR PUSTAKA

- Abd-Elhakim, Y. M., Ghoneim, M. H., Ebraheim, L. L. M., & Imam, T. S. (2020). Taurine and hesperidin rescues carbon tetrachloride-triggered testicular and kidney damage in rats via modulating oxidative stress and inflammation. *Life Sciences*, 254, 117782.
- Abushouk, A. I., Salem, A. M. A., Saad, A., Afifi, A. M., Afify, A. Y., Afify, H., Salem, H. S. E., Ghanem, E., & Abdel-Daim, M. M. (2019). Mesenchymal Stem Cell Therapy for Doxorubicin-Induced Cardiomyopathy: Potential Mechanisms, Governing Factors, and Implications of the Heart Stem Cell Debate. *Frontiers in Pharmacology*, 10, 635.
- Al-Jobouri, A. H. A., Suhail, R. S., & Mahdi, Z. S. (2020). *Measurement of Some Citrus Species Content From Total Flavonoids and Antioxidant*. 2, 5.
- Aprianto, Y., Putri, A. M., Fadliyah, H., Murwanti, R., & Meiyanto, E. (2018). Antigenotoxic Activity of Rumpu Mutiara (*Hedyotis corymbosa* L.) Ethanolic Extract on Cyclophosphamide-Induced Mice. *Indonesian Journal of Cancer Chemoprevention*, 8(3), 135.
- Arab, H. H., Salama, S. A., Omar, H. A., Arafa, E.-S. A., & Maghrabi, I. A. (2015). Diosmin Protects against Ethanol-Induced Gastric Injury in Rats: Novel Anti-Ulcer Actions. *Plos One*, 10(3), e0122417.
- Arnhold, J. (2020). The Dual Role of Myeloperoxidase in Immune Response. *International Journal of Molecular Sciences*, 21(21), 8057.
- Babior, B. M. (2004). NADPH oxidase. *Current Opinion in Immunology*, 16(1), 42–47.
- Bachstetter, A. D., & Eldik, L. J. V. (2010). The p38 MAP Kinase Family as Regulators of Proinflammatory Cytokine Production in Degenerative Diseases of the CNS. *Aging and Disease*, 1(3), 14.
- Bedard, K., & Krause, K.-H. (2007). The NOX Family of ROS-Generating NADPH Oxidases: Physiology and Pathophysiology. *Physiological Reviews*, 87(1), 245–313.
- Bilotta, M., Tradigo, G., & Veltri, P. (2019). Bioinformatics Data Models, Representation and Storage. Dalam *Encyclopedia of Bioinformatics and Computational Biology* (hlm. 110–116). Elsevier.
- Brandes, R. P., Weissmann, N., & Schröder, K. (2014). Nox family NADPH oxidases: Molecular mechanisms of activation. *Free Radical Biology and Medicine*, 76, 208–226.
- Brown, D. I., & Griendling, K. K. (2009). Nox proteins in signal transduction. *Free Radical Biology and Medicine*, 47(9), 1239–1253.
- Bukowski, K., Kciuk, M., & Kontek, R. (2020). Mechanisms of Multidrug Resistance in Cancer Chemotherapy. *International Journal of Molecular Sciences*, 21(9), 3233.
- Cao, Y., Wang, J., Tian, H., & Fu, G.-H. (2020). Mitochondrial ROS accumulation inhibiting JAK2/STAT3 pathway is a critical modulator of CYT997-induced autophagy and apoptosis in gastric cancer. *Journal of Experimental & Clinical Cancer Research*, 39(1), 119.
- Chen, C., Li, L., Zhou, H., & Min, W. (2017). The Role of NOX4 and TRX2 in Angiogenesis and Their Potential Cross-Talk. *Antioxidants*, 6(2), 42.



- Chen, C., Ono, M., Takeshima, M., & Nakano, S. (2014). Antiproliferative and Apoptosis-inducing Activity of Nobiletin Against Three Subtypes of Human Breast Cancer Cell Lines. *Anticancer Research*, 8.
- Chen, J., Chen, J.-K., Nagai, K., Plieth, D., Tan, M., Lee, T.-C., Threadgill, D. W., Neilson, E. G., & Harris, R. C. (2012). EGFR Signaling Promotes TGF  $\beta$  -Dependent Renal Fibrosis. *Journal of the American Society of Nephrology*, 23(2), 215–224.
- Chen, T. K., Knicely, D. H., & Grams, M. E. (2019). Chronic Kidney Disease Diagnosis and Management: A Review. *JAMA*, 322(13), 1294.
- Chocry, M., & Leloup, L. (2020). The NADPH Oxidase Family and Its Inhibitors. *Antioxidants & Redox Signaling*, 33(5), 332–353.
- Choi, S.-Y., Hwang, J.-H., Ko, H.-C., Park, J.-G., & Kim, S.-J. (2007). Nobiletin from citrus fruit peel inhibits the DNA-binding activity of NF- $\kappa$ B and ROS production in LPS-activated RAW 264.7 cells. *Journal of Ethnopharmacology*, 113(1), 149–155.
- Choi, Y.-M., Kim, H.-K., Shim, W., Anwar, M. A., Kwon, J.-W., Kwon, H.-K., Kim, H. J., Jeong, H., Kim, H. M., Hwang, D., Kim, H. S., & Choi, S. (2015). Mechanism of Cisplatin-Induced Cytotoxicity Is Correlated to Impaired Metabolism Due to Mitochondrial ROS Generation. *PLOS ONE*, 10(8), e0135083.
- Chtourou, Y., Slima, A. B., Makni, M., Gdoura, R., & Fetoui, H. (2015). Naringenin protects cardiac hypercholesterolemia-induced oxidative stress and subsequent necroptosis in rats. *Pharmacological Reports*, 67(6), 1090–1097.
- Daenen, K., Andries, A., Mekahli, D., Van Schepdael, A., Jouret, F., & Bammens, B. (2019). Oxidative stress in chronic kidney disease. *Pediatric Nephrology*, 34(6), 975–991.
- Davies, M., Nowotka, M., Papadatos, G., Dedman, N., Gaulton, A., Atkinson, F., Bellis, L., & Overington, J. P. (2015). ChEMBL web services: Streamlining access to drug discovery data and utilities. *Nucleic Acids Research*, 43(W1), W612–W620.
- Deavall, D. G., Martin, E. A., Horner, J. M., & Roberts, R. (2012). Drug-Induced Oxidative Stress and Toxicity. *Journal of Toxicology*, 2012, 1–13.
- Diebold, I., Petry, A., Hess, J., & Görlach, A. (2010). The NADPH Oxidase Subunit NOX4 Is a New Target Gene of the Hypoxia-inducible Factor-1. *Molecular Biology of the Cell*, 21(12), 2087–2096.
- Dikalov, S. I., & Nazarewicz, R. R. (2013). Angiotensin II-Induced Production of Mitochondrial Reactive Oxygen Species: Potential Mechanisms and Relevance for Cardiovascular Disease. *Antioxidants & Redox Signaling*, 19(10), 1085–1094.
- Diniz, W. J. S., & Canduri, F. (2017). REVIEW-ARTICLE Bioinformatics: An overview and its applications. *Genetics and Molecular Research*, 16(1).
- Doak, S. H., Liu, Y., & Chen, C. (2017). *Adverse Effect of Engineered Nanomaterials*. 23.
- dos Santos, N. A. G., Carvalho Rodrigues, M. A., Martins, N. M., & dos Santos, A. C. (2012). Cisplatin-induced nephrotoxicity and targets of nephroprotection: An update. *Archives of Toxicology*, 86(8), 1233–1250.



- Du, G., Jin, L., Han, X., Song, Z., Zhang, H., & Liang, W. (2009). Naringenin: A Potential Immunomodulator for Inhibiting Lung Fibrosis and Metastasis. *Cancer Research*, 69(7), 3205–3212.
- Ganeshpurkar, A., & Saluja, A. (2019). The pharmacological potential of hesperidin. *Indian J. Biochem. Biophys.*, 56, 14.
- Gesellschaft für Klassifikation, & Preisach, C. (Ed.). (2008). *Data analysis, machine learning and applications: Proceedings of the 31st Annual Conference of the Gesellschaft für Klassifikation e.V., Albert-Ludwigs-Universität Freiburg, March 7-9, 2007*. Springer.
- Gewin, L. S. (2019). Transforming Growth Factor- $\beta$  in the Acute Kidney Injury to Chronic Kidney Disease Transition. *Nephron*, 143, 154–157.
- Gfeller, D., Grosdidier, A., Wirth, M., Daina, A., Michielin, O., & Zoete, V. (2014). SwissTargetPrediction: A web server for target prediction of bioactive small molecules. *Nucleic Acids Research*, 42(W1), W32–W38.
- Ghasemi, K., Ghasemi, Y., & Ebrahimzadeh, M. A. (2009). Antioxidant Activity, Phenol And Flavonoid Contents Of 13 Citrus Species Peels And Tissues. *Pak. J. Pharm. Sci.*, 6.
- Gill, P. S., & Wilcox, C. S. (2006). NADPH Oxidases in the Kidney. *Antioxidants & Redox Signaling*, 8(9–10), 1597–1607.
- Guo, S., & Chen, X. (2015). The human Nox4: Gene, structure, physiological function and pathological significance. *Journal of Drug Targeting*, 23(10), 888–896.
- Harada, S., Tominari, T., Matsumoto, C., Hirata, M., Takita, M., Inada, M., & Miyaura, C. (2011). Nobiletin, a Polymethoxy Flavonoid, Suppresses Bone Resorption by Inhibiting NF $\kappa$ B-Dependent Prostaglandin E Synthesis in Osteoblasts and Prevents Bone Loss Due to Estrogen Deficiency. *Journal of Pharmacological Sciences*, 115(1), 89–93.
- Heberle, H., Meirelles, G. V., da Silva, F. R., Telles, G. P., & Minghim, R. (2015). InteractiVenn: A web-based tool for the analysis of sets through Venn diagrams. *BMC Bioinformatics*, 16(1), 169.
- Hellmann, J., Tang, Y., Zhang, M. J., Hai, T., Bhatnagar, A., Srivastava, S., & Spite, M. (2015). Atf3 negatively regulates Ptgs2/Cox2 expression during acute inflammation. *Prostaglandins & Other Lipid Mediators*, 116–117, 49–56.
- Henninger, C., & Fritz, G. (2018). Statins in anthracycline-induced cardiotoxicity: Rac and Rho, and the heartbreakers. *Cell Death & Disease*, 8(1), e2564–e2564.
- Hermawan, A., & Putri, H. (2019). Targets and molecular mechanisms of a citrus flavonoid, hesperidin, against luminal breast cancer cells: An integrative bioinformatics analysis. *Asian Pacific Journal of Tropical Biomedicine*, 9(12), 531.
- Ikawati, M., Armandari, I., Khumaira, A., & Ertanto, Y. (2020). Effects of Peel Extract from Citrus reticulata and Hesperidin, A Citrus Flavonoid, on Macrophage Cell Line. *Indonesian Journal of Pharmacy*, 30(4), 260.
- Irazabal, M. V., & Torres, V. E. (2020). Reactive Oxygen Species and Redox Signaling in Chronic Kidney Disease. *Cells*, 9(6), 1342.
- Islam, J., Shree, A., Afzal, S. M., Vafa, A., & Sultana, S. (2020). Protective effect of Diosmin against benzo(a)pyrene-induced lung injury in Swiss Albino Mice. *Environmental Toxicology*, 35(7), 747–757.



- Jagla, B., Wiswedel, B., & Coppée, J.-Y. (2011). Extending KNIME for next-generation sequencing data analysis. *Bioinformatics*, 27(20), 2907–2909.
- Jeong, B. Y., Lee, H. Y., Park, C. G., Kang, J., Yu, S.-L., Choi, D., Han, S.-Y., Park, M. H., Cho, S., Lee, S. Y., Hwang, W.-M., Yun, S.-R., Ryu, H.-M., Oh, E.-J., Park, S.-H., Kim, Y.-L., & Yoon, S.-H. (2018). Oxidative stress caused by activation of NADPH oxidase 4 promotes contrast-induced acute kidney injury. *PLOS ONE*, 13(1), e0191034.
- Joshua Kaplan, Neeraj Sharma, & Sean Dikdan. (2018). Hypoxia-Inducible Factor and Its Role in the Management of Anemia in Chronic Kidney Disease. *International Journal of Molecular Sciences*, 19(2), 389.
- Kalpana, K. B., Srinivasan, M., & Menon, V. P. (2009). Evaluation of antioxidant activity of hesperidin and its protective effect on H<sub>2</sub>O<sub>2</sub> induced oxidative damage on pBR322 DNA and RBC cellular membrane. *Molecular and Cellular Biochemistry*, 323(1–2), 21–29.
- Kaushal, G. P., Chandrashekar, K., & Juncos, L. A. (2019). Molecular Interactions Between Reactive Oxygen Species and Autophagy in Kidney Disease. *International Journal of Molecular Sciences*, 20(15), 3791.
- Kumar, P., Sulakhiya, K., Barua, C. C., & Mundhe, N. (2017). TNF- $\alpha$ , IL-6 and IL-10 expressions, responsible for disparity in action of curcumin against cisplatin-induced nephrotoxicity in rats. *Molecular and Cellular Biochemistry*, 431, 113–122.
- Kuroda, J., & Sadoshima, J. (2010). NADPH Oxidase and Cardiac Failure. *Journal of Cardiovascular Translational Research*, 3(4), 314–320.
- Lee, Y. Y., Lee, E.-J., Park, J.-S., Jang, S.-E., Kim, D.-H., & Kim, H.-S. (2016). Anti-Inflammatory and Antioxidant Mechanism of Tangeretin in Activated Microglia. *Journal of Neuroimmune Pharmacology*, 11(2), 294–305.
- Lima, R. de C. L., Kato, L., Kongstad, K. T., & Staerk, D. (2018). Brazilian insulin plant as a bifunctional food: Dual high-resolution PTP1B and  $\alpha$ -glucosidase inhibition profiling combined with HPLC-HRMS-SPENMR for identification of antidiabetic compounds in *Myrcia rubella* Cambess. *Journal of Functional Foods*, 45, 444–451.
- Liu, J., Yu, X., Yu, H., Liu, B., Zhang, Z., Kong, C., & Li, Z. (2020). Knockdown of MAPK14 inhibits the proliferation and migration of clear cell renal cell carcinoma by downregulating the expression of CDC25B. *Cancer Medicine*, 9(3), 1183–1195.
- Liu, W., Liou, S.-S., Hong, T.-Y., & Liu, I.-M. (2017). Protective Effects of Hesperidin (Citrus Flavonone) on High Glucose Induced Oxidative Stress and Apoptosis in a Cellular Model for Diabetic Retinopathy. *Nutrients*, 9(12), 1312.
- Locatelli, F., Fishbane, S., Block, G. A., & Macdougall, I. C. (2017). Targeting Hypoxia-Inducible Factors for the Treatment of Anemia in Chronic Kidney Disease Patients. *American Journal of Nephrology*, 45(3), 187–199.
- Lv, W., Booz, G. W., Fan, F., Wang, Y., & Roman, R. J. (2018). Oxidative Stress and Renal Fibrosis: Recent Insights for the Development of Novel Therapeutic Strategies. *Frontiers in Physiology*, 9, 105.
- Magnani, F., & Mattevi, A. (2019). Structure and mechanisms of ROS generation by NADPH oxidases. *Current Opinion in Structural Biology*, 59, 91–97.





- Mahgoub, S., Sallam, A. O., Sarhan, H. K. A., Ammar, A. A. A., & Soror, S. H. (2020). Role of Diosmin in protection against the oxidative stress induced damage by gamma-radiation in Wistar albino rats. *Regulatory Toxicology and Pharmacology*, 113, 104622.
- Mahmoud, A. M., Bautista, R. J. H., Sandhu, M. A., & Hussein, O. E. (2019). Beneficial Effects of Citrus Flavonoids on Cardiovascular and Metabolic Health. *Oxidative Medicine and Cellular Longevity*, 20.
- Mehl, F., Marti, G., Boccard, J., Debrus, B., Merle, P., Delort, E., Baroux, L., Raymo, V., Velazco, M. I., Sommer, H., Wolfender, J.-L., & Rudaz, S. (2014). Differentiation of lemon essential oil based on volatile and non-volatile fractions with various analytical techniques: A metabolomic approach. *Food Chemistry*, 143, 325–335.
- Meiyanto, E., Hermawan, A., & Anindyajati, A. (2012). Natural Products for Cancer-Targeted Therapy: Citrus Flavonoids as Potent Chemopreventive Agents. *Asian Pacific Journal of Cancer Prevention*, 13(2), 427–436.
- Meiyanto, E., Lestari, B., Sugiyanto, R. N., Jenie, R. I., Utomo, R. Y., Sasmito, E., & Murwanti, R. (2019). Caesalpinia sappan L. heartwood ethanolic extract exerts genotoxic inhibitory and cytotoxic effects. *Oriental Pharmacy and Experimental Medicine*, 19(1), 27–36.
- Meneguzzo, F., Ciriminna, R., Zabini, F., & Pagliaro, M. (2020). Review of Evidence Available on Hesperidin-Rich Products as Potential Tools against COVID-19 and Hydrodynamic Cavitation-Based Extraction as a Method of Increasing Their Production. *Processes*, 8(5), 549.
- Miller, R. P., Tadagavadi, R. K., Ramesh, G., & Reeves, W. B. (2010). Mechanisms of Cisplatin Nephrotoxicity. *Toxins*, 2(11), 2490–2518.
- Nogata, Y., Sakamoto, K., Shiratsuchi, H., Ishii, T., Yano, M., & Ohta, H. (2006). Flavonoid Composition of Fruit Tissues of Citrus Species. *Bioscience, Biotechnology, and Biochemistry*, 70(1), 178–192.
- Onodera, Y., Teramura, T., Takehara, T., Shigi, K., & Fukuda, K. (2015). Reactive oxygen species induce Cox-2 expression via TAK1 activation in synovial fibroblast cells. *FEBS Open Bio*, 5(1), 492–501.
- Pan, H., Chen, J., Shen, K., Wang, X., Wang, P., Fu, G., Meng, H., Wang, Y., & Jin, B. (2015). Mitochondrial Modulation by Epigallocatechin 3-Gallate Ameliorates Cisplatin Induced Renal Injury through Decreasing Oxidative/Nitrative Stress, Inflammation and NF- $\kappa$ B in Mice. *PLOS ONE*, 10(4), e0124775.
- Papadopoulos, T., Krochmal, M., Cisek, K., Fernandes, M., Husi, H., Stevens, R., Bascands, J.-L., Schanstra, J. P., & Klein, J. (2016). Omics databases on kidney disease: Where they can be found and how to benefit from them. *Clinical Kidney Journal*, 9(3), 343–352.
- Perazella, M. A. (2018a). Pharmacology behind Common Drug Nephrotoxicities. *Clin J Am Soc Nephrol*, 12.
- Perazella, M. A. (2018b). Pharmacology behind Common Drug Nephrotoxicities. *Clinical Journal of the American Society of Nephrology*, 13(12), 1897–1908.
- Pesce, F., & Schena, F. P. (2009). Genome-wide association studies in kidney diseases: Quo Vadis? *Nephrology Dialysis Transplantation*, 24(12), 3589–3592.



- Pinho-Ribeiro, F. A., Zarpelon, A. C., Fattori, V., Manchope, M. F., Mizokami, S. S., Casagrande, R., & Verri, W. A. (2016). Naringenin reduces inflammatory pain in mice. *Neuropharmacology*, 105, 508–519.
- Rajadurai, M., & Stanely Mainzen Prince, P. (2006). Preventive effect of naringin on lipid peroxides and antioxidants in isoproterenol-induced cardiotoxicity in Wistar rats: Biochemical and histopathological evidences. *Toxicology*, 228(2–3), 259–268.
- Rayego-Mateos, S., Rodrigues-Diez, R., Morgado-Pascual, J. L., Valentijn, F., Valdivielso, J. M., Goldschmeding, R., & Ruiz-Ortega, M. (2018). Role of Epidermal Growth Factor Receptor (EGFR) and Its Ligands in Kidney Inflammation and Damage. *Mediators of Inflammation*, 2018, 1–22.
- Redza-Dutordoir, M., & Averill-Bates, D. A. (2016). Activation of apoptosis signalling pathways by reactive oxygen species. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1863(12), 2977–2992.
- Rehman, M. U., Tahir, M., Ali, F., Qamar, W., Lateef, A., Khan, R., Quaiyoom, A., Oday-O-Hamiza, & Sultana, S. (2012). Cyclophosphamide-induced nephrotoxicity, genotoxicity, and damage in kidney genomic DNA of Swiss albino mice: The protective effect of Ellagic acid. *Molecular and Cellular Biochemistry*, 365(1–2), 119–127.
- Richter, K., Konzack, A., Pihlajaniemi, T., Heljasvaara, R., & Kietzmann, T. (2015). Redox-fibrosis: Impact of TGF $\beta$ 1 on ROS generators, mediators and functional consequences. *Redox Biology*, 6, 344–352.
- Rumiyati, Muna, L. N., Hidayati, D. N., & Jenie, R. I. (2015). Acute Toxicity and Genotoxic Activity of Leunca (*Solanum nigrum* L.) Herb Ethanolic Extract. *Indonesian Journal of Cancer Chemoprevention*, 6(1), 30–34.
- Saks, M., Upreti, S., Sv, R., & Dang, R. (2017). Genotoxicity: Mechanisms, Testing Guidelines and Methods. *Pharmaceutical Sciences*, 6.
- Sanz, A. B., Santamaría, B., Ruiz-Ortega, M., Egido, J., & Ortiz, A. (2008). Mechanisms of Renal Apoptosis in Health and Disease. *Journal of the American Society of Nephrology*, 19(9), 1634–1642.
- Satou, R., Shao, W., & Navar, L. G. (2015). Role of stimulated intrarenal angiotensinogen in hypertension. *Therapeutic Advances in Cardiovascular Disease*, 9(4), 181–190.
- Schupp, N., Stopper, H., & Heidland, A. (2016). DNA Damage in Chronic Kidney Disease: Evaluation of Clinical Biomarkers. *Oxidative Medicine and Cellular Longevity*, 2016, 1–10.
- Sedeek, M., Nasrallah, R., Touyz, R. M., & Hébert, R. L. (2013). NADPH Oxidases, Reactive Oxygen Species, and the Kidney: Friend and Foe. *Journal of the American Society of Nephrology*, 24(10), 1512–1518.
- Shagirtha, K., Bashir, N., & Milton Prabu, S. (2017). Neuroprotective efficacy of hesperetin against cadmium induced oxidative stress in the brain of rats. *Toxicology and Industrial Health*, 33(5), 454–468.
- Shalkami, A., Hassan, M., & Bakr, A. (2018). Anti-inflammatory, antioxidant and anti-apoptotic activity of diosmin in acetic acid-induced ulcerative colitis. *Human & Experimental Toxicology*, 37(1), 78–86.
- Shi, T., & Dansen, T. B. (2020). Reactive Oxygen Species Induced p53 Activation: DNA Damage, Redox Signaling, or Both? *Antioxidants & Redox Signaling*, 33(12), 839–859.



- Shimizu, H., Saito, S., Higashiyama, Y., Nishijima, F., & Niwa, T. (2013). CREB, NF- $\kappa$ B, and NADPH oxidase coordinately upregulate indoxyl sulfate-induced angiotensinogen expression in proximal tubular cells. *American Journal of Physiology-Cell Physiology*, 304(7), C685–C692.
- Singh, M., Kumar, N., Shuaib, M., & Garg, V. K. (2014). A Review On Renal Protective Agents For Cyclophosphamide Induced Nephrotoxicity. *World Journal of Pharmacy and Pharmaceutical Sciences*, 3(3), 12.
- Smart, E., Lopes, F., Rice, S., Nagy, B., Anderson, R. A., Mitchell, R. T., & Spears, N. (2018). Chemotherapy drugs cyclophosphamide, cisplatin and doxorubicin induce germ cell loss in an in vitro model of the prepubertal testis. *Scientific Reports*, 8(1), 1773.
- Songbo, M., Lang, H., Xinyong, C., Bin, X., Ping, Z., & Liang, S. (2019). Oxidative stress injury in doxorubicin-induced cardiotoxicity. *Toxicology Letters*, 307, 41–48.
- Su, R., Xiong, S., Zink, D., & Loo, L.-H. (2016). High-throughput imaging-based nephrotoxicity prediction for xenobiotics with diverse chemical structures. *Archives of Toxicology*, 90(11), 2793–2808.
- Szklarczyk, D., Morris, J. H., Cook, H., Kuhn, M., Wyder, S., Simonovic, M., Santos, A., Doncheva, N. T., Roth, A., Bork, P., Jensen, L. J., & von Mering, C. (2017). The STRING database in 2017: Quality-controlled protein–protein association networks, made broadly accessible. *Nucleic Acids Research*, 45(D1), D362–D368.
- Terawaki, H., Hayashi, T., Murase, T., Iijima, R., Waki, K., Tani, Y., Nakamura, T., Yoshimura, K., Uchida, S., & Kazama, J. J. (2018). Relationship between Xanthine Oxidoreductase Redox and Oxidative Stress among Chronic Kidney Disease Patients. *Oxidative Medicine and Cellular Longevity*, 2018, 1–6.
- Tripoli, E., Guardia, M. L., Giammanco, S., Majo, D. D., & Giammanco, M. (2007). Citrus flavonoids: Molecular structure, biological activity and nutritional properties: A review. *Food Chemistry*, 104(2), 466–479.
- Uddin, M. J., Kim, E. H., Hannan, Md. A., & Ha, H. (2021). Pharmacotherapy against Oxidative Stress in Chronic Kidney Disease: Promising Small Molecule Natural Products Targeting Nrf2-HO-1 Signaling. *Antioxidants*, 10(2), 258.
- Utomo, R. Y., Ikawati, M., Putri, D. D. P., Salsabila, I. A., & Meiyanto, E. (2020). The Chemopreventive Potential of Diosmin and Hesperidin for COVID-19 and Its Comorbid Diseases. *Indonesian Journal of Cancer Chemoprevention*, 11(3), 154.
- Yang, H., Villani, R. M., Wang, H., Simpson, M. J., Roberts, M. S., Tang, M., & Liang, X. (2018). The role of cellular reactive oxygen species in cancer chemotherapy. *Journal of Experimental & Clinical Cancer Research*, 37(1), 266.
- Yang, H.-L., Chen, S.-C., Senthil Kumar, K. J., Yu, K.-N., Lee Chao, P.-D., Tsai, S.-Y., Hou, Y.-C., & Hseu, Y.-C. (2012). Antioxidant and Anti-Inflammatory Potential of Hesperetin Metabolites Obtained from Hesperetin-Administered Rat Serum: An Ex Vivo Approach. *Journal of Agricultural and Food Chemistry*, 60(1), 522–532.



- Yang, Q., Wu, F., Wang, J., Gao, L., Jiang, L., Li, H.-D., Ma, Q., Liu, X., Wei, B., Zhou, L., Wen, J., Ma, T. tao, Li, J., & Meng, X. (2018). Nox4 in renal diseases: An update. *Free Radical Biology and Medicine*, 124, 466–472.
- Yang, W.-L., Chen, S.-Y., Ho, C.-Y., & Yen, G.-C. (2020). Citrus flavonoids suppress IL-5 and ROS through distinct pathways in PMA/ionomycin-induced EL-4 cells. *Food & Function*, 11(1), 824–833.
- Yang, Z., Liu, Z., Wang, J., & Zhu, H. (2013). Antioxidative effects of hesperetin against lead acetate-induced oxidative stress in rats. *Indian Journal of Pharmacology*, 45(4), 395.
- Yeh, C.-C., Kao, S.-J., Lin, C.-C., Wang, S.-D., Liu, C.-J., & Kao, S.-T. (2007). The immunomodulation of endotoxin-induced acute lung injury by hesperidin in vivo and in vitro. *Life Sciences*, 80(20), 1821–1831.
- Yu, M. O., Park, K.-J., Park, D.-H., Chung, Y.-G., Chi, S.-G., & Kang, S.-H. (2015). Reactive oxygen species production has a critical role in hypoxia-induced Stat3 activation and angiogenesis in human glioblastoma. *Journal of Neuro-Oncology*, 125(1), 55–63.
- Zeng, X., Zhang, P., Wang, Y., Qin, C., Chen, S., He, W., Tao, L., Tan, Y., Gao, D., Wang, B., Chen, Z., Chen, W., Jiang, Y. Y., & Chen, Y. Z. (2019). CMAUP: A database of collective molecular activities of useful plants. *Nucleic Acids Research*, 47(D1), D1118–D1127.
- Zhang, H., Wang, Y., Gao, C., Gu, Y., Huang, J., Wang, J., Wang, J., & Zhang, Z. (2018). Salvianolic acid A attenuates kidney injury and inflammation by inhibiting NF-κB and p38 MAPK signaling pathways in 5/6 nephrectomized rats. *Acta Pharmacologica Sinica*, 39(12), 1855–1864.
- Zhang, H., Xi, W., Yang, Y., Zhou, X., Liu, X., Yin, S., Zhang, J., & Zhou, Z. (2015). An on-line HPLC-FRSD system for rapid evaluation of the total antioxidant capacity of Citrus fruits. *Food Chemistry*, 172, 622–629.
- Zhang, S.-Y., & Liu, S.-L. (2013). Bioinformatics. Dalam *Brenner's Encyclopedia of Genetics* (hlm. 338–340). Elsevier.
- Zhou, D., & Liu, Y. (2016). Therapy for kidney fibrosis: Is the Src kinase a potential target? *Kidney International*, 89, 12–14.
- Zhu, C., Dong, Y., Liu, H., Ren, H., & Cui, Z. (2017). Hesperetin protects against H<sub>2</sub>O<sub>2</sub>-triggered oxidative damage via upregulation of the Keap1-Nrf2/HO-1 signal pathway in ARPE-19 cells. *Biomedicine & Pharmacotherapy*, 88, 124–133.
- Zou, Z., Xi, W., Hu, Y., Nie, C., & Zhou, Z. (2016). Antioxidant activity of Citrus fruits. *Food Chemistry*, 196, 885–896.
- Zulfin, U. M., Rahman, A., Hanifa, M., Utomo, R. Y., Haryanti, S., & Meiyanto, E. (2021). Reactive oxygen species and senescence modulatory effects of rice bran extract on 4T1 and NIH-3T3 cells co-treatment with doxorubicin. *Asian Pacific Journal of Tropical Biomedicine*, 11(4), 174–182.