

## DAFTAR PUSTAKA

- Abbasi, M.A., Raza, H., Aziz-ur-Rehman, Sissiqui, S.Z., Shah, S.A., Hassan, M., and Seo, S.-Y., 2019, Synthesis of novel N-(1,3-thiazol-2-yl)benzamide clubbed oxadiazole scaffolds: Urease inhibition, Lipinski rule, and molecular docking analyses, *Bioorg. Chem.*, 83, 63-75.
- Abdizadeh, R., and Hadizadeh, F., 2020, QSAR analysis of coumarin-based benzamides as histone deacetylase inhibitors using CoMFA, CoMSIA and HQSAR methods, *J. Mol. Graph.*, 1199, 1-22.
- Ahamed, T.K.S., Rajan, V.K., and Muraleedharan, K., 2019, QSAR modeling of benzoquinone derivatives as 5-lipoxygenase inhibitors, *Food Sci. Hum. Well.*, 8, 53-62.
- Algamal, Z.Y., Qasim, M.K., Lee, M.H., and Ali, H.T.M., 2020, High-dimensional QSAR/QSPR classification modeling based on improving pigeon optimization algorithm, *Chemom. Intell. Lab. Syst.*, 206, 1-6.
- Al Mogren, M.M., Zerroug, E., Belaidi, S., BenAmor, A., and Al Harbi, S.D.A., 2020, Molecular structure, drug likeness and QSAR modeling of 1,2-diazole derivatives as inhibitors of enoyl-acyl- carrier protein reductase, *J. King Saud Univ. Sci.*, 32, 2301-2310.
- Alloui, M., Belaidi, S., Othmani, H., Jaidane, Nejm-Eddine, and Hoclaf, M., 2018, Imidazole derivatives as angiotensin II AT1 receptor blockers: Benchmarks, drug-like calculations and quantitative structure-activity relationship modeling, *Chem. Phys. Lett.*, 696, 70-78.
- Arbyn, M., Weiderpass, E., Bruni, L., de Sanjose, S., Saraiya, M., Ferlay, J., and Bray, F., 2019. Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis, *Art.*, 4, 1-13.
- Anita, Sharma, H.P., Jain, P., and Amit, P., 2015, Apoptosis (Programmed Cell Death)-A Review, *WJPR.*, 4(3), 1854-1872.
- Anter, A.M., Moemen, Y.S., Darwish, A., and Hassanien, A.E., 2020, Multi-target QSAR modelling of chemo-genomic data analysis based on Extreme Learning Machine, *Knowl.-Based Syst.*, 188, 1-16.
- Anthony, L.A., Rajaraman, D., Shanmugam, M., and Krishnasamy, K., 2020, Synthesis, Spectral techniques, X-ray Crystal structure, DFT method, Hirshfeld surface analysis and Molecular docking studies of 1-(furan-2-yl)methyl-4,5-diphenyl-2-(p-tolyl)-1H-imidazole, *CDC.*, 28, 1-18.
- Baday, S., 2020, Optimization of CHARMM force field parameters of a prostate cancer drug enzalutamide, *J. Mol. Graph.*, 96, 1-9.

- Bell, C.C.W., Aruldhas, D., Balachandran, S., Joe, I.H., and Masand, V.H.V., 2019, Structural, Spectroscopic and O-H...O hydrogen bonding interaction on monomer and dimer form of hydroxyl phenoxy acetic acid derivatives by experimental and computational techniques., *J. Mol. Struct.*, 1-38.
- Borkowski, E.J., Suvire, F.D., and Enriz, R.D., 2010, Advances in correlation between experimental and DFT/GIAO computed <sup>13</sup>C NMR chemical shifts: A theoretical study on pentacyclic terpenoids (ferrenes), *J. Mol. Struct.*, 953, 83-90.
- Boundergua, S., Alloui, M., Belaidi, S., Mogren Al Mogren, M., Ibrahim, U.A.A.E., and Hochlaf, M., 2019, QSAR Modeling and Drug-Likeness Screening for Antioxidant Activity of Benzofuran Derivatives, *J. Mol. Struct.*, 1189, 307-314.
- Bretonnet, J.L., 2017, Basics of the Density Functional Theory, *Mater. Sci.*, 4(6), 1372-1405.
- Burd, E.M., 2016, Human Papillomavirus Laboratory Testong: the Changing Paradigm, *Clin.Microbiol. Rev.*, 2(29), 291-319.
- Castro, T.P.P.G., and Filbo, I.B., 2006, Prevelence of human papillomavirus (HPV) in oral cavity and oropharynx, *Braz. J. Otorhionolaryngology*, 72(2), 272-281.
- Chagas, C.M., Moss, S., and Alisaraie,L., 2018, Drug metabolites and their effects on the development of adverse reactions: Revisiting Lipinski's Rule of Five, *Int. J. Pharm.*, 549, 133-149.
- Chourasia, S.S., Kharkate, S.K., and Kose, T.D., 2020, Synthesis, QSAR modeling and antimicrobial studies of 1-(4-phenyl) substituted tetrahydro isoquinoline derivatives, *Mater. Today.*, 29, 956-963.
- Damodaran, B., Prabhu, B., Vinothkumar, G., Prashantha, C.N., Pulakuntla, S.R., Sankolli, G.M., and Venkataraman, P., 2021, RNA Sequencing-based Transcriptomic profiles of HeLa, MCF-7 and A549 cancer cell line treated with *Calotropis gigantea* leaf extracts, *Gene Rep.*, 23, 1-10.
- de Souza, C.E.A., do Rocio Andrade Pires, A., Cardoso, C.R., Carlos, R.M., Cadena, S.M.S.C., and Acco, A., 2020, Anineoplastic activity of a novel ruthenium complex against human hepatocellular carcinoma (HepG2) and human cervical adenocarcinoma (HeLa) cells, *Heliyon*, 6, 1-9.
- de Villers, E-M., Fauquent, C., Broker, T.R., Bernard, H-U., and zur Hausen, H., 2004, Classification of papillomaviruses, *Virology*, 324, 17-27.

- de Villers, E-M., 2013, Cross-roads in the classification of papillomaviruses, *Virology*.
- Egawa, N., and Doorbar, J., 2017, The Low-Risk Papillomaviruses, *Virus Res.*, 231, 119-127.
- Fatemi, M.H., and Ghorbannezhad, Z., 2011, Estimation of the volume of distribution of some pharmalogically important compounds from their structural descriptors, *J. Serb. Chem. Soc.*, 76(7), 1003-1014.
- Galmarini, C.M., Jordheim, L., and Dumontet, C., 2003, Pyrimidine nucleoside analogs in cancer treatment, *Expert Rev. Anticancer Ther.*, 3(5), 717-728.
- Galmarini, C.M., Popowycz, F., and Joseph, B., 2008, Cytotoxic Nucleoside Analogues: Different Strategies to Improve their Clinical Efficiency, *Curr. Med. Chem.*, 15, 1072-1082.
- Gharavian, S., Hosseini-Giv, N., Rafat-Motavalli, L., Abdollahi, S., Bahrami, A.R., Miri-Hakimabed, H., and Matin, M.M., 2021, Assessing the relative biological effectiveness of high-dose rate <sup>60</sup>Co brachytherapy alone and in combination with cisplatin treatment on a cervical cancer line (HeLa), *Radiat, Phys. Chem.*, 184, 1-6.
- Gilison, M.L., 2004, Human Papillomavirus-Associated Head and Neck Cancer is a Distinct Epidemiologic, Clinical, and Molecular Entity, *Semin. Oncol.*, 744-754.
- Gissmann, L., Boshart, M., Durst, M., Ikenberg, H., Wagner, D., and zur Hausen, H., 1984, Presence of Human Papillomavirus in Genital Tumors, *JID.*, 83, 26s-28s.
- Gramatica, P., 2007, Principles of QSAR models validation: internal and external, *QCS.*, 5, 694-701.
- Guo, M., Hay, Bruce. A., 1999, Cell proliferation and apoptosis, *COCEBI.*, 6(11), 745-752.
- Hao, Y., Sun, G., Fan, T., Sun, X., Liu, Y., Zhang, N., Zhao, L., Zhong, R., and Peng, Y., 2019, Prediction on the mutagenicity of nitroaromatic compounds using quantum chemistry descriptors based QSAR and machine learning derived classification methods, *Exotoxicol. Environ. Saf.*, 186, 1-11.
- Huang, X., Wu, Y., Huang, Y., Liu, Q., Chen, H., Dai, F., Liang, F., and Gan, C., 2021, Studies on apoptosis induced by B-norcholesteryl benzimidazole compounds in HeLa cells, *Steroids*, 168, 1-10.

- Ibrahim, Z.Y., Uzairu, A., Shallangwa, G., and Abechi, S., 2020, Theoretical design of novel antimalarial agents *P. falciparum* strain, Dd2 through the QSAR modeling of synthesized 2'-substituted triclosan derivatives, *Heliyon*, 1-11.
- Kasmi, R., Hadaji, E., Chedadi, O., El Aissouq, A., Bouachrine, M., and Ouammou, A., 2020, 2D-QSAR and docking study of a series of coumarin derivatives as inhibitors of CDK (anticancer activity) with an application of the molecular docking method, *Heliyon*, 6, 1-11.
- Kleczewska, N., Ruzskowski, P., Sigh, A., Trznadel, R., and Celewiz, L., 2019, Synthesis and anticancer activity of 3'-[4-fluoroaryl-(1,2,3-triazol-1-yl)]-3'-deoxythymidine analogs and their *Phosphoramidates*, *Nucleos. Nucleot. Nucl.*, 1-37.
- Lewars, E.G., 2011, *Computatioanl Chemistry: Intoduction to the Theory and Application of Molecular and Quantum Mechanics Second Edition*, Springer.
- Longley, D.B., Harkin, D.P., and Johnston, P.G., 2003, 5-Fluorouracil: Mechanism of Action and Clinical Strategies, *NPG.*, (3), 330-338.
- Ma, Yi-Long, Zhang, Ying-Shuo, Zhang, F., Zhang, Yuan-Yuan, Thakur, K., Zhang, Jian-Guo, Wei, and Zhao-Jun, 2019, Methyl protodiocsin from *Polygonatum sibiricum* inhibits cervical cancer through cell cycle arrest and apoptosis induction, *Food Chem. Toxicol.*, 132, 1-9.
- Mantipally, M., Gangireddy, M.R., Gundla, R., Badavath, V.N., Mandha, S.R., and Maddipati, V.C., 2019, Rational design, molecular docking and synthesis of novel homopiperazine linked imidazo [1,2- $\alpha$ ]pyrimidine derivates as potent cytotoxic and antimicrobial agents, *Bioorg. Med. Chem. Lett.*, 29, 2248-2253.
- McHugh, M.L., 2008, Standard Error: Meaning and Interpretation, *Biochem. Med.*, 18(1), 7-13.
- McQuillan, G., Kruszon-Moran, D., Markowitz, L.E., Unger, E.R., and Paulose-Ram, R., 2017, Prevalence of HPV in Adults Aged 18-69: United States, 2011-2014, *NCHS Data Brief*, 280, 1-8.
- Megantara, S., 2013, Prediksi Sifat Fisikokimia dan Spektrum Kuersetin, Andrografolid dan Glukosamin menggunakan Metode Ab Initio, Semiempiris dan Mekanika Molekul, *JAS.*, 1(3), 25-32.
- Meng, Xuan-Yu, Zhang, Hong-Xing, Mezei, M., and Cui, M., 2011, Molecular Docking: A Powerful Approach for Structure-Based Drug Discovery, *Curr. Comput. Aided Drug Des.*, 7, 146-157.

- Monika, G., Punam, G., Sarbjot, S., and G.D. Gupta, 2010, An Overview on Molecular Docking, *Int. J. Drug. Dev. Res.*, 2(2), 219-231.
- Moussa, N., Hassan, A., and Gharaghani., 2021, Pharmacophore model, docking, QSAR, and molecular dynamics simulation studies of substituted cyclic imides and herbal medicines as COX-2 inhibitors, *Heliyon*, 7, 1-15.
- Musa, M., Kannan, T.J., Mustafa, S., 2013, Cell Proliferation Study of Human Osteosarcoma Cell Line (U2OS) using Alamar Blue Assay and Live Cell Imaging, *IOSR-JDMS.*, 2(8), 60-65.
- Mustafa, S., Pawar, J.S., and Ghosh, I., 2021, Fucoidan induces ROS-dependent epigenetic modulation in cervical cancer HeLa cell, *Int. J. Biol. Macromol.*, 181, 180-192.
- Muthukumar, P., and Rajiniraja, M., 2019, Aug-MIA-QSAR based strategy in bioactivity prediction of a series of flavonoid derivatives as HIV-1 inhibitors, *J. Theor. Biol.*, 469, 1-7.
- Morshed, K., Polz-Gruszka, D., Szymanski, M., and Polz-Dacewicz, M., 2014, Human Papillomavirus (HPV)-Structure, epidemiology and pathogenesis, *Otolaryngol. Pol.*, 1-7.
- Nantasenamat, C., Isarankura-Na-Ayudha, C., Naenna, T., and Prachayasittikul, V., 2009; Review article: A Practical Overview of Quantitative Structure-Activity Relationship., *EXCLI J.*, 8, 74-88.
- Nadhe, S.B., Tawre, M.S., Agrawal, S., Chopade, B.A., Sarkar, D., Pardesi, K., 2020, Anticancer potential of AgNPs synthesized using *Acinetobacter* sp. and *Curcuma aromatica* against HeLa cell lines: A comparative study, *J. Trace Elem. Med. Biol.*, 62, 1-8.
- Nussbaumer, S., Bonnabry, P., Veuthey, Jean-Luc., and Fleury-Souverain, S., 2011, Analysis of anticancer drugs: A review, *Talanta*, 85, 2266-2282.
- Oyewole, R.O., Oyebamiji, A.K., and Semire, B., 2020, Theoretical calculations of molecular descriptors for anticancer activities of 1,2,3-triazole-pyrimidine derivatives against gastric cancer cell line (MGC-803): DFT, QSAR and docking approaches, *Heliyon*, 6, 1-13.
- Park, H.S., and Jeoung, N.H., 2020, Autocrine motility factor secreted by HeLa cells inhibits the growth of many cancer cells by regulating AKT/ERK signalin, *Biochem. Biophys. Res. Commun.*, 525, 557-562.
- Perigaud, C., Gosselin, G., and Imbach, J.L., 1992, Nucleosides Analogues as Chemotherapeutic Agents: A Review, *Nucleos. Nucleot.*, 11(903-945).

- Pourbasheer, E., Aalizadeh, R., and Ganjali, M.R., 2019, *QSAR study of CK2 inhibitors by GA-MLR and GA-SVM methods*, *Arab. J. Chem.*, 12, 2141-2149.
- Qi, R., Pan, Y., Cao, J., Jia, Z., and Jiang, J., 2020, The cytotoxicity of nanomaterials: Modeling multiple human cells uptake of functionalized magneto-fluorescent nanoparticles via nano-*QSAR*, *Chemosphere*, 249, 1-9.
- Qiao, K., Fu, W., Chen, L., Li, C., Ye, Q., and Gui, W., 2020, *QSAR models for the accurate toxicity of 1,2,4-triazole fungicides to zebrafish (Danio rerio) embryos*, *Environ. Pollut.*, 265, 1-11.
- Quint, W.G.V., Pagliusi, S.R., Lelie, N., de Villers E-M., and Wheeler, C.M., 2006, Results of the First World Health Organization International Collaborative Study of Detection of Human Papillomavirus DNA, *JCM.*, 571-579.
- Rupar, M.J., Golusinski, P., Golusinski, W., and Masternak, M.M., 2019, Human Papillomavirus and the use of nanoparticles for immunotherapy in HPV-related cancer: A review, *Rep. Pract. Oncol. Radiother.*, 24, 544-550.
- Roy, K., Kar, S., and Das, R.N., 2014, *A Primer on QSAR/QSPR Modeling*, Springer.
- Sahu, N.K., Sharma, M., Mourya, V., and Kohli, D.V., 2012, *QSAR Study of Some Substituted 4-Quinoliny and 9-Acridinyl Hydrazones as Antimalarial Agents*, *Acta Pol. Pharm.*, 6(69), 1153-1165.
- Schlegel, H.B., 2011, Geometry Optimization, *Adv. Rev.*, 1, 790-809.
- Sholl, D.S., dan Steckel, J.A., 2009, *Density Functional Theory*, A John Wiley & Sons Inc., New Jersey.
- Small, W., Bacon, M.A., Bajaj, A., Chuang, L.T., Fisher, B.J., Harkenrider, M.M., Jhingran, A., Kitchener, H.C., Mileskin, L.R., Viswanathan, A.N., and Gaffney, D.K., 2017, Cervical Cancer: A Global Health Crisis, *Ca.*, 00, 1-9.
- Sofiana, M.S.J., 2014, Kajian Aktivitas Antimalaria Senyawa Turunan Bisaril Kuinolon dengan Metode Hubungan Kuantitatif Struktur-Aktivitas (HKSA), *Tesis*, Program Studi S-2 Ilmu Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Sousa, S.F., Fernandes, P.A., and Ramos, M.J., 2007, General performance of density functionals, *J. Phys. Chem. A.*, 111, 10439-10452.

- Sung-Jong, L., Yang, A., Wu- T.-C., and Chien-Fu, H., 2016, Immunotherapy for human papillomavirus-associated disease and cervical cancer: review of clinical and translational research, *J. Gynecol. Oncol.*, 27(5), 1-17.
- Tahir, I., Mudasir, Yulistia, I., and Mustofa, 2005, Quantitative Structure-Activity Relationship Analysis (QSAR) of Vincadifformine Analogues as the Antiplasmodial Compounds of the Chloroquinosensible Strain, *Indo. J. Chem.*, 5(3), 255-260.
- Tahir, I., Fatimah, N.F., dan Armunanto, R., 2012, Analisis Hubungan Kuantitatif Struktur dan Aktivitas Antitoksoplasma Senyawa Analog Kuinolon Menggunakan Deskriptor Teoritik, *J. Sains Dan Terap. Kim.*, 6, 139-153.
- Tuffaha, G.O., Hatmal, M.M., and Taha, M.O., 2019, Discovery of new JNK3 inhibitory chemotypes via QSAR-Guided selection of docking-based pharmacophores and comparison with other structure-based pharmacophore modeling methods, *J. Mol. Graph.*, 91, 30-51.
- Veerasamy, R., Rajak, H., Jain, A., Sivadasan, S., Varghese, C.P., and Agrawal, R.K., 2011, Validation of QSAR Models-Stratergies and Importance, *Int. J. Drug Discov.*, 3(2), 511-519.
- Walboomers, J.M.M., Jacobs, M.V., Manos, M.M., Bosch, F.X., Kummer, J.A., Shah, K.V., Snijders, P.J.F., Peto, J., Meijer, C.J.L.M., and Munoz, N., 1999, Human Papillomavirus is a Necessary Cause of Invasive Cervical Cancer Worldwide, *J. Pathol.*, 189, 12-19.
- Wasukan, N., Srisung, S., Kuno, M., and Kulthong, K., 2015, Interaction evaluation of silver and dithizone complexes using DFT calculations and NMR analysis, *Spectrochim. Acta A Mol. Biomol. Spectrosc.*, 149, 830-838.
- Yahyavi, M., Badalkhani-Khamseh, F., Hadipour, N.L., 2020, Adsorption behavior of pristine, Al-, Si-doped carbon nanotubes upon 5-fluorouracil, *Chem. Phys. Lett.*, 750, 1-10.
- Yan, G., Yang, X., Albijanac, B., Zhou, Y., and Zhu, X., 2019, A new tool rationally design highly efficient organic sensitizers for dye-sensitized solar cells: A three-dimensional quantitative structure-activity relationship (3D-QSAR) prespective, *Sol. Energy*, 184, 187-194.
- Young, D.C., 2001, *Computational Chemistry: A Practical Guide for Applying Techniques to Real-World Problems*, John Wiley & Sons.
- Yuanita, E., Sudirman, Dharmayani, N.K.T., Ulfa, M., and Syahri, J., 2020, Quantitative structure-activity relationship (QSAR) and molecular

docking of xanthone derivatives as anti-tuberculosis agents, *J. Clin. Tuberc. Other Mycobact. Dis.*, 21, 1-8.

Zambre, V.P., Patil, R.B., Sangshetti, J.N., and Sawant, S.J., 2019, Comprehensive *QSAR* studies reveal structural insights into the NR2B subtype selective benzapine derivatives as N-Methyl-D-Aspartate receptor antagonists, *J. Mol. Struct.*, 1197, 617-627.

Zhang, X., Mao, J., Li, W., Koike, K., and Wang, J., 2019, Improved 3D-*QSAR* prediction by multiple-conformational alignment: A case study on PTP1B inhibitors, *Comput. Biol. Chem.*, 83, 1-9.

zur Hausen, H., 2002, Papillomaviruses and Cancer: From Basic Studies to Clinical Application, *NPG.*, (2), 342-350.