

- Aanniz T, Ouadghiri M, Melloul M, Swings J, Elfahime E, Ibjibijen J, Ismaili M, Amar M. 2015. Thermophilic bacteria in moroccan hot springs, salt marshes and desert soils. *Brazilian J Microbiol.* 46(2):443–453. doi:10.1590/S1517-838246220140219.
- Acer Ö, Bekler FM, Pirinçcioğlu H, Güven RG, Güven K. 2016. Purification and characterization of thermostable and detergent-stable α -amylase from *Anoxybacillus* sp. AH1. *Food Technol Biotechnol.* 54(1):70–77. doi:10.17113/ftb.54.01.16.4122.
- Acharya MR, Venitz J, Figg WD, Sparreboom A. 2004. Chemically modified tetracyclines as inhibitors of matrix metalloproteinases. 7:195–208. doi:10.1016/j.drup.2004.04.002.
- Ahmed AIS, Omer AM, Ibrahim AIM, Agha MK. *Brevibacillus* Spp . in *Agroecology : The Beneficial Impacts in Biocontrol of Plant Pathogens and Soil Bioremediation Fungal Genomics & Biology.* 8(2). doi:10.4172/2165-8056.1000157.
- Anbu P. 2013. Characterization of solvent stable extracellular protease from *Bacillus koreensis* (BK-P21A). *Int J Biol Macromol.* 56:162–168. doi:10.1016/j.ijbiomac.2013.02.014. <http://dx.doi.org/10.1016/j.ijbiomac.2013.02.014>.
- Asif-Ullah M, Kim KS, Yu YG. 2006. Purification and characterization of a serine protease from *Cucumis trigonus* Roxburghi. *Phytochemistry.* 67(9):870–875. doi:10.1016/j.phytochem.2006.02.020.
- Azeredo LAI De, Freire DMG, Soares RMA, Leite SGF, Coelho RRR. 2004. Production and partial characterization of thermophilic proteases from *Streptomyces* sp . isolated from Brazilian cerrado soil. 34:354–358. doi:10.1016/j.enzmictec.2003.11.015.
- Baek K-H, Choi D. 2008. The Plant Pathology Journal Roles of Plant Proteases in Pathogen Defense. *Plant Pathol J.* 24(4):367–374.
- Bekhit Alaa A., Hopkins DL, Geesink G, Bekhit Adnan A., Franks P. 2014. Exogenous Proteases for Meat Tenderization. *Crit Rev Food Sci Nutr.* 54(8):1012–1031. doi:10.1080/10408398.2011.623247.
- Bonch-Osmolovskaya E, Atomi H. 2015. Editorial overview: Extremophiles: From extreme environments to highly stable biocatalysts. *Curr Opin Microbiol.* 25:vii–viii. doi:10.1016/j.mib.2015.06.005. <http://dx.doi.org/10.1016/j.mib.2015.06.005>.

- Brömme D. 2000. Papain-like Cysteine Proteases. *Curr Protoc Protein Sci.* 21(1):1–14. doi:10.1002/0471140864.ps2102s21.
- Busk PK, Lange L. 2013. Cellulolytic Potential of Thermophilic Species from Four Fungal Orders. *AMB Express.* 3:1–10. doi:10.1186/2191-0855-3-47.
- Buttle DJ, Mort JS. 2013. *Cysteine Proteases.* 2nd ed. Elsevier Inc. <http://dx.doi.org/10.1016/B978-0-12-378630-2.00009-8>.
- Di Cera E. 2009. Serine proteases. *IUBMB Life.* 61(5):510–515. doi:10.1002/iub.186.
- Chancharoonpong C, Hsieh P-C, Sheu S-C. 2012. Enzyme Production and Growth of *Aspergillus oryzae* S. on Soybean Koji Fermentation. *APCBEE Procedia.* 2:57–61. doi:10.1016/j.apcbee.2012.06.011.
- Chew LY, Toh GT, Ismail A. 2019. Application of Proteases for the Production of Bioactive Peptides. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813280-7.00015-3>.
- Cihan AC, Cokmus C, Koc M, Ozcan B. 2014. *Anoxybacillus calidus* sp. nov., a thermophilic bacterium isolated from soil near a thermal power plant. *Int J Syst Evol Microbiol.* 64(PART 1):211–219. doi:10.1099/ijs.0.056549-0.
- Coates L, Erskine PT, Wood SP, Myles DAA, Cooper JB. 2001. A neutron laue diffraction study of endothiapepsin: Implications for the aspartic proteinase mechanism. *Biochemistry.* 40(44):13149–13157. doi:10.1021/bi010626h.
- Cui H, Wang L, Yu Y. 2015. Production and characterization of alkaline protease from a high yielding and moderately halophilic strain of SD11 marine bacteria. *J Chem.* 2015. doi:10.1155/2015/798304.
- David I. 2014. The monitoring of enzyme activity of glucoamylase and endoxylanase on the bread dough. *Int Multidiscip Sci GeoConference Surv Geol Min Ecol Manag SGEM.* 1(6):559–566. doi:10.5593/sgem2014/b61/s25.076.
- Derekova A, Sjøholm C, Mandeva R, Michailova L, Kambourova M. 2006. Biosynthesis of a thermostable gellan lyase by newly isolated and characterized strain of *Geobacillus stearothermophilus* 98. *Extremophiles.* 10(4):321–326. doi:10.1007/s00792-005-0503-y.
- Dipasquale L, Calandrelli V, Romano I, Nicolaus B, Gambacorta A, Lama L. 2008.

Purification and characterisation of a highly thermostable extracellular protease from
Bacillus thermantarcticus, strain M1. 58(2):253–259.

Dunn BM, Goodenow MM, Gustchina A, Wlodawer A. 2002. Protein family review Retroviral proteases. :1–7.

Edwards SG, Seddon B. 2001. Mode of antagonism of *Brevibacillus brevis* against *Botrytis cinerea* in vitro. :652–659.

Elleuche S, Schäfers C, Blank S, Schröder C, Antranikian G. 2015. Exploration of extremophiles for high temperature biotechnological processes. *Curr Opin Microbiol.* 25:113–119. doi:10.1016/j.mib.2015.05.011.

Fan T, Bykova N V., Rampitsch C, Xing T. 2016. Identification and characterization of a serine protease from wheat leaves. *Eur J Plant Pathol.* 146(2):293–304. doi:10.1007/s10658-016-0914-x.

Feijoo-Siota L, Blasco L, Rodríguez-Rama JL, Barros-Velázquez J, Miguel T De, Sánchez-Pérez A, Villa TG. 2014. Recent patents on microbial proteases for the dairy industry. *Recent Adv DNA Gene Seq.* 8(1):44–55. doi:10.2174/2352092208666141013231720.

Gasteiger E, Gattiker A, Hoogland C, Ivanyi I, Appel RD, Bairoch A. 2003. ExPASy: The proteomics server for in-depth protein knowledge and analysis. *Nucleic Acids Res.* 31(13):3784–3788. doi:10.1093/nar/gkg563.

Gohara DW, Di Cera E. 2011. Allostery in trypsin-like proteases suggests new therapeutic strategies. *Trends Biotechnol.* 29(11):577–585. doi:10.1016/j.tibtech.2011.06.001. <http://dx.doi.org/10.1016/j.tibtech.2011.06.001>.

Grudkowska M, Zagdańska B. 2004. Multifunctional role of plant cysteine proteinases. *Acta Biochim Pol.* 51(3):609–624. doi:10.18388/abp.2004_3547.

Guo Y, Tu T, Yuan P, Wang Y, Ren Y, Yao B, Luo H. 2019. High-level expression and characterization of a novel aspartic protease from *Talaromyces leycettanus* JCM12802 and its potential application in juice clarification. *Food Chem.* 281(12):197–203. doi:10.1016/j.foodchem.2018.12.096. <https://doi.org/10.1016/j.foodchem.2018.12.096>.

Haki GD, Rakshit SK. 2003. Developments in industrially important thermostable enzymes: A review. *Bioresour Technol.* 89(1):17–34. doi:10.1016/S0960-8524(03)00033-6.



**PARTIAL PURIFICATION AND CHARACTERIZATION OF THERMOSTABLE SERINE ALKALINE
PROTEASE FROM**

Brevibacillus sp.

Sotharith PHON, Dr.rer.nat. Lucia Dhiantika Witasari, S. Farm., Apt., M. Biotech.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Hashim MM, Mingsheng D, Iqbal MF, Xiaohong C. 2011. Ginger rhizome as a potential source of milk coagulating cysteine protease. *Phytochemistry*. 72(6):458–464. doi:10.1016/j.phytochem.2010.12.002. <http://dx.doi.org/10.1016/j.phytochem.2010.12.002>.
- Hedstrom L. 2002. Serine protease mechanism and specificity. *Chem Rev*. 102(12):4501–4523. doi:10.1021/cr000033x.
- Heredia-Sandoval NG, Valencia-Tapia MY, Calderón de la Barca AM, Islas-Rubio AR. 2016. Microbial proteases in baked goods: Modification of gluten and effects on immunogenicity and product quality. *Foods*. 5(3):1–10. doi:10.3390/foods5030059.
- Heutinck KM, ten Berge IJM, Hack CE, Hamann J, Rowshani AT. 2010. Serine proteases of the human immune system in health and disease. *Mol Immunol*. 47(11–12):1943–1955. doi:10.1016/j.molimm.2010.04.020. <http://dx.doi.org/10.1016/j.molimm.2010.04.020>.
- Horimoto Y, Dee DR, Yada RY. 2009. Multifunctional aspartic peptidase prosegments. *N Biotechnol*. 25(5):318–324. doi:10.1016/j.nbt.2009.03.010.
- Hussein AH, Lisowska BK, Leak DJ. 2015. The Genus *Geobacillus* and Their Biotechnological Potential. Elsevier. <http://dx.doi.org/10.1016/bs.aams.2015.03.001>.
- Iqbal M, Asgher M, Bashir F. 2018. Purification and Kinetic Characterization of Alkaline Protease for UV-90Mutant of *Bacillus Subtilis*. :1–5.
- Jurnal G, Platax I, Perikanan F, Kelautan I, Sam U, Manado R. 2020. *Ginting Jurnal Ilmiah Platax* Vol. 8:(1), Januari-Juni 2020. 8(1):118–125.
- Karray A, Alonazi M, Horchani H, Bacha A Ben. 2021. A novel thermostable and alkaline protease produced from *Bacillus stearothermophilus* isolated from olive oil mill sops suitable to industrial biotechnology. *Molecules*. 26(4). doi:10.3390/molecules26041139.
- Kazan D, Denizci AA, Öner MNK, Erarslan A. 2005. Purification and characterization of a serine alkaline protease from *Bacillus clausii* GMBAE 42. *J Ind Microbiol Biotechnol*. 32(8):335–344. doi:10.1007/s10295-005-0260-z.
- Khaled H Ben, Ghorbel-Bellaaj O, Hmidet N, Jellouli K, Ali NEH, Ghorbel S, Nasri M. 2011. A novel aspartic protease from the viscera of Sardinelle (*Sardinella aurita*): Purification and characterisation. *Food Chem*. 128(4):847–853. doi:10.1016/j.foodchem.2011.03.104. <http://dx.doi.org/10.1016/j.foodchem.2011.03.104>.



- King J V., Liang WG, Scherpelz KP, Schilling AB, Meredith SC, Tang WJ. 2014. Molecular basis of substrate recognition and degradation by human presequence protease. *Structure*. 22(7):996–1007. doi:10.1016/j.str.2014.05.003. <http://dx.doi.org/10.1016/j.str.2014.05.003>.
- Konno K, Hirayama C, Nakamura M, Tateishi K, Tamura Y, Hattori M, Kohno K. 2004. Papain protects papaya trees from herbivorous insects: Role of cysteine proteases in latex. *Plant J*. 37(3):370–378. doi:10.1046/j.1365-313X.2003.01968.x.
- Krem MM, Cera E Di. 2002. Evolution of enzyme cascades from embryonic development to blood coagulation. *Trends Biochem Sci*. 27(2):67–74. doi:10.1016/S0968-0004(01)02007-2.
- Kulkarni N, Shendye A, Rao M. 1999. Molecular and biotechnological aspects of xylanases. *FEMS Microbiol Rev*. 23(4):411–456. doi:10.1016/S0168-6445(99)00006-6.
- Kumari A, Satpal P, Bisht S. 2014. *Brevibacillus* as a biological tool : a short review. :623–639. doi:10.1007/s10482-013-0099-7.
- Kunakbaeva Z, Carrasco R, Rozas I. 2003. An approximation to the mechanism of inhibition of cystein proteases: Nucleophilic sulphur addition to Michael acceptors type compounds. *J Mol Struct THEOCHEM*. 626(1–3):209–216. doi:10.1016/S0166-1280(03)00086-1.
- Lakshmi BKM, Muni Kumar D, Hemalatha KPJ. 2018. Purification and characterization of alkaline protease with novel properties from *Bacillus cereus* strain S8. *J Genet Eng Biotechnol*. 16(2):295–304. doi:10.1016/j.jgeb.2018.05.009. <https://doi.org/10.1016/j.jgeb.2018.05.009>.
- Lakshmi G, Prasad NN. 2015. Purification and Characterization of Alkaline Protease from a Mutant *Bacillus licheniformis* B18. 9(1):15–23. doi:10.5829/idosi.abr.2015.9.1.91112.
- Laustsen A, Oscoz S. 2016. *Biotechnological Trends in Spider and Scorpion*. (July). doi:10.3390/toxins8080226.
- López-Otín C, Bond JS. 2008. Proteases: Multifunctional enzymes in life and disease. *J Biol Chem*. 283(45):30433–30437. doi:10.1074/jbc.R800035200.
- Luo Z, Miao J, Li G, Du Y, Yu X. 2017. A Recombinant Highly Thermostable β -Mannanase (ReTMan26) from Thermophilic *Bacillus subtilis* (TBS2) Expressed in *Pichia pastoris* and Its pH and Temperature Stability. *Appl Biochem Biotechnol*. 182(4):1259–1275.

- Madala PK, Tyndall JDA, Nall T, Fairlie DP. 2010. Update 1 of: Proteases universally recognize beta strands in their active sites. *Chem Rev.* 110(6):PR1–PR31. doi:10.1021/cr900368a.
- Maheshwari DK, Saraf M. 2015. Halophiles: Biodiversity and sustainable exploitation. *Halophiles Biodivers Sustain Exploit.*:1–449. doi:10.1007/978-3-319-14595-2.
- Mandujano-González V, Villa-Tanaca L, Anducho-Reyes MA, Mercado-Flores Y. 2016. Aspartil-proteasas secretadas por hongos: revisión. *Rev Iberoam Micol.* 33(2):76–82. doi:10.1016/j.riam.2015.10.003. <http://dx.doi.org/10.1016/j.riam.2015.10.003>.
- Martínez-medina GA, Barragán AP, Rodríguez-jasso RM, Hoyos-concha JL. Fungal Proteases and Production of Bioactive Peptides for the Food Industry. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813280-7.00014-1>.
- Merz M, Eisele T, Berends P, Appel D, Rabe S, Blank I, Stressler T, Fischer L. 2015. Flavourzyme, an Enzyme Preparation with Industrial Relevance: Automated Nine-Step Purification and Partial Characterization of Eight Enzymes. *J Agric Food Chem.* 63(23):5682–5693. doi:10.1021/acs.jafc.5b01665.
- Mótyán J, Tóth F, Tózsér J. 2013. Research Applications of Proteolytic Enzymes in Molecular Biology. *Biomolecules.* 3(4):923–942. doi:10.3390/biom3040923.
- Nadeem M, Qazi JI, Syed Q, Gulsher M. 2013. Purification and characterization of an alkaline protease from *Bacillus licheniformis* UV-9 for detergent formulations. *Songklanakarin J Sci Technol.* 35(2):187–195.
- Do Nascimento WCA, Leal Martins ML. 2004. Production and properties of an extracellular protease from thermophilic *Bacillus* sp. *Brazilian J Microbiol.* 35(1–2):91–96. doi:10.1590/s1517-83822004000100015.
- Natsir H. 2015. Production of Protease Enzyme From Bacteria in Hot Spring of South Sulawesi, *Bacillus Licheniformis* Hsa3-1a. *J Adm dan Kebijak Kesehat Indones.* 16(1):109364.
- Nazina TN, Tourova TP, Poltarau AB, Novikova E V., Grigoryan AA, Ivanova AE, Lysenko AM, Petrunyaka V V., Osipov GA, Belyaev SS, et al. 2001. Taxonomic study of aerobic thermophilic bacilli: Descriptions of *Geobacillus subterraneus* gen. nov., sp. nov. and *Geobacillus uzenensis* sp. nov. from petroleum reservoirs and transfer of *Bacillus*

stearothermophilus, Bacillus thermocatenulatus, Bacillus th. Int J Syst Evol Microbiol. 51(2):433–446.

Nemoto W, Sato T, Nakagawasai O, Yaoita F, Silberring J. 2013. Neuropeptides Phenylmethanesulfonyl fluoride , a serine protease inhibitor , suppresses naloxone-precipitated withdrawal jumping in morphine-dependent mice. *Neuropeptides*. 47(3):187–191. doi:10.1016/j.npep.2012.11.002. <http://dx.doi.org/10.1016/j.npep.2012.11.002>.

Nicholson WL. 2002. Cellular and Molecular Life Sciences Roles of Bacillus endospores in the environment. 59:410–416.

Novalia D, Yuanita SP, Retno P. 2014. PANAS SINGGAHAN TUBAN SCREENING PROTEOLYTIC THERMOPHILIC BACTERIA FROM HOT SPRINGS SINGGAHAN TUBAN Bertany dan screening dilakukan menggunakan media agar skim milk 6 %. Indeks Proteolitik (IP) bakteri ditentukan dengan membandingkan diameter zona bening. 3(3):49–54.

Ovaere P, Lippens S, Vandenaabeele P, Declercq W. 2009. The emerging roles of serine protease cascades in the epidermis. *Trends Biochem Sci*. 34(9):453–463. doi:10.1016/j.tibs.2009.08.001.

Pambudi NA. 2018. Geothermal power generation in Indonesia, a country within the ring of fire: Current status, future development and policy. *Renew Sustain Energy Rev*. 81(March):2893–2901. doi:10.1016/j.rser.2017.06.096. <http://dx.doi.org/10.1016/j.rser.2017.06.096>.

Perona JJ, Craik CS. 1997. Evolutionary Divergence of Substrate Specificity within the Chymotrypsin-like Serine Protease Fold *. :29987–29990.

Rai SK, Mukherjee AK. 2009. Ecological significance and some biotechnological application of an organic solvent stable alkaline serine protease from Bacillus subtilis strain DM-04. *Bioresour Technol*. 100(9):2642–2645. doi:10.1016/j.biortech.2008.11.042. <http://dx.doi.org/10.1016/j.biortech.2008.11.042>.

Rani K, Rana R, Datt S. 2015. Review on characteristics and application of amylases. *Int J Microbiol Bioinforma*.(January).

Rawlings ND, Barrett AJ, Bateman A. 2012. MEROPS: The database of proteolytic enzymes, their substrates and inhibitors. *Nucleic Acids Res*. 40(D1):343–350.

- Rawlings ND, Barrett AJ, Bateman A. 2014. Using the MEROPS Database for Proteolytic Enzymes and Their Inhibitors and Substrates.
- Rawlings ND, Barrett AJ, Thomas PD, Huang X, Bateman A, Finn RD. 2018. The MEROPS database of proteolytic enzymes, their substrates and inhibitors in 2017 and a comparison with peptidases in the PANTHER database. *Nucleic Acids Res.* 46(D1):D624–D632. doi:10.1093/nar/gkx1134.
- Sajid M, McKerrow JH. 2002. Cysteine proteases of parasitic organisms. *Mol Biochem Parasitol.* 120(1):1–21. doi:10.1016/S0166-6851(01)00438-8.
- Sattayasai N. 2012. Protein Purification:InTechopen. *Chem Biol.*:1–18. www.intechopen.com.
- Sharma KM, Kumar R, Panwar S, Kumar A. 2017. Microbial alkaline proteases: Optimization of production parameters and their properties. *J Genet Eng Biotechnol.* 15(1):115–126. doi:10.1016/j.jgeb.2017.02.001. <http://dx.doi.org/10.1016/j.jgeb.2017.02.001>.
- Sharony R, Yu PJ, Park J, Galloway AC, Mignatti P, Pintucci G. 2010. Protein targets of inflammatory serine proteases and cardiovascular disease. *J Inflamm.* 7:1–17. doi:10.1186/1476-9255-7-45.
- Shen Y, Joachimiak A, Rich Rosner M, Tang WJ. 2006. Structures of human insulin-degrading enzyme reveal a new substrate recognition mechanism. *Nature.* 443(7113):870–874. doi:10.1038/nature05143.
- Shida O, Komagata K. 1996. *Lf 6*. (May):939–946.
- Shrinivas D, Naik GR. 2011. Characterization of alkaline thermostable keratinolytic protease from thermoalkalophilic *Bacillus halodurans* JB 99 exhibiting dehairing activity. *Int Biodeterior Biodegrad.* 65(1):29–35. doi:10.1016/j.ibiod.2010.04.013. <http://dx.doi.org/10.1016/j.ibiod.2010.04.013>.
- Si JB, Jang EJ, Charalampopoulos D, Wee YJ. 2018. Purification and Characterization of Microbial Protease Produced Extracellularly from *Bacillus subtilis* FBL-1. *Biotechnol Bioprocess Eng.* 23(2):176–182. doi:10.1007/s12257-017-0495-3.
- Singh R, Kumar M, Mittal A, Kumar P. 2016. Microbial enzymes : industrial progress in 21st century. *3 Biotech.* doi:10.1007/s13205-016-0485-8.



Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813280-7.00048-7>.

Soh UJ, Dores MR, Chen B, Trejo J. 2010. Signal transduction by protease-activated receptors.

Br J Pharmacol. 160(2):191–203. doi:10.1111/j.1476-5381.2010.00705.x.

Souza PM De, Lisa M, Bittencourt DA, Caprara CC, Freitas M De, Paula R, Almeida C De, Silveira D, Fonseca YM, Ximenes E, et al. 2015. A biotechnology perspective of fungal proteases. 346:337–346.

Stetter KO. 2006. Hyperthermophiles in the history of life. Philos Trans R Soc B Biol Sci. 361(1474):1837–1842. doi:10.1098/rstb.2006.1907.

Stover PJ, Mehta S. 2017. Editorial overview: Food biotechnology. Curr Opin Biotechnol. 44:v–vi. doi:10.1016/j.copbio.2017.03.015.

<http://dx.doi.org/10.1016/j.copbio.2017.03.015>.

Suberu Y, Akande I, Samuel T, Lawal A, Olaniran A. 2021. Biocatalysis and Agricultural Biotechnology Optimization of protease production in indigenous *Bacillus* species isolated from soil samples in Lagos, Nigeria using response surface methodology. Biocatal Agric Biotechnol. 18(October 2018):101011. doi:10.1016/j.bcab.2019.01.049. <https://doi.org/10.1016/j.bcab.2019.01.049>.

Sumantha A, Larroche C, Pandey A. 2006. Microbiology and industrial biotechnology of food-grade proteases: A perspective. Food Technol Biotechnol. 44(2):211–220.

Sun Q, Chen F, Geng F, Luo Y, Gong S, Jiang Z. 2018. A novel aspartic protease from *Rhizomucor miehei* expressed in *Pichia pastoris* and its application on meat tenderization and preparation of turtle peptides. Food Chem. 245:570–577. doi:10.1016/j.foodchem.2017.10.113. <https://doi.org/10.1016/j.foodchem.2017.10.113>.

Takai K, Nakamura K, Toki T, Tsunogai U, Miyazaki M, Miyazaki J, Hirayama H, Nakagawa S, Nunoura T, Horikoshi K. 2008. Cell proliferation at 122°C and isotopically heavy CH₄ production by a hyperthermophilic methanogen under high-pressure cultivation. Proc Natl Acad Sci U S A. 105(31):10949–10954. doi:10.1073/pnas.0712334105.

Tavano OL. 2013. Protein hydrolysis using proteases: An important tool for food biotechnology. J Mol Catal B Enzym. 90:1–11. doi:10.1016/j.molcatb.2013.01.011.

Tavano OL, Berenguer-Murcia A, Secundo F, Fernandez-Lafuente R. 2018. Biotechnological

- Tripathi LP, Sowdhamini R. 2008. Genome-wide survey of prokaryotic serine proteases: Analysis of distribution and domain architectures of five serine protease families in prokaryotes. *BMC Genomics.* 9:1–28. doi:10.1186/1471-2164-9-549.
- Tyndall JDA, Nall T, Fairlie DP. 2005. Proteases Universally Recognize Beta Strands In Their Active Sites. :973–1000.
- Udenigwe CC, Aluko RE. 2012. Food protein-derived bioactive peptides: Production, processing, and potential health benefits. *J Food Sci.* 77(1). doi:10.1111/j.1750-3841.2011.02455.x.
- Vieillel C, Burdette DS, Gregory JZ. *Thermozy mes.* 2.
- Yildirim V, Baltaci MO, Ozgencli I, Sisecioglu M, Adiguzel A, Adiguzel G. 2017. Purification and biochemical characterization of a novel thermostable serine alkaline protease from *Aeribacillus pallidus* C10: a potential additive for detergents. *J Enzyme Inhib Med Chem.* 32(1):468–477. doi:10.1080/14756366.2016.1261131. <http://dx.doi.org/10.1080/14756366.2016.1261131>.
- Yoneda Y, Yoshida T, Yasuda H, Imada C, Sako Y. 2013. A thermophilic, hydrogenogenic and carboxydrotrophic bacterium, *Calderihabitans maritimus* gen. nov., sp. nov., from a marine sediment core of an undersea caldera. *Int J Syst Evol Microbiol.* 63(PART10):3602–3608. doi:10.1099/ijms.0.050468-0.
- Zamyatnin AA. 2015. Plant Proteases Involved in Regulated Cell Death. *Biochem.* 80(13):1701–1715. doi:10.1134/S0006297915130064.
- Zhou C, Qin H, Chen X, Zhang Y, Xue Y, Ma Y. 2018. A novel alkaline protease from alkaliphilic *Idiomarina* sp . C9-1 with potential application for eco-friendly enzymatic dehairing in the leather industry. *Sci Rep.*(May):1–18. doi:10.1038/s41598-018-34416-5. <http://dx.doi.org/10.1038/s41598-018-34416-5>.
- Zilda DS, Harmayani E, Widada J, Asmara W, Irianto HE. 2003. SCREENING OF THERMOSTABLE PROTEASE PRODUCING MICROORGANISMS ISOLATED FROM INDONESIAN HOTSPRING Penapisan Mikroorganisme Penghasil Protease Tahan Panas yang Diiisolasi dari Sumber Air Panas Indonesia. :105–114.