

BIBLIOGRAPHY

- Agung. (2017, February 8). *Indonesia Potensial Mengembangkan Spirulina*. Retrieved March 9, 2021, from Universitas Gadjah Mada: <https://www.ugm.ac.id/id/berita/13282-indonesia.potensial.mengembangkan.spirulina>
- Ahnan-Winarno, A. D., Cordeiro, L., Winarno, F. G., Gibbons, J., & Xiao, H. (2020). Tempeh: A semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. *COMPREHENSIVE REVIEWS IN FOOD SCIENCE AND FOOD SAFETY*, 1-51.
- Ali, A. A., Velasquez, M. T., Hansen, C. T., Mohamed, A. I., & Bhatena, S. J. (2005). Modulation of carbohydrate metabolism and peptide hormones by soybean isoflavones and probiotics in obesity and diabetes. *Journal of Nutritional Biochemistry*, 693-699.
- Alqahtani, A. S., Hidayathulla, S., Rehman, M. T., ElGamal, A. A., Al-Massarani, S., Razmovski-Naumovski, V., . . . AlAjmi, M. F. (2020). Alpha-Amylase and Alpha-Glucosidase Enzyme Inhibition and Antioxidant Potential of 3-Oxolupenal and Katonic Acid Isolated from *Nuxia oppositifolia*. *Biomolecules*.
- Amarowicza, R., & Pegg, R. B. (2019). Natural antioxidants of plant origin. In F. Toldra (Ed.), *Advances in Food and Nutrition Research* (p. 6). Valencia: Elsevier Inc.
- American Diabetes Association. (2021). *Classification and Diagnosis of Diabetes*. Retrieved March 3, 2021, from American Diabetes Association : <https://www.diabetes.org/a1c/diagnosis>
- Anderson, M. (2017, August 14). *Renin-angiotensin system*. Retrieved March 8, 2021, from Encyclopædia Britannica, Inc.: <https://www.britannica.com/science/renin-angiotensin-system>
- Ansarullah, A., Hardinsyah, Marliyati, S. A., & Astawan, M. (2017). The effect of tempe drink intervention on blood pressure in hypertension and hypercholesterolemia subjects. *Jurnal Gizi dan Pangan*, 12, 101-108.
- AOAC. (2005). *Official Methods of Analysis*. Virginia: Association of Official Chemist. Inc.
- Apostolidis, E., Kwon, Y.-I., & Shetty, K. (2007). Inhibitory potential of herb, fruit, and fungal-enriched cheese against key enzymes linked to type 2 diabetes and hypertension. *Innovative Food Science and Emerging Technologies*, 46-54.
- Asif, M. (2014). The prevention and control the type-2 diabetes by changing lifestyle and dietary pattern. *Journal of Education and Health Promotion*, 7, 1.
- Astawan, M. (2009). *Sehat dengan Hidangan Kacang dan Biji-bijian*. Bogor: Penebar Swadaya.
- Astawan, M., Mardhiyyah, Y. S., & Wijaya, C. H. (2018). Potential of Bioactive Components in Tempe for the Treatment of Obesity. *Jurnal Gizi Pangan*, 13(2), 79-86.

- Astawan, M., Wresdiyati, T., & Ichsan, M. (2016). Physicochemical characteristics of germinated soybean tempe flour. *Jurnal Gizi Pangan*, 11(1), 35-42.
- Astawan, M., Wresdiyati, T., & Maknun, L. (2017). *Tempe Sumber Zat Gizi dan Komponen Bioaktif untuk Kesehatan*. Bogor: IPB Press.
- Astawan, M., Wresdiyati, T., & Saragih, A. M. (2015). Evaluasi Mutu Protein Tepung Tempe dan Tepung Kedelai Rebus pada Tikus Percobaan. *Jurnal Mutu Pangan: Indonesian Journal of Food Quality*, 2(1), 11-17.
- Astawan, M., Wresdiyati, T., Widowati, S., Bintari, S. H., & Ichsani, N. (2013). Phsyco-chemical Characteristics and Functional Properties of Tempe Made from Different Soybeans Varieties. *PANGAN*, 22(3), 241-252.
- Baradaran, A., Nasri, H., & Rafieian-Kopaei, M. (2014). Oxidative stress and hypertension: Possibility of hypertension therapy with antioxidants. *Journal of Research in Medical Sciences*, 358-367.
- Berghofer, E., Grzeskowiak, Mundigler, B., N.W.B., S., & Walcak, J. (1998). Antioxidative properties of faba bean-, soybean- and oat tempeh. *International Journal of Food Sciences and Nutrition*, 49, 45-54.
- Bhathena, S. J., & Velasquez, M. T. (2002). Beneficial role of dietary phytoestrogens in obesity and diabetes. *Am J Clin Nutr*, 76, 1191-1201.
- Bintari, S. H., Moeis, S. F., & Sarjadi. (2013). The biological parameter changes of mice breast cancer as the impact of injecting tempeh isoflavone . *The Indonesian Journal of Clinical Nutrition*, 1-9.
- BSN. (2015). *SNI 3144:2015 Tempe Kedelai*. Jakarta: Badan Standardisasi Nasional.
- BSN. (2018). *SNI 8468:2018 Spirulina spp kering- syarat mutu dan pengolahan*. Jakarta: Badan Standardisasi Nasional.
- Center of Data and Information of the Ministry of Health of Indonesia. (2019). *InfoDATIN Hipertensi*. Jakarta: Ministry of Health of Indonesia.
- Chalid, S. Y., Nurbayti, S., & Pratama, A. F. (2018). Characterization and Angiotension Converting Enzyme ACE-inhibitory activity of Fermented Buffalo Milk (*Bubalus bubalis*). *Jurnal Ilmu Kefarmasian Indonesia*, 214-224.
- Chang, C.-T., Hsu, C.-K., Chou, S.-T., Chen, Y.-C., Huang, F.-S., & Chung, Y.-C. (2009). Effect of fermentation time on the antioxidant activities of tempeh prepared from fermented soybean using *Rhizopus oligosporus*. *International Journal of Food Science and Technology*, 44, 799-806.
- Chaudhary, S. K., Maity, N., Nema, N. K., Bhadra, S., Saha, B. P., & Mukherjee, P. K. (2013). Angiotensin Converting Enzyme Inhibition Activity of Fennel and Coriander Oils from India. *Natural Product Communications*, 8(5), 671-672.
- Christwardana, M., Nur, M. M., & Hardiyanto. (2013). Spirulina plantesis: Potensinya sebagai Bahan Pangan Fungsional. *Jurnal Aplikasi Teknologi Pangan*, 2(1), 1-4.
- Clark, K. (2015). *Types of Diabetes – Understanding the Symptoms, Causes, and Differences Between Type 1 Diabetes, Type 2 Diabetes, Gestational And Pre-Diabetes And How They Affect Your Body*. Florida: Kristy Clark.

- Cushman, D. W., & Cheung, H. S. (1971). Spectrophotometric Assay and Properties of the Angiotensin-Converting Enzyme of Rabbit Lung. *Biochemical Pharmacology*, 20, 1637-1648.
- Daskaya-Dikmen, C., Yucetepe, A., Karbancioglu-Guler, F., Daskaya, H., & Ozcelik, B. (2017). Angiotensin-I-Converting Enzyme (ACE)-Inhibitory Peptides from Plants. *Nutrients*, 1-19.
- Dave, B., Eason, R. R., Till, S. ´., Geng, Y., Velarde, M. C., Badger, T. M., & Simmen, R. C. (2005). The soy isoflavone genistein promotes apoptosis in mammary epithelial cells by inducing the tumor suppressor PTEN. *Carcinogenesis*, 26, 2005.
- Deng, R., & Chow, T.-J. (2010). Hypolipidemic, Antioxidant and Antiinflammatory Activities of Microalgae Spirulina. *Cardiovasc Ther*, 28(4), 33-45.
- DiNicolantonio, J. J., Bhat, A. G., & OKeefe, J. (2020). Effects of spirulina on weight loss and blood lipids: a review. *Open Heart*, 7(1), 1-3.
- Dongmo, S., Sacher, B., Kollmannsberger, H., & Becker, T. K. (2017). Key volatile aroma compounds of lactic acid fermented malt based beverages– impact of lactic acid bacteria strains. *Food Chem.*, 565-573.
- Esaki, H., Onozaki, H., Kawakishi, S., & Osawa, T. (1996). New Antioxidant Isolated from Tempeh. *Journal of Agriculture and Food Chemistry*, 696-700.
- Fatiha, M., Fatma, B., Awatif, B., Nesrine, A., & Nouredine, D. (2018). Antidiabetic bioactive compounds from plant. *Medical Technologies Journal*, 2(2), 199-214.
- Floegel, A., Kim, D.-O., Chung, S.-J., Koo, S. I., & Chun, O. K. (2011). Comparison of ABTS/DPPH assays to measure antioxidant capacity in popular antioxidant-rich US foods. *Journal of Food Composition and Analysis*, 1043-1048.
- Food & Agriculture Organization–WorldHealth Organization. (2017). *REGIONAL STANDARD FOR TEMPE (CXS 313R-2013)*. Rome: Food and Agriculture Organization.
- Gaya, P., Peirotén, A., & Landete, J. M. (2017). Transformation of plant isoflavones into bioactive isoflavones by lactic acid bacteria and bifidobacteria. *Journal of Functional Foods*, 198-205.
- Guldas, M., Ziyank-Demirtas, S., Sahan, Y., Yildiz, E., & Gurbuz, O. (2020). Antioxidant and anti-diabetic properties of Spirulina platensis produced in Turkey. *Food Science and Technology*, 1-11.
- Guldas, M., Ziyank-Demirtas, S., Sahan, Y., Yildiz, E., & Gurbuz, O. (2020). Antioxidant and anti-diabetic properties of Spirulina platensis produced in Turkey. *Food Science and Technology*, 1-11.
- Harvard Health Publishing. (2019, December 16). *Fluid retention: What it can mean for your heart*. Retrieved March 5, 2021, from Harvard Health Publishing: <https://www.health.harvard.edu/heart-health/fluid-retention-what-it-can-mean-for-your-heart>
- Hasniah, N. (2019). Formulation of Tempe Starter from Mixed Local Isolate. Sleman, DI Yogyakarta, Indonesia.

- He, K., Shi, J.-C., & Mao, X.-M. (2014). Safety and efficacy of acarbose in the treatment of diabetes in Chinese patients. *Therapeutics and Clinical Risk Management*, 10, 505-511.
- He, Y.-Y., Li, T.-T., Chen, J.-X., She, X.-X., Ren, D.-F., & Lu, J. (2018). Transport of ACE Inhibitory Peptides Ile-Gln-Pro and Val-Glu-Pro Derived from *Spirulina platensis* Across Caco-2 Monolayers. *Journal of Food Sciences*, 1-7.
- Hessiltine, C., Camargo, R., & J.J., R. (1963). A Mould Inhibitors in Soybeans. *Nature*, 200, 1226–1227.
- Hidayat, N., Padaga, M. C., & Suhartini, S. (2006). *Mikrobiologi Industri*. Yogyakarta: Andi Offset.
- Hua, S., Fana, X., Qib, P., & Zhang, X. (2019). Identification of anti-diabetes peptides from *Spirulina platensis*. *Journal of Functional Foods*, 333-341.
- Huang, Y.-C., Wu, B.-H., Chu, Y.-L., Chang, W.-C., & Wu, M.-C. (2018). Effects of Tempeh Fermentation with *Lactobacillus plantarum* and *Rhizopus oligosporus* on Streptozotocin-Induced Type II Diabetes Mellitus in Rats. *Nutrients*, 276-290.
- Hui, X., Wua, G., Hanb, D., Stipkovitsa, L., Wub, X., Tangb, S., . . . Brennana, C. S. (2020). The effects of bioactive compounds from blueberry and blackcurrant powders on the inhibitory activities of oat bran pastes against α -amylase and α -glucosidase linked to type 2 diabetes. *Food Research International*, 1-11.
- Iskandar, Y. M., & Priatni, S. (2008). Isoflavones Aglicone of Tempe Malang Fried Slices. *Indo. J. Chem.*, 437-442.
- Iwaniak, A., Minkiewicz, P., & Darewicz, M. (2014). Food-Originating ACE Inhibitors, Including Antihypertensive Peptides, as Preventive Food Components in Blood Pressure Reduction. *Comprehensive Reviews in Food Science and Food Safety*, 3, 114-134.
- Kaneto, H., Kajimoto, Y., Miyagawa, J., Matsuoka, T., Fujitani, Y., Umayahara, Y., . . . Hori, M. (1999). Beneficial effects of antioxidants in diabetes: possible protection of pancreatic beta-cells against glucose toxicity. *Diabetes*, 398-406.
- Kharbach, M., & Essamri, A. (2019). Functional Composition, Nutritional Properties, and Biological Activities of Moroccan *Spirulina* Microalga. *Journal of Food Quality*, 1-11.
- Kinanti, D. A. (2018). Sensory Profile and Consumer Acceptance of Tempe Made by Local Isolate Starter Powder. Sleman, DI Yogyakarta, Indonesia.
- Klabunde, R. E. (2017, November 17). *Angiotensin Converting Enzyme (ACE) Inhibitors*. Retrieved March 3, 2021, from Cardiovascular Pharmacology Concepts: <https://cvpharmacology.com/vasodilator/ACE>
- Koničková, R., Vaňková, K., Vaníková, J., Vánová, K., Muchová, L., Subhanová, I., . . . Vitek, L. (2014, March-April). Anti-cancer effects of blue-green alga *Spirulina platensis*, a natural source of bilirubin-like tetrapyrrolic compounds. *Annals of Hepatology*, 13(2), 273-283.

- Kridawati, A., Rahradjo, T. B., & Hogervorst, E. (2019). The Effect of Tempe Flour on Blood Sugar in Elderly. *1st International Respati Health Conference (IRHC)* (pp. 405-410). Jakarta: Universitas Respati Indonesia.
- Kurniawan, N. D., Setiani, B. E., & Dwiloka, B. (2019). Fat Content, Water Content, Protein Content, and Antioxidant toward Edamame Tempeh (*Glycine max* (L) Merrill) with Different Types of Packaging. *Jurnal Teknologi Pangan*, 3(2), 355-360.
- Kwon, E.-B., Kang, M.-J., Ryu, H. W., Lee, S., Lee, J.-W., Lee, M. K., . . . Kima, M.-O. (2020). Acacetin enhances glucose uptake through insulin-independent GLUT4 T translocation in L6 myotubes. *Phytomedicine*, 68, 1-9.
- Lee, E. H., Park, J.-E., Choi, Y.-J., Huh, K.-B., & Kim, W.-Y. (2008). A randomized study to establish the effects of spirulina in type 2 diabetes mellitus patients. *Nutrition Research and Practice*, 295-300.
- Lin, C.-H., Wei, Y.-T., & Chou, C.-C. (2006). Enhanced antioxidative activity of soybean koji prepared with various filamentous fungi. *Food Microbiology*, 23, 628-633.
- Liu, Y., Liang, X., Zhang, G., Kong, L., Peng, W., & Zhang, H. (2018). Galangin and Pinocembrin from Propolis Ameliorate Insulin Resistance in HepG2 Cells via Regulating Akt/mTOR Signaling. *Hindawi Evidence-Based Complementary and Alternative Medicine*, 1-10.
- Madkour, F. F., Kamil, A. E.-W., & Nasr, H. S. (2012). Production and nutritive value of *Spirulina platensis* in reduced cost media. *The Egyptian Journal of Aquatic Research*, 38(1), 51-57.
- Maleki, S. J., Crespo, J. F., & Cabanillas, B. (2019). Anti-inflammatory effects of flavonoids. *Food Chemistry*, 1-54.
- Margalef, M., Bravo, F. I., Arola-Arnal, A., & Muguerza, B. (2017). Natural Angiotensin Converting Enzyme (ACE) Inhibitors with Antihypertensive Properties. In P. B. Andrade, P. Valentão, & D. M. Pereira. (Eds.), *Natural Products Targeting Clinically Relevant Enzymes, First Edition* (pp. 45-67). Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA.
- Marte, F., Sankar, P., & Cassagnol, M. (2020, November 4). *Captopril*. Treasure Island: StatPearls Publishing. Retrieved March 21, 2021, from NCBI Bookshelf: <https://www.ncbi.nlm.nih.gov/books/NBK535386/>
- McRae, M. P. (2018). Dietary Fiber Intake and Type 2 Diabetes Mellitus: An Umbrella Review of Meta-analyses. *J Chiropr Med.*, 17(1), 44-53.
- Mienda, B. S., Idi, A., & Umar, A. (2011). Microbiological Features of Solid State Fermentation and its Applications - An overview. *Research in Biotechnology*, 2(6), 21-26.
- Ministry of Health of Republic of Indonesia. (2018). *Hari Diabetes Sedunia Tahun 2018*. Jakarta: InfoDATIN:Pusat Data dan Informasi Kementerian Kesehatan RI.
- Ministry of Health of Republic of Indonesia. (2019). *Infodatin Hipertensi*. Jakarta, South Jakarta, Indonesia.
- Ministry of Health of Republic of Indonesia. (2020). *Diabetes Melitus - Kementerian Kesehatan*. Jakarta. Retrieved from

https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwizrZDt_KruAhXQT30KHdpSBt4QFjADegQIARAC&url=https%3A%2F%2Fwww.kemkes.go.id%2Fdownload.php%3Ffile%3Ddownload%2Fpusdatin%2Finfodatin%2FInfodatin%25202020%2520Diabetes%2520Melitus.pdf&usg=AOvVaw1kIUdiKoDSfnO54ujB_bPU

- Mulyowidarso, R. K., Fleet, G. H., & Buckle, K. A. (1989). The microbial ecology of soybean soaking for tempe production . *International Journal of Food Microbiology* , 8, 35-46.
- Nout, M., & Kiers, J. (2005). Tempe fermentation, innovation and functionality: update into the third millenium. *Journal of Applied Microbiology*, 98, 789-805.
- Nur N., M. A. (2020). Lipolytic bacteria and the dynamics of flavor production in Indonesian tempeh. *Biodiversitas*, 21(8), 3818-3825.
- Okechukwu, P. N., Ekeuku, S. O., Sharma, M., Nee, C. P., Chan, H. K., Mohamed, N., & Froemming, G. R. (2019). In vivo and in vitro Antidiabetic and Antioxidant Activity of Spirulina. *Pharmacognosy Magazine*, 15(62), 17-29.
- Otienoa, D., Ashtonb, J., & Shah, N. (2007). Isoflavone phytoestrogen degradation in fermented soymilk with selected β -glucosidase producing *L. acidophilus* strains during storage at different temperatures. *International Journal of Food Microbiology*, 15, 79–88.
- Parikh, P., Mani, U., & Iyer, U. (2001). Role of Spirulina in the Control of Glycemia and Lipidemia in Type 2 Diabetes Mellitus. *J. Med Food*, 193-199.
- Parikh, P., Mani, U., & Iyer, U. (2001). Role of Spirulina in the Control of Glycemia and Lipidemia in Type 2 Diabetes Mellitus. *J Med Food.* , 193-199.
- Park, S. A., Choi, M.-S., Cho, S.-Y., Seo, J.-S., Jung, U. J., Kim, M.-J., . . . Lee, M.-K. (2006). Genistein and daidzein modulate hepatic glucose and lipid regulating enzyme activities in C57BL/KsJ-db/db mice. *Life Sciences*, 1207-1213.
- Priyanto, A. (2020). *Ayo Makan Tempe Mentah*. Jakarta: Sosok.
- Puspitasari, A., Astawan, M., & Wresdiyati, T. (2020, April). The Effect of Soybeans Germination on Proximate Composition and Isoflavones Bioactive Components of Fresh and Semangit Tempe. *PANGAN*, 2(1), 35-44.
- Puteri, M. D., Fortunata, S. A., Prabawati, E. K., Kristianti, F., & Wijaya, C. H. (2018). Overripe tempe as source of protein in development of ready to eat porridge. *International Food Research Journal*, 201-209.
- Razak, D., Rashid, N., Jamaluddin, A., Sharifudin, S., & K., L. (2015). Enhancement of phenolic acid content and antioxidant activity of rice bran fermented with *Rhizopus oligosporus* and *Monascus purpureus*. *Biocatal. Agric. Biotechnol.*, 4, 33-38.
- Sardjono. (2011). *Jamur Benang dan Pengembangannya pada Industri Pengolahan Hasil Pertanian*. Yogyakarta: Fakultas Teknologi Pertanian UGM.

- Sarmadia, B. H., & Ismaila, A. (2010). Antioxidative peptides from food proteins: A review. *Peptides*, 1949-1956.
- Seghiri, R., Kharbach, M., & Essamri, A. (2019). Functional Composition, Nutritional Properties, and Biological Activities of Moroccan Spirulina Microalga. *Hindawi Journal of Food Quality*, 1-11.
- Seo, S. G., Yang, H., Shin, S. H., Min, S., Kim, Y. A., Yu, J. G., . . . Lee, H. J. (2013). *Mol. Nutr. Food* , 1-10.
- Smith, M. E., & Morton, D. G. (2010). DIGESTION AND ABSORPTION. In M. E. Smith, & D. G. Morton, *The Digestive System* (pp. 129-152). London: Churchill Livingstone.
- Stanner, S. (2013). Antioxidants. In B. Caballero (Ed.), *Encyclopedia of Human Nutrition* (pp. 138-147). San Diego: Academic Press.
- Starzyńska-JaniSzewska, A., Stodolak, B., & Wikiera, A. (2015). Antioxidant Potential and α -galactosides Content of Unhulled Seeds of Dark Common Beans Subjected to Tempe-type Fermentation with *Rhizopus microsporus* var. *chinensis* and *Lactobacillus plantarum* . *Food Science and Technology Research*, 21, 765-770.
- Suhardi, & Kamarijani. (1985). *Pengaruh Penempean Biji Kecapir Terhadap Zat Anti Gizi Asam Fitat*. Yogyakarta: PAU Pangan dan Gizi.
- Suharto, K. F., Soetjipto, H., & Martono, Y. (2017). The Effect of Tempe Fermentation Time on the Total Phenolic and Isoflavone Genistein Contents. *Alchemy*, 13(2), 230-240.
- Tahir, A., Anwar, M., Mubeen, H., & Raza, S. (2018). Evaluation of Physicochemical and Nutritional Contents in Soybean Fermented Food Tempeh by *Rhizopus oligosporus*. *Journal of Advances in Biology & Biotechnology*, 1-9.
- Torres-Duran, P. V., Ferreira-Hermosillo, A., & Juarez-Oropeza, M. A. (2007). Antihyperlipemic and antihypertensive effects of *Spirulina maxima* in an open sample of mexican population: a preliminary report. *Lipids in Health and Disease*, 6(3).
- Torres-Duran, P. V., Ferreira-Hermosillo, A., & Juarez-Oropeza, M. A. (2007). Antihyperlipemic and antihypertensive effects of *Spirulina maxima* in an open sample of mexican population: a preliminary report. *Lipids in Health and Disease*.
- Tran, N., Pham, B., & Le, L. (2020). Bioactive Compounds in Anti-Diabetic Plants: From Herbal Medicine to Modern Drug Discovery. *Biology*, 1-31.
- Verni, M., Verardo, V., & Rizzello, C. G. (2019). How Fermentation Affects the Antioxidant Properties of Cereals and Legumes. *Foods*, 8(9), 1-21.
- Verni, M., Verardo, V., & Rizzello, C. G. (2019). How Fermentation Affects the Antioxidant Properties of Cereals and Legumes. *Foods*, 1-21.
- Volkman, J. K., & Brown, M. R. (2006). Nutritional value of microalgae and applications. In D. V. Subba Rao (Ed.), *Algal cultures, analogues of blooms and applications* (pp. 407-456). Enfield, USA: Science Publishers, Inc.

- Wan, D., Wu, Q., & Kuča, K. (2016). Spirulina. In R. Gupta (Ed.), *Nutraceuticals: Efficacy, Safety and Toxicity* (pp. 569-583). Cambridge: Academic Press.
- Wang, X., Perumalsamy, H., Kwon, H. W., Na, Y.-E., & Ahn, Y.-J. (2015). Effects and possible mechanisms of action of acacetin on the behavior and eye morphology of *Drosophila* models of Alzheimer's disease. *Scientific Reports*, 5, 1-21.
- Winarno, F. (1980). *Kimia Pangan dan Gizi*. Jakarta: Gramedia Pustaka Utama.
- Wong, M. C., Emery, P. W., Preedy, V. R., & Wiseman, H. (2008). Health benefits of isoflavones in functional foods? Proteomic and metabonomic advances. *Inflammopharmacology*, 235-239.
- World Health Organization. (2019, September 13). *Hypertension*. Retrieved March 5, 2021, from World Health Organization: <https://www.who.int/news-room/fact-sheets/detail/hypertension>
- Wu, Q., Liu, L., Miron, A., Klímová, B., Wan, D., & Kuca, K. (2016). The antioxidant, immunomodulatory, and anti-inflammatory activities of Spirulina: an overview. *Arch Toxicol*, 1-24.
- Xu, B., Yuan, S., & Chang, S. (2007). Comparative Analyses of Phenolic Composition, Antioxidant Capacity, and Color of Cool Season Legumes and Other Selected Food Legumes. *Journal of Food Science*, 72(2), 167-177.