

DAFTAR PUSTAKA

- Akhlaghi M. dan Bandy B., 2009. Mechanisms of Flavonoid Protection Against Myocardial Ischemia–Reperfusion Injury. *Journal of Molecular Cellular Cardiology*, 46(3): 309-317.
- Aladedunye F.A. dan Przybylski R.J.J.o.t.A.O.C.S., 2009. Degradation and nutritional quality changes of oil during frying. 86(2): 149-156.
- Aminah A., Tomayahu N. dan Abidin Z., 2017. Penetapan kadar flavonoid total ekstrak etanol kulit buah alpukat (*Persea Americana* Mill.) dengan metode spektrofotometri Uv-Vis. *Jurnal Fitofarmaka Indonesia*, 4(2): 226-230.
- Ananingsih V.K., Sharma A. dan Zhou W., 2013. Green tea catechins during food processing and storage: A review on stability and detection. *Food Research International*, 50(2): 469-479.
- Andarwulan N., Kusnandar F. dan Herawati D., 2011. Analisis pangan. 3.
- Anonim, 2015. *Klon GMB 1 - 11*. Pusat Penelitian Teh dan Kina, Diakses pada tanggal dari: <https://www.gamboeng.com/pages/detail/2015/59/146>.
- Anonim, 2021. *Analisis Perkembangan Harga Bahan Pangan Pokok di Pasar Domestik dan Internasional*. <http://bppp.kemendag.go.id>.
- AOCS, 1995. Official methods of analysis of AOCS international. Arlington: AOCS International.
- AOCS, 1998. Official methods and recommended practices of the American Oil Chemists' Society. American Oil Chemists Society.
- Aprilianti A.Q., 2021. *Peningkatan Stabilitas Oksidatif Minyak Goreng Sawit dengan Penambahan Ekstrak Daun Jeruk Purut (*Citrus hystrix*), Daun Jeruk Nipis (*Citrus aurantifolia*), dan Daun Jeruk Lemon (*Citrus limon*) pada Penggorengan Rendam (Deep Frying)*. Teknologi Pangan dan Hasil Pertanian, Universitas Gadjah Mada.
- Ardhi A., 2013. *Stabilisasi Minyak Goreng menggunakan Mikroemulsi Ekstrak Kulit Jeruk*. Universitas Gadjah Mada.
- Ardhie A.M., 2011. Radikal Bebas dan Peran Antioksidan Dalam Mencegah Penuaan. *Medicinus*, 24(1): 4-9.
- Ardila T.T., 2020. *Uji Total Fenol dan Aktivitas Antioksidan Daun Teh (*Camellia sinensis*) Berdasarkan Tahun Pangkas di Kebun Teh Wonosari Lawang*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Ayu L., Indradewa D. dan Ambarwati E., 2012. Pertumbuhan, Hasil dan Kualitas Pucuk Teh (*Camellia sinensis* (L.) Kuntze) di Berbagai Tinggi Tempat. *Vegetalika*, 1(4): 78-89.
- Azlim Almey A., Ahmed Jalal Khan C., Syed Zahir I., Mustapha Suleiman K., Aisyah M. dan Kamarul Rahim K., 2010. Total phenolic content and primary antioxidant activity of methanolic and ethanolic extracts of aromatic plants' leaves. *International Food Research Journal*, 17(4).
- Balitri J.T., 2013. Kandungan Senyawa Kimia Pada Daun Teh (*Camellia sinensis*). *Warta Penelitian dan Pengembangan Tanaman Industri*, 19 Nomor 3.

- Benzie I.F. dan Strain J.J., 1996. The Ferric Reducing Ability of Plasma (FRAP) as A Measure of “Antioxidant Power”: The FRAP Assay. *Analytical Biochemistry*, 239(1): 70-76.
- Bešter E., Butinar B., Bučar-Miklavčič M. dan Golob T., 2008. Chemical Changes in Extra Virgin Olive Oils From Slovenian Istra After Thermal Treatment. *Food Chemistry*, 108(2): 446-454.
- Bharti R. dan Singh B., 2020. Green tea (*Camellia assamica*) extract as an antioxidant additive to enhance the oxidation stability of biodiesel synthesized from waste cooking oil. *Fuel*, 262: 116658.
- Brewer M., 2011. Natural antioxidants: sources, compounds, mechanisms of action, and potential applications. *Comprehensive reviews in food science food safety*, 10(4): 221-247.
- Chammem N., Saoudi S., Sifaoui I., Sifi S., de Person M., Abderraba M., dkk., 2015. Improvement of vegetable oils quality in frying conditions by adding rosemary extract. *Industrial Crops Products*, 74: 592-599.
- Chatzilazarou A., Gortzi O., Lalas S., Zoidis E. dan Tsaknis J., 2006. Physicochemical changes of olive oil and selected vegetable oils during frying. *Journal of Food Lipids*, 13(1): 27-35.
- Chen Z. dan Chan P., 1996. Antioxidative activity of green tea catechins in canola oil. *Chemistry Physics of Lipids*, 82(2): 163-172.
- Darmadi D., 2015. Penilaian Hubungan Genetik Klon Teh Berdasarkan Komponen Senyawa Kimia Utama dan Potensi Hasil. *Jurnal Penelitian Teh dan Kina*, 18(1): 1-10.
- Dehpour A.A., Ebrahimzadeh M.A., Fazel N.S. dan Mohammad N.S., 2009. Antioxidant Activity of The Methanol Extract of Ferula Assafoetida and Its Essential Oil Composition. *Grasas Y Aceites*, 60(4): 405-412.
- Dewi N.P.S.D.P., 2019. *Pengaruh Suhu Dan Frekuensi Pemanasan Berulang Terhadap Kualitas Fisik Dan Kimia Minyak Kelapa Sawit Komersial*. Universitas Brawijaya.
- Dykes L. dan Rooney L., 2007. Phenolic Compounds in Cereal Grains and Their Health Benefits. *Cereal Foods World*, 52(3): 105-111.
- Effendi D.S., Syakir M., Yusron M., Pelaksana R., Jusniarti I., Budiharto A., dkk., 2010. *Budidaya dan Pasca Panen Teh*. Pusat Penelitian dan Perkembangan Perkebunan. Bogor.
- Febriansyah R., 2007. *Mempelajari Pengaruh Penggunaan Berulang dan Aplikasi Adsorben Terhadap Kualitas Minyak dan Tingkat Penyerapan Minyak Pada Kacang Sulut*. Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Firdausi K.S., Setia Budi W. dan Sutiah S., 2008. Studi kualitas minyak goreng dengan parameter viskositas dan indeks bias. *Berkala Fisika*, 11(2): 53-58.
- Gramza-Michalowska A. dan Korczak J., 2007. Polyphenols-potential food improvement factor. *American Journal of Food Technology*, 2(7): 662-670.
- Gramza A., Korczak J. dan Amarowicz R., 2005. Tea polyphenols-their antioxidant properties and biological activity-a review. *Polish Journal of Food Nutrition Sciences*, 14(3): 219.

- Gray J.I. dan Monahan F.J., 1992. Measurement of Lipid Oxidation in Meat and Meat Products. *Trends in Food Science Technology*, 3: 315-319.
- Guillén M.a.D. dan Cabo N., 2002. Fourier Transform Infrared Spectra Data Versus Peroxide and Anisidine Values to Determine Oxidative Stability of Edible Oils. *Food Chemistry*, 77(4): 503-510.
- Gusdinar T., Singgih M., Priatni S., Sukmawati A. dan Suciati T., 2014. Enkapsulasi dan Stabilitas Pigmen Karotenoid dari *Neurospora Intermedia* N-1. *Jurnal Manusia dan Lingkungan*, 18(3): 206-211.
- Halliwell B., 1995. Antioxidant characterization: methodology and mechanism. *Biochemical pharmacology*, 49(10): 1341-1348.
- Halvorsen B., Holte K., Myhrstad M.C., Barikmo I., Hvattum E., Remberg S.F., dkk., 2002. Halvard Baugerød, Lene Frost Andersen, Jan Ø. Moskaug, David R. Jacobs, Jr. and Rune Blomhoff. A Systematic Screening of Total Antioxidants in Dietary Plants. 132: 461-471.
- Handa S.S., Khanuja S.P.S., Longo G. dan Rakesh D.D., 2008. *Extraction technologies for medicinal and aromatic plants*. Earth, Environmental and Marine Sciences and Technologies.
- Harborne J., 1987. Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan. *Bandung: Penerbit ITB*, 78.
- Herlina N. dan Ginting H.S., 2002. Lemak dan minyak.
- Hilal Y. dan Engelhardt U., 2007. Characterisation of white tea—Comparison to green and black tea. *Journal für Verbraucherschutz und Lebensmittelsicherheit*, 2(4): 414-421.
- Innawong B., Mallikarjunan P., Irudayaraj J. dan Marcy J.E., 2004. The determination of frying oil quality using Fourier transform infrared attenuated total reflectance. *LWT-Food Science Technology*, 37(1): 23-28.
- Irianto H.E. dan Giyatmi S., 2009. Teknologi Pengolahan Hasil Perikanan. *Penerbit Universitas Terbuka. Jakarta*.
- Janeiro P. dan Brett A.M.O., 2004. Catechin electrochemical oxidation mechanisms. *Analytica Chimica Acta*, 518(1-2): 109-115.
- Jayanthi P. dan Lalitha P., 2011. Reducing Power of The Solvent Extracts of *Eichhornia crassipes* (Mart.) Solms. *International Journal of Pharmacy Pharmaceutical Sciences*, 3(3): 126-128.
- Kaemba A., Suryanto E. dan Mamuja C.F., 2017. Karakteristik Fisiko-Kimia dan Aktivitas Antioksidan Beras Analog dari Sagu Baruk (*Arenga Microcarpha*) dan Ubi Jalar Ungu (*Ipomea Batatas* L. Poiré). *Jurnal Ilmu dan Teknologi Pangan*, 5(01): 74-81.
- Ketaren S., 2005. Teknologi Minyak dan Lemak Pangan. *Universitas Indonesia. Jakarta*.
- Khokhar S. dan Magnusdottir S., 2002. Total phenol, catechin, and caffeine contents of teas commonly consumed in the United Kingdom. *Journal of agricultural food chemistry*, 50(3): 565-570.
- Koohikamali S. dan Alam M.S., 2019. Improvement in nutritional quality and thermal stability of palm olein blended with macadamia oil for deep-fat frying application. *Journal of Food Science Technology*, 56(11): 5063-5073.

- Kubo I., Masuoka N., Xiao P. dan Haraguchi H., 2002. Antioxidant activity of dodecyl gallate. *Journal of agricultural food chemistry*, 50(12): 3533-3539.
- Kuncahyo I. dan Sunardi, 2007. Uji aktivitas antioksidan ekstrak belimbing wuluh (*Averrhoa bilimbi L.*) terhadap 1, 1-diphenyl-2-picrylhidrazyl (DPPH).
- Kusmiyati M., Sudaryat Y., Lutfiah I.A., Rustamsyah A. dan Rohdiana D., 2015. Aktivitas Antioksidan, Kadar Fenol Total dan Flavonoid Total Dalam Teh Hijau (*Camellia sinensis (L) O. Kuntze*) Asal Tiga Perkebunan Jawa Barat. *Jurnal Penelitian Teh dan Kina*, 18(2): 101-106.
- Leba M.A.U., 2017. *Buku Ajar: Ekstraksi dan Real Kromatografi*. Deepublish.
- Madhavi D.L., Deshpande S. dan Salunkhe D.K., 1995. *Food antioxidants: Technological: Toxicological and health perspectives*. CRC Press.
- Man Y.C., Liu J., Jamilah B. dan Rahman R.A.J.J.o.F.L., 1999. Quality changes of refined-bleached-deodorized (RBD) palm olein, soybean oil and their blends during deep-fat frying. 6(3): 181-193.
- Markham K., 1988. Techniques of Flavonoids Identification, diterjemahkan oleh Kosasih Padmawinata. *ITB. Bandung*.
- Martono B., Falah S. dan Nurlaela E., 2016. Aktivitas Antioksidan Teh Varietas GMB 7 Pada Beberapa Ketinggian Tempat. *Jurnal Tanaman Industri dan Penyegaran*, 3(1): 53-60.
- Maryam S., Baits M. dan Nadia A.J.J.F.I., 2015. Pengukuran aktivitas antioksidan ekstrak etanol daun kelor (*Moringa oleifera Lam.*) menggunakan metode FRAP (Ferric Reducing Antioxidant Power). 2(2): 115-118.
- Middleton E., Kandaswami C. dan Theoharides T.C., 2000. The Effects of Plant Flavonoids on Mammalian Cells: Implications for Inflammation, Heart Disease, and Cancer. *Pharmacological Reviews*, 52(4): 673-751.
- Mitrowihardjo S., Mangoendidjojo W., Hartiko H. dan Yudono P., 2012. Kandungan Katekin dan Kualitas (Warna Air Seduhan, Flavor, Kenampakan) Enam Klon Teh (*Camellia sinensis (L.) O. Kuntze*) di Ketinggian yang Berbeda. *Agritech*, 32(2).
- Molyneux P., 2004. The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakar J. sci. technol*, 26(2): 211-219.
- Nadiah N. dan Uthumporn U., 2015. Determination of phenolic and antioxidant properties in tea and spent tea under various extraction method and determination of catechins, caffeine and gallic acid by HPLC. *Behaviour*, 11: 12.
- Namita P., Mukesh R. dan Vijay K.J., 2012. *Camellia sinensis* (green tea): a review. *Global journal of pharmacology*, 6(2): 52-59.
- Nayak P.K., Dash U. dan Rayaguru K., 2016. Quality Assessment of Mustard Oil in Deep Fat Frying. *Asian Journal of Dairy Food Research International*, 35(2): 168-171.
- Nimse S.B. dan Pal D., 2015. Free radicals, natural antioxidants, and their reaction mechanisms. *RSC advances*, 5(35): 27986-28006.
- Ou B., Huang D., Hampsch-Woodill M., Flanagan J.A. dan Deemer E.K., 2002. Analysis of Antioxidant Activities of Common Vegetables Employing Oxygen Radical Absorbance Capacity (ORAC) and Ferric Reducing

- Antioxidant Power (FRAP) Assays: A Comparative Study. *Journal of agricultural food chemistry*, 50(11): 3122-3128.
- Panche A., Diwan A. dan Chandra S., 2016. Flavonoids: An Overview. *Journal of Nutritional Science*, 5.
- Pegg R.B. dan Shahidi F., 2012. Off flavors and rancidity in foods. *Handbook of meat, poultry seafood quality*: 127-139.
- Pietta P.-G., 2000. Flavonoids as Antioxidants. *Journal of Natural Products*, 63(7): 1035-1042.
- Pisoschi A.M. dan Negulescu G.P., 2011. Methods for Total Antioxidant Activity Determination: A Review. *Biochem Anal Biochem*, 1(1): 106.
- Proestos C., Sereli D. dan Komaitis M., 2006. Determination of phenolic compounds in aromatic plants by RP-HPLC and GC-MS. *Food Chemistry*, 95(1): 44-52.
- Puspitasari M., 2019. *Perbedaan Teh Varietas Assamica dan Sinensi*. Diakses pada tanggal dari: <http://balittri.litbang.pertanian.go.id/index.php/berita/info-teknologi/1024-perbedaan-teh-varietas-assamica-dan-sinensis>.
- Raaman N., 2006. *Phytochemical Techniques*. New India Publishing.
- Rahardjo A., Manaf Y., Damanik Ambarita M.T. dan Nusantoro B., 2020. *Minyak Goreng untuk Pengolahan Pangan*. Gadjah Mada University Press.
- Raharjo S., 2018. *Kerusakan Oksidatif Pada Makanan*. UGM PRESS.
- Rauf R., 2015. *Kimia pangan*.
- Richards A. dan Sebastiampillai A., 1964. A note on the identification of some TRI clones.
- Ridho E., Sari R. dan Wahdaningsih S., 2013. Uji Aktivitas Antioksidan Ekstrak Metanol Buah Lakum dengan Metode DPPH (2, 2-Difenil-1-Pikrilhidrazil). *Universitas Tanjungpura: Program Studi Farmasi Fakultas Kedokteran*.
- Rohdiana D., 2015. Teh: proses, karakteristik dan komponen fungsionalnya. *Food Review Indonesia*, 10(8): 34-37.
- Saha D. dan Tamrakar A., 2011. Xenobiotics, oxidative stress, free radicals vs. antioxidants: dance of death to heaven's life. *Asian J Res Pharm Sci*, 1(2): 36-38.
- Saklar S., Ertas E., Ozdemir I.S. dan Karadeniz B., 2015. Effects of Different Brewing Conditions on Catechin Content and Sensory Acceptance in Turkish Green Tea Infusions. *Journal of Food Science Technology*, 52(10): 6639-6646.
- Sánchez-Gimeno A., Negueruela A., Benito M., Vercet A. dan Oria R., 2008. Some physical changes in Bajo Aragón extra virgin olive oil during the frying process. *Food Chemistry*, 110(3): 654-658.
- Santoso U., 2021. *Antioksidan pangan*. UGM PRESS.
- Santoso U., Setyaningsih E. dan Cahyanto M.N., 2006. Pengaruh Pemanasan Pada Aktivitas Antioksidan Ekstrak Etanol Beberapa Varietas Ubi Jalar (*Ipomea Batatas L.*). *Agritech*, 26(4).
- Sekarini G.A., 2011. Kajian Penambahan Gula dan Suhu Penyajian Terhadap Kadar Total Fenol, Kadar Tannin (Katekin) dan Aktivitas Antioksidan pada Minuman Teh Hijau (*Camellia sinensis l.*).

- Senanayake N., 2018. Enhancing oxidative stability and shelf life of frying oils with antioxidants. *Inform Magazine*, 29: 6-13.
- Septianingrum E., Faradilla R., Ekafitri R., Murtini S. dan Penvatasari D., 2009. Kadar Fenol dan Aktivitas Antioksidan Pada Teh Hijau dan Teh Hitam Komersial. *Departemen Ilmu dan Teknologi Pangan Fakultas Teknologi Pertanian Institut Pertanian Bogor*.
- Setiaji G., 2014. Karakterisasi dan uji aktivitas antioksidan minyak hasil ekstraksi biji honje (*Etilingera elatior*).
- Seto R., Nakamura H., Nanjo F. dan Hara Y., 1997. Preparation of Epimers of Tea Catechins by Heat Treatment. *Bioscience, Biotechnology, Biochemistry*, 61(9): 1434-1439.
- Setyamidjaja D., 2000. *Teh Budidaya & Pengolahan Pascapanen*. Kanisius.
- Setyoprato P., 2014. Extraction of phenolic compounds from green tea using ethanol.
- Shahidi F. dan Wanasundara U.N., 2002. Methods for measuring oxidative rancidity in fats and oils. *Food Lipids: Chemistry, Nutrition Biotechnology*, 3: 387-403.
- Sitepoe M., 2008. *Corat-corek anak desa berprofesi ganda*. Kepustakaan Populer Gramedia.
- Sriyadi B., Suprihatini R. dan Khomaeni H.S., 2012. The development of high yielding tea clones to increase Indonesian tea production. In, *Global Tea Breeding*. Springer.
- Stuckey B., 1980. *Handbook of food additives*: CRC Press Boca Raton FL.
- Suhartina S., 2018. *Studi kualitas Fisis Minyak Goreng dan Efek bagi Kesehatan Tubuh di Kecamatan Bontonompo*. Universitas Islam Negeri Alauddin Makassar.
- Suroso A.S., 2013. Kualitas Minyak Goreng Habis Pakai Ditinjau dari Bilangan Peroksida, Bilangan Asam dan Kadar Air. *Indonesian Pharmaceutical Journal*, 3(2): 77-88.
- Susanty S. dan Bachmid F., 2016. Perbandingan metode ekstraksi maserasi dan refluks terhadap kadar fenolik dari ekstrak tongkol jagung (*Zea mays L.*). *Jurnal Konversi*, 5(2): 87-92.
- Syah A., 2006. Taklukan Penyakit dengan Teh Hijau. *Agromedia Pustaka. Jakarta*, 4.
- Taghvaei M. dan Jafari S.M., 2015. Application and stability of natural antioxidants in edible oils in order to substitute synthetic additives. *Journal of food science technology*, 52(3): 1272-1282.
- Tamrin H., Yuwono S.S., Estiasih T. dan Santoso U., 2012. The Change of Catechin Antioxidant During Vacuum Roasting of Cocoa Powder. *Nutr Food Sci*, 2(174): 2.
- Togo H., 2004. *Advanced free radical reactions for organic synthesis*. Elsevier.
- Ulandari D.A.T., Nociantri K.A. dan Arihantana N.M.I.H., 2019. Pengaruh Suhu Pengeringan Terhadap Kandungan Komponen Bioaktif dan Karakteristik Sensoris Teh White Peony. *Jurnal Ilmu dan Teknologi Pangan*, 8(1): 36-47.
- Wang R., Zhou W. dan Jiang X., 2008. Reaction Kinetics of Degradation and Epimerization of Epigallocatechin Gallate (EGCG) in Aqueous System

- Over a Wide Temperature Range. *Journal of agricultural food chemistry*, 56(8): 2694-2701.
- Waterman P.G. dan Mole S., 1994. *Analysis of phenolic plant metabolites*. Blackwell Scientific.
- Watson C.A., 1994. *Official and standardized methods of analysis*. Royal Society of Chemistry.
- Widyastuti N.J.D.K.F.M.d.I.P.A.B.I., 2010. Pengukuran aktivitas antioksidan dengan metode CUPRAC, DPPH, dan FRAP serta korelasinya dengan fenol dan flavonoid pada enam tanaman.
- Winarno F., 2004. *Kimia Pangan dan Gizi*. PT. Gramedia Pustaka Utama, Jakarta.
- Witkowski E. dan Lamont B.B., 1991. Leaf Specific Mass Confounds Leaf Density and Thickness. *Oecologia*, 88(4): 486-493.
- Wulandari I.M., 2007. *Formulasi Tablet Hisap Ekstrak Teh Hijau dengan Basis Sorbitol: Pengaruh Kadar Pengikat atil Selulose Terhadap Mutu Fisik Tablet*. UNIVERSITAS AIRLANGGA.
- Wulansari A.N., 2018. Alternatif Cantigi Ungu (*Vaccinium varigiaefolium*) Sebagai Antioksidan. *Farmaka*, 16(2).
- Yahya A.-H., Chong G.-H. dan Tan C.-P., 2014. The phytochemical properties of a new citrus hybrid (*Citrus hystrix* × *Citrus microcarpa*). *Science Asia*, 40: 121-124.
- Yamaguchi T., Takamura H., Matoba T. dan Terao J., 1998. HPLC Method for Evaluation of The Free Radical-Scavenging Activity of Foods by Using 1,1-diphenyl-2-picrylhydrazyl. *Bioscience, Biotechnology, Biochemistry*, 62(6): 1201-1204.
- Yeum K.-J., Beretta G., Krinsky N.I., Russell R.M. dan Aldini G., 2009. Synergistic interactions of antioxidant nutrients in a biological model system. *Nutrition*, 25(7-8): 839-846.
- Yeum K.-J., Russell R.M., Krinsky N.I. dan Aldini G., 2004. Biomarkers of antioxidant capacity in the hydrophilic and lipophilic compartments of human plasma. *Archives of Biochemistry Biophysics*, 430(1): 97-103.
- Zhang H., Jiang L., Ye S., Ye Y. dan Ren F., 2010. Systematic evaluation of antioxidant capacities of the ethanolic extract of different tissues of jujube (*Ziziphus jujuba* Mill.) from China. *Food Chemical Toxicology*, 48(6): 1461-1465.
- Zhang Q.-W., Lin L.-G. dan Ye W.-C., 2018. Techniques for Extraction And Isolation of Natural Products: A Comprehensive Review. *Chinese Medicine*, 13(1): 1-26.