

DAFTAR PUSTAKA

- Altimiras, P., Pyle, L., & Bouchon, P. (2007). Structure-fat migration relationships during storage of cocoa *butter* model bars: Bloom development and possible mechanisms. *Journal of Food Engineering*, 80(2), 600–610. <https://doi.org/10.1016/j.jfoodeng.2006.06.022>
- Association of Official Analytical Chemist[AOAC]. (2005). *Official Methods of Analysis (18 Edn)*. Mayland, USA: Association of Official Analytical Chemist Inc.
- Azlan, A., Prasad, K., Khoo, H., Abdul-Aziz, N., A, M., Ismail, A., & Amom, Z. (2010). Comparison of fatty acids, vitamin E, and physicochemical properties of *Canarium odonto phyllum* Miq. (dabai), olive, and palm oils. *Journal of Food Composition and Analysis*, 23, 772–776. <https://doi.org/10.1016/j.jfca.2010.03.026>
- Badan Pengawas Obat dan Makanan RI. (2019). *Peraturan Badan Pengawas Obat dan Makanan Nomor 11 Tahun 2019*. Jakarta.
- Badan Standarisasi Nasional. (1998). *Pasta Cokelat SNI 01-4458-1998*. Jakarta: Badan Standarisasi Nasional.
- Bascuas, S., Espert, M., Llorca, E., Quiles, A., Salvador, A., & Hernando, I. (2020). Structural and sensory studies on chocolate spreads with hydrocolloid-based oleogels as a fat alternative. *LWT - Food Science and Technology*, 135, 110228. <https://doi.org/10.1016/j.lwt.2020.110228>
- Blake, A., Co, E., & Marangoni, A. (2014). Structure and physical properties of plant wax crystal networks and their relationship to oil binding capacity. *Journal of the American Oil Chemists' Society*, 91, 885–903.
- Bouaziz, M. A., Abbes, F., Mokni, A., Blecker, C., Attia, H., & Besbes, S. (2017). The addition effect of Tunisian date seed fibers on the quality of chocolate spreads. *Journal of Texture Studies*, 48(2), 143–150. <https://doi.org/10.1111/jtxs.12225>
- Chaves, K. F., Barrera-Arellano, D., & Ribeiro, A. P. B. (2018). Potential application of lipid organogels for food industry. *Food Research International*, 105(October 2017), 863–872. <https://doi.org/10.1016/j.foodres.2017.12.020>
- Choo, YM, Yap, S., CK, O., Ong, A., & Goh, S. (1992). Production of Palm Oil Carotenoid Concentrate and its Potential Application in Nutrition. In *Lipid-Soluble Antioxidants* (pp. 243–254). Basel: Birkhauser Verlag.

- da Silva, T. L. T., Arellano, D. B., & Martini, S. (2019). Interactions between candelilla wax and saturated triacylglycerols in oleogels. *Food Research International*, 121(July 2018), 900–909. <https://doi.org/10.1016/j.foodres.2019.01.018>
- Dassanayake, L. S. K., Kodali, D. R., & Ueno, S. (2011). Formation of oleogels based on edible lipid materials. *Current Opinion in Colloid and Interface Science*, 16(5), 432–439. <https://doi.org/10.1016/j.cocis.2011.05.005>
- Davidovich-Pinhas, M. (2018). Oleogels. *Polymeric Gels*, 231–249. <https://doi.org/10.1016/b978-0-08-102179-8.00008-9>
- Deng, Y., Peng, C., Dai, M., Lin, D., Ali, I., Alhewairini, S., ... Naz, I. (2020). Recent development of super-wettable materials and their applications in oil-water separation. *Journal of Cleaner Production*, 266(art), no. 121624. <https://doi.org/10.1016/j.jclepro.2020.121624>
- Dipowaseso, D. A., Nurwantoro, N., & Hintono, A. (2018). Karakteristik fisik dan daya oles selai kolang-kaling yang dibuat melalui substitusi pektin dengan Modified Cassava Flour (MOCFAF) sebagai bahan pengental. *Jurnal Teknologi Pangan*, 2(1), 1–7. Retrieved from <https://ejournal3.undip.ac.id/index.php/tekpangan/article/view/20680>
- Doan, C. D., Patel, A. R., Tavernier, I., De Clercq, N., Van Raemdonck, K., Van de Walle, D. (2016). The feasibility of wax-based oleogel as a potential co-structurant with palm oil in low-saturated fat confectionery fillings. *European Journal of Lipid Science and Technology*, 118(12), 1903–1914. <https://doi.org/10.1002/ejlt.201500172>
- Domingues, M. A. F., Da Silva, T. L. T., Ribeiro, A. P. B., Chiu, M. C., & Gonçalves, L. A. G. (2018). Structural characteristics of crystals formed in palm oil using sorbitan tristearate and sucrose stearate. *International Journal of Food Properties*, 21(1), 618–632. <https://doi.org/10.1080/10942912.2018.1440237>
- El-Hadad, N., MM, Y., MH, A. E.-A., & HH, A.-G. (2011). The utilization of red palm olein in formulating functional chocolate spread. *Food Chemistry*, 124, 285–290. <https://doi.org/10.1016/j.foodchem.2010.06.034>
- Elfadina, E. A. (2020). Kondisi Minyak Sawit Tahun 2021, Begini Proyeksinya. *WartaEkonomi.Co.Id*. Retrieved from <https://www.wartaekonomi.co.id/read318543/kondisi-minyak-sawit-tahun-2021-begini-proyeksinya>
- Fayaz, G., Goli, S. A. H., Kadivar, M., Valoppi, F., Barba, L., Calligaris, S., & Nicoli, M. C. (2017). Potential application of pomegranate seed oil oleogels based on monoglycerides, beeswax and propolis wax as partial substitutes of

palm oil in functional chocolate spread. *LWT - Food Science and Technology*, 86, 523–529. <https://doi.org/10.1016/j.lwt.2017.08.036>

Fitriani, Nur U. A., Yusuf, M., Pirman, Syahriati, & Rahmiah, S. (2020). Physicochemical, antioxidant and sensory properties of chocolate spread fortified with jackfruit (*Artocarpus heterophyllus*) flour. *Food Research*, 4(6), 2147–2155. [https://doi.org/10.26656/fr.2017.4\(6\).262](https://doi.org/10.26656/fr.2017.4(6).262)

Fitriyono, Ayustaningwarno. (2012). Proses Pengolahan Dan Aplikasi Minyak Sawit Merah Pada Industri Pangan. *Vitasphere*, II, 1–11.

Godoi, K. R. R. de, Basso, R. C., Ming, C. C., da Silva, A. Á., Cardoso, L. P., & Ribeiro, A. P. B. (2020). Crystallization, microstructure and polymorphic properties of soybean oil organogels in a hybrid structuring system. *Food Research International*, 137(March), 109460. <https://doi.org/10.1016/j.foodres.2020.109460>

Godoi, K. R. R. de, Basso, R. C., Ming, C. C., Silva, V. M. da, Cunha, R. L. da, Barrera-Arellano, D., & Ribeiro, A. P. B. (2019). Physicochemical and rheological properties of soybean organogels: Interactions between different structuring agents. *Food Research International*, 124(April 2018), 108475. <https://doi.org/10.1016/j.foodres.2019.05.023>

HA, H., & Ijah. (2018). Peningkatan Kesukaan Minyak Sawit Merah dengan Penambahan Minyak Nabati atau Flavor dan Stabilitasnya Dalam Penggorengan Berulang. *Jurnal Penelitian Kelapa Sawit*, 26(1), 1–9.

Harahap, I. S., Wahyuningsih, P., & Amri, Y. (2020). Analisa Kandungan Beta Karoten Pada Cpo (Crude Palm Oil) Di Pusat Penelitian Kelapa Sawit (Ppks) Medan Menggunakan Spektrofotometri Uv-Vis. *QUIMICA: Jurnal Kimia Sains Dan Terapan*, 2(1), 9–13. <https://doi.org/10.33059/jq.v2i1.2616>

Hasibuan, H. A. (2012). Kajian Mutu dan Karakteristik Minyak Sawit Indonesia serta Produk Fraksinasinya. *Jurnal Standardisasi*, 14, 13–21.

Hasibuan, H., & R. Meilano. (2018). Penggunaan Minyak Sawit Merah dalam Pembuatan Sambal Cabai Merah Tumis. *Jurnal Teknologi Pertanian*, 19(2), 95–106.

Hasibuan, Hasrul Abdi, Akram, A., Putri, P., Mentari, E. C., & Rangkuti, B. T. (2018). *Pembuatan margarin dan baking shortening berbasis minyak sawit merah dan aplikasinya dalam produk bakery*. 38(4), 353–363.

Hassim, N. A. M., & Ismail, N. H. (2018). Palm Fractions and Phytonutrients in Chocolate Spread. *Palm Oil Developments*, 68(June 2018), 5–8.

Husin, H. (2012). KATALIS BIMETAL Cu-Cr/DIATOMEA UNTUK HIDROGENASI MINYAK SAWIT. *Jurnal Teknologi Dan Industri*

Pertanian Indonesia, 4(2).

Hwang, H., Kim, S., Singh, M., Winkler-Moser, J., & Liu, S. (2012). Organogel formation of soybean oil with waxes. *Journal of the American Oil Chemists' Society*, 89, 639–647.

ICAM. (2008). *Technical bulletin* (42/001A). Italy: Lecco.

Idris, M. (2020). Deretan Daerah dengan Lahan Sawit Terluis, Siapa Juaranya? *KOMPAS.Com*. Retrieved from <https://money.kompas.com/read/2020/02/01/164000226/deretan-daerah-dengan-lahan-sawit-terluis-siapa-juaranya-?page=all>

Isyanti, M., Sudibyo, A., Supriatna, D., & Suherman, H. (2015). Penggunaan Berbagai Cocoa Butter Substitute (CBS) Hasil Hidrogenasi dalam Pembuatan Cokelat Batangan. *Warta IHP/ Journal of Agro-Based Industry*, 32(1), 33–44.

Kim, J. Y., Lim, J., Lee, J. H., Hwang, H. S., & Lee, S. (2017). Utilization of Oleogels as a Replacement for Solid Fat in Aerated Baked Goods: Physicochemical, Rheological, and Tomographic Characterization. *Journal of Food Science*, 82(2), 445–452. <https://doi.org/10.1111/1750-3841.13583>

Kistianna, I., Wahyu T., E., Astuti, F., Lasma R., G., & Apriana, I. (2019). Penggunaan Organogel dan Monogliserida serta Pitosterol sebagai Pengganti Asam Lemak Hewani dalam Produk Sosis Olahan Daging. *Seminar Nasional Kimia 2018*, 4, 73–81. <https://doi.org/10.1080/0034408630580209>

Kupan, S., Hamid, H., Kulkarni, A., & Yusoff, M. (2016). Extraction and Analysis of Beta-carotene Recovery in CPO and Oil Palm Waste by Using HPLC. *ARPN Journal of Engineering and Applied Sciences*, 11(4), 2184–2188.

Lee, W., CP, T., R, S., RL, S. J., & GH, C. (2018). Microencapsulation of red palm oil as an oil-in-water emulsion with supercritical carbon dioxide solution-enhanced dispersion. *Journal of Food Engineering*, 222, 100–109. <https://doi.org/10.1016/j.jfoodeng.2017.11.011>.

Li, L., & Liu, G. (2019). Corn oil-based oleogels with different gelation mechanisms as novel cocoa butter alternatives in dark chocolate. *Journal of Food Engineering*, 263(June), 114–122. <https://doi.org/10.1016/j.jfoodeng.2019.06.001>

Limbarido, R. P., Santoso, H., & Witono, J. R. (2017). The effect of coconut oil and palm oil as substituted oils to cocoa butter on chocolate bar texture and melting point. *AIP Conference Proceedings*, 1840. <https://doi.org/10.1063/1.4982281>

- Loppies, J. E., Ristanti, E. Y., Ramlah, S., Lullung S, A., & Amalia, A. N. (2016). Karakteristik Oleogel dari Minyak Nabati Menggunakan Lilin Lebah Dan Lemak Kakao Sebagai Oleogelator. *Jurnal Industri Hasil Perkebunan*, 33–43.
- Lupi, F. R., Gabriele, D., Facciolo, D., Baldino, N., Seta, L., & de Cindio, B. (2012). Effect of organogelator and fat source on rheological properties of olive oil-based organogels. *Food Research International*, 46(1), 177–184. <https://doi.org/10.1016/j.foodres.2011.11.029>
- Malaysian Palm Oil Board. (2017). *Pocketbook of Palm Oil Uses* (7th ed.).
- Manzocco, L., Calligaris, S., Camerin, M., Pizzale, L., & Nicoli, M. C. (2014). Prediction of firmness and physical stability of low-fat chocolate spreads. *Journal of Food Engineering*, 126, 120–125.
- Martins, A. J., Cerqueira, M. A., Pastrana, L. M., Cunha, R. L., & Vicente, A. A. (2019). Sterol-based oleogels' characterization envisioning food applications. *Journal of the Science of Food and Agriculture*, 99(7), 3318–3325. <https://doi.org/10.1002/jsfa.9546>
- Martins, I. S. (2017). *Oleogelation as a strategy to prevent migration-induced fat bloom*.
- Meng, Z., Qi, K., Guo, Y., Wang, Y., & Liu, Y. (2018). Macro-micro structure characterization and molecular properties of emulsion-templated polysaccharide oleogels. *Food Hydrocolloids*, 77, 17–29. <https://doi.org/10.1016/j.foodhyd.2017.09.006>
- Mert, B., & Demirkesen, I. (2016). Reducing saturated fat with oleogel/shortening blends in baked product. *Food Chem.*, 199, 809–816.
- Mezzomo, N., & Ferreira, S. R. S. (2016). Carotenoids functionality, sources, and processing by supercritical technology: A review. *Journal of Chemistry*, 2016. <https://doi.org/10.1155/2016/3164312>
- Mohanty, B., Pal, K., Quereschi, D., Nayak, S. K., Rathnam, V. S. S., Banerjee, I., ... Rout, S. K. (2020). Oleogels Based on Palmitic Acid and Safflower Oil: Novel Formulations for Ocular Drug Delivery of Voriconazole. *European Journal of Lipid Science and Technology*, 122(4), 1–15. <https://doi.org/10.1002/ejlt.201900288>
- Muhammadiyah, A. A. (2017). *Evaluasi Karakteristik Fisik dan Kimia Lemak Kakao (Kajian: Asal Biji, Suhu, dan Lama Penyangraian)*. Universitas Brawijaya.
- Mursalin, M. (2018). Engineering Process Of Deodorization To Improve Product Quality Of Red Palm Oil With Rich Of Carotene. *Indonesian Food Science*

and *Technology Journal*, 1(1), 20–26.
<https://doi.org/10.22437/iftj.v1i1.5014>

National Center for Biotechnology Information. (2021a). PubChem Compound Summary for CID 12410, Hentriacontane. Retrieved June 4, 2021, from pubchem.ncbi.nlm.nih.gov website:
<https://pubchem.ncbi.nlm.nih.gov/compound/Hentriacontane>.

National Center for Biotechnology Information. (2021b). PubChem Compound Summary for CID 5460048, Triglyceride. Retrieved June 4, 2021, from pubchem.ncbi.nlm.nih.gov website:
<https://pubchem.ncbi.nlm.nih.gov/compound/Triglyceride>.

National Institutes of Health. (2021). Vitamin A: Fact Sheet for Health Professionals. Retrieved from Office of Dietary Supplements website:
<https://ods.od.nih.gov/factsheets/VitaminA-HealthProfessional/>

Nikiforidis, C., Gilbert, E., & Scholten, E. (2015). Organogel Formation Via Supramolecular Assembly of Oleic Acid & Sodium Oleate. *Rsc Advances*, 5(59), 47466–47475. <https://doi.org/10.1039/c5ra05336f>

Nurhasanah, S., Wulandari, N. U. R., Munarso, S. J., & Hariyadi, P. (2017). *SINTESIS DAN POTENSI APLIKASI LIPIDA TERSTUKTUR BERBASIS MINYAK KELAPA DAN MINYAK KELAPA SAWIT UNTUK INDUSTRI PANGAN FUNGSIONAL*. 16(2), 111–121.
<https://doi.org/http://dx.doi.org/10.21082/psp.v16n2.2017>

Nursamsul, I. M. (2016). *Pengaruh variasi jumlah lemak kakao dan palm stearin yang ditambahkan terhadap sifat fisik dan sensoris cokelat batang*. Universitas Gadjah Mada.

O'Brien, R. (2008). *Oils and fats: Formulating and processing for applications*. New York.

O'Sullivan, C. M., Barbut, S., & Marangoni, A. G. (2016). Edible oleogels for the oral delivery of lipid soluble molecules: Composition and structural design considerations. *Trends in Food Science and Technology*, 57, 59–73.
<https://doi.org/10.1016/j.tifs.2016.08.018>

Ögütçü, M., & Yilmaz, E. (2014). Oleogels of virgin olive oil with carnauba wax and monoglyceride as spreadable products. *Grasas Aceites*, 65(3), e040.
<https://doi.org/10.3989/gya.0349141>

Patel, A., Rajarethinam, P. S., Gredowska, A., Turhan, O., Lesaffer, A., De Vos, W. H., & Dewettinck, K. (2014). Edible applications of shellac oleogels: spreads, chocolate paste and cakes. *Food Function*, 5(4), 645–652.

Patel, A., Schatteman, D., De Vos, W., Lesaffer, A., & Dewettinck, K. (2013).

Preparation and rheological characterization of shellac oleogels and oleogel-based emulsions. *J. Colloid and Interf. Sci.*, 411, 114–121.

Patel AR, Barbaahmadi, M., Lesaffer, A., & Dewettinck, K. (2015). Rheological profiling of organogels prepared at critical gelling concentration of natural waxes in a triacylglycerol solvent. *Journal of Agricultural Food Chemistry*, 63, 4862–4869.

Pehlivanoglu, H., Demirci, M., Toker, O. S., Konar, N., Karasu, S., & Sagdic, O. (2018). Oleogels, a promising structured oil for decreasing saturated fatty acid concentrations: Production and food-based applications. *Critical Reviews in Food Science and Nutrition*, 58(8), 1330–1341. <https://doi.org/10.1080/10408398.2016.1256866>

Pernetti, M., van Malssen, K., Floter, E., & Bot, A. (2007). Structuring of edible oils by alternatives to crystalline fat. *Current Opinion in Colloid & Interface Science*, 12(4–5), 221–231.

Phoon, K., Ng, H., Zakaria, R., Yim, H., & Mokhtar, M. (2018). Enrichment of minor components from crude palm oil and palm-pressed mesocarp fiber oil via sequential adsorption-desorption strategy. *Industrial Crops and Products*, 113, 187–195. <https://doi.org/10.1016/j.indcrop.2018.01.039>

Popov-Raljić, J. V., Laličić-Petronijević, J. G., Dimić, E. B., Popov, V. S., Vujasinović, V. B., Blešić, I. V., & Portić, M. J. (2013). Change of sensory characteristics and some quality parameters of mixed milk and cocoa spreads during storage up to 180 days. *Hemijaska Industrija*, 67(5), 781–793. <https://doi.org/10.2298/HEMIND120903004P>

Pourfarzad, A., & Kisomi, R. S. (2020). Effect of lecithin and mono- And di-glycerides on quality and shelf life of hazelnut butter: Chemometric approach. *Polish Journal of Food and Nutrition Sciences*, 70(4), 399–408. <https://doi.org/10.31883/pjfn/129719>

Purnama, K. O., Setyaningsih, D., Hambali, E., & Taniwiryono, D. (2020). Processing, Characteristics, and Potential Application of Red Palm Oil - A review. *International Journal of Oil Palm*, 3(2), 40–55. <https://doi.org/10.35876/ijop.v3i2.47>

Puscas, A., Muresan, V., Socaciu, C., & Muste, S. (2020). Oleogels in food: A review of current and potential applications. *Foods*, 9(1), 1–27. <https://doi.org/10.3390/foods9010070>

Radočaj, O. F., Dimić, E. B., & Vujasinović, V. B. (2011). Optimization of the texture of fat-based spread containing hullless pumpkin (*Cucurbita pepo* L.) seed press-cake. *Acta Periodica Technologica*, 42, 131–143. <https://doi.org/10.2298/APT1142131R>

- Ristanti, E. Y., Loppies, J. E., Ramlah, S., Wahyuni, & Ariyanti, M. (2018). Preparation of restructured palm oil for industrial specialty fat using beeswax-cocoa butter as oleogelator. *AIP Conference Proceedings*, 2049(December). <https://doi.org/10.1063/1.5082417>
- Riyadi, AH., TR, Muchtadi., N, Andarwulan., T, H. (2016). Pilot plant study of red palm oil deodorization using moderate temperature. *Agriculture and Agricultural Science Procedia*, 9, 209–216. <https://doi.org/10.1016/j.aaspro.2016.02.129>
- Rochmah, M. M., Ferdiansyah, M. K., & Nurdyansyah, F. (2019). Pengaruh Penambahan Hidrokoloid dan Konsentrasi Sukrosa terhadap Karakteristik Fisik dan Organoleptik Selai Lembaran Pepaya (*Carica papaya* L.). 7(4), 42–52.
- Rodríguez-Hernández, A. K., Pérez-Martínez, J. D., Gallegos-Infante, J. A., Toro-Vazquez, J. F., & Ornelas-Paz, J. J. (2021). Rheological properties of ethyl cellulose-monoglyceride-candelilla wax oleogel vis-a-vis edible shortenings. *Carbohydrate Polymers*, 252(October 2020). <https://doi.org/10.1016/j.carbpol.2020.117171>
- Saini, R. K., Nile, S. H., & Park, S. W. (2015). Carotenoids from fruits and vegetables: Chemistry, analysis, occurrence, bioavailability and biological activities. *Food Research International*, 76, 735–750. <https://doi.org/10.1016/j.foodres.2015.07.047>
- Sampebarra, A. L., Khaerunnisa, Ristanti, E. Y., & Asriati, D. W. (2019). Karakteristik Cokelat Spread Dengan Penambahan Oleogel Dari Oleogator Lemak Kakao. *Jurnal Industri Hasil Perkebunan*, 14(2), 24–32. <https://doi.org/10.33104/jihp.v14i2.5387>
- Sánchez-Becerril, M., Marangoni, A. G., Perea-Flores, M. J., Cayetano-Castro, N., Martínez-Gutiérrez, H., Andraca-Adame, J. A., & Pérez-Martínez, J. D. (2018). Characterization of the micro and nanostructure of the candelilla wax organogels crystal networks. *Food Structure*, 16(October 2017), 1–7. <https://doi.org/10.1016/j.foostr.2018.02.001>
- Santos, C. S. dos, Kanup, R. F., Albuquerque, M. A. C., Bedani, R., Souza, C. H. B. de, Gioielli, L. A., ... Ract, J. N. R. (2020). Effect of enzymatic interesterification on the textural and nutritional properties of a probiotic table spread containing milk fat. *LWT - Food Science and Technology*, 124(August 2019), 109129. <https://doi.org/10.1016/j.lwt.2020.109129>
- Sinaga, A. G. S., Siahaan, D., & Sinaga, K. R. (2018). Potensi Minyak Sawit Merah Dan Karotenoid Sebagai Suplemen Antioksidan Dalam Pengujian Toleransi Glukosa Pada Tikus Putih (Preliminary Study). *Talenta Conference Series: Tropical Medicine (TM)*, 1(1), 251–256.

<https://doi.org/10.32734/tm.v1i1.84>

- Soleimanian, Y., Goli, S. A. H., Shirvani, A., Elmizadeh, A., & Marangoni, A. G. (2020). Wax-based delivery systems: Preparation, characterization, and food applications. In *Comprehensive Reviews in Food Science and Food Safety* (Vol. 19). <https://doi.org/10.1111/1541-4337.12614>
- Sugiyono, Wibowo, M., Soekopitojo, S., & Wulandari, N. (2012). Pembuatan Bahan Baku Spreads Kaya Karoten Dari Minyak Sawit Merah Melalui Interesterifikasi Enzimatis Menggunakan Reaktor Batch. *Jurnal Teknologi Dan Industri Pangan*, 23(2), 117–125. <https://doi.org/10.6066/jtip.2012.23.2.117>
- Sumarna, D, LS, W., & H. Suprpto. (2017). Studi karakteristik minyak sawit merah dari pengolahan konvensional CPO (Crude palm oil). *Jurnal Teknologi Pertanian Universitas Mulawarman*, 12(2), 35–38.
- Sumarna, Deny & Mulawarman, U. (2019). *STUDI METODE PENGOLAHAN MINYAK SAWIT MERAH (Red Palm Oil) DARI*. (August).
- Sundram, K., Karupaiah, T., & Hayes, K. C. (2007). Stearic acid-rich interesterified fat and In, trans-rich fat raise the LDL/HDL ratio and plasma glucose relative to palm olein humans. *Nutrition & Metabolism*, 4(1), 3. <https://doi.org/https://doi.org/10.1186/1743-7075-4-3>
- Tavernier, I., Doan, C. D., Van der Meeren, P., Heyman, B., & Dewettinck, K. (2018). The Potential of Waxes to Alter the Microstructural Properties of Emulsion-Templated Oleogels. *European Journal of Lipid Science and Technology*, 120(3). <https://doi.org/10.1002/ejlt.201700393>
- Toro-Vazquez, J. F., Charó-Alonso, M. A., Pérez-Martínez, J. D., & Morales-Rueda, J. A. (2011). Candelilla Wax as an Organogelator for Vegetable Oils- An Alternative to Develop Trans-free Products for the Food Industry. In *Edible Oleogels: Structure and Health Implications* (Second Edi). <https://doi.org/10.1016/B978-0-9830791-1-8.50009-7>
- Wahyuni, S., & Dhora, A. (2019). *SAPONIFIKASI-NETRALISASI ASAM OLEAT MINYAK SAWIT MENJADI FOAMING AGENT RAMAH LINGKUNGAN*. 29(3), 317–326. <https://doi.org/10.24961/j.tek.ind.pert.2019.29.3.3173>
- Wang, H., & Maleky, F. (2018). Effects of cocoa butter triacylglycerides and minor compounds on oil migration. *Food Research International*, 106(December 2017), 213–224. <https://doi.org/10.1016/j.foodres.2017.12.057>
- Wibisono, A., Lestari, N., & Isyanti, M. (2015). Pengaruh Variasi Komposisi Lemak Cokelat , Olein Sawit dan Minyak Ikan Patin terhadap Kandungan

Nutrisi Cokelat Oles The Effects of Cocoa *Butter* , Palm Olein and Catfish Oil Composition Variation on The Nutritional Value of Chocolate Spread. *Journal of Agro-Based Industry*, 32(2), 51–61.

Widarta, I. W. R., Andarwulan, N., & Haryati, T. (2012). Optimasi Proses Deasidifikasi Dalam Pemurnian Minyak Sawit Merah Skala Pilot Plant. *Jurnal Teknologi Dan Industri Pangan*, 13(1), 41–46.

Widiastuti, A., & Judiono, J. (2018). Pengaruh Substitusi Sari Kacang Komak (Lablab Purpureus (L.) Sweet) Dan Susu Skim Terhadap Sifat Organoleptik, Nilai pH, Dan Total Bakteri Asam Laktat Yoghurt Kacang Komak. *Media Gizi Indonesia*, 12(1), 72. <https://doi.org/10.20473/mgi.v12i1.72-79>

Wijaya, W., Sun, Q. Q., Vermeir, L., Dewettinck, K., Patel, A. R., & Van der Meeren, P. (2019). pH and protein to polysaccharide ratio control the structural properties and viscoelastic network of HIPE-templated biopolymeric oleogels. *Food Structure*, 21(April), 100112. <https://doi.org/10.1016/j.foostr.2019.100112>

Winkler-Moser, J. K., Anderson, J., Felker, F. C., & Hwang, H. S. (2019). Physical Properties of Beeswax, Sunflower Wax, and Candelilla Wax Mixtures and Oleogels. *JAOCs, Journal of the American Oil Chemists' Society*, 96(10), 1125–1142. <https://doi.org/10.1002/aocs.12280>

Yuliasari, S., Fardiaz, D., Andarwulan, N., & Yuliani, S. (2016). *KARAKTERISTIK ENKAPSULAT MINYAK SAWIT MERAH DENGAN PENGAYAAN β -KAROTEN*. 107–116.

Zevenbergen, H., de Bree, A., Zeelenberg, M., Laitinen, K., van Duijn, G., & Flöter, E. (2009). Foods with a high fat quality are essential for healthy diets. *Annals of Nutrition & Metabolism*, 54 Suppl 1(Suppl. 1), 15–24. <https://doi.org/https://doi.org/10.1159/000220823>