

DAFTAR PUSTAKA

- Adetutu, A, Olorunnisola, O. S., Owoade. O. A. 2015. Nutritive values and antioxidant activity of *Cintrullus lanatus* fruit extract. *Food and Nutrition Science*. 6: 1056 – 1064
- Aewsiri, T., Benjakul, S., Visessanguan, W., Eun, J.-B., Wierenga, P. A., Gruppen, H. 2009. Antioxidative activity and emulsifying properties of cuttlefish skin gelatin modified by oxidised phenolic compounds. *Food Chemistry*. 117:160 – 168.
- Agustin, A. T. 2013. Gelatin ikan: sumber, komposisi kimia, dan potensi pemanfaatannya. *Jurnal Media Teknologi Hasil Perikanan*. 1(2): 44 – 46
- Ajizah, A. 2004. Sensitivitas *Salmonella typhimurium* terhadap ekstrak daun *Psidium guajava* L. *Bioscientiae*. 1(1): 31 – 38
- Amankwaah, C., Jianrong Li, Jaesung Lee, Pascall, M. A. 2020. Antimicrobial activity of chitosan-based films enriched with green tea extracts on murine norovirus, *Escherichia coli*, and *Listeria innocua*. *International Journal of Food Science*. 2020: 1 – 9
- Andrade, R. D., Skurtys, O., Osorio, F., Zuluaga, R., Gañán, P., Castro, C. 2014. Rheological and physical properties of gelatin suspensions containing cellulose nanofibers for potential coatings. *Food Science and Technology International*. 21(5): 332 – 341
- Anwar. 2017. Pembuatan dan Karakterisasi Gelatin Taut Silang dari Limbah Kulit dan Tulang Sapi. Skripsi. Makassar: Fakultas Kedokteran dan Ilmu Kesehatan Universitas Islam Negeri Alauddin
- AOAC. 1984. *Official Methods of Analysis*. Washington DC: Association of Official Analytical Chemist Inc

- Apriyatna, D. 2014. Kombinasi Pelapis Gelatin Ikan dan Penyimpanan Dingin untuk Mempertahankan Mutu Buah Melon (*Cucumis melo* L.) Terolah Minimal. *Skripsi*. Bogor: Fakultas Teknologi Pertanian Institut Pertanian Bogor
- Badawy, M. E. I., Rabea, E. I., Mahmoud, A., El-Nouby, M., Ismail, R. I. A., Taktak, N. E. M. 2016. Strawberry shelf life, composition, and enzymes activity in response to edible chitosan coatings. *International Journal of Fruit Science*, 17(2): 117 – 136
- Bakhtiar, M. A. H. 2009. Pengaruh Cara dan Lama Penyimpanan Dingin terhadap Kandungan Vitamin C dan Aktivitas Antioksidan Cabai Merah (*Capsicum annum* L.). *Skripsi*. Malang: Fakultas Sains Teknologi Universitas Islam Negeri Malang
- Baldwin, E. A. 1994. *Edible Coatings for Fresh Fruits and Vegetables: Past, Present, and Future*. Di dalam: Krochta, J. M., Baldwin, E. A., Carriedo, M. O. N. *Edible Coatings and Films to Improve Food Quality*. Pennsylvania: Technomic Company Inc. Halaman 25 – 64
- Bayu, M. K., Rizqiati, H., Nurwantoro. 2017. Analisis total padatan terlarut, keasaman, kadar lemak, dan tingkat viskositas pada kefir optima dengan lama fermentasi yang berbeda. *Teknologi Pangan*. 1(2): 33 – 38
- Beaulieu, J. C. 2006. Effect of cutting and storage on acetate and nonacetate esters in convenient, ready-to-eat fresh-cut melons and apples. *John Hort Science* 41(1):14 – 19.
- [BMKG] Badan Meteorologi Klimatologi dan Geofisika. 2017. Tren konsumsi dan produksi buah dan sayur. *Buletin Pemantauan Ketahanan Pangan Indonesia*. 8:1 – 24

- Bolin, H. R. dan Huxsoll, C. C. 1989. Storage stability of minimally processed fruits. *Food Processing and Preservation*. 13(4): 281 – 292
- Bonilla, J. dan Sobral, P. J. A. 2016. Food bioscience investigation of the physicochemical, antimicrobial, and antioxidant properties of gelatin-chitosan edible film mixed with plant ethanolic extracts. *Food Bioscience*. 16: 17 – 25
- [BPS] Badan Pusat Statistik. 2017. *Statistik Buah-buahan dan Sayuran Tahunan Indonesia 2017*. Jakarta: Badan Pusat Statistik Jakarta
- Buta, J. G. dan Moline, H. E. 1998. Methyl jasmonate extends shelf life and reduces microbial contamination of fresh-cut celery and peppers. *Journal of Agricultural and Food Chemistry*. 46(4): 1253 – 1256
- Cho, S.M., Gu, Y.S., Kim, S.B. 2005. Extracting optimization and physical properties of yellowfin tuna (*Thunnus albacares*) skin gelatin compared to mammalian gelatins. *Food Hydrocolloids*. 19:221 – 229
- Choo, W. S. dan Sin, W. Y. 2012. Ascorbic acid, lycopene, and antioxidant activities of red-fleshed and yellow-fleshed watermelons. *Advances in Applied Science Research*. 3(5): 2779 – 2784
- Daniel, A. A., Danfulani, S., Barnabas, B. B., Peter, G., Ajewole, A. E. 2014. Microbiological quality of sliced fresh fruits sold in Bida, Nigeria. *Global Journal of Biology, Agriculture, and Health Sciences*. 3(3): 178 – 180
- Demarty, M., Morvan, C., Thellier, M. 1984. Calcium and the cell wall. Di dalam: Ngamchuachit, P., Sivertsen, H. K. Mitcham, E. J., Barrett, D.M. 2014. Effectiveness of calcium chloride and calcium lactate in maintenance of textural and sensory qualities of fresh-cut mangos. *Food Science*. 79(5): 786 – 794

- Donhowe-Irene, G. dan O.R. Fennema. 1994. Edible Films and Coating Characterisrtics, Formations, Definitions and Testing Methods. Di dalam: Krochta, J. M., Baldwin, E. A., Carriedo, M. O. N. *Edible Coatings and Films to Improve Food Quality*. Pennsylvania: Technomic Company Inc. Halaman 25 – 64
- Dou, L., Li, B., Zhang, K., Chu, X., Hou, H. 2018. Physical properties and antioxidant activity of gelatin-sodium alginate edible films with tea polyphenols. *International Journal of Biological Macromolecules*. 118(2018): 1377 – 1383
- Droby, S., Porat, R., Cohen, L., Weiss, B., Shapiro, B., Philosoph-Hasas, S., Meir, S. 1999. Suppressing green mold decay in grapefruit with postharvest jasmonate application. *Journal of the American Society for Horticultural Science*. 124(2): 184 – 188
- Dube, J., Ddamulira, G., Maphosa, M. 2020. Watermelon production in Africa: challenges and opportunities. *International Journal of Vegetable Science*. doi.org/10.1080/19315260.2020.1716128
- Dutta, P. K., Tripathi, S., Mehrotram G. K., Dutta, J. 2009. Perspective for chitosan based antimicrobial films in food application. *Food Chemistry*. 114(4): 1173 – 1182
- Faiqoh, E. N. 2014. Pengaruh Konsetrasi dan Lama Perendaman dalam CaCl_2 (Kalsium Klorida) terhadap Kuaitas dan Kuantitas Buah Naga Super Merah (*Hylocereus costaricensis*). *Skripsi*. Malang: Fakultas Sains dan Teknologi Universitas Islam Negeri Maulana Malik Ibrahim
- [FAO] Food and Agriculture Organization of United Nations. 2020. *Fruit and vegetables – your dietary essentials. The International Year of Fruits and*

Vegetables 2021, background paper. Roma: Food and Agriculture Organization of United Nations

- Feng, X., Ng, V. K., Mikš-Krajnik, M., Yang, H. 2016. Effects of fish gelatin and tea polyphenol coating on the spoilage and degradation of myofibril in fish fillet during cold storage. *Food and Bioprocess Technology*. 10(1): 89 – 102
- Galgano, F., Condelli, N., Favati, F., di Bianco, V., Perretti, G., Caruso, M. C. 2015. Biodegradable packaging and edible coating for fresh-cut fruits and vegetables: A review. *Ital. J. Food Sci.* 27: 1 – 20
- Garcia, M. A., Martino, M. N., Zaritzky, N. E. 2000. 2000. Lipid addition to improve barrier properties of edible starch-based films and coatings. *Journal of Food Science*. 65(2): 941 – 947
- Gaspar, M. E. M. 2011. *Edible Coating Development for Fresh-Cut Cantaloupe*. Texas: Texas A&M University
- Gebregziabher, A. A., Supriyadi, Indarti, S., Setyowati, L. 2021. Texture profile and pectinase activity in tomato fruit (*Solanum lycopersicum*, Servo F1) at different maturity stages and storage temperatures. *Agro Science*. 9(1): 20 – 34
- Ghasemanezhad, M. dan Javaherdashti, M. 2008. Effect of methyl jasmonate treatment on antioxidant capacity, internal quality and postharvest life of raspberry fruit. *Caspian Journal of Enviromental Sciences*. 6(1): 73 – 78
- Gillard, R. D. 1969. The simple chemistry of calcium and its relevance to biological systems. Di dalam: Ngamchuachit, P., Sivertsen, H. K. Mitcham, E. J., Barrett, D.M. 2014. Effectiveness of calcium chloride and calcium lactate in maintenance of textural and sensory qualities of fresh-cut mangos. *Food Science*. 79(5): 786 – 794

- Gomez-Guillen, M. C., Gimenez, B., Lopez-Caballero, M. E., Montero, M. P. 2011. Functional and bioactive properties of collagen and gelatin from alternative sources: a review. *Food Hydrocolloids*. 25(2011): 1813 – 1827
- Gomez-Guillen, M. C., Turnay, J., Fernandez-Diaz, M. D., Ulmo, N., Lizarbe, M. A., Montero, P. 2002. Structural and physical properties of gelatin extracted from different marine species: a comparative study. *Food Hydrocolloids*. 16(2002): 25 – 34
- Habiburrohman, D. dan Sukohar, A. 2018. Aktivitas antioksidan dan antimikrobia pada polifenol teh hijau. *J. Agromedicine Unila*. 5(2): 587 – 591
- Hartono, B., Chrisanto, Farfar, I. O. 2019. Pengaruh lama penyimpanan terhadap aktivitas antioksidan berbagai macam jus buah berdasarkan metode DPPH. *Jurnal Kedokteran Meditek*. 25(2): 75 – 80
- Hassan, B., Chatha, S. A. S., Hussain, A. I., Zia, K. M., Akhtar, N. 2017. Recent advances on polysaccharides, lipids, and protein based edible films and coatings: A review. *International Journal of Biological Macromolecules*. 109(2018): 1095 – 1107
- Herdiana, N. 2010. Pengaruh Chilling Injury melalui Heat Shock Treatment dan Aloe Vera Coating Buah Tomat (*Lycopersicon esculantum Mill*) Selama Penyimpanan Dingin. *Tesis*. Bogor: Fakultas Teknologi Pertanian, Institut Pertanian Bogor
- Hilal, Y. dan Engelhardt, U. 2007. Characterisation of white tea-comparison to green tea and black tea. Di dalam: Paramita, N. L. P. V., Andari, N. P. T. W., Andini, N. M. D., Susanti, N. M. P. 2020. Penetapan kadar fenol total dan katekin daun teh hitam dan ekstrak aseton teh hitam dari tanaman *Camellia sinensis* var. *assamica*. *Kimia*. 14(1): 43 – 50

- Ifmalinda, Omil, C., Chatib, Soparani, D. M. 2019. Aplikasi edible coating pati singkok pada buah papaya (*Carica papaya* L.) terolah minimal selama penyimpanan. *Jurnal Teknologi Pertanian Andalas*. 23(1): 19 – 29
- Ismillayli, N., Andayani, I. G. A. S., Honiar, R., Mariana, B., Sanjaya, R. K., Hermanto, D. 2020. Polyelectrolyte Complex (PEC) film based on chitosan as potential edible films and their antibacterial activity test. *IOP Conferences Series: Materials Science and Engineering*. 959 012009
- Jamróz, E., Kulawik, P., Krzyściak, P., Talaga-Ćwiertnia, K., Juszczak, L. 2019. Intelligent and active furcellaran-gelatin films containing green or pu-erh tea extracts: Characterization, antioxidant and antimicrobial potential. *International Journal of Biological Macromolecules*. 122: 745 – 757
- Jhoo, J.-W., Lo, C.-Y., Li, S., Sang, S., Ang, C. Y. W., Heinze, T. M., Ho, C.-T. 2005. Stability of black tea polyphenol, theaflavin, and identification of theanaphthoquinone as its major radical reaction product. *Journal of Agricultural and Food Chemistry*. 53(15): 6146 – 6150
- Jitmau, A. M., Rondonuwu, F. S., Semangun, H. 2010. Likopen: Pelindung fungsi indera penglihatan, peraba, dan perasa. *Prosiding Seminar Nasional Pendidikan Biologi FKIP UNS*. 440 – 446
- Joanna, T., Małgorzata, M., Piotr, K. Zając, M. 2018. Characterization of carp (*Cyprinus carpio*) skin gelatin extracted using different pretreatments method. *Food Hydrocolloids*. 81:169 – 179.
- Kaewdang, O. dan Benjakul, S. 2015. Effect of ethanolic extract of coconut husk on gel properties of gelatin from swim bladder of yellowfin tuna. *LWT-Food Science and Technology*. 62: 955 – 961
- Kementerian Pertanian, 2015. *Statistik Konsumsi Pangan 2015*. Jakarta: Pusat Data dan Sistem Informasi Pertanian, Sekretariat Jenderal, Kementerian Pertanian

- Kore T, Tawade S, Kabir J. 2017. Application of edible coatings on fruits and vegetables. *Imperial Journal of Interdisciplinary Research*. 3(1) : 591 – 603
- Koswara, M. I. A., Husin, U. A, Yulianti, A.B, (2016). Uji efektivitas antibakteri ekstrak air teh hitam (*Camellia sinensis*) terhadap bakteri *Salmonella typhi*. *Prosiding Pendidikan Dokter Universitas Islam Bandung*. 189 – 198
- Laohakunjit, N. dan Noomhorm, A. 2004. Effect of plasticizers on mechanical dan barrier properties of rice starch film. *Starch*. 56: 348 – 356
- Latifah, D. N. 2008. Perlakuan Pre-Cooling Metode Contact Icing dan Suhu Penyimpanan terhadap Kualitas Jeruk Keprok. *Skripsi*. Malang: Fakultas Sains Teknologi, Universitas Islam Negeri Malang
- Leung, L. K., Su, Y., Chen, R., Zhang, Z., Huang, Y., Chen, Z.-Y. 2001. Theaflavins in black tea and catechins in green tea are equally effective antioxidants. *The Journal of Nutrition*. 131(9): 2248 – 2251
- Liang, T., Guan, R., Wang, Z., Shen, H., Xia, Q., Liu, M. 2017. Comparison of anticancer activity and antioxidant activity between cyanidin-3-O-glucoside liposomes and cyanidin-3-O-glucoside in Caco-2 cells in vitro. *RSC Advances*. 7(59): 37359 – 37368
- Licodiedoff, S., Koslowski, L. A. D., Scartazzini, L., Monteiro, A. R., Ninow, J. L., Borges, C. D., 2015. Conserve of physalis by edible coating of gelatin and calcium chloride. *International Food Research Journal*. 23(4): 1629 – 1634
- Luna-Guzman, I. dan Barrett, D. M. 2000. Comparison of calcium chloride and calcium lactate effectiveness in maintaining shelf stability and quality of fresh-cut cantaloupes. *Postharvest Biology and Technology*. 19(1): 61 – 72
- Maong, R., Rorong, J. A., Fatimah, F. 2016. Aktivitas ekstrak buah tomat (*Lycopersicon esculentum* Mill) sebagai penstabil oksigen singlet dalam

reaksi fotoksidasi asam linoleat. *Jurnal MIPA UNSRAT Online*. 5(1): 60 – 64

Mariani, S., Rahman, N., Supriadi. 2018. Uji Aktivitas Antioksidan Ekstrak Buah Semangka (*Citrullus lanatus*). *Akademika Kimia*. 7(2): 96 – 101

Martin-Diana, A. B., Rico, D., Frias, J. M., Barat, J. M., Henehan, G. T. M., Barry-Ryan, C. 2007. Calcium for extending shelf life of fresh whole and minimally processed fruits and vegetables: a review. *Trends in Food Science and Technology*. 18(4): 210 – 218

Martiñon, M. E., Moreira, R. G., Castell-Perez, M. E., Gomes, C. 2014. Development of a multilayered antimicrobial edible coating for shelf-life extension of fresh cut cantaloupe (*Cucumis melo* L.) stored at 4 °C. *LWT - Food Science and Technology*. 56: 341 – 350

Maurya, P. K. dan Rizvi, S. I. 2009. Protective role of tea catechins on eary subjected to oxidative stress during human aging. *Natural Product Research*. 23(12): 1072 – 1079

Mignani, I., Greve, L. C., Ben-Arie, R., Stotz, H. U., Li, C., Shackel, K. A., Labavitch, J. M. 1995. The effects of GA₃ and divalent cations on aspects of pectin metabolism and tissue softening in ripening tomato pericarp. Di dalam: Ngamchuachit, P., Sivertsen, H. K. Mitcham, E. J., Barrett, D.M. 2014. Effectiveness of calcium chloride and calcium lactate in maintenance of textural and sensory qualities of fresh-cut mangos. *Food Science*. 79(5): 786 – 794

Montero, P. dan Gómez-Guillén, M.C. 2000. Extracting conditions for megrim (*Lepidorhombus boschii*) skin collagen affect. *Food Chemistry and Toxicology Extracting*. 65(3):434 – 438.

- Nicolay, V., Nina, S., Yuliya, K., Galina, B., 2020. Formulation of polyelectrolyte complexes from chitosan and alkaline gelatin. *International applied research conference-Biological Resources Development and Environmental Management*. 109 – 119
- Nurimala, M., Jacoeb, A. M., Dzaky, R. A. 2017. Karakteristik gelatin kulit ika tuna sirip kuning. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 20(2): 339 – 350
- Nurjanah, S. 2002. Kajian laju respirasi dan produksi etilen sebagai dasar penentuan waktu simpan sayuran dan buah-buahan. *Bionatura*. 4(3): 148 – 156
- Ohlsson, T. 1994. Minimal processing-preservation methods of the future: an overview. *Trends in Food Science and Technology*. 5(11): 341 – 344
- Pantastico, E. B. 1975. *Postharvest Physiology, Handling and Utilization of Tropical and Subtropical Fruits and Vegetables*. Di dalam: Kamariyani (Penerjemah). 1986. Fisiologi Pascapanen, Penanganan, dan Pemanfaatan Buah-Buahan dan Sayur-Sayuran Tropika dan Subtropika. Yogyakarta: Gadjah Mada Press
- Perdani, A. W. 2020. Karakteristik Edible Film Gelatin Kulit Tuna Sirip Kuning (*Thunnus albacares*) dengan Variasi Plasticizer dan Minyak Atsiri serta Pengaruhnya terhadap Kenampakan Daging. *Tesis*. Yogyakarta: Fakultas Teknologi Pertanian Universitas Gadjah Mada
- Pereda, M., Ponce, A. G., Marcovich, N. E., Ruseckaite, R. A., Martucci, J. F. 2011. Chitosan-gelatin composites and bi-layer films with potential antimicrobial activity. *Food Hydrocolloids*. 25(5): 1372 – 1381
- Perera, C. O. 2007. *Minimal Processing of Fruits and Vegetables*. Di dalam: Rahman, M. S. Handbook of Food Preservation 2nd Ed. New York: CRC Press. Halaman 137 – 150

- Perkins-Veazie, P., Collins, J.K., Pair, S.D., Roberts, W., 2001. Lycopene content differs among red-fleshed watermelon cultivars. *Science Food Agriculture*. 81: 983 – 987
- Picchioni, G. A., Watada, A. E., Whitaker, B. D., Reyes, A. 1996. Calcium delays senescence-related membrane lipid changes and increases net synthesis of membrane lipid components in shredded carrots. Di dalam: Ngamchuachit, P., Sivertsen, H. K. Mitcham, E. J., Barrett, D.M. 2014. Effectiveness of calcium chloride and calcium lactate in maintenance of textural and sensory qualities of fresh-cut mangos. *Food Science*. 79(5): 786 – 794
- Poverenov, E., Danino, S., Horev, B., Granit, R., Vinokur, Y., Rodov, V. 2014. Layer-by-layer electrostatic deposition of edible coating on fresh cut melon model: anticipated and unexpected effects of alginate–chitosan combination. *Food Bioprocess Technol*. 7(5): 1424 – 1432
- Prakash, A. Baskaran, R., Vadivel, V. 2019. Citral nanoemulsion incorporated edible coating to extend the shelf life of fresh cut pineapples. *LWT – Food Science and Technology*. doi:10.1016/j.lwt.2019.108851
- Purwanto, Y. A. dan Effendi, R. N. 2016. Penggunaan asam askorbat dan lidah buaya untuk menghambat pencoklatan pada buah potong Apel Malang. *Jurnal Keteknik Pertanian*. 4(2): 203 – 210
- Quirós-Sauceda, A.E., Ayala-Zavala, J.F., Olivas, G.I., González-Aguilar, G.A. 2014. Edible coatings as encapsulating matrices for bioactive compounds: A review. *Food Sci. Technology-Mysore*. 51(9): 1674 – 1685
- Radi, M., Firouzi, E., Akhavan, H., Amiri, S. 2017. Effect of gelatin based edible coatings incorporated with *Aloe vera* and black and green tea extracts on the shelf life of fresh-cut oranges. *Food Quality*. 2017: 1 – 10

- Ramadhani, N. F. 2020. Karakterisasi Sifat Fisik, Kimia, dan Fungsional Gelatin Kulit Ikan Tuna yang Diperkaya Bubuk Kayu Manis. *Tesis*. Yogyakarta: Fakultas Teknologi Pertanian Universitas Gadjah Mada
- Read, S. dan Bacic, A. 1996. Cell wall porosity and its determination. Di dalam: Ngamchuachit, P., Sivertsen, H. K. Mitcham, E. J., Barrett, D.M. 2014. Effectiveness of calcium chloride and calcium lactate in maintenance of textural and sensory qualities of fresh-cut mangos. *Food Science*.79(5): 786 – 794
- Rochman, A. 2007. Kajian Teknik Pengemasan Buah Pepaya dan Semangka Terolah Minimal Selama Penyimpanan Dingin. *Skripsi*. Bogor: Fakultas Teknologi Pertanian Institut Pertanian Bogor
- Rohdiana, D. 1999. Evaluasi kandungan theaflavin dan thearubigin pada teh kering dalam kemasan. *Jurnal Kimia Terapan Indonesia*. 9(1): 29 – 32
- Saftner, R., Luo, Y., McEvoy, J., Abbott, J. A., Vinyard, B. 2006. Quality characteristics of fresh-cut watermelon slices from non-treated and 1-methylcyclopropene-and/or ethylene0treated whole fruit. *Postharvest Biology and Technology*. 44(2007): 71 – 79
- Sarkar, A. dan Bhaduri, A. 2001. Black tea is a powerful chemopreventor of reactive oxygen and nitrogen species: Comparison with its individual catechin constituents and green tea. *Biochemical and Biophysical Research Communication*. 284(1): 173 – 178
- Setiawan, F., Yunita, O., Kurniawan, A. 2018. Uji aktivitas antioksidan ekstrak etanol kayu secang (*Caesalpinia sappan*) menggunakan metode DPPH, ABTS, dan FRAP. *Media Pharmaceutica Indonesiana*. 2(2): 82 – 89

- Setyawati, E., Rahayu, C. K., Haryanto, E. 2019. Korelasi kadar likopen dengan aktivitas antioksidan pada buah semangka (*Citrullus lanatus*) dan tomat (*Lycopersicum esculentum*). *Analisis Kesehatan Sains*. 8(2): 717 – 724
- Shi, J., Wang, L., Ma, C., Lv, H., Chen, Z., Lin, Z. 2014. Aroma changes of black tea prepared from methyl jasmonate treated tea plants. *Journal of Zhejiang University-SCIENCE B*. 15(4): 313 – 321
- Silva-Weiss, A., Ihl, M., Sobral, P. J. A., Gómez-Guillén, M. C., Bifani, V. 2013. *Natural Additives in bioactive edible films and coatings: functionality and applications in foods*. *Food Engineering Reviews*. 5(4): 200 – 216
- Sipahi, R. E. 2012. Alginate-Based Edible Coating to Enhance Quality and Extend Shelf Life of Fresh-Cut Watermelon (*Citrullus lanatus*). *Thesis*. Texas: Biological and Agricultural Engineering, Texas A&M University
- Sipahi, R. E., Castell-Perez, M. E., Moreira, R. G., Gomes, C., Castillo, A. 2013. Improved multilayered antimicrobial alginate-based edible coating extends the shelf life of fresh-cut watermelon (*Citrullus lanatus*). *LWT - Food Science and Technology*. 51: 9 – 15
- Snoeijer, J.H., Ziegler, J., Andreotti, B., Fermigier, M., Eggers, J. 2008. Thick films of viscous fluid coating a plate withdrawn from a liquid reservoir the *American Physical Society*. 100: 244 – 502
- Soliva-Fortuny R. C. dan Martin-Belloso, O. 2003. New advances in extending the shelf life of fresh-cut fruits: A review. *Trends in Food Science & Technology*. 14: 341 – 352
- Suryaningrum, D. T., Wikanta, Kristiana, H. 2006. Uji aktivitas antioksidan dari rumput laut *Halymenia harveyana* dan *Eucheuma cottoni*. *Jurnal Pascapanen dan Biologi Kelautan dan Perikanan*, 1(1): 51 – 63

- Tkaczewska, J., Morawska, M., Kulawik, P., Zajac, M. 2018. Characterization of carp (*Cyprinus carpio*) skin gelatin extraxted using different pretreatments method. *Food Hydrocolloids*. 81: 169 – 179
- Towaha, J. dan Balittri. 2013. Kandungan senyawa kimia pada daun teh (*Camellia sinensis*). *Warta Penelitian dan Pengembahan Tanaman Industri*. 19(3): 12 – 16
- Vieira, M. G. A., da Silva, M. A., dos Santos, L. O., Bappu, M. M. 2011. Natural based plasticizers and biopolymer films: A review. *European Polymer Journal*. 47(3): 254 – 263
- Winarno, F. G. 2002. *Kimia Pangan dan Gizi*. Jakarta: PT Gramedia Pustaka Utama
- Widyawati, P. S., Budianta, T. D. W., Werdani, Y. D. W., halim, M. O. 2018. Aktivitas antioksidan minuman daun beluntas teh hitam (*Pluchea indica* Less-Camelia *sinensis*). *Agritech*. 38(2): 200 – 207
- Yan, M., Li, B., Zhao, X., Yi, J. 2011. Physicochemical properties of gelatin gels from walleye pollock (*Theragra chalcogramma*) skin cross-linked by gallic acid and rutin. *Food Hydrocolloids*. 25: 907 – 914
- Yang, H. H. dan Lawsless, H. T. 2003. Descriptive analysis of divalent salrs. *Journal of Sensory Studies*. 20(2): 97 – 113
- Yoga, IB K.W. 2015. Penentuan konsentrasi optimum kurva standar antioksidan; asam galat, asam askorbat, dan trolox terhadap radikal bebas DPPH 0,1mM. *Prosiding Seminar Nasional FMIPA UNDIKSHA V*. 316 – 321
- Yusni dan Widodo, S. 2018. Pembuatan selai dari kulit semnagka. *Prosiding Seminar Nasional Sinergitas Multidisiplin Ilmu Pengetahuan dan Teknologi*. 309 – 316

Yuwono, L. F. 2009. Daya Antibakteri Ekstrak Daun Teh (*Camellia sinensis*) terhadap Pertumbuhan *Streptococcus sp.* pada Plak Gigi *Invitro*. *Skripsi*. Surakarta: Fakultas Kedokteran Universitas Sebelas Maret