



DAFTAR PUSTAKA

- Abed, S.N., Deb, P.K., Surchi, H.S., Kokaz, S.F., Jamal, S.M., Bandopadhyay, S., and Tekade, R.K., 2018, *Nanocarriers in different preclinical and clinical stages*. Dalam Tekade, R.K., *Basic Fundamental of Drug Delivery*, Academic Press, Massachusetts.
- Acharya, R., Naik, B., and Parida, K., 2018, Cr(VI) remediation from aqueous environment through modified-TiO₂-mediated photocatalytic reduction, *Beilstein J. Nanotechnol.*, 9, 1448–1470.
- Al-Shomar, S.M., 2020, Investigation the effect of doping concentration in Ruthenium-doped TiO₂ thin films for solar cells and sensors applications, *Mater. Res. Express*, 7, 036409.
- Ansari, S.A., Khan, M.M., Ansari, M.O., and Cho, M.H., 2016, Nitrogen-doped titanium dioxide (N-doped TiO₂) for visible light photocatalysis, *New J. Chem.*, 40, 3000–3009.
- Araoyinbo, A.O., Bakri Abdullah, M.M. Al, Anuar Mohd Salleh, M.A., Abdul Aziz, N.N., and Iskandar Azmi, A., 2018, Phase study of titanium dioxide nanoparticle prepared via sol-gel process, *IOP Conf. Ser. Mater. Sci. Eng.*, 343, 012011.
- Bakshi, A. and Panigrahi, A.K., 2018, A comprehensive review on chromium induced alterations in fresh water fishes, *Toxicol. Reports*, 5, 440–447.
- Barrera-Díaz, C.E., Lugo-Lugo, V., and Bilyeu, B., 2012, A review of chemical, electrochemical and biological methods for aqueous Cr(VI) reduction, *J. Hazard. Mater.*, 223–224, 1–12.
- Basavarajappa, P.S., Patil, S.B., Ganganagappa, N., Reddy, K.R., Raghu, A. V., and Reddy, C.V., 2020, Recent progress in metal-doped TiO₂, non-metal doped/codoped TiO₂ and TiO₂ nanostructured hybrids for enhanced photocatalysis, *Int. J. Hydrogen Energy*, 45, 7764–7778.
- Bourgas, B.B., Zlatarov, A., Gorgieva, I., Bourgas, M., and Zlatarov, A., 2013, Spectrophotometric determination of hexavalent chromium content in commercial cement, *Eurasian J. Anal. Chem.*, 8, 10–16.
- Chen, G., Sun, M., Wei, Q., Ma, Z., and Du, B., 2012, Efficient photocatalytic reduction of aqueous Cr(VI) over CaSb₂O₅(OH)₂ nanocrystals under UV light illumination, *Appl. Catal. B Environ.*, 125, 282–287.
- Cheraghipour, E., Javadpour, S., and Mehdizadeh, A.R., 2012, Citrate capped superparamagnetic iron oxide nanoparticles used for hyperthermia therapy, *J. Biomed. Sci. Eng.*, 05, 715–719.



- Choi, J., Park, H., and Hoffmann, M.R., 2010, Effects of Single Metal-Ion Doping on the Visible-Light Photoreactivity of TiO₂, *J. Phys. Chem. C*, 114, 783–792.
- Daoush, W.M., 2017, Co-Precipitation and Magnetic Properties of Magnetite Nanoparticles for Potential Biomedical Applications, *J. Nanomedicine Res.*, 5, 3–8.
- Darzi, S.J., Mahjoub, A.R., dan Bayat, A., 2016, Synthesis and characterization of visible light active S-doped TiO₂ nanophotocatalyst, *Int. J. Nano Dimens.*, 7, 33–40.
- Desario, P.A., Pietron, J.J., Devantier, D.E., Brintlinger, T.H., Stroud, R.M., and Rolison, D.R., 2013, Plasmonic enhancement of visible-light water splitting with Au-TiO₂ composite aerogels, *Nanoscale*, 5, 8073–8083.
- Devi, L.G. and Kavitha, R., 2014, Enhanced photocatalytic activity of sulfur doped TiO₂ for the decomposition of phenol: A new insight into the bulk and surface modification, *Mater. Chem. Phys.*, 143, 1300–1308.
- Dheyab, M.A., Aziz, A.A., Jameel, M.S., Noqta, O.A., Khaniabadi, P.M., and Mehrdel, B., 2020, Simple rapid stabilization method through citric acid modification for magnetite nanoparticles, *Sci. Rep.*, 10, 1–8.
- Ding, Z.W., Chen, S., Liu, Z.Q., Jiang, C.F., and Chu, W., 2015, Mesoporous Sulfur-Doped TiO₂ Microspheres for Catalytic Degradation of Methylene Blue under Visible Light, *Adv. Mater. Res.*, 1118, 242–250.
- Dubey, R., Bajpai, J., and Bajpai, A.K., 2015, Green synthesis of graphene sand composite (GSC) as novel adsorbent for efficient removal of Cr(VI) ions from aqueous solution, *J. Water Process Eng.*, 5, 83–94.
- Gar Alalm, M., Samy, M., Ookawara, S., and Ohno, T., 2018, Immobilization of S-TiO₂ on reusable aluminum plates by polysiloxane for photocatalytic degradation of 2,4-dichlorophenol in water, *J. Water Process Eng.*, 26, 329–335.
- Gupta, S.M. and Tripathi, M., 2011, A review of TiO₂ nanoparticles, *Chinese Sci. Bull.*, 56, 1639–1657.
- Han, C., Pelaez, M., Likodimos, V., Kontos, A.G., Falaras, P., O'Shea, K., and Dionysiou, D.D., 2011, Innovative visible light-activated sulfur doped TiO₂ films for water treatment, *Appl. Catal. B Environ.*, 107, 77–87.
- Hanaor, D.A.H., Assadi, M.H.N., Li, S., Yu, A., and Sorrell, C.C., 2012, Ab initio study of phase stability in doped TiO₂, *Comput. Mech.*, 50, 185–194.
- Harb, M., Sautet, P., and Raybaud, P., 2013, Anionic or cationic S-doping in bulk anatase TiO₂: Insights on optical absorption from first principles calculations,



J. Phys. Chem. C, 117, 8892–8902.

Hegde, S.M., Babu, R.L., Vijayalakshmi, E., Patil, R.H., Kumar, M.N, and Kumar, K.M., 2016, Biosorption of hexavalent chromium from aqueous solution using chemically modified *Spirulina platensis* algal biomass: an ecofriendly approach, *Desalin. Water Treat.*, 57, 8504–8513.

Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.

Huang, J., Li, Y., Cao, Yonghai, Peng, F., Cao, Yonggang, and Shao, Q., 2018, Hexavalent chromium removal over magnetic carbon nanoadsorbents: Synergistic effect of fluorine and nitrogen co-doping, *J. Mater. Chem. A*, 6, 13062–13074.

Hudaya, T., Marsha, A., Paramita, E., . S., and Andrean, D., 2013, Effects of pH and Photocatalyst Concentration on Hexavalent Chromium Removal from Electroplating Waste Water by UV/TIO₂ Photocatalysis, *J. Appl. Sci.*, 13, 639–644.

Itankar, N. and Patil, Y., 2014, Management of Hexavalent Chromium from Industrial Waste Using Low-cost Waste Biomass, *Procedia - Soc. Behav. Sci.*, 133, 219–224.

Khan, M.M., Ansari, S.A., Pradhan, D., Ansari, M.O., Han, D.H., Lee, J., and Cho, M.H., 2014, Band gap engineered TiO₂ nanoparticles for visible light induced photoelectrochemical and photocatalytic studies, *J. Mater. Chem. A*, 2, 637–644.

Khashan, S., Dagher, S., Tit, N., Alazzam, A., and Obaidat, I., 2017, Novel method for synthesis of Fe₃O₄@TiO₂ core/shell nanoparticles, *Surf. Coatings Technol.*, 322, 92–98.

Khedr, T.M., El-Sheikh, S.M., Hakki, A., Ismail, A.A., Badawy, W.A., and Bahnemann, D.W., 2017, Highly active non-metals doped mixed-phase TiO₂ for photocatalytic oxidation of ibuprofen under visible light, *J. Photochem. Photobiol. A Chem.*, 346, 530–540.

Kim, D.K., Mikhaylova, M., Zhang, Y., and Muhammed, M., 2003, Protective Coating of Superparamagnetic Iron Oxide Nanoparticles, *Chem. Mater.*, 15, 1617–1627.

Lace, A., Ryan, D., Bowkett, M., and Cleary, J., 2019, Chromium Monitoring in Water by Colorimetry Using Optimised 1,5-Diphenylcarbazide Method, *Int. J. Environ. Res. Public Health*, 16, 1803.

Li, N., Tian, Y., Zhao, J., Zhang, Jian, Zhang, Jun, Zuo, W., and Ding, Y., 2017,



Efficient removal of chromium from water by Mn₃O₄@ZnO/Mn₃O₄ composite under simulated sunlight irradiation: Synergy of photocatalytic reduction and adsorption, *Appl. Catal. B Environ.*, 214, 126–136.

Li, X.-M., Xu, G., Liu, Y., and He, T., 2011, Magnetic Fe₃O₄ Nanoparticles: Synthesis and Application in Water Treatment, *Nanosci. & Nanotechnology-Asia*, 1, 14–24.

Luo, C., Ren, X., Dai, Z., Zhang, Y., Qi, X., and Pan, C., 2017, Present Perspectives of Advanced Characterization Techniques in TiO₂-Based Photocatalysts, *ACS Appl. Mater. Interfaces*, 9, 23265–23286.

Ma, D., Xin, Y., Gao, M., and Wu, J., 2014, Fabrication and photocatalytic properties of cationic and anionic S-doped TiO₂ nanofibers by electrospinning, *Appl. Catal. B Environ.*, 147, 49–57.

Malakootian, M. and Mansuri, F., 2015, Hexavalent chromium removal by titanium dioxide photocatalytic reduction and the effect of phenol and humic acid on its removal efficiency, *Int. J. Environ. Health Eng.*, 4, 19.

Mansingh, S., Padhi, D.K., and Parida, K.M., 2017, Enhanced visible light harnessing and oxygen vacancy promoted N, S co-doped CeO₂ nanoparticle: A challenging photocatalyst for Cr(vi) reduction, *Catal. Sci. Technol.*, 7, 2772–2781.

Mittal, A., Mari, B., Sharma, S., Kumari, V., Maken, S., Kumari, K., and Kumar, N., 2019, Non-metal modified TiO₂: a step towards visible light photocatalysis, *J. Mater. Sci. Mater. Electron.*, 30, 3186–3207.

Mizukoshi, Y., Shuto, T., Masahashi, N., and Tanabe, S., 2009, Preparation of superparamagnetic magnetite nanoparticles by reverse precipitation method: Contribution of sonochemically generated oxidants, *Ultrason. Sonochem.*, 16, 525–531.

Moellmann, J., Ehrlich, S., Tonner, R., and Grimme, S., 2012, A DFT-D study of structural and energetic properties of TiO₂ modifications, *J. Phys. Condens. Matter*, 24, .

Monai, M., Montini, T., and Fornasiero, P., 2017, Brookite: Nothing New under the Sun?, *Catalysts*, 7, 304.

Munir, S., Shah, S.M., Hussain, H., and Ali khan, R., 2016, Effect of carrier concentration on the optical band gap of TiO₂ nanoparticles, *Mater. Des.*, 92, 64–72.

Naik, B., Kim, S.M., Jung, C.H., Moon, S.Y., Kim, S.H., and Park, J.Y., 2014, Enhanced H₂ Generation of Au-Loaded, Nitrogen-Doped TiO₂ Hierarchical Nanostructures under Visible Light, *Adv. Mater. Interfaces*, 1, 1–6.



- Ning, J., Zheng, Y., Brown, B., Young, D., and Nešić, S., 2015, A thermodynamic model for the prediction of mild steel corrosion products in an aqueous hydrogen sulfide environment, *Corrosion*, 71, 945–960.
- Niu, Y., Xing, M., Tian, B., and Zhang, J., 2012, Improving the visible light photocatalytic activity of nano-sized titanium dioxide via the synergistic effects between sulfur doping and sulfation, *Appl. Catal. B Environ.*, 115–116, 253–260.
- Nyamukamba, P., Okoh, O., Mungondori, H., Taziwa, R., and Zinya, S., 2018, Synthetic Methods for Titanium Dioxide Nanoparticles: A Review,. In, *Titanium Dioxide - Material for a Sustainable Environment*. InTech, pp. 151–175.
- Olowoyo, J.O., Kumar, M., Jain, S.L., Shen, S., Zhou, Z., and Mao, S.S., 2018, Reinforced photocatalytic reduction of CO₂ to fuel by efficient S-TiO₂: Significance of sulfur doping, *Int. J. Hydrogen Energy*, 43, 17682–17695.
- Park, J.Y., Choi, K. Il, Lee, J.H., Hwang, C.H., Choi, D.Y., and Lee, J.W., 2013, Fabrication and characterization of metal-doped TiO₂ nanofibers for photocatalytic reactions, *Mater. Lett.*, 97, 64–66.
- Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., and Kontos, A.G., 2012, A review on the visible light active titanium dioxide photocatalysts for environmental applications, *Appl. Catal. B Environ.*, 125, 331–349.
- Pennetta, A., Di Masi, S., Piras, F., Lü, X., Li, J., De Benedetto, G.E. De, and Mele, G., 2020, TiO₂@lipophilic Porphyrin Composites: New Insights into Tuning the Photoreduction of Cr(VI) to Cr(III) in Aqueous Phase, *J. Compos. Sci.*, 4, 82.
- Periyat, P., Pillai, S.C., McCormack, D.E., Colreavy, J., and Hinder, S.J., 2008, Improved high-temperature stability and sun-light-driven photocatalytic activity of sulfur-doped anatase TiO₂, *J. Phys. Chem. C*, 112, 7644–7652.
- Piątkowska, A., Janus, M., Szymański, K., and Mozia, S., 2021, C-,N- and S-Doped TiO₂ Photocatalysts: A Review, *Catalysts*, 11, 144.
- Qiu, B., Xu, C., Sun, D., Wang, Q., Gu, H., and Zhang, X., 2015, Polyaniline coating with various substrates for hexavalent chromium removal, *Appl. Surf. Sci.*, 334, 7–14.
- Rahmawati, R., Taufiq, A., Sunaryono, S., Fuad, A., Yuliarto, B., Suyatman, S., and Kurniadi, D., 2018, Synthesis of Magnetite (Fe₃O₄) Nanoparticles from Iron sands by Coprecipitation-Ultrasonic Irradiation Methods, *J. Mater. Environ. Sci.*, 9, 155–160.
- Raja, A., Rajasekaran, P., Selvakumar, K., Arivanandhan, M., Asath Bahadur, S.,



- and Swaminathan, M., 2020, Efficient Photoreduction of Hexavalent Chromium Using the Reduced Graphene Oxide-Sm₂MoO₆-TiO₂ Catalyst under Visible Light Illumination, *ACS Omega*, 5, 6414–6422.
- Rani, N. and Dehiya, B.S., 2020, Influence of anionic and non-ionic surfactants on the synthesis of core-shell Fe₃O₄@TiO₂ nanocomposite synthesized by hydrothermal method, *Ceram. Int.*, 46, 23516–23525.
- Rengaraj, S., Joo, C.K., Kim, Y., and Yi, J., 2003, Kinetics of removal of chromium from water and electronic process wastewater by ion exchange resins: 1200H, 1500H and IRN97H, *J. Hazard. Mater.*, 102, 257–275.
- Salamat, S., Younesi, H., and Bahramifar, N., 2017, Synthesis of magnetic core-shell Fe₃O₄@TiO₂ nanoparticles from electric arc furnace dust for photocatalytic degradation of steel mill wastewater, *RSC Adv.*, 7, 19391–19405.
- Scarpelli, F., Mastropietro, T.F., Poerio, T., and Godbert, N., 2018, Mesoporous TiO₂ Thin Films: State of the Art,. In, *Titanium Dioxide - Material for a Sustainable Environment*. InTech.
- Shang, X., Zhang, M., Wang, X., and Yang, Y., 2014, Sulphur, nitrogen-doped TiO₂/graphene oxide composites as a high performance photocatalyst, *J. Exp. Nanosci.*, 9, 749–761.
- Sharotri, N. and Sud, D., 2015, A greener approach to synthesize visible light responsive nanoporous S-doped TiO₂ with enhanced photocatalytic activity, *New J. Chem.*, 39, 2217–2223.
- Sood, S. and Gouma, P., 2013, Polymorphism in nanocrystalline binary metal oxides, *Nanomater. Energy*, 2, 82–96.
- Stefan, M., Pana, O., Leostean, C., Bele, C., Silipas, D., Senila, M., and Gautron, E., 2014, Synthesis and characterization of Fe₃O₄-TiO₂ core-shell nanoparticles, *J. Appl. Phys.*, 116, 114312.
- Stepanov, A.L., Xiao, X., and Ren, F., 2013, Implantation of titanium dioxide with transition metal ions, *Titan. Dioxide Appl. Synth. Toxic.*, 59–84.
- Stephen, L., 2020, Titanium Dioxide Versatile Solid Crystalline: An Overview, *Assorted Dimens. Reconfigurable Mater.*, 1–16.
- Sulistyaningsih, T., Santosa, S.J., Siswanta, D., and Rusdiarso, B., 2017, Synthesis and Characterization of Magnetites Obtained from Mechanically and Sonochemically Assisted Co-precipitation and Reverse Co-precipitation Methods, *Int. J. Mater. Mech. Manuf.*, 5, 16–19.
- Sun, X.N., Liu, A.P., Chen, Q.F., and Wang, X., 2015, The experimental study of



- Cr⁶⁺ contaminated water remediation by zero-valent nano-Fe, *Int. J. Mod. Phys. B*, 29, 1–5.
- Taherinia, M., Nasiri, M., Abedini, E., and Pouretedal, H.R., 2018, Comparing the photocatalytic activity of N-doped and S-doped titanium dioxide nanoparticles for water splitting under sunlight radiation, *J. Iran. Chem. Soc.*, 15, 1301–1310.
- Taimoory, S.M., Trant, J.F., Rahdar, A., Aliahmad, M., Sadeghfar, F., and Hashemzaei, M., 2017, Importance of the inter-electrode distance for the electrochemical synthesis of magnetite nanoparticles: Synthesis, characterization, computational modelling, and cytotoxicity, *e-Journal Surf. Sci. Nanotechnol.*, 15, 31–39.
- Tang, P., Ding, Y., Chen, H., and Wang, Y., 2020, Preparation of TiO₂/Fe₃O₄ composite by sol-gel method and its photocatalytic activity for removal of Rhodamine B from water, *Ferroelectrics*, 562, 66–72.
- Tedsree, K., Temnuch, N., Sriplai, N., and Pinitsoontorn, S., 2017, Ag modified Fe₃O₄@TiO₂ magnetic core-shell nanocomposites for photocatalytic degradation of methylene blue, *Mater. Today Proc.*, 4, 6576–6584.
- Teka, T., 2015, Current State Of Doped-TiO₂ Photocatalysts And Synthesis Methods To Prepare TiO₂ Films : A Re- view, *Int. J. Technol. Enhanc. Emerg. Eng. Res.*, 3, 14–18.
- Tilli, M. and Haapalinna, A., 2020, Properties of silicon, In, *Handbook of Silicon Based MEMS Materials and Technologies*. Elsevier, pp. 3–17.
- Wahyuni, E.T., and Aprilita, N.H., 2019, Photoreduction Processes over TiO₂ Photocatalyst, In, *Photocatalysts - Applications and Attributes*. IntechOpen, pp. 137–144.
- Umezawa, N., and Ye, J., 2012, Role of complex defects in photocatalytic activities of nitrogen-doped anatase TiO₂, *Phys. Chem. Chem. Phys.*, 14, 5924–5934.
- Wang, C.C., Du, X.D., Li, J., Guo, X.X., Wang, P., and Zhang, J., 2016, Photocatalytic Cr(VI) reduction in metal-organic frameworks: A mini-review, *Appl. Catal. B Environ.*, 193, 198–216.
- Wang, X., Liang, Y., An, W., Hu, J., Zhu, Y., and Cui, W., 2017, Removal of chromium (VI) by a self-regenerating and metal free g-C₃N₄/graphene hydrogel system via the synergy of adsorption and photo-catalysis under visible light, *Appl. Catal. B Environ.*, 219, 53–62.
- Wang, Y., Bao, S., Liu, Y., Yang, W., Yu, Y., Feng, M., and Li, K., 2020, Efficient photocatalytic reduction of Cr(VI) in aqueous solution over CoS₂/g-C₃N₄-rGO nanocomposites under visible light, *Appl. Surf. Sci.*, 510, 145495.



Wei, Y., Han, B., Hu, X., Lin, Y., Wang, X., and Deng, X., 2012, Synthesis of Fe₃O₄ nanoparticles and their magnetic properties, *Procedia Eng.*, 27, 632–637.

Wu, Q., Zhao, J., Qin, G., Wang, C., Tong, X., and Xue, S., 2013, Photocatalytic reduction of Cr(VI) with TiO₂ film under visible light, *Appl. Catal. B Environ.*, 142–143, 142–148.

Wu, Y., Zhang, J., Tong, Y., and Xu, X., 2009, Chromium (VI) reduction in aqueous solutions by Fe₃O₄-stabilized Fe₀ nanoparticles, *J. Hazard. Mater.*, 172, 1640–1645.

Xin, J., Zhang, F., Gao, Y., Feng, Y., Chen, S., and Wu, A., 2012, A rapid colorimetric detection method of trace Cr(VI) based on the redox etching of Agcore-Aushell nanoparticles at room temperature, *Talanta*, 101, 122–127.

Xin, T., Ma, M., Zhang, H., Gu, J., Wang, S., Liu, M., and Zhang, Q., 2014, A facile approach for the synthesis of magnetic separable Fe₃O₄@TiO₂ , core-shell nanocomposites as highly recyclable photocatalysts, *Appl. Surf. Sci.*, 288, 51–59.

Yang, X., Wang, Z., and Shao, L., 2018, Construction of oil-unidirectional membrane for integrated oil collection with lossless transportation and oil-in-water emulsion purification, *J. Memb. Sci.*, 549, 67–74.

Ye, M., Zhang, Q., Hu, Y., Ge, J., Lu, Z., and He, L., 2010, Magnetically Recoverable Core-Shell Nanocomposites with Enhanced Photocatalytic Activity, *Chem. - A Eur. J.*, 16, 6243–6250.

Yein, C.K., Huat, K.S., and Yarmo, M.A., 2019, Synthesis and Characterization of Magnetite Nanoparticles by Chemical Co-Precipitation, *Borneo J. Sci. Technol.*, 2–7.

Yu, X., Lin, X., Feng, W., and Li, W., 2019, Effective Removal of Tetracycline by Using Bio-Templated Synthesis of TiO₂/Fe₃O₄ Heterojunctions as a UV–Fenton Catalyst, *Catal. Letters*, 149, 552–560.

Yusoff, A.H.M., Salimi, M.N., and Jamlos, M.F., 2017, Synthesis and characterization of biocompatible Fe₃O₄ nanoparticles at different pH, *AIP Conf. Proc.*, 1835, 1–5.

Zaleska, A., 2008, Doped-TiO₂: A Review, *Recent Patents Eng.*, 2, 157–164.

Zang, L., 2011, Energy Efficiency and Renewable Energy Through Nanotechnology, Zang,L. (ed) Springer London, London.

Zhang, F., Wang, X., Liu, H., Liu, C., Wan, Y., Long, Y., and Cai, Z., 2019, Recent Advances and Applications of Semiconductor Photocatalytic Technology,



SINTESIS KOMPOSIT Fe₃O₄/TiO₂-S SEBAGAI FOTOKATALIS MAGNETIK UNTUK REDUKSI ION Cr(VI) PADA PAPARAN RADIASI SINAR TAMPAK

ADINDA DWI AYU, Dra. Eko Sri Kunarti, M.Si., Ph.D.; Dr. Sutarno, M.Si.

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Appl. Sci., 9, 2489.

Zhang, H., Liu, Q., Wang, T., Yun, Z., Li, G., Liu, J., and Jiang, G., 2013, Facile preparation of glutathione-stabilized gold nanoclusters for selective determination of chromium (III) and chromium (VI) in environmental water samples, *Anal. Chim. Acta*, 770, 140–146.

Ziagova, M., Dimitriadis, G., Aslanidou, D., Papaioannou, X., Litopoulou Tzannetaki, E., and Liakopoulou-Kyriakides, M., 2007, Comparative study of Cd(II) and Cr(VI) biosorption on *Staphylococcus xylosus* and *Pseudomonas* sp. in single and binary mixtures, *Bioresour. Technol.*, 98, 2859–2865.