UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Acosta O., Víquez F., & Cubero E. (2008). Optimisation of low-calorie mixed fruit jelly by response surface methodology. *Journal of Food Quality and Preference*. 9(1): 79–85.

Afika, Henny. (2016). Pembuatan Mayones dengan Menggunakan Minyak Sawit Merah (Red Palm Oil) dan Minyak Zaitun (Olea europaea) serta Uji Daya Terimanya. *Skripsi*. Medan: Fakultas Kesehatan Masyarakat, Universitas Sumatera Utara.

Aganovic, K., Bindrich, U., & Heinz, V. (2018). Ultra-high pressure homogenisation process for production of reduced fat mayonnaise with similar rheological characteristics as its full fat counterpart. *Innovative Food Science & Emerging Technologies Journal*. 45: 208–214.

Albano, K. M. & Nicoletti, V. R. (2018). Ultrasound impact on whey protein concentrate-pectin complexes and in the o/w emulsions with low oil soybean content stabilization. *Ultrasonics Sonochemistry.* 41: 562–571.

Aluyor, E. O. & Oboh, I. O. (2014). PRESERVATIVES | Traditional Preservatives – Vegetable Oils. *Encyclopedia of Food Microbiology.* 137–140.

Amin, Hala., Elbeltagy, A. E., Mustafa, M., & Khalil, A. H. (2014). Development of low fat mayonnaise containing different types and levels of hydrocolloid gum Sensory optimization of low fat mayonnaise (different oils and gums). *Agroalimentary Processes and Technologies Journal*. 20(1): 54–63.

Andarwulan, N., F. Kusnandar, & D. Herawati. (2011). *Analisis Pangan*. Jakarta: PT Dian Rakyat.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Anwar, S. H., Grinting, B. M. B., Aisyah Y., & Safriani, N. (2017). Application of Porang Flour as Stabilizer in O/W Emulsion and Coating Material for Fish Oil Microcapsules. *Jurnal Teknologi Industri Pertanian.* 27(1): 76–88

AOAC (2006). *Official Methods of Analysis of AOAC International*. *18th Edition.* USA: AOAC International.

Ariviani, S., Atmaka, W., & Sri R. (2018). Karakterisasi dan Uji Stabilitas Digestif Nanoemulsi β-Karoten yang Dibuat dengan Metode Emulsifikasi Spontan. *Jurnal Agritech.* 38(1): 30–38.

Arriaga, Tatiana Vieira. (2011). Controlled and Tailored Denaturation and Aggregation of Whey Proteins. *Disertasi*. Portugal: Universidade Tecnica de Lisbon.

Audina. (2011). *Perbandingan Mutu Mayones Telur Ayam dan Mayones Telur Itik*. Bogor: Institut Pertanian Bogor.

Bendtsen, L. Q., Lorenzen, J. K., Bendsen, N. T., Rasmussen, C., & Astrup, A. (2013). Effect of Dairy Proteins on Appetite, Energy Expenditure, Body Weight, and Composition: a Review of the Evidence from Controlled Clinical Trials. *Advances in Nutrition Journal*. 4(4): 418–438.

Buckman, R dan McLaughlin, C. (2010). *Hidup Dengan Diabetes*. Klaten: PT Intan sejati.

Çakır-Fuller, E. (2015). Enhanced heat stability of high protein emulsion systems provided by microparticulated whey proteins. *Food Hydrocolloids*. 47: 41–50.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Chang, C., Li, J., Li, X., Wang, C., Zhou, B., Su, Y., & Yang, Y. (2017). Effect of protein microparticle and pectin on properties of light mayonnaise. *LWT - Food Science and Technology.* 82: 8–14.

Chang, Raymond. (2004). *Kimia Dasar Konsep-konsep Inti.* Jakarta: Penerbit Erlangga.

Chavan, R. S., Khedkar, C. D., & Bhatt S. (2016) Fat Replacer. In: Caballero, B., Finglas, P., & Toldrá, F. (ed) *The Encyclopedia of Food and Health*. 2: 589-595. London: Academic Press.

Chung, C., Degner, B., & McClements, D. J. (2014). Development of Reduced-calorie foods: Microparticulated whey proteins as fat mimetics in semi-solid food emulsions. *Food Research International*. 56: 136–145.

Chung, C., Degner, B., & Mcclements, D. J. (2014). Reduced calorie emulsion-based foods: Protein microparticles and dietary fiber as fat replacers. *Food Research International*. 64: 664–676.

Cornelia, M., Siratantri, T., & Prawita, R. (2015). The utilization of extract durian (Durio zibethinus L.) seed gum as an emulsifier in vegan mayonnaise. *Procedia Food Science*. 3: 1–18.

Crowley, Kyle. (2019). *Whey Protein Concentrate Vs Isolate: Which Is Better*? Diakses dari https://www.theproteinworks.com/thelockerroom/whey-protein-concentrate-vs-whey-protein-isolate/ pada 25 Februari 2021.

Danesh, E., Goudarzi, M., & Jooyandeh, H. (2017). Effect of Whey Protein Addition and Transglutaminase Treatment on the Physical and Sensory Properties of Reduced-fat Ice Cream. *Journal of Dairy Science*. 100(7): 5206–5211.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Departemen Kesehatan R.I. (1988). Peraturan Menteri Kesehatan R.I. No. 722/Menkes/Per/IX/1988 tentang Bahan Tambahan Makanan. Jakarta.

Depree, J. A., & Savage, G. P. (2001). Physical and flavour stability of mayonnaise. *Trends in Food Science & Technology*. 12(5): 157–163.

Diangingsih, N., Purnomo, E. H., & Muchtadi, T. R. (2016). Sifat Reologi Dan Stabilitas Fisik Minuman Emulsi Minyak Sawit. *Jurnal Teknologi dan Industri Pangan*. 27(2): 165–174.

Diftis, N. & Kiosseoglou, V. (2006). Stability against heat-induced aggregation of emulsions prepared with a dry-heated soy protein isolate–dextran mixture. *Journal of Food Hydrocolloids*. 20(6): 787–792.

Dissyanake, Muditha. (2011). *Modulation of Functional Properties of Whey Proteins by Microparticulation*. Melbourne: School of Biomedical and Health Sciences, Faculty of Health, Engineering and Science, Victoria University.

Djali, M., Huda S., & Andriani L. (2018). Karakteristik Fisikokimia Yogurt Tanpa Lemak dengan Penambahan Whey Protein Concentrate dan Gum Xanthan. *Jurnal Agritech UNPAD*. 38(2): 178–186.

ED Ngouémazong, Christiaens S, Shpigelman A, Van Loey AM, Hendrickx ME. (2015) The emulsifying and emulsion-stabilizing properties of pectin: A review. *Comprehensive Reviews in Food Science and Food Safety*. 14: 705–718.

Ernoviya & Nurpermatasari, Adhisty. (2020). Formulasi dan Evaluasi Nanoemulsi Ketokonazole. *Jurnal Dunia Farmasi*. 4(3): 138–148.

Evanuarini, H., Nurliyani., Indratiningsih, dan Pudji Hastuti. (2016). Kestabilan Emulsi dan Karakteristik Sensoris Low Fat Mayonnaise dengan

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Menggunakan Kefir Sebagai Emulsifier Replacer. *Jurnal Ilmu dan Teknologi Hasil Ternak*. 11(2): 53–59.

Evanuarini, Herly. (2016). Karakteristik Low Fat Mayonnaise yang Diformulasi dari Rice Bran Oil, Tepung Porang, dan Kefir. *Disertasi*. Yogyakarta: Universitas Gadjah Mada.

Fanun, M. (2012). Microemulsions as delivery systems. *Current Opinion in Colloid and Interface Science.* 17: 306–313.

Fauzi Y., Yustina E. W., Satyawibawa I., & Paeru R. H. (2008). *Kelapa Sawit Budidaya dan Pemanfaatan Hasil dan Limbah Analisis Usaha dan Pemasaran.* Jakarta: Penebar Swadaya.

Flutto, L. (2003). Pectin: Properties and Determination. In: Caballero, B., Finglas, P., & Toldra, F. (ed) *Encyclopedia of Food Sciences and Nutrition (Second Edition).* 4440–4449. London: Academic Press.

Gaonkar, G., R. Koka, K. Chen, and B. Campbell. (2010). Emulsifying functionality of enzyme modified milk proteins on o/w and mayonnaise like emulsions. *Journal of Food Science*. 4(1): 16–25.

Gentes, Marie-Claude, St-Gelais, D., & Turgeon, S. L. (2010). Stabilization of Whey Protein Isolate-Pectin Complexes by Heat. *Journal of Agricultural and Food Chemistry*. 58: 7051–7058.

Ghazaei, S., Mizani M., Piravi-Vanak, Z., & Alimi M. (2015). Particle size and cholesterol content of a mayonnaise for Fmulated by OSA-modified potato starch. *Food Science and Techonology*. 35(1): 150–156.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Giancoli, D. C. (2014). *Fisika: Prinsip dan Aplikasi Jilid 1 Edisi 7*. Jakarta: Erlangga.

Habibati, Fahrani Nisrina. (2017). Pengaruh suhu dan waktu ekstraksi terhadap karakteristik pektin yang diisolasi dari polong kedelai. *Skripsi*. Bogor: Institut Pertanian Bogor.

Hanan, M. A., Al-Sayed, Nagwa M. H. Rasmy, Ibrahim, R. S. R., & Eman E.I. Yousef. (2012). Functional Properties of Some Fat-Replacers and Their Uses in Preparation of Reduced-Fat Mayonnaise. *World Journal of Dairy & Food Sciences.* 7(1): 109–119.

Healthwise staff. (2019). Michigan Medicine: *Fat Replacers in Food*. Diakses dari https://www.uofmhealth.org/health-library/uq1419 pada 28 Desember 2020.

Hidayah, N., Kasmiyatun, M., & Purwaningtyas, E. F. (2020). Pengambilan Pektin dari Kulit Bagian Dalam (Albedo) Semangka dengan Proses Ekstraksi. *Chemical Engineering Journal*. 1(2): 27–32.

Husni, P., Hisprastin, Y., & Januarti, M. (2019). Formulasi dan Uji Stabilitas Fisik Sediaan Emulsi Minyak Ikan Lemuru (Sardinella lemuru). *Jurnal Farmasi.* 11(2): 137–146.

Hutapea, C. A., Rusmarilin, H., & Nurminah, M. (2016). Pengaruh perbandingan zat penstabil dan konsentrasi kuning telur terhadap (reduced fat mayonnaise). *Jurnal Rekayasa Pangan dan Pertanian*. 4(3): 1–8.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

International Pectin Producers Association. (2021). *Pectin in Food & Beverage Products*. https://ippa.info/wp-content/uploads/2019/10/IPPA-FactSheet-General-040619-v8a-LR.pdf diakses pada 5 Maret 2021.

Ipsen, R. (2017). Microparticulated whey proteins for improving dairy product texture. *International Dairy Journal.* 67: 73–79.

J.J. Park, I. F. Olawuyi, W. Y. Lee. (2020). Characteristics of Low-Fat Mayonnaise Using Different Modified Arrowroot Starches as Fat Replacerinternational. *Journal of Biological Macromolecules*. 153: 215–223.

Jones, O. G. & McClements, D. J. (2010). Functional Biopolymer Particles: Design, Fabrication, and Applications. *Comprehensive Reviews in Food Science and Food Safety.* 9: 374–397.

Junaidi & Wigati, Restu. (2011). Analisis Parameter Butiran Sedimen Dasar pada Sungai Alamiah (Studi Kasus Sungai Krasak Yogyakarta). *Wahana Teknik Sipil.* 16(2): 46–57.

Kew, B., Holmes, M., Stieger, M., & Sarkar, A. (2020). Review on fat replacement using protein-based microparticulated powders or microgels: A textural perspective. *Trends in Food Science & Technology.* 457–468.

Kulkarni SG, Vijayanand P. (2010). Effect of extraction conditions on the quality characteristics of pectin from passion fruit peel (Passiflora edulis f. flavicarpa L.). *LWT- Food Science and Technology*. 43: 1026–1031.

L. Lusi, (2011). *Cara Mengetahui Ukuran Suatu Partikel*. Tangerang: Nanotech Indonesia.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Latuperissa, Dany E. & Lewerissa, Karina B. (2012). β-Karoten, Pigmen Paling Dominan pada Kelapa Sawit dan Manfaatnya bagi Kesehatan. *Majalah Ilmiah Semipoluler BioS.* 5(2): 37–40.

Leong T. S. H., Wooster T. J., Kentish S. E., & Ashokkumar M. (2009). Minimising oil droplet size using ultrasonic emulsification. *Journal of Ultrasonics Sonochemistery*. 16(6): 721–727.

Lesmana, Dekandra (2017) Kualitas Fisik Dan Ukuran Partikel Nano-Protein-Whey-Katekin Berdasarkan Penambahan Kadar Katekin Yang Berbeda. *Thesis.* Malang: Universitas Brawijaya.

Li .Y. & Xiang D. (2019). Stability of oil-in- water emulsions performed by ultrasound power or high-pressure homogenization. *PLoS ONE*. 14(3): 1–14.

Li, J., Ould Eleya, M. M., & Gunasekaran, S. (2006). Gelation of whey protein and xanthan mixture: Effect of heating rate on rheological properties. *Food Hydrocolloids*. 20(5): 678–686.

Lim, J., G. E. Inglet & S. Lee. (2010). Response to Consumer Demand for Reduced-Fat Foods: Multi-Functional Fat replacers. *Japan Journal of Food Engineering*. 11: 147–152.

Lubis, N. A. (2018). Pengaruh Kekentalan Cairan Terhadap Waktu Jatuh Benda Menggunakan Falling Ball Method. *Jurnal Ilmu Fisika dan Teknologi*. 2(2): 26–32.

Mahdian, E. dan Karazhian, R. (2013). Effects of Fat Replacers and Stabilizers on Rheological, Physicochemical and Sensory Properties of Reduced-fat Ice Cream. *Journal of Agricultural Science Technology.* 15: 1163–1174.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Manoi, K., & Rizvi, S. S. H. (2009). Emulsification mechanisms and characterizations of cold, gel-like emulsions from texturized whey protein concentrate. *Food Hydrocolloids*. 23: 1837–1847.

Maruyama K, Sakashita T, Hagura Y, Suzuki K. (2007). Relationship between rheology, particle size and texture of mayonnaise. *Food Science and Technology Research*. 13: 1–6.

Maskan, M., & Göğüş, F. (2000). Effect of sugar on the rheological properties of sunflower oil–water emulsions. *Journal of Food Engineering*. 43(3): 173–177.

McClements, D. J. (2005). *Food Emulsions: Principles, Practices, and Techniques. 2nd Ed*. USA: CRC Press.

McClements, D. J. (2016). *Food Emulsions: Principles, Practices, and Techniques*. *3rd Ed.* Florida: CRC Press.

McClements, D. J., & Rao, J. (2011). Food-Grade Nanoemulsions: Formulation, Fabrication, Properties, Performance, Biological Fate, and Potential Toxicity. *Critical Reviews in Food Science and Nutrition*. 51(4): 285–330.

McNulty, Maria. (2007). *Quality Control of Mayonnaise*. Bogor: Institut Pertanian Bogor.

Mirzanajafi-Zanjani, Mina, Yousefi, M., & Ehsani, A. (2019). Challenges and Approaches for Production of a Healthy and Functional Mayonnaise Sauce. *Food Science & Nutrition*. 1–14.

Muchtadi, T. R., Sugiyono, dan F. Ayustaningwarno. (2010). *Ilmu Pengetahuan Bahan Pangan. Cetakan Kedua*. Bogor: CV. Alfabeta. 95–96.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Musyoka, J. N., Abong', G. O., Mbogo, D. M., Fuchs, R., Low, J., Heck, s., & Muzhingi, T. (2018). Effects of Acidification and Preservatives on Microbial Growth during Storage of Orange Fleshed Sweet Potato Puree. *International Journal of Food Science.* 1–11.

Mutiah. (2002). Perbandingan Mutu Mayonnaise Telur Ayam dan Mayonnaise Telur Itik. *Thesis*. Bogor: Institut Pertanian Bogor.

Nafisa, Fitri dan Nurfitriyani, Siti. (2019). *Ekstrasi Pektin dari Kulit Buah Naga Menggunakan Pelarut Asam Asetat dengan Metode Microwave Assisted Extraction*. Bandung: Politeknik Negeri Bandung.

Nehete J. Y., Bhambar R. S., Narkhede M. R., Gawali S. R. (2013). Natural proteins: Sources, isolation, characterization and applications. *Pharmacognosy Reviews*. 7: 107–16.

Nikzade, V., Mazaheri Tehrani, M., & Saadatmand-Tarzjan, M. (2012). Optimization of low-cholesterol-low-fat mayonnais*e* formulation: Effect of using soy milk and some stabilizer by a mixture design approach. *Food Hydrocolloids*. 28(2): 344–352.

Nurhilal, Otong, Setianto, Suhanda, Anda. (2017). Desain Kalorimeter Bomb Biomassa dengan Metode Oksigen Dinamik. *JIIF (Jurnal Ilmu dan Inovasi Fisika).* 1(2): 105–111.

Oppusunggu, J. R., Siregar, V. R., & Masyithah, Z. (2015). Pengaruh Jenis Pelarut dan Temperatur Reaksi pada Sintesis Surfaktan dari Asam Oleat dan n-Metil Glukamina dengan Katalis Kimia. *Jurnal Teknik Kimia USU*. 4(1): 25–29.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Palma A., Aziz, M.G., Chawdhury, M.M., Uddin, M.B., Alam, M. (2004). Effector Edible Oils On Quality and Shelf Life of Low-fat Mayonnaise. *Pakistan Journal of Nutrition.* 3(6): 340–343.

Pawlik, Aleksandra. K., Ian T. Norton. (2013). Bridging Benchtop Research and Industrial Processed Foods: Structuring of Model Food Emulsion. *Journal of Food Structure*. 1: 24–38.

Raharjo, Sri. (2012). Teknologi Mikroemulsi Memudahkan Formulasi Karotenoid pada Produk Minuman. *Food Review Indonesia.* 36–41.

Rahmati, K dan Tehrani, M. (2012). Soy Milk as an emulsifier in mayonnaise: psycho-chemical, stability and sensory evaluation. *Journal of Food Science and Technology.* 51(11): 3341–3347.

Rahmati, N. F., Mazaheri Tehrani, M., Daneshvar, K., & Koocheki, A. (2014). Influence of Selected Gums and Pregelatinized Corn Starch on Reduced Fat Mayonnaise: Modeling of Properties by Central Composite Design. *Food Biophysics*. 10(1): 39–50.

Rahmati, S., Abdullah, A., Momeny, E., Kang, O. L. (2015). Optimization studies on microwave assisted extraction of dragon fruit (*Hylocereus polyrhizus*) peel pectin using response surface methodology. *International Food Research Journal*. 22(1): 233–239.

Raoufi, N., Fang, Y., Kadkhodaee, R., Phillips, G. O., & Najafi, M. N. (2016). Changes In Turbidity, Zeta Potential And Precipitation Yield Induced By Persian Gum-Whey Protein Isolate Interactions During Acidification. *Journal of Food Processing and Preservation*. 1–8.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Román, Laura, Martinez, M. M., & Gómez, Manuel. (2015). Assessing of the potential of extruded flour paste as fat replacer in O/W emulsion: A rheological and microstructural study. *Food Research International Journal*. 74: 72–79.

Roohinejad, S., Indrawati, O., Jingyuan , W. & Ralf, G., (2018). *Emulsion-based system for Delivery of Food Active Compounds.* USA: John Wiley & Sons Ltd.

Rusalim, Muhammad M., Tamrin, & Gusnawaty. (2017). Analisis Sifat Fisik Mayonnais*e* Berbahan Dasar Putih Telur Dan Kuning Telur Dengan Penambahan Berbagai Jenis Minyak Nabati. *Jurnal Sains dan Teknologi Pang*an. 2(5): 770–778.

Rusdiana, I. A., Hambali, I. & Rahayuningsih, M. (2018). Pengaruh Sonikasi Terhadap Sifat Fisik Formula Herbisida yang Ditambahkan Surfaktan Dietanolamida. *Jurnal Agroradix.* 1(2): 34–41.

Safari, A., Kusnandar, F., & Syamsir E. (2016). Biji Chia: Karakteristik Gum dan Potensi Kesehatannya*. Jurnal Pangan.* 25(2): 137–146.

Sahaya, R., Widodo, B., & Imron, C. (2016). Aliran Fluida Magnetohidrodinamik Viskoelatis Tersuspensi yang Melewati Pelat Datar. *Jurnal Sains dan Seni ITS*. 5(2): 2337–3520.

Salvia-Trujillo, L., Rojas-Graü, M. A., Soliva-Fortuny, R., & Martín-Belloso, O. (2013). Effect of processing parameters on physicochemical characteristics of microfluidized lemongrass essential oil-alginate nanoemulsions. *Food Hydrocolloids.* 30(1): 401–407.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Samant, S. K., Singhal, R. S., Kulkarni, P. R., & Rege, D. V. (1993). Protein-polysaccharide interactions: a new approach in food formulations. *International Journal of Food Science Technology.* 28: 547–562.

Saukani, Muhammad. (2016). Observation Particle Size of $Mg_{0.8}Zn_{0.2}Tio_3$ by Laser Diffraction Method. *Jurnal Teknik Mesin UNISKA*. 1(2): 40–43.

Shee, Anoop, K., Balaji, R., Deepika, S., Anushree, K., dan Kantha, D. A. (2010). Studies on The Antibacterial Activity Potential of Commonly Used Food Preservatives. *International Journal of Engineering Science and Technology.* 2(3): 264–269

Shen, R., Luo, S., Dong, J. (2011). Application of Oat Dextrine for Fat Substitute in Mayonnaise. *Food Chemistry*. 126: 65–71.

Silva, J. V. & O'Mahony, J. A. (2018). Microparticulated Whey Protein Addition Modulates Rheological and Microstructural Properties of High-protein Acid Milk Gels. *International Dairy Journal.* 78: 45–151.

Siregar, R. F., A. Hintono, dan S. Mulyani. (2012). Perubahan Sifat Fungsional Telur ayam Ras Pasca Pasteurisasi. *Animal Agriculture Journal.* 1(1): 521–528.

Soekopitojo, S. (2012). Isu terkini pengembangan fat replacer. *Food Review Indonesia*. http://foodreview.co.id/preview.php? view2&id=56357#. Diakses pada 28 Desember 2020.

Srivastava, P. & Malviya, Rishabha. (2011). Sources of Pectin, Extraction, and Its Applications in Pharmaceutical Industry. *Indian Journal of Natural Products and Resources.* 2(1):10–18.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Standar Nasional Indonesia. (1998). *Syarat Mutu Mayonnaise*. Jakarta. (SNI 01-4473-1998).

Sturaro, A., De Marchi, M., Zorzi, E., & Cassandro, M. (2015). Effect of Microparticulated Whey Protein Concentration and Protein-to-fat Ratio on Caciotta Cheese Yield and Composition. *Journal of International Dairy.* 48: 46–52.

Su, Hou-Pin, Lien, C., Lee, T., & Ho, J. (2010). Development of Low-fat Mayonnaise Containing Polysaccharide Gums as Function Ingredients. *Journal of Science of Food and Agriculture*. 90: 806–812.

Thaiudom, S., & Khantarat, K. (2011). Stability and rheological properties of fat-reduced mayonnaises by using sodium octenyl succinate starch as fat replacer. *Procedia Food Science*. 1: 315–321.

Thomas P. O'Connor, Nora M. O'Brien. (2016). Types of Fat Replacers. In: Smithers, G. W. (ed) *Reference Module in Food Science.* Amsterdam: Elsevier.

Tolstoguzov, V. B. (1997). Protein-polysaccharide interaction. In: Damodaran. S. & Paraf A. *Food proteins and their. applications.* New York: Marcel Dekker. 171–198.

Torres, I. C., Janhøj, T., Mikkelsen, B. Ø., & Ipsen, R. (2011). Effect of microparticulated whey protein with varying content of denatured protein on the rheological and sensory characteristics of low-fat yoghurt. *International Dairy Journal*. 21(9): 645–655.

Trujillo LS, Grau MAR, Forluny RS, Bellosa OM. (2013). Effect of processing parameters on physicochemical characteristics of microfluidized lemongrass essential oil- alginate nanoemulsions. *Food Hydrocolloid*. 30: 401–407.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Van den Akker, C. C., Schleeger, M., Bonn, M., & Koenderink, G. H. (2014). Structural Basis for the Polymorphism of β-Lactoglobulin Amyloid-Like Fibrils. *Bio-Nanoimaging*. 333–343.

Vanitha, T., dan Khan, M. (2019). *Role of Pectin in Food Processing and Food Packaging. Pectins - Extraction, Purification, Characterization and Applications*. London: IntechOpen.

Wang, Q. dan S.W. Cui. (2005). Understanding the physical properties of food polysaccharides. In S.W. Cui (ed) *Food Carbohydrate Chemistry, Physical Properties and Applications*. London, UK: Taylor & Francis group.

Wang, Y., Zheng, H., Li, Y., Li, B., & Chen, Y. (2015). One step procedure for desalting salty egg white and preparing fat analogue and its application in mayonnaise. *Food Hydrocolloids*. 45: 317–326.

Widerström, Ebba & Öhman, Rebecca. (2017). Mayonnais*e*: Quality and Catastrophic Phase Inversion. *Thesis*. Sweden: Department of Food Technology, Engineering and Nutrition, Lund University.

Wijaya, K. D. (2017). Sorbet Lidah Buaya dengan Penambahan Tepung Lokal sebagai Fat Mimetics. *Skripsi*. Semarang: Universitas Katolik Soegijapranata.

Wijaya, Vicky. (2016). *Proses-Proses Berbasis Membran di Industri Susu*. Bandung: Institut Teknologi Bandung.

Winarno, F. G. (2004). *Kimia Pangan dan Gizi*. Jakarta: Gramedia Pustaka Utama.

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Winarno, F. G. (2008). *Ilmu Pangan dan Gizi*. Jakarta: Gramedia Pustaka Utama.

Winarno, F.G. (2007). *Kimia Pangan dan Gizi*. Jakarta: Gramedia Pustaka Utama.

Wolfe, R. R. (2015). Update on protein intake: importance of milk proteins for health status of the elderly. *Nutrition Reviews*. 73(1): 41–47.

Wustenberg, T. (2015). Fundamentalsand Applications. In: Tanja Wustenberg (ed) *Cellulose and Cellulose Derivatives in the Food Industry.* Weinheim: Wiley-VCH Verlag Gmbh&Co.

Xioang, Ling, Li, C., Boeren, S., Vervoort, J., dan Hettinga, K. (2019). Effect of Heat Treatment on Bacteriostatic Activity and Protein Profile of Bovine Whey Proteins. *Journal of Food Research International.* 127: 1–10.

Y.Y. Lee. (1998). Effect of emulsifiers and stabilizers on the emulsion stability of mayonnaise. *Journal of Korean Society of Food and Nutrition.* 27: 115–120.

Yapo BM & Koffi KL. (2013). Extraction and characterization of gelling and emulsifying pectin fractions from cacao pod husk. *Journal of Food and Nutrition Research*. (4): 46–51.

Yashini M, Sunil C K, Sahana S, Hemanth S D, Chidanand D V & Ashish Rawso. (2019). Protein-based Fat Replacers – A Review of Recent Advances. *Food Reviews International.* 1–27

UNIVERSITAS
GADJAH MADA
Aplikasi Kompleks Elektrostatis Microparticulated Whey Protein-Low Methoxyl Pectin sebagai Fat Mimetics untuk Mayones Rendah Lemak
SEKAR OCTAFILIANA A, Prof. Dr. Ir. Chusnul Hidayat; Dr. Arima Diah Setiowati, S.T.P., M. Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Yumna, M. H., Zakaria, A. & Nurgiartiningsih, V. M. A. (2014). Kuantitas dan kualitas telur ayam arab (Gallus turcicus) silver dan gold. *Jurnal Ilmu-Ilmu Peternakan.* 23(2): 19–24.

Zayas, J. F. (1997). *Functionality of Proteins in Food.* Berlin: Springer-Verlag.

Zeeb, B., Shock, V., Schmid, N., Majer, L., Herrmann, K., Hinrichs, J., & Weiss J. (2017). Mixing behaviour of WPI–pectin-complexes in meat dispersions: impact of biopolymer ratios. *Food and Function Journal*. 8: 333–340.

Zhang, T., McCarthy, J., Wang, G., Liu, Y., & Guo, M. (2015). Physiochemical Properties, Microstructure, and Probiotic Survivability of Nonfat Goats' Milk Yogurt Using Heat-treated Whey Protein Concentrate as Fat Replacer. *Journal of Food Science*. 80(4): 78–94.

Zhu, D., Damodaran, S., & Lucey, J. A. (2010). Physicochemical and emulsifying properties of whey protein isolate (WPI) dextran conjugates produced in aqueous solution. *Journal of Agricultural and Food Chemistry*. 58(5): 2988–2994.

Zhu, J., Li, J., & Chen, J. (2012). Survival of Salmonella in Home-Style Mayonnaise and Acid Solutions as Affected by Acidulant Type and Preservatives. *Journal of Food Protection.* 75(3): 465–471.

Zimmerer, Laura Kathryn. (2013). Pickering Stabilization of Oil-Water Interfaces by Heated B-lactoglobulin/Pectin Particles. *Thesis*. Indiana: Purdue University.