

DAFTAR PUSTAKA

- Deendarlianto, Wiratni, Tontowi, A. E., Indarto, & Iriawan, A. G. W. (2015). The implementation of a developed *microbubble generator* on the aerobic wastewater treatment. *International Journal of Technology*, 6(6), 924–930. <https://doi.org/10.14716/ijtech.v6i6.1696>
- Deendarlianto, Supraba, I., Majid, A. I., Pradecta, M. R., Indarto, & Widyaparaga, A. (2019). Experimental investigation on the *flow* behavior during the *solid* particles lifting in a micro-bubble generator type *Airlift Pump* system. *Case Studies in Thermal Engineering*, 13(March 2018), 100386. <https://doi.org/10.1016/j.csite.2018.100386>
- Fujimoto, H., Nagatani, T., & Takuda, H. (2005). Performance characteristics *orgas-liquid-solid Airlift Pump*. *International Journal of Multiphase Flow*, 31(10–11), 111–61133. <https://doi.org/10.1016/j.ijmultiphaseflow.2005.06.008>
- Fujimoto, H., Murakami, S., Omura, A., & Takuda, H. (2004). Effect of local pipe bends on pump performance of a small air-lift system in transporting *solid* particles. *International Journal of Heat and Fluid Flow*, 25(6), 996–1005. <https://doi.org/10.1016/j.ijheatfluidflow.2004.02.025>
- Hanafizadeh, P., Ghanbarzadeh, S., & Saidi, M. H. (2011). Visual technique for detection of *gas-liquid two-phase flow* regime in the *Airlift Pump*. *Journal of Petroleum Science and Engineering*, 75(3–4), 327–335. <https://doi.org/10.1016/j.petrol.2010.11.028>
- Hanafizadeh, P., Karimi, A., & Saidi, M, A. (2011). Effect of Step Geometry on the Performance of the *Airlift Pump*. *International Journal of Fluid Mechanic Research*, 387–408.
- Kumar, S., Kumar, R, A., Mushi, P., & Khanna, A. (2012). *Gas hold-up* in three *phase co-current bubble* columns. *Procedia Engineering*, 42, 782–794

- Wang, Z., Deng, Y., Pan, Y., Jin, Y., & Huang, F. (2020). Experimentally investigating the *flow* characteristics of *Airlift Pumps* operating in *gas-liquid-solid flow*. *Experimental Thermal and Fluid Science*, 1-11
- Tighzert, H., Brahimi, M., Kechroud, N., & Benabbas, F. (2013). Effect of *Submergence Ratio* on the *liquid phase* velocity, efficiency and *void fraction* in an air-lift pump. *Journal of Petroleum Science and Engineering*, 110, 155– 161.
- Kassab, S. Z., Kandil, H. A., Warda, H. A., & Ahmed, W. H. (2007). Experimental and analytical investigations of *Airlift Pumps* operating in *three-phase flow*. *Chemical Engineering Journal*, 131(1–3), 273–281.
- Sadatom, M., Kawahara, A., Matsuyama, F., & Kimura, T. (2008). an Advanced *Microbubble generator* and Its Application to a Newly Developed *BubbleJet-Type Air-Lift Pump*. *Multiphase Science and Technology*, 19(4), 323–342. <https://doi.org/10.1615/multscientechn.v19.i4.20>
- Sadatom, M., Kawahara, A., Matsuyama, F., & Kimura, T. (2012). Experiment and Performance Prediction of *Bubble-Jet Type Air-Lift Pump* for Dredging Sediments on Sea and Lake Beds. *Advances in Fluid Mechanics and Heat Transfer*, 311–316.
- Sadatom, M., Kawahara, A., & Nishiyama, T. (2012). Experiment and Performance Prediction of *Bubble-Jet Type Air-Lift Pump* for Dredging Sediments on Sea and Lake Beds. *Advances in Fluid Mechanics and Heat Transfer*, 311–316.
- Tighzert, H., Brahimi, M., Kechroud, N., & Benabbas, F. (2013). Effect of *Submergence Ratio* on the *liquid phase* velocity, efficiency and *void fraction* in an air-lift pump. *Journal of Petroleum Science and Engineering*, 110, 155–161. <https://doi.org/10.1016/j.petrol.2013.08.047>
- Wahba, E. M., Gadalla, M. A., Abueidda, D., Dalaq, A., Hafiz, H., Elawadi, K., & Issa, R. (2014). On the Performance of Air-Lift Pumps: From Analytical

Models to Large Eddy Simulation. *Journal of Fluids Engineering, Transactions of the ASME*, 136(11). <https://doi.org/10.1115/1.4027473> *es in Fluid Mechanics and Heat Transder*, 311–316.

Weber, M., and Dedegil, Y., 1976, "Transport of Solids According to the Airlift Principle," Fourth International Conference on the Hydraulic Transport of Solids in Pipes, May 18-21, Alberta, Canada, paper HI.

Weber, M., 1982, "Vertical Hydraulc Conveying of Solids by Airlift," *Journal of Pipelines*, pp. 137-152.

Yoshinaga, T., Sato, Y. (1996). Performance of an Air-Lift Pump for Conveyong Coarse Particles. *International Journal of Multiphase Flow*, 22, 223–238.