

## DAFTAR PUSTAKA

- Ali, S.M., Yosipovitch, G., 2013. Skin pH: From basic science to basic skin care. *Acta Derm. Venereol.* 2013, 261–267.
- Álvarez-Román, R., Silva-Flores, P. G., Galindo-Rodríguez, S. A., Huerta-Heredia, A. A., Vilegas, W., & Paniagua-Vega, D. (2020). Moisturizing and antioxidant evaluation of *Moringa oleifera* leaf extract in topical formulations by biophysical techniques. *South African Journal of Botany*, 129, 404-411.
- Alvin, A., Eugresya, G., Hadiwidjaja, M., & Avanti, C. (2019). Thermostability and free radical scavenging activity of *Annona muricata* (L.) leaf extract in antiaging cream. *Pharmaciana*, 9(1), 11-20.
- Amirlak B, 2015, *Skin Anatomy*, Department of Dermatology, New York University.
- Anief, M. 2010. *Ilmu Meracik Obat: Teori dan Praktek*. Yogyakarta: Gadjah Mada University Press.
- Azhar, S. N. A. S., Ashari, S. E., & Salim, N. (2018). Development of a kojic monooleate-enriched oil-in-water nanoemulsion as a potential carrier for hyperpigmentation treatment. *International journal of nanomedicine*, 13, 6465.
- Barel A.O., Paye M. and Maibach H.I., 2009, *Handbook of Cosmetic Science and Technology*, 3rd Edition., Informa Healthcare USA, Inc., New York.
- Benny, I. S., V. Gunasekar and V. Ponnusami. 2014. Review on Application of *Xanthan gum* in Drug Delivery. *International Journal of PharmTech Research*. 6(4):1322–1326.
- Cattley, K., Duracher, L., Camattari, P., Mavon, A., & Grooby, S. (2015). Pre-clinical formulation screening, development and stability of acetyl aspartic acid for cosmetic application. *International journal of cosmetic science*, 37, 28-33.
- Cefali, L. C., Ataide, J. A., Fernandes, A. R., Sousa, I. M. D. O., Gonçalves, F. C. D. S., Eberlin, S., & Gava Mazzola, P. (2019). Flavonoid-enriched plant-extract-loaded emulsion: a novel phytocosmetic sunscreen formulation with antioxidant properties. *Antioxidants*, 8(10), 443.
- Chu, C. C., & Nyam, K. L. (2020). Kenaf (*Hibiscus cannabinus* L.) seed oil: Application as cosmetic product ingredients. *Industrial Crops and Products*, 156, 112871.
- Departemen Kesehatan RI, 2014, *Farmakope Indonesia*, Edisi V., Departemen Kesehatan Republik Indonesia, Jakarta.
- Djuanda, A., 2007., *Ilmu Penyakit Kulit Dan Kelamin*. Edisi kelima. Balai Penerbit FKUI. Jakarta.
- Dubuisson, P., Picard, C., Grisel, M., & Savary, G. (2018). How does composition influence the texture of cosmetic emulsions?. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 536, 38-46.
- El-Guendouz, S., Aazza, S., Lyoussi, B., Majdoub, N., Bankova, V., Popova, M., ... & Miguel, M. G. (2018). Effect of poplar-type propolis on oxidative stability and rheological properties of O/W emulsions. *Saudi pharmaceutical journal*, 26(8), 1073-1082.

- Fauzi, A.R; Nurmalina, Rina. 2012. Merawat Kulit dan Wajah. Jakarta: Kompas Gramedia.
- Fitzpatrick, P., Meadows, J., Ratcliffe, I., & Williams, P. A. (2013). Control of the properties of xanthan/glucomannan mixed gels by varying xanthan fine structure. *Carbohydrate Polymers*, 92(2), 1018–1025
- Gao, Z.; Fang, Y.; Cao, Y.; Liao, H.; Nishinari, K.; Phillips, G.O. (2017). Hydrocolloid-food component interactions. *Food Hydrocoll.* 68, 149–156
- Gilbert, L., Loisel, V., Savary, G., Grisel, M., & Picard, C. (2013). Stretching properties of xanthan, carob, modified guar and celluloses in cosmetic emulsions. *Carbohydrate polymers*, 93(2), 644-650.
- Hanno, I., Centini, M., Anselmi, C., & Bibiani, C. (2015). Green cosmetic surfactant from rice: Characterization and application. *Cosmetics*, 2(4), 322-341.
- Herawati, H. 2018. Potensi Hidrokoloid sebagai Bahan Tambahan pada Produk Pangan dan Non Pangan Bermutu. *Jurnal Litbang Pertanian*, 37, 17-25.
- Jamshidian, M., Savary, G., Grisel, M., & Picard, C. (2014). Stretching properties of xanthan and hydroxypropyl guar in aqueous solutions and in cosmetic emulsions. *Carbohydrate polymers*, 112, 334-341.
- Junyaprasert, V. B., Teeranachaideekul, V., Souto, E. B., Boonme, P., & Müller, R. H. (2009). Q10-loaded NLC versus nanoemulsions: stability, rheology and in vitro skin permeation. *International Journal of Pharmaceutics*, 377(1-2), 207-214.
- Kaci, M., Belhaffef, A., Meziane, S., Dostert, G., Menu, P., Velot, E., & Arab-Tehrany, E. (2018). Nanoemulsions and topical creams for the safe and effective delivery of lipophilic antioxidant coenzyme Q10. *Colloids and Surfaces B: Biointerfaces*, 167, 165-175.
- Kaushik, K., Sharma, R. B., & Agarwal, S. 2016. Natural polymers and their applications. *International Journal of Pharmaceutical Sciences Review and Research*, 37(2), 30-36.
- Kowalska, M., Turek, P., Żbikowska, A., Babut, M., & Szakiel, J. (2021). The Quality of Emulsions with New Synthetized Lipids Stabilized by *Xanthan gum*. *Biomolecules*, 11(2), 213.
- Kowalska, M., Woźniak, M., Żbikowska, A., & Kozłowska, M. (2020). Physicochemical Characterization and Evaluation of Emulsions Containing Chemically Modified Fats and Different Hydrocolloids. *Biomolecules*, 10(1), 115.
- Kumar A, Rao KM, Han SS. 2018. Application of *xanthan gum* as polysaccharide in tissue engineering: A review. *Carbohydrate Polymers*, 180, 128-144 doi: 10.1016/j.carbpol.2017.10.009.
- Martin, A., Swarbrick, J. & Cammarata, A., 2008, *Farmasi Fisik: Dasar-Dasar Kimia Fisik dalam Ilmu Farmasetik*, Edisi Ketiga, Penerbit UI Press, Jakarta.
- McIntosh, K., Smith, A., Young, L. K., Leitch, M. A., Tiwari, A. K., Reddy, C. M., & Baki, G. (2018). Alkenones as a promising green alternative for waxes in cosmetics and personal care products. *Cosmetics*, 5(2), 34.
- Media Komputindo

- Mulia, K., Ramadhan, R. M., & Krisanti, E. A. (2018). Formulation and characterization of nanoemulgel mangosteen extract in virgin coconut oil for topical formulation. *In MATEC Web of Conferences* (Vol. 156, p. 01013). EDP Sciences.
- Muliyawan, D., dan Suriana, N. 2013. A-Z Tentang Kosmetik. Jakarta: PT Elex
- Ng, S. H., Woi, P. M., Basri, M., & Ismail, Z. (2013). Characterization of structural stability of palm oil esters-based nanocosmeceuticals loaded with tocotrienol. *Journal of nanobiotechnology*, 11(1), 1-7.
- Ngan, C. L., Basri, M., Lye, F. F., Masoumi, H. R. F., Tripathy, M., Karjiban, R. A., & Abdul-Malek, E. (2014). Comparison of Box–Behnken and central composite designs in optimization of fullerene loaded palm-based nano-emulsions for cosmeceutical application. *Industrial Crops and Products*, 59, 309-317.
- Ngan, C. L., Basri, M., Tripathy, M., Karjiban, R. A., & Abdul-Malek, E. (2015). Skin intervention of fullerene-integrated nanoemulsion in structural and collagen regeneration against skin aging. *European Journal of Pharmaceutical Sciences*, 70, 22-28.
- Pardeike, J., Hommoss, A., & Müller, R. H., 2009, Lipid Nanoparticles (SLN,NLC) in Cosmetic and Pharmaceutical Dermal Products, *International Journal of Pharmaceutics*, 366(1), 170–184.
- Perdanakusuma DS. 2007. Anatomi fisiologi kulit dan penyembuhan luka. Artikel Ilmiah. Surabaya.
- Phetmung, H., & Sawatdee, S. (2019). Development of Cosmetic Cream Containing a Pharmaceutical Cocrystal of Salicylic Acid and Phenylalanine. *International Journal of Applied Pharmaceutics*, 1-11.
- Poret, F., Cordinier, A., Hucher, N., Grisel, M., & Savary, G. (2021). Impact of the synergistic interaction between xanthan and galactomannan on the stickiness properties of residual film after application on a surface. *Carbohydrate Polymers*, 255, 117500.
- Pravitasari, Dwi Nurwulan. 2012. Efek Samping Kosmetik dan Penanganannya, *Jurnal Sainika Medika*. Vol 6 (13).
- Puglia, C., Damiani, E., Offerta, A., Rizza, L., Tirendi, G. G., Tarico, M. S., ... & Perrotta, R. E. (2014). Evaluation of nanostructured lipid carriers (NLC) and nanoemulsions as carriers for UV-filters: characterization, in vitro penetration and photostability studies. *European Journal of Pharmaceutical Sciences*, 51, 211-217.
- Raviadarani, R., Ng, M. H., Manickam, S., & Chandran, D. (2020). Ultrasound-assisted production of palm oil-based isotonic W/O/W multiple nanoemulsion encapsulating both hydrophobic tocotrienols and hydrophilic caffeic acid with enhanced stability using oil-based Sucragel. *Ultrasonics sonochemistry*, 64, 104995.
- Ribeiro, R. C. D. A., Barreto, S. M. A. G., Ostrosky, E. A., Rocha-Filho, P. A. D., Veríssimo, L. M., & Ferrari, M. (2015). Production and characterization of

- cosmetic nanoemulsions containing *Opuntia ficus-indica* (L.) Mill extract as moisturizing agent. *Molecules*, 20(2), 2492-2509.
- Rieger, M., 2017, *Surfactants in Cosmetics*, Routledge.
- Samson, S., Basri, M., Fard Masoumi, H. R., Abdul Malek, E., & Abedi Karjiban, R. (2016). An artificial neural network based analysis of factors controlling particle size in a virgin coconut oil-based nanoemulsion system containing copper peptide. *PloS one*, 11(7), e0157737.
- Seino, H., Kawaguchi, N., Arai, Y., Ozawa, N., Hamada, K., & Nagao, N. (2020). Investigation of partially myristoylated carboxymethyl chitosan, an amphoteric-amphiphilic chitosan derivative, as a new material for cosmetic and dermal application. *Journal of Cosmetic Dermatology*.
- Setiadi, & Hidayah, N., 2018, The Effect of Papain Enzyme Dosage on the Modification of Egg-yolk Lecithin Emulsifier Product through Enzymatic Hydrolysis Reaction, *IJTech - International Journal of Technology*.
- Shah HC & Singh KK, 2009 dalam Rowe, R. C., Sheskey, P., & Quinn, M. (2009). *Handbook of pharmaceutical excipients*. Libros Digitales-Pharmaceutical Press
- Sukamto, Sukamto. 2010. Perbaikan Tekstur dan Sifat Organoleptik Roti yang Dibuat dari Bahan Baku Tepung Jagung Dimodifikasi oleh Gum Xanthan. *Agrika: Jurnal Ilmu-Ilmu Pertanian*, vol. 4, no. 1.
- Surini, S., & Mellani, T. I. N. A. (2017). Formulation and physical evaluation of microemulsion and W/O/W multiple emulsions dosage forms with alpha arbutin, lactic acid, and niacinamide as skinwhitening cosmetics. *International Journal of Applied Pharmaceutics*, 9, 67-90.
- Sworn, G., Danisco, F. S. & France. 2010. *Xanthan gum*. Handbook of Hydrocolloids. 186-203.
- Tamburic, S., Stevic, M., & Sisson, H. (2018). Rheological and texture analysis methods for the assessment of viscoelasticity. *SOFW Journal*, 144(6), 20-25.
- Tao, W., Lin, J., Wang, W., Huang, H., & Li, S. (2019). Designer bioemulsifiers based on combinations of different polysaccharides with the novel emulsifying esterase AXE from *Bacillus subtilis* CICC 20034. *Microbial cell factories*, 18(1), 1-10.
- Tian, H., Xiang, D., & Li, C. (2021). Tea polyphenols encapsulated in W/O/W emulsions with *xanthan gum*–locust bean gum mixture: Evaluation of their stability and protection. *International Journal of Biological Macromolecules*, 175, 40-48.
- Tranggono RI dan Latifah F, 2007, Buku Pegangan Ilmu Pengetahuan Kosmetik, PT. Gramedia Pustaka Utama, Jakarta.
- Teeranachaideekul, V., Chantaburanan, T., & Junyaprasert, V. B. (2017). Influence of state and crystallinity of lipid matrix on physicochemical properties and permeation of capsaicin-loaded lipid nanoparticles for topical delivery. *Journal of Drug Delivery Science and Technology*, 39, 300-307.
- Twilley, D., Moodley, D., Rolfes, H., Moodley, I., McGaw, L. J., Madikizela, B., & Lall, N. (2021). Ethanolic extracts of South African plants, *Buddleja saligna* Willd. and *Helichrysum odoratissimum* (L.) Sweet, as multifunctional

- ingredients in sunscreen formulations. *South African Journal of Botany*, 137, 171-182.
- Vianna-Filho, R. P., Petkowicz, C. L. O., & Silveira, J. L. M. (2013). Rheological characterization of O/W emulsions incorporated with neutral and charged polysaccharides. *Carbohydrate polymers*, 93(1), 266-272.
- Wang, T., Miller, D., Burczynski, F., & Gu, X. (2014). Evaluation of percutaneous permeation of repellent DEET and sunscreen oxybenzone from emulsion-based formulations in artificial membrane and human skin. *Acta Pharmaceutica Sinica B*, 4(1), 43-51.
- Woźniak, M., Kowalska, M., Tavernier, S., & Żbikowska, A. (2021). Enzymatically Modified Fats Applied in Emulsions Stabilized by Polysaccharides. *Biomolecules*, 11(1), 49.