

## DAFTAR PUSTAKA

- André, P., Delaney, S. M., LaRocca, T., Vincent, D., DeGuzman, F., Jurek, M., & Conley, P. B. (2003). P2Y<sub>12</sub> regulates platelet adhesion/activation, thrombus growth, and thrombus stability in injured arteries. *The Journal of clinical investigation*, 112(3), 398-406.
- Agarwal, S., & Mehrotra, R. (2016). An overview of molecular docking. *JSM Chem*, 4(2), 1024-1028.
- Bertolino, F., Valentin, J. P., Maffre, M., Grelac, F., Bessac, A. M., Maclouf, J., & John, G. W. (1995). Intrinsic activity of the non-prostanoid thromboxane A<sub>2</sub> receptor antagonist, daltroban (BM 13,505), in human platelets in vitro and in the rat vasculature in vivo. *British journal of pharmacology*, 115(1), 210-216.
- Bos, R., Woerdenbag, H. J., Kayser, O., Quax, W. J., Ruslan, K., & Elfami, E. (2007). Essential Oil Constituents of *Piper cubeba* L. Fils. From Indonesia. *Journal of Essential Oil Research*, 19(1), 14–17. <https://doi.org/10.1080/10412905.2007.9699217>
- Calvo-Flores, F. G., Dobado, J. A., Isac-Garcia, J., & Martin-Martinez, F. J. (2015). Structure and chemical properties of lignans. Lignin and Lignans as Renewable Raw Materials: *Chemistry, Technology and Applications*. 1st ed. Wiley, 313-368.
- Cao, C., Tan, Q., Xu, C., He, L., Yang, L., Zhou, Y., & Wu, B. (2018). Structural basis for signal recognition and transduction by platelet-activating-factor receptor. *Nature structural & molecular biology*, 25(6), 488-495.
- Cattaneo, M., Lecchi, A., Ohno, M., Joshi, B. V., Besada, P., Tchilibon, S., & Jacobson, K. A. (2004). Antiaggregatory activity in human platelets of potent antagonists of the P2Y<sub>1</sub> receptor. *Biochemical pharmacology*, 68(10), 1995-2002.
- Cattaneo, M. (2006). P2Y<sub>12</sub> receptor antagonists: a rapidly expanding group of antiplatelet agents.
- Chen, Y. C., Liao, C. H., & Chen, I. S. (2007). Lignans, an amide and anti-platelet activities from *Piper philippinum*. *Phytochemistry*, 68(15), 2101-2111.
- Chiung, Y. M., Hayashi, H., Matsumoto, H., OTANI, T., YOSHIDA, K. I., HUANG, M. Y., & NAKAYAMA, M. (1994). New metabolites, tetrahydrofuran lignans, produced by *Streptomyces* sp. IT-44. *The Journal of antibiotics*, 47(4), 487-491.
- Choi, E.M. & Hwang, J.K. (2005). Effect of some medicinal plants on plasma antioxidant system and lipid levels in rats. *Phytother Res*, 19 (5), 382–386.
- Cong, Y., Wang, L., Peng, R., Zhao, Y., Bai, F., Yang, C., & Cong, Y. (2016). Timosaponin AIII induces antiplatelet and antithrombotic activity via Gq-mediated signaling by the thromboxane A<sub>2</sub> receptor. *Scientific reports*, 6(1), 1-13.
- Coughlin, S. R. (2005). Protease-activated receptors in hemostasis, thrombosis dan vascular, *Journal of Thrombosis and Haemastosis*, 3(8): 1553-1554

- Cunha, W. R., Andrade e Silva, M. L., Sola Veneziani, R. C., Ambrósio, S. R., & Kenupp Bastos, J. (2012). Lignans: Chemical and biological properties. *Phytochemicals-A global perspective of their role in nutrition and health*.
- Cunningham, M., McIntosh, K., Bushell, T., Sloan, G., & Plevin, R. (2016). Proteinase-activated receptors (PARs) as targets for antiplatelet therapy. 44, 606–612. <https://doi.org/10.1042/BST20150282>
- Cvejić, J., Bursać, M., & Atanacković, M. (2012). Phytoestrogens: “Estrogene-Like” Phytochemicals. *In Studies in Natural Products Chemistry* (Vol. 38, pp. 1-35). Elsevier.
- da Silva, M. B., Delaunois, A., Gustin, P., Godeau, J. M., & Lekeux, P. (2000). In vitro inhibitory effect of SR 27417, a potent platelet-activating factor (PAF) receptor antagonist, on the PAF-induced bovine platelet aggregation. *Veterinary research*, 31(2), 267-272.
- Dar, A. M., & Mir, S. (2017). Molecular docking: approaches, types, applications and basic challenges. *J Anal Bioanal Tech*, 8(2), 1-3.
- Dawal, L., & Flaumenhaft, R. (2010). Targeting Platelet G-Protein Coupled Receptors (GPCRs): Looking Beyond Conventional GPCR Antagonism. *Current Vascular Pharmacology*, 8(2), 140–154. doi:10.2174/157016110790886938
- Durazzo, A., Lucarini, M., Camilli, E., Marconi, S., Gabrielli, P., Lisciani, S., & Turrini, A. (2018). Dietary lignans: definition, description and research trends in databases development. *Molecules*, 23(12), 3251.
- Eralita, N., & Khuzaimah, S. (2020). The Extraction of Essential Oil from Piper Cubeba by Using Solvent Free Microwave Extraction Method. *Eksakta: Berkala Ilmiah Bidang MIPA* (E-ISSN: 2549-7464), 21(2), 85-97.
- Evers, A., Gohlke, H., & Klebe, G. (2003). Ligand-supported homology modelling of protein binding-sites using knowledge-based potentials. *Journal of molecular biology*, 334(2), 327-345.
- Fan, H., Chen, S., Yuan, X., Han, S., Zhang, H., Xia, W., & Wu, B. (2019). Structural basis for ligand recognition of the human thromboxane A 2 receptor. *Nature chemical biology*, 15(1), 27-33.
- Finley, R. J. (2012). The future of CCS. *Oilfield Review*, 24(4), 1.
- Fontana, P., Zufferey, A., Daali, Y., & Reny, J. L. (2014). Antiplatelet therapy: Targeting the TxA 2 pathway. *Journal of cardiovascular translational research*, 7(1), 29-38.
- Franchi, F., Angiolillo, D.J. (2014). Novel antiplatelet agents in acute coronary syndrome, *Nature Reviews Cardiology*, 12: 30-47.
- Gachet, C. (2015). Antiplatelet drugs: which targets for which treatments? *Journal of Thrombosis and Haemostasis*, 13, S313-S322.
- Goto, S., & Serebruany, V. (2011). Vorapaxar. PAR1 receptor antagonist, antiplatelet therapy. *Drugs of the Future*, 36(2), 101-113.
- Gregg, D., & Goldschmidt-Clermont, P. J. (2003). Cardiology patient page. Platelets and cardiovascular disease. *Circulation*, 108(13), 1–3. <https://doi.org/10.1161/01.CIR.0000086897.15588.4B>

- GPCRdb (Kooistra AJ, Mordalski S, Pándy-Szekeres G, Esguerra M, Mamyrbekov A, Munk C, Keserü GM, Gloriam DE) (2021): integrating GPCR sequence, structure and function *Nucleic Acids Research*, 49:D335-D343
- Gremmel, T., Yanachkov, I. B., Yanachkova, M. I., Wright, G. E., Wider, J., Undyala, V. V., Michelson, A. D., Frelinger, A. L., 3rd, & Przyklenk, K. (2016). Synergistic Inhibition of Both P2Y1 and P2Y12 Adenosine Diphosphate Receptors As Novel Approach to Rapidly Attenuate Platelet-Mediated Thrombosis. *Arteriosclerosis, thrombosis, and vascular biology*, 36(3), 501–509. <https://doi.org/10.1161/ATVBAHA.115.306885>
- Gurbel, P. A., Kuliopulos, A., & Tantry, U. S. (2015). G-protein–coupled receptors signaling pathways in new antiplatelet drug development. *Arteriosclerosis, thrombosis, and vascular biology*, 35(3), 500-512.
- Han, X., & Nieman, M. T. (2018). PAR4 (Protease-Activated Receptor 4) PARTICULARLY Important 4 Antiplatelet Therapy.
- Hansen, K. K., & Hollenberg, M. D. (2004). Proteinase-Activated
- Hamilton, J. R. (2009). Blood Reviews Protease-activated receptors as targets for antiplatelet therapy. *Blood Reviews*, 23(2), 61–65. <https://doi.org/10.1016/j.blre.2008.06.002>
- Hashemzadeh, M., Arreguin, J. M., Roberts, T., & Movahed, M. R. (2015). A novel inhibitor of protease-activated receptor 1: a review of chemical structure and mode of action. *Reviews in cardiovascular medicine*, 16(1), 68-73.
- Hechler, B., Nonne, C., Roh, E. J., Cattaneo, M., Cazenave, J. P., Lanza, F., & Gachet, C. (2006). MRS2500 [2-iodo-N6-methyl-(N)-methanocarba-2'-deoxyadenosine-3', 5'-bisphosphate], a potent, selective, and stable antagonist of the platelet P2Y1 receptor with strong antithrombotic activity in mice. *Journal of Pharmacology and Experimental Therapeutics*, 316(2), 556-563.
- Hechler, B., & Gachet, C. (2011). P2 receptors and platelet function. Purinergic signalling, 7(3), 293–303. <https://doi.org/10.1007/s11302-011-9247-6>
- Hevener, K. E., Zhao, W., Ball, D. M., Babaoglu, K., Qi, J., White, S. W., & Lee, R. E. (2009). Validation of molecular docking programs for virtual screening against dihydropteroate synthase. *Journal of chemical information and modeling*, 49(2), 444-460.
- Hollenberg, M. D., & Saifeddine, M. (2001). Proteinase-activated receptor 4 (PAR4): activation and inhibition of rat platelet aggregation by PAR4-derived peptides. *Canadian journal of physiology and pharmacology*, 79(5), 439-442.
- Hsu, K. C., Chen, Y. F., Lin, S. R., & Yang, J. M. (2011). iGEMDOCK: a graphical environment of enhancing GEMDOCK using pharmacological interactions and post-screening analysis. *BMC bioinformatics*, 12(1), 1-11.
- Husni M. F. (2015). UJI AKTIVITAS ANTIPLATELET EKSTRAK ETANOLIK BUAH KEMUKUS (*Piper cubeba* L.f.) PADA PLATELET TERINDUKSI EPINEFRIN. *Skripsi*. UGM: Yogyakarta.
- Ibanez, B., Vilahur, G., & Badimon, J. J. (2006). Pharmacology of thienopyridines: rationale for dual pathway inhibition. *European heart journal supplements*, 8(suppl\_G), G3-G9.

- Ishii, Satoshi. (2007). Platelet-Activating Factor Receptor dalam Enna, S.J. dan David S.J., (Eds), *xPharm: The Comprehensive Pharmacology Reference*, Elsevier, US.
- Iyú, D., Glenn, J. R., White, A. E., Fox, S. C., Dovlatova, N., & Heptinstall, S. (2011). P2Y<sub>12</sub> and EP<sub>3</sub> antagonists promote the inhibitory effects of natural modulators of platelet aggregation that act via cAMP. *Platelets*, 22(7), 504-515.
- Jain, A. N., 2006, Scoring Functions For Protein-Ligand Docking, Current Protein And Peptide, *Science*, 7: 407-420.
- Jacoby, E., Fauchère, J. L., Raimbaud, E., Ollivier, S., Michel, A., & Spedding, M. (1999). A three binding site hypothesis for the interaction of ligands with monoamine G protein-coupled receptors: Implications for combinatorial ligand design. *Quantitative Structure-Activity Relationships*, 18(6), 561-572.
- Jenkins, J. L., Bender, A., & Davies, J. W. (2006). In silico target fishing: Predicting biological targets from chemical structure. *Drug Discovery Today: Technologies*, 3(4), 413-421.
- Kalampalidis, A., Peppas, A., Schnakenburg, G., Papakyriakou, A., Tsoupras, A., Zabetakis, I., & Philippopoulos, A. I. (2021). Antithrombotic and antiplatelet activity of an organometallic rhodium (I) complex incorporating a substituted thieno-[2, 3-d]-pyrimidine ligand: Synthesis, structural characterization, and molecular docking calculations. *Applied Organometallic Chemistry*, 35(6), e6210.
- Kellenberger E, Muller P, Schalon C, Bret G, Foata N, Rognan D. (2006) sc-PDB: an annotated database of druggable binding sites from the Protein Data Bank. *J Chem Inf Model*.;46(2):717-27. doi: 10.1021/ci050372x. PMID: 16563002.
- Kitchen, D. B., Decornez, H., Furr, J. R., & Bajorath, J. (2004). Docking and scoring in virtual screening for drug discovery: methods and applications. *Nature reviews Drug discovery*, 3(11), 935-949.
- Kohler, Franz Eugen. (1897). Köhler's Medizinal-Pflanzen. <http://pharm1.pharmazie.uni-greifswald.de/allgemei/koehler/koeh-eng.htm>
- Kong, D., Xue, T., Guo, B., Cheng, J., Liu, S., Wei, J., & Yang, Y. (2019). Optimization of P2Y<sub>12</sub> antagonist ethyl 6-(4-((benzylsulfonyl) carbamoyl) piperidin-1-yl)-5-cyano-2-methylnicotinate (AZD1283) Led to the discovery of an oral antiplatelet agent with improved druglike properties. *Journal of medicinal chemistry*, 62(6), 3088-3106.
- Kroemer, R. T. (2007). Structure-based drug design: docking and scoring. *Current protein and peptide science*, 8(4), 312-328.
- Kusumarini, N., Ariyanti, N. S., Tumbuhan, P. B., & Biologi, D. (2015). Floribunda 5(3) 2015 KEANEKARAGAMAN KEMUKUS DI JAWA. 5(3).
- Leys, D. (2001). Atherothrombosis: a major health burden. *Cerebrovascular diseases*, 11(Suppl. 2), 1-4.
- Li, J., Fu, A., & Zhang, L. (2019). An overview of scoring functions used for protein–ligand interactions in molecular docking. *Interdisciplinary Sciences: Computational Life Sciences*, 11(2), 320-328.

- Liu, X. (2016). Characterization of Cue-Induced Reinstatement of Nicotine-Seeking Behavior in Smoking Relapse: Use of Animal Models. In *Neuropathology of Drug Addictions and Substance Misuse* (pp. 237-245). *Academic Press*.
- Melchinger, H., Jain, K., Tyagi, T., & Hwa, J. (2019). Role of Platelet Mitochondria: Life in a Nucleus-Free Zone. *Frontiers in cardiovascular medicine*, 6, 153. <https://doi.org/10.3389/fcvm.2019.00153>
- Meng, X. Y., Zhang, H. X., Mezei, M., & Cui, M. (2011). Molecular docking: a powerful approach for structure-based drug discovery. *Current computer-aided drug design*, 7(2), 146–157. <https://doi.org/10.2174/157340911795677602>
- Michelson, Alan, 2012, Platelets, ed. 3, hal. 367-388, *Academic Press*, Cambridge, USA.
- Morikawa, Y., Kato, H., Kashiwagi, H., Nishiura, N., Akuta, K., Honda, S., & Tomiyama, Y. (2018). Protease-activated receptor-4 (PAR4) variant influences on platelet reactivity induced by PAR4-activating peptide through altered Ca<sup>2+</sup> mobilization and ERK phosphorylation in healthy Japanese subjects. *Thrombosis research*, 162, 44-52.
- Morris, G., dan Lim-Wilby, M., 2008, Molecular Docking, *Methods In Molecular Biology*, 443, 365-382.
- Muegge, I. (2000). A Knowledge-Based Scoring Function for Protein-Ligand Interactions: Probing The Reference State, Perspectives *In Drug Discovery And Design*, Springer, Dordrecht, 100-114
- Mufinnah F. F. (2016). AKTIVITAS ANTIPLATELET EKSTRAK ETANOLIK BUAH KEMUKUS (*Piper cubeba* L.f.) PADA PLATELET TERINDUKSI ASAM ARAKIDONAT. *Skripsi*. UGM: Yogyakarta.
- Nikolić, L. I., Suvajđžić-Vuković, N. D., Bugarinović, S. M., & Plećaš, D. V. (2016). Platelets (thrombocytes): The other recognized functions. *Hospital Pharmacology-International Multidisciplinary Journal*, 3(3), 447-453.
- Offermanns, S. (2006). Activation of Platelet Function Through G Protein – Coupled Receptors. <https://doi.org/10.1161/01.RES.0000251742.71301.16>
- PCIDB (PhytoChemical Interactions DB). (2020). Piper cubeba. Diakses dari: [https://www.genome.jp/db/pcidb/kna\\_species/1680](https://www.genome.jp/db/pcidb/kna_species/1680)
- PERKI. (2015). Pedoman tatalaksana sindrom koroner akut. Pedoman Tatalaksan Syndrome Koroner Akut, 88. <https://doi.org/10.1093/eurheartj/ehn416>
- Purnomo, Hari. (2011). Kimia Komputasi: Molecular Docking PLANTS, *Pustaka Pelajar*, Yogyakarta.
- Ramachandran, R., Mihara, K., Thibeault, P., Vanderboor, C. M., Petri, B., Saifeddine, M., & Hollenberg, M. D. (2017). Targeting a proteinase-activated receptor 4 (PAR4) carboxyl terminal motif to regulate platelet function. *Molecular pharmacology*, 91(4), 287-295.
- Rodríguez-García, C., Sánchez-Quesada, C., Toledo, E., Delgado-Rodríguez, M., & Gaforio, J. J. (2019). Naturally lignan-rich foods: a dietary tool for health promotion? *Molecules*, 24(5), 917.
- Roka-Moya, Y. M., Bilous, V. L., Zhernossekov, D. D., dan Grinenko, T. V. (2014). Novel Aspects of Platelet Aggregation, *Biopolymers and Cell*, 30: 10–15.

- Ruggeri, Z. M., & Mendolicchio, G. L. (2007). Adhesion mechanisms in platelet function. *Circulation research*, 100(12), 1673-1685.
- Ruslan, K., Batterman, S., Bos, R., Kayser, O., Woerdenbag, H. J., & Quax, W. J. (2007). Lignan profile of *Piper cubeba*, an Indonesian medicinal plant. *Biochemical systematics and ecology*, 35(7), 397-402.
- Rwibasira Rudinga, G., Khan, G. J., & Kong, Y. (2018). Protease-Activated Receptor 4 (PAR4): A Promising Target for Antiplatelet Therapy. *International journal of molecular sciences*, 19(2), 573. <https://doi.org/10.3390/ijms19020573>
- Sanderson, H. M., Heptinstall, S., Vickers, J., & Lösche, W. (1996). Studies on the effects of agonists and antagonists on platelet shape change and platelet aggregation in whole blood. *Blood Coagulation & Fibrinolysis: an International Journal in Haemostasis and Thrombosis*, 7(2), 245-248.
- Santilli, F., Mucci, L., & Davì, G. (2011). TP receptor activation and inhibition in atherothrombosis: the paradigm of diabetes mellitus. *Internal and emergency medicine*, 6(3), 203-212.
- SaraJliJa, H., ČukelJ, N., Mršić, G. N. D., Brnčić, M., & Čurić, D. (2012). Preparation of flaxseed for lignan determination by gas chromatography-mass spectrometry method. *Czech Journal of Food Sciences*, 30(1), 45-52.
- Savage, B., Cattaneo, M., & Ruggeri, Z. M. (2001). Mechanisms of platelet aggregation. *Current opinion in hematology*, 8(5), 270-276.
- Schneider, J., Korshunova, K., Musiani, F., Alfonso-Prieto, M., Giorgetti, A., & Carloni, P. (2018). Predicting ligand binding poses for low-resolution membrane protein models: Perspectives from multiscale simulations. *Biochemical and biophysical research communications*, 498(2), 366-374.
- Shi, Y. N., Shi, Y. M., Yang, L., Li, X. C., Zhao, J. H., Qu, Y., & Zhang, Y. J. (2015). Lignans and aromatic glycosides from *Piper wallichii* and their antithrombotic activities. *Journal of ethnopharmacology*, 162, 87-96.
- Smyth, S. S., Woulfe, D. S., Weitz, J. I., Gachet, C., Conley, P. B., Goodman, S. G., & Steinhubl, S. R. (2009). G-protein-coupled receptors as signaling targets for antiplatelet therapy. *Arteriosclerosis, thrombosis, and vascular biology*, 29(4), 449-457.
- Stahl, E. (1973). Analisis Obat Secara Kromatografi dan Mikroskopi, 206-209, diterjemahkan oleh Kosasih Padmawinata dan Iwang Sudiro, *Penerbit ITB*, Bandung.
- Sudarsono, Pudjoarinto, A., Gunawan, D., Wahyuono, S., Donatus, I.A., Drajat, M., Wibowo, S., dan Ngatidjan. (1996). Tumbuhan Obat, 114, *Pusat Penelitian Obat Tradisional UGM*, Yogyakarta.
- Syamsuhidayat, S.S., Hutapea, J.R. (1991) Inventaris Tanaman Obat Indonesia (I), *Badan Litbangkes*, Departemen Kesehatan Republik Indonesia, Jakarta
- Teponno, R. B., Kusari, S., & Spittler, M. (2016). Recent advances in research on lignans and neolignans. *Natural product reports*, 33(9), 1044-1092.
- Thiemermann, C., Ney, P., & Schrör, K. (1988). The thromboxane receptor antagonist, daltroban, protects the myocardium from ischaemic injury resulting in suppression of leukocytosis. *European journal of pharmacology*, 155(1-2), 57-67.

- Tsai, I. L., Lee, F. P., Wu, C. C., Duh, C. Y., Ishikawa, T., Chen, J. J., & Chen, I. S. (2005). New cytotoxic cyclobutanoid amides, a new furanoid lignan and anti-platelet aggregation constituents from *Piper arborescens*. *Planta medica*, 71(06), 535-542.
- Tsujii, K., Andoh, T., Lee, J. B., & Kuraishi, Y. (2008). Activation of proteinase-activated receptors induces itch-associated response through histamine-dependent and-independent pathways in mice. *Journal of pharmacological sciences*, 0811050162-0811050162.
- Tyndall, J. D., & Sandilya, R. (2005). GPCR agonists and antagonists in the clinic. *Medicinal chemistry*, 1(4), 405-421.
- van der Westhuizen, E. T., Valant, C., Sexton, P. M., & Christopoulos, A. (2015). Endogenous allosteric modulators of G protein-coupled receptors. *Journal of Pharmacology and Experimental Therapeutics*, 353(2), 246-260.
- Yannai, S. (Ed.). (2012). Dictionary of food compounds with CD-ROM. *Crc Press*.
- Yun, S. H., Sim, E. H., Goh, R. Y., Park, J. I., & Han, J. Y. (2016). Platelet activation: The mechanisms and potential biomarkers. *BioMed Research International*, 2016, 10-14. <https://doi.org/10.1155/2016/9060143>
- Wahyono. (2005). Isolation and Structure Ellucidation of Tracheospasmodic Compounds from *Piper cubeba* L.f. Fruits and Their Possibility as Antiinflammatory Activity, *Disertasi*, Universitas Gadjah Mada, Yogyakarta
- Wardana A. E. (2015). AKTIVITAS ANTIPLATELET EKSTRAK ETANOLIK BUAH KEMUKUS (*Piper cubeba* L.f) PADA PLATELET TERINDUKSI ADP. *Skripsi*. UGM: Yogyakarta.
- Willoughby, S., Holmes, A., dan Loscalzo, J. (2002). Platelets and cardiovascular disease, *European Journal of Cardiovascular Nursing*, 1(4), 273-288.
- World Health Organization. (2019). Cardiovascular disease. [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds))
- Woulfe, D. S. (2005). REVIEW ARTICLES: Platelet G protein-coupled receptors in hemostasis and thrombosis. *Journal of Thrombosis and Haemostasis*, 3(10), 2193-2200.
- Wulandari E. I. (2015). AKTIVITAS ANTIPLATELET EKSTRAK ETANOLIK BUAH KEMUKUS (*Piper cubeba* L. f) PADA PLATELET TERINDUKSI TROMBIN. *Skripsi*. UGM: Yogyakarta.
- Zapata, J. C., Cox, D., & Salvato, M. S. (2014). The role of platelets in the pathogenesis of viral hemorrhagic fevers. *PLoS Negl Trop Dis*, 8(6), e2858.
- Zhang, K., Zhang, J., Gao, Z. G., Zhang, D., Zhu, L., Han, G. W., & Zhao, Q. (2014). Structure of the human P2Y<sub>12</sub> receptor in complex with an antithrombotic drug. *Nature*, 509(7498), 115-118.
- Zhang, D., Gao, Z. G., Zhang, K., Kiselev, E., Crane, S., Wang, J., Paoletta, S., Yi, C., Ma, L., Zhang, W., Han, G. W., Liu, H., Cherezov, V., Katritch, V., Jiang, H., Stevens, R. C., Jacobson, K. A., Zhao, Q., & Wu, B. (2015). Two disparate ligand-binding sites in the human P2Y<sub>1</sub> receptor. *Nature*, 520(7547), 317-321. <https://doi.org/10.1038/nature14287>

Zhou, Q., Yang, D., Wu, M., Guo, Y., Guo, W., Zhong, L., & Zhao, S. (2019).  
Common activation mechanism of class A GPCRs. *Elife*, 8, e50279.