

REFERENCES

- Adams, B. K., Ferstl, E. M., Davis, M. C., Herold, M., Kurtkaya, S., Camalier, R. F., Hollingshead, M. G., Kaur, G., Sausville, E. A., Rickles, F. R., Snyder, J. P., Liotta, D. C., & Shoji, M. (2004). Synthesis and biological evaluation of novel curcumin analogs as anti-cancer and anti-angiogenesis agents. *Bioorganic & Medicinal Chemistry*, *12*(14), 3871–3883. <https://doi.org/10.1016/j.bmc.2004.05.006>
- Aggarwal, B. B., Kumar, A., & Bharti, A. C. (2003). Anticancer Potential of Curcumin: Preclinical and Clinical Studies. *Anticancer Research*, *23*, 363–398.
- Ahsan, M. J. (2016). Evaluation of Anticancer Activity of Curcumin Analogues Bearing a Heterocyclic Nucleus. *Asian Pacific Journal of Cancer Prevention*, *17*(4), 1739–1744. <https://doi.org/10.7314/APJCP.2016.17.4.1739>
- Al-Hujaily, E. M., Mohamed, A. G., Al-Sharif, I., Youssef, K. M., Manogaran, P. S., Al-Otaibi, B., Al-Haza'a, A., Al-Jammaz, I., Al-Hussein, K., & Aboussekhra, A. (2011). PAC, a novel curcumin analogue, has anti-breast cancer properties with higher efficiency on ER-negative cells. *Breast Cancer Research and Treatment*, *128*(1), 97–107. <https://doi.org/10.1007/s10549-010-1089-3>
- Ali, N. M., Yeap, S. K., Abu, N., Lim, K. L., Ky, H., Pauzi, A. Z. M., Ho, W. Y., Tan, S. W., Alan-Ong, H. K., Zareen, S., Alitheen, N. B., & Akhtar, M. N. (2017). Synthetic curcumin derivative DK1 possessed G2/M arrest and induced apoptosis through accumulation of intracellular ROS in MCF-7 breast cancer cells. *Cancer Cell International*, *17*(1), 30. <https://doi.org/10.1186/s12935-017-0400-3>
- Badr, G., Gul, H. I., Yamali, C., Mohamed, A. A. M., Badr, B. M., Gul, M., Abo Markeb, A., & Abo El-Maali, N. (2018). Curcumin analogue 1,5-bis(4-hydroxy-3-((4-methylpiperazin-1-yl)methyl)phenyl)penta-1,4-dien-3-one mediates growth arrest and apoptosis by targeting the PI3K/AKT/mTOR and PKC-theta signaling pathways in human breast carcinoma cells. *Bioorganic Chemistry*, *78*, 46–57. <https://doi.org/10.1016/j.bioorg.2018.03.006>
- Bhullar, K. S., Jha, A., & Rupasinghe, H. P. V. (2015). Novel carbocyclic curcumin analog CUR3d modulates genes involved in multiple apoptosis pathways in human hepatocellular carcinoma cells. *Chemico-Biological Interactions*, *242*, 107–122. <https://doi.org/10.1016/j.cbi.2015.09.020>
- Bill, M. A., Fuchs, J. R., Li, C., Yui, J., Bakan, C., Jr, D. M. B., Schwartz, E. B., Abdelhamid, D., Lin, J., Hoyt, D. G., Fossey, S. L., Young, G. S., Iii, W. E. C., Li, P.-K., & Lesinski, G. B. (2010). The small molecule curcumin analog FLLL32 induces apoptosis in melanoma cells via STAT3 inhibition and retains

the cellular response to cytokines with anti-tumor activity. *Molecular Cancer Research*, 12.

- Bill, M. A., Nicholas, C., Mace, T. A., Etter, J. P., Li, C., Schwartz, E. B., Fuchs, J. R., Young, G. S., Lin, L., Lin, J., He, L., Phelps, M., Li, P.-K., & Lesinski, G. B. (2012). Structurally Modified Curcumin Analogs Inhibit STAT3 Phosphorylation and Promote Apoptosis of Human Renal Cell Carcinoma and Melanoma Cell Lines. *PLoS ONE*, 7(8), e40724. <https://doi.org/10.1371/journal.pone.0040724>
- Cen, L., Hutzen, B., Ball, S., DeAngelis, S., Chen, C.-L., Fuchs, J. R., Li, C., Li, P.-K., & Lin, J. (2009). New structural analogues of curcumin exhibit potent growth suppressive activity in human colorectal carcinoma cells. *BMC Cancer*, 9(1), 99. <https://doi.org/10.1186/1471-2407-9-99>
- Chuprajob, T., Changtam, C., Chokchaisiri, R., Chunglok, W., Sornkaew, N., & Suksamrarn, A. (2014). Synthesis, cytotoxicity against human oral cancer KB cells and structure–activity relationship studies of trienone analogues of curcuminoids. *Bioorganic & Medicinal Chemistry Letters*, 24(13), 2839–2844. <https://doi.org/10.1016/j.bmcl.2014.04.105>
- Dai, X., Zhang, J., Guo, G., Cai, Y., Cui, R., Yin, C., Liu, W., Vinothkumar, R., Zhang, T., Liang, G., & Zhang, X. (2018). A mono-carbonyl analog of curcumin induces apoptosis in drug-resistant EGFR-mutant lung cancer through the generation of oxidative stress and mitochondrial dysfunction. *Cancer Management and Research*, Volume 10, 3069–3082. <https://doi.org/10.2147/CMAR.S159660>
- Das, U., Sharma, R., & Dimmock, J. (2009). 1,5-Diaryl-3-oxo-1,4-pentadienes: A Case for Antineoplastics with Multiple Targets. *Current Medicinal Chemistry*, 16(16), 2001–2020. <https://doi.org/10.2174/092986709788682218>
- Elkholi, R., Renault, T. T., Serasinghe, M. N., & Chipuk, J. E. (2014). Putting the pieces together: How is the mitochondrial pathway of apoptosis regulated in cancer and chemotherapy? *Cancer & Metabolism*, 2, 16. <https://doi.org/10.1186/2049-3002-2-16>
- Elmore, S. (2007). Apoptosis: A Review of Programmed Cell Death. *Toxicologic Pathology*, 35(4), 495–516. <https://doi.org/10.1080/01926230701320337>
- Faião-Flores, F., Suarez, J. A. Q., Maria-Engler, S. S., Soto-Cerrato, V., Pérez-Tomás, R., & Maria, D. A. (2013). The curcumin analog DM-1 induces apoptotic cell death in melanoma. *Tumor Biology*, 34(2), 1119–1129. <https://doi.org/10.1007/s13277-013-0653-y>
- Feng, C., Xia, Y., Zou, P., Shen, M., Hu, J., Ying, S., Pan, J., Liu, Z., Dai, X., Zhuge, W., Liang, G., & Ruan, Y. (2017). Curcumin analog L48H37 induces apoptosis through ROS-mediated endoplasmic reticulum stress and STAT3 pathways in

- human lung cancer cells. *Molecular Carcinogenesis*, 56(7), 1765–1777. <https://doi.org/10.1002/mc.22633>
- Fresco, P., Borges, F., Marques, M., & Diniz, C. (2010). The Anticancer Properties of Dietary Polyphenols and its Relation with Apoptosis. *Current Pharmaceutical Design*, 16(1), 114–134. <https://doi.org/10.2174/138161210789941856>
- GCO. (2020). *Cancer tomorrow*. <http://gco.iarc.fr/>
- Goldar, S., Khaniani, M. S., Derakhshan, S. M., & Baradaran, B. (2015). Molecular mechanisms of apoptosis and roles in cancer development and treatment. *Asian Pacific Journal of Cancer Prevention: APJCP*, 16(6), 2129–2144. <https://doi.org/10.7314/apjcp.2015.16.6.2129>
- Hanahan, D., & Weinberg, R. A. (2011). Hallmarks of Cancer: The Next Generation. *Cell*, 144(5), 646–674. <https://doi.org/10.1016/j.cell.2011.02.013>
- Haque, A., Rahman, M. A., Fuchs, J. R., Chen, Z. G., Khuri, F. R., Shin, D. M., & Amin, A. R. M. R. (2015). FLLL12 induces apoptosis in lung cancer cells through a p53/p73-independent but death receptor 5-dependent pathway. *Cancer Letters*, 363(2), 166–175. <https://doi.org/10.1016/j.canlet.2015.04.017>
- He, G., Feng, C., Vinothkumar, R., Chen, W., Dai, X., Chen, X., Ye, Q., Qiu, C., Zhou, H., Wang, Y., Liang, G., Xie, Y., & Wu, W. (2016). Curcumin analog EF24 induces apoptosis via ROS-dependent mitochondrial dysfunction in human colorectal cancer cells. *Cancer Chemotherapy and Pharmacology*, 78(6), 1151–1161. <https://doi.org/10.1007/s00280-016-3172-x>
- Heger, M., van Golen, R. F., Broekgaarden, M., & Michel, M. C. (2014). The molecular basis for the pharmacokinetics and pharmacodynamics of curcumin and its metabolites in relation to cancer. *Pharmacological Reviews*, 66(1), 222–307. <https://doi.org/10.1124/pr.110.004044>
- IARC. (2020). *Latest Global Cancer Data*. www.iarc.fr
- Imran, M., Ullah, A., Saeed, F., Nadeem, M., Arshad, M. U., & Suleria, H. A. R. (2018). Curcumin, anticancer, & antitumor perspectives: A comprehensive review. *Critical Reviews in Food Science and Nutrition*, 58(8), 1271–1293. <https://doi.org/10.1080/10408398.2016.1252711>
- Ishida, J., Ohtsu, H., Tachibana, Y., Nakanishi, Y., Bastow, K. F., Nagai, M., Wang, H.-K., Itokawa, H., & Lee, K.-H. (2002). Synthesis and Evaluation of Curcumin Analogues as Cytotoxic Agents. *Bioorganic & Medicinal Chemistry*, 7.
- Jeon, H.-S., Jo, M.-H., Kim, H.-J., Lee, M.-H., Yu, S.-K., Kim, C. S., Lee, S.-Y., Kim, S.-G., Chun, H. S., Park, E., & Kim, D. K. (2012). Anticancer activities of diphenyl difluoroketone, a novel curcumin analog, on KB human oral cancer cells. *Journal of the Korean Society for Applied Biological Chemistry*, 55(4), 451–456. <https://doi.org/10.1007/s13765-012-1168-8>

- Khwaja, S., Fatima, K., Hasanain, M., Behera, C., Kour, A., Singh, A., Luqman, S., Sarkar, J., Chanda, D., Shanker, K., Gupta, A. K., Mondhe, D. M., & Negi, A. S. (2018). Antiproliferative efficacy of curcumin mimics through microtubule destabilization. *European Journal of Medicinal Chemistry*, *151*, 51–61. <https://doi.org/10.1016/j.ejmech.2018.03.063>
- Kulkarni, P. S., & Totre, G. (2019). Synthesis of Dibenzylidene Acetone via Aldol Condensation of Diacetone Alcohol with Substituted Benzaldehydes. *Orbital: The Electronic Journal of Chemistry*, *11*(5), 292–296. <https://doi.org/10.17807/orbital.v11i5.1388>
- Kurosaka, K., Takahashi, M., Watanabe, N., & Kobayashi, Y. (2003). Silent cleanup of very early apoptotic cells by macrophages. *Journal of Immunology*, *171*(9), 4672–4679. <https://doi.org/10.4049/jimmunol.171.9.4672>
- Lee, E. F., Dewson, G., Evangelista, M., Pettikiriachchi, A., Gold, G. J., Zhu, H., Colman, P. M., & Fairlie, W. D. (2014). The Functional Differences between Pro-survival and Pro-apoptotic B Cell Lymphoma 2 (Bcl-2) Proteins Depend on Structural Differences in Their Bcl-2 Homology 3 (BH3) Domains. *The Journal of Biological Chemistry*, *289*(52), 36001–36017. <https://doi.org/10.1074/jbc.M114.610758>
- Lee, H. E., Choi, E. S., Jung, J. Y., You, M. J., Kim, L. H., & Cho, S. D. (2014). Inhibition of specificity protein 1 by dibenzylideneacetone, a curcumin analogue, induces apoptosis in mucoepidermoid carcinomas and tumor xenografts through Bim and truncated Bid. *Oral Oncology*, *50*(3), 189–195. <https://doi.org/10.1016/j.oraloncology.2013.11.006>
- Liang, B., Liu, Z., Cao, Y., Zhu, C., Zuo, Y., Huang, L., Wen, G., Shang, N., Chen, Y., Yue, X., Du, J., Li, B., Zhou, B., & Bu, X. (2017). MC37, a new mono-carbonyl curcumin analog, induces G2/M cell cycle arrest and mitochondria-mediated apoptosis in human colorectal cancer cells. *European Journal of Pharmacology*, *796*, 139–148. <https://doi.org/10.1016/j.ejphar.2016.12.030>
- Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., Xiao, J., Zhao, Y., Li, X., & Yang, S. (2009). Exploration and synthesis of curcumin analogues with improved structural stability both in vitro and in vivo as cytotoxic agents. *Bioorganic & Medicinal Chemistry*, *17*(6), 2623–2631. <https://doi.org/10.1016/j.bmc.2008.10.044>
- Lien, J.-C., Hung, C.-M., Lin, Y.-J., Lin, H.-C., Ko, T.-C., Tseng, L.-C., Kuo, S.-C., Ho, C.-T., Lee, J.-C., & Way, T.-D. (2015). Pculin02H, a curcumin derivative, inhibits proliferation and clinical drug resistance of HER2-overexpressing cancer cells. *Chemico-Biological Interactions*, *235*, 17–26. <https://doi.org/10.1016/j.cbi.2015.04.005>

- Liu, B., Cui, L., Zhou, B., Zhang, L., Liu, Z., & Zhang, L. (2019). Monocarbonyl curcumin analog A2 potently inhibits angiogenesis by inducing ROS-dependent endothelial cell death. *Acta Pharmacologica Sinica*, *40*(11), 1412–1423. <https://doi.org/10.1038/s41401-019-0224-x>
- Liu, H., Zhou, B.-H., Qiu, X., Wang, H.-S., Zhang, F., Fang, R., Wang, X.-F., Cai, S.-H., Du, J., & Bu, X.-Z. (2012). T63, a new 4-arylidene curcumin analogue, induces cell cycle arrest and apoptosis through activation of the reactive oxygen species–FOXO3a pathway in lung cancer cells. *Free Radical Biology and Medicine*, *53*(12), 2204–2217. <https://doi.org/10.1016/j.freeradbiomed.2012.10.537>
- Liu, Z., Sun, Y., Ren, L., Huang, Y., Cai, Y., Weng, Q., Shen, X., Li, X., Liang, G., & Wang, Y. (2013). Evaluation of a curcumin analog as an anti-cancer agent inducing ER stress-mediated apoptosis in non-small cell lung cancer cells. *BMC Cancer*, *13*(1), 494. <https://doi.org/10.1186/1471-2407-13-494>
- Lopez, J., & Tait, S. W. (2015). Mitochondrial apoptosis: Killing cancer using the enemy within. *British Journal of Cancer*, *112*(6), 957–962. <https://doi.org/10.1038/bjc.2015.85>
- Luo, C., Li, Y., Zhou, B., Yang, L., Li, H., Feng, Z., Li, Y., Long, J., & Liu, J. (2014). A monocarbonyl analogue of curcumin, 1,5-bis(3-hydroxyphenyl)-1,4-pentadiene-3-one (Ca 37), exhibits potent growth suppressive activity and enhances the inhibitory effect of curcumin on human prostate cancer cells. *Apoptosis*, *19*(3), 542–553. <https://doi.org/10.1007/s10495-013-0947-y>
- Nagy, L. I., Fehér, L. Z., Szebeni, G. J., Gyuris, M., Sipos, P., Alföldi, R., Ózsvári, B., Hackler, L., Balázs, A., Batár, P., Kanizsai, I., & Puskás, L. G. (2015). Curcumin and Its Analogue Induce Apoptosis in Leukemia Cells and Have Additive Effects with Bortezomib in Cellular and Xenograft Models. *BioMed Research International*, *2015*, 1–11. <https://doi.org/10.1155/2015/968981>
- NCI. (2007). *What Is Cancer? - National Cancer Institute* [Article]. <https://www.cancer.gov/about-cancer/understanding/what-is-cancer>
- Ohori, H., Yamakoshi, H., Tomizawa, M., Shibuya, M., Kakudo, Y., Takahashi, A., Takahashi, S., Kato, S., Suzuki, T., Ishioka, C., Iwabuchi, Y., & Shibata, H. (2006). Synthesis and biological analysis of new curcumin analogues bearing an enhanced potential for the medicinal treatment of cancer. *Molecular Cancer Therapeutics*, *5*(10), 2563–2571. <https://doi.org/10.1158/1535-7163.MCT-06-0174>
- Panahi, Y., Fazlolahzadeh, O., Atkin, S. L., Majeed, M., Butler, A. E., Johnston, T. P., & Sahebkar, A. (2019). Evidence of curcumin and curcumin analogue effects in skin diseases: A narrative review. *Journal of Cellular Physiology*, *234*(2), 1165–1178. <https://doi.org/10.1002/jcp.27096>

- Paulino, N., Paulino, A. S., Diniz, S. N., de Mendonça, S., Gonçalves, I. D., Faião Flores, F., Santos, R. P., Rodrigues, C., Pardi, P. C., & Quincoces Suarez, J. A. (2016). Evaluation of the anti-inflammatory action of curcumin analog (DM1): Effect on iNOS and COX-2 gene expression and autophagy pathways. *Bioorganic & Medicinal Chemistry*, 24(8), 1927–1935. <https://doi.org/10.1016/j.bmc.2016.03.024>
- Pfeffer, C. M., & Singh, A. T. K. (2018). Apoptosis: A Target for Anticancer Therapy. *International Journal of Molecular Sciences*, 19(2), 448. <https://doi.org/10.3390/ijms19020448>
- Pignanelli, C., Ma, D., Noel, M., Ropat, J., Mansour, F., Curran, C., Pupulin, S., Larocque, K., Wu, J., Liang, G., Wang, Y., & Pandey, S. (2017). Selective Targeting of Cancer Cells by Oxidative Vulnerabilities with Novel Curcumin Analogs. *Scientific Reports*, 7(1), 1105. <https://doi.org/10.1038/s41598-017-01230-4>
- Qiu, X., Du, Y., Lou, B., Zuo, Y., Shao, W., Huo, Y., Huang, J., Yu, Y., Zhou, B., Du, J., Fu, H., & Bu, X. (2010). Synthesis and Identification of New 4-Arylidene Curcumin Analogues as Potential Anticancer Agents Targeting Nuclear Factor- κ B Signaling Pathway. *Journal of Medicinal Chemistry*, 53(23), 8260–8273. <https://doi.org/10.1021/jm1004545>
- Qu, W., Xiao, J., Zhang, H., Chen, Q., Wang, Z., Shi, H., Gong, L., Chen, J., Liu, Y., Cao, R., & Lv, J. (2013). B19, a Novel Monocarbonyl Analogue of Curcumin, Induces Human Ovarian Cancer Cell Apoptosis via Activation of Endoplasmic Reticulum Stress and the Autophagy Signaling Pathway. *International Journal of Biological Sciences*, 9(8), 766–777. <https://doi.org/10.7150/ijbs.5711>
- Ravindran, J., Prasad, S., & Aggarwal, B. B. (2009). Curcumin and Cancer Cells: How Many Ways Can Curry Kill Tumor Cells Selectively? *The AAPS Journal*, 11(3), 495–510. <https://doi.org/10.1208/s12248-009-9128-x>
- Robles-Escajeda, E., Das, U., Ortega, N. M., Parra, K., Francia, G., Dimmock, J. R., Varela-Ramirez, A., & Aguilera, R. J. (2016). A novel curcumin-like dienone induces apoptosis in triple-negative breast cancer cells. *Cellular Oncology*, 39(3), 265–277. <https://doi.org/10.1007/s13402-016-0272-x>
- Sato, A., Kudo, C., Yamakoshi, H., Uehara, Y., Ohori, H., Ishioka, C., Iwabuchi, Y., & Shibata, H. (2011). Curcumin analog GO-Y030 is a novel inhibitor of IKK β that suppresses NF- κ B signaling and induces apoptosis. *Cancer Science*, 102(5), 1045–1051. <https://doi.org/10.1111/j.1349-7006.2011.01886.x>
- Sethi, S., Choudhary, S., Sharma, D., Jyothi, V. G. S. S., Baldi, A., & Madan, N. K. M. J. (2020). Armamentarium of anticancer analogues of curcumin: Portray of structural insight, bioavailability, drug-target interaction and therapeutic

- efficacy. *Journal of Molecular Structure*, 129691. <https://doi.org/10.1016/j.molstruc.2020.129691>
- Shanmugam, M. K., Rane, G., Kanchi, M. M., Arfuso, F., Chinnathambi, A., Zayed, M. E., Alharbi, S. A., Tan, B. K. H., Kumar, A. P., & Sethi, G. (2015). The Multifaceted Role of Curcumin in Cancer Prevention and Treatment. *Molecules*, 20(2), 2728–2769. <https://doi.org/10.3390/molecules20022728>
- Sufi, S. A., Adigopula, L. N., Syed, S. B., Mukherjee, V., Coumar, M. S., Rao, H. S. P., & Rajagopalan, R. (2017). In-silico and in-vitro anti-cancer potential of a curcumin analogue (1E, 6E)-1, 7-di (1H-indol-3-yl) hepta-1, 6-diene-3, 5-dione. *Biomedicine & Pharmacotherapy*, 85, 389–398. <https://doi.org/10.1016/j.biopha.2016.11.040>
- UICC. (2020). *GLOBOCAN 2020: New Global Cancer Data*. <https://www.uicc.org/news/globocan-2020-new-global-cancer-data>
- Utaipan, T., Boonyanuphong, P., Chuprajob, T., Suksamrarn, A., & Chunglok, W. (2020). A trienone analog of curcumin, 1,7-bis(3-hydroxyphenyl)-1,4,6-heptatrien-3-one, possesses ROS- and caspase-mediated apoptosis in human oral squamous cell carcinoma cells in vitro. *Applied Biological Chemistry*, 63(1), 7. <https://doi.org/10.1186/s13765-020-0491-8>
- Vail, D. M., Thamm, D. H., & Liptak, J. M. (2020). The Etiology of Cancer. In *Withrow and MacEwen's Small Animal Clinical Oncology* (pp. 1–35). Elsevier. <https://doi.org/10.1016/B978-0-323-59496-7.00001-3>
- Vyas, A., Dandawate, P., Padhye, S., Ahmad, A., & Sarkar, F. (2013). Perspectives on New Synthetic Curcumin Analogs and their Potential Anticancer Properties. *Current Pharmaceutical Design*, 19(11), 2047–2069.
- Wang, Y., Xiao, J., Zhou, H., Yang, S., Wu, X., Jiang, C., Zhao, Y., Liang, D., Li, X., & Liang, G. (2011). A Novel Monocarbonyl Analogue of Curcumin, (1E,4E)-1,5-Bis(2,3-dimethoxyphenyl)penta-1,4-dien-3-one, Induced Cancer Cell H460 Apoptosis via Activation of Endoplasmic Reticulum Stress Signaling Pathway. *Journal of Medicinal Chemistry*, 54(11), 3768–3778. <https://doi.org/10.1021/jm200017g>
- Watson, W., Cat, J., & Jones, D. (2020). Diet and Apoptosis. *Annual Review Nutritional*, 20, 485–505.
- Xiao, J., Wang, Y., Peng, J., Guo, L., Hu, J., Cao, M., Zhang, X., Zhang, H., Wang, Z., Li, X., Yang, S., Yang, H., & Liang, G. (2012). A synthetic compound, 1,5-bis(2-methoxyphenyl)penta-1,4-dien-3-one (B63), induces apoptosis and activates endoplasmic reticulum stress in non-small cell lung cancer cells. *International Journal of Cancer*, 131(6), 1455–1465. <https://doi.org/10.1002/ijc.27406>

- Ye, H., Wei, X., Wang, Z., Zhang, S., Ren, J., Yao, S., Shi, L., Yang, L., Qiu, P., Wu, J., & Liang, G. (2016). A novel double carbonyl analog of curcumin induces the apoptosis of human lung cancer H460 cells via the activation of the endoplasmic reticulum stress signaling pathway. *Oncology Reports*, *36*(3), 1640–1648. <https://doi.org/10.3892/or.2016.4911>
- Youssef, K. M., El-Sherbeny, M. A., El-Shafie, F. S., Farag, H. A., Al-Deeb, O. A., & Awadalla, S. A. A. (2004). Synthesis of Curcumin Analogues as Potential Antioxidant, Cancer Chemopreventive Agents. *Archiv Der Pharmazie*, *337*(1), 42–54. <https://doi.org/10.1002/ardp.200300763>
- Zaman, S., Wang, R., & Gandhi, V. (2014). Targeting the apoptosis pathway in hematologic malignancies. *Leukemia & Lymphoma*, *55*(9), 1980–1992. <https://doi.org/10.3109/10428194.2013.855307>
- Zhang, Z., Lin, R., Liu, Z., Yan, T., Xia, Y., Zhao, L., Lin, F., Zhang, X., Li, C., & Wang, Y. (2020). Curcumin analog, WZ37, promotes G2/M arrest and apoptosis of HNSCC cells through Akt/mTOR inhibition. *Toxicology in Vitro*, *65*, 104754. <https://doi.org/10.1016/j.tiv.2019.104754>
- Zhao, C., Cai, Y., He, X., Li, J., Zhang, L., Wu, J., Zhao, Y., Yang, S., Li, X., Li, W., & Liang, G. (2010). Synthesis and anti-inflammatory evaluation of novel mono-carbonyl analogues of curcumin in LPS-stimulated RAW 264.7 macrophages. *European Journal of Medicinal Chemistry*, *45*(12), 5773–5780. <https://doi.org/10.1016/j.ejmech.2010.09.037>
- Zhao, S., Pi, C., Ye, Y., Zhao, L., & Wei, Y. (2019). Recent advances of analogues of curcumin for treatment of cancer. *European Journal of Medicinal Chemistry*, *180*, 524–535. <https://doi.org/10.1016/j.ejmech.2019.07.034>
- Zhou, G.-Z., Can, F.-K., & Du, S.-W. (2015). The apoptotic pathways in the curcumin analog MHMD-induced lung cancer cell death and the essential role of actin polymerization during apoptosis. *Biomedicine & Pharmacotherapy*, *71*, 128–134. <http://dx.doi.org/10.1016/j.biopha.2015.02.025>
- Zhou, T., Ye, L., Bai, Y., Sun, A., Cox, B., Liu, D., Li, Y., Liotta, D., Snyder, J. P., Fu, H., & Huang, B. (2014). Autophagy and Apoptosis in Hepatocellular Carcinoma Induced by EF25-(GSH)2: A Novel Curcumin Analog. *PLoS ONE*, *9*(9), e107876. <https://doi.org/10.1371/journal.pone.0107876>
- Zou, P., Zhang, J., Xia, Y., Kanchana, K., Guo, G., Chen, W., Huang, Y., Wang, Z., Yang, S., & Liang, G. (2015). ROS generation mediates the anti-cancer effects of WZ35 via activating JNK and ER stress apoptotic pathways in gastric cancer. *Oncotarget*, *6*(8), 5860–5876. <https://doi.org/10.18632/oncotarget.3333>
- Zuo, Y., Yu, Y., Wang, S., Shao, W., Zhou, B., Lin, L., Luo, Z., Huang, R., Du, J., & Bu, X. (2012). Synthesis and cytotoxicity evaluation of biaryl-based chalcones and their potential in TNF α -induced nuclear factor- κ B activation inhibition.

European Journal of Medicinal Chemistry, 50, 393–404.
<https://doi.org/10.1016/j.ejmech.2012.02.023>



UNIVERSITAS
GADJAH MADA

Narrative Review: Synthesis of Curcumin Analogues Which Induce Apoptosis in Cancer Cells and Its Mechanism

HASNA SALSABILA K, Prof. Dr. apt. Sardjiman, M.S.; Dr. apt. Rumiya, M.Si.; Dr. Ritmaleni, S.Si.; drh. Retno Murwa
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>