

DAFTAR PUSTAKA

- Abdilah, J., 2018, *Karakteristik komposit clay dan shellac dari berbagai tipe berbentuk formasi garam yang diplastisasi dengan polyethylene glycol (PEG)*, Surakarta, p. 8.
- Al-Sukhun, J., Helenius, M., Lindqvist, C., dan Kelleway, J., 2006, Biomechanics of the mandible part I: measurement of mandibular functional deformation using custom-fabricated displacement transducers, *J. Oral Maxillofac. Surg.*, 64, pp. 1015-22.
- Azuma, M., Yanagawa, T., Ishibasi-Kanno, N., Uchida, F., Ito, T., Yamagata, K., Hasegawa, S., Sasaki, K., Tabuchi, K., Sekido, M., Bukawa, H. 2014. Mandibular reconstruction using plates prebent to fit rapid prototyping 3dimensional printing models ameliorates contour deformity. *Head & Face Medicine*, 10(45): pp.765-9.
- Bao, T., He, J., Yu, C., Zhao, W., Lin, Y., Wang, H., Liu, J. dan Zhu, H., 2017, Utilization of a prebent plate positioning surgical guide system in precise mandibular reconstruction with free fibula flap, *Oral Oncology*, 75: pp.133-139.
- Beltra, G.C., Abreu, A.T., Beltra, R.G., dan Finco, N.F., 2007, Lateral cephalometric radiograph for the planning of maxillary implant reconstruction, *Dentomaxillofacial Radiology*, 36: pp. 45-50.
- Berrone, M., Crosetti, E., dan Succo, G., 2014, Repositioning template for mandibular reconstruction with fibular free flaps: an alternative technique to pre-plating and virtual surgical planning, *Acta Otorhinolaryngologica Italica*, 34, pp. 278-82.
- Brokelman, R.B.G., Haverkamp, D., Loon, C.V., Hol, A., Kampen, A.V., Veth, R., 2012, The validation of the visual analogue scale for patient satisfaction after total hip arthroplasty, *Eur Orthop Traumatol*, 3: pp.101-105
- Brown, J.S., Barry, C., Ho, M. dan Shaw, R. 2016. A new classification for mandibular defects after oncological resection. *Lancet Oncol*, 17(6): pp. 23-30.
- Caple, J., Stephan, C.N., 2015, A standardized nomenclature for craniofacial and facial anthropometry, *Int. J. Legal Med.* 135(16): pp. 176-87.
- Cyron, C.J., Humphrey, J.D., 2017, Growth and remodeling of load-bearing biological soft tissue, *Meccanica*, 52(3): pp.645-664
- Dahlan, M.S. 2010. *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan*, ed. 3. Penerbit Salemba Medica, Jakarta, pp. 132-5.
- Ehrenfeld, M., dan Hagenmaier, C., 2002, Autogenous Bone Grafts in Maxillofacial Reconstruction in Greenberg, A.M., dan Prein, J., (eds.): *Craniomaxillofacial Reconstructive and Corrective Bone Surgery: Principle of Internal Fixation Using the AO/ASIF Technique*, SpringerVerlag, New York, pp. 295-309.

- Epker, B.N., John, P.S., dan Fish, L.C., 1995, *Dentofacial Deformities Integrated Orthodontic and Surgical Correction*, 2nd ed., Mosby-Year Book Inc., St. Louis, Missouri, pp. 234-8.
- Funuyama, A., Kojima, T., Yoshizawa, M., Mikami, T., Kanemaru, S., Niimi, K., Oda, Y., Kato, Y., dan Kobayashi, T., 2017, A simple technique for repositioning of the mandible by a surgical guide prepared using a three-dimensional model after segmental mandibulectomy, *Maxillofacial Plastic and Reconstructive Surgery*, 139(16): pp.678-84.
- Hajeer, M., Ayoub, A.F., dan Mellet, D.T., 2004, Three-dimensional assessment of facial soft-tissue asymmetry before and after orthognathic surgery, *British Journal of Oral and Maxillofacial Surgery*, 42: pp. 398-404.
- Hayes, W.C., 1991, Biomechanic of cortical and trabecular bone: Implications for assesement of fracture risk. Raven Press, *Basic Orthopaedic Biomechanic*, pp. 110-111.
- Hylander, W.L., 1984, Stress and strain in the mandibular symphysis of primates: A test of competing hypotheses. *Am J Phys Anthropol.*, 64: (1): pp.1-46.
- Immersion, 2012, *Microscribe G2 Desktop Digitizing Systems: User's Guide*, Immersion Corporation, San Jose, USA, pp. 1-27.
- Ishida, S., Shibuya, Y., Kobayashi, M., dan Komori, T., 2015, Assesing stomatognathic performance after mandibulectomy according to the method of mandibular reconstruction. *Int. J. Oral and Maxillofac. Surg.*, 44: pp.984-955.
- Jose, M., dan Varghase, J., 2012, Technique Mandibular Reconstruction, *Health Science*, 1(3): pp.1-9.
- Keith, D.A., 1992, *Atlas of Oral and Maxillofacial Surgery*, W.B. Saunders Company, Philadelphia, p. 244.
- Kilincer, Zileli, C., Mehmet, 2006, Visual analog patient satisfaction scale, *Balkan Medical Journal*, 23(3): pp.113-118.
- Kimura, A., Nagasao, T., Kaneko, T., Tamaki, T., Miyamoto, J., dan Nakajima, T., 2006, Adequate Fixation of Plates for Stability during Mandibular Reconstruction, *Journal of Cranio-maxillofacial Surgery*, 34(4): pp.193-200.
- Klineberg, I., Earnshawt, R., 1967, Physical properties of shellac baseplate materials, *Australian Dental Journal*, pp. 468-475
- Kumar, B.P., Venkatesh, V., Kumar, K.A.J., Yadav, B.Y., dan Mohan, S.R., 2015, Mandibular reconstruction: overview, *J. Maxillofac. Oral Surg.*, 15(4): pp. 425-41.

- Liang, Y., Jiang, C., Wu, L., Wang, W., Liu, Y., dan Jian, X., 2017, Application of combined osteotomy and reconstruction pre-bent plate position (CORPPP) technology to assist in the precise reconstruction of segmental mandibular defects, *J. Oral Maxillofac. Surg.*, 75(34): pp. 345-9.
- Malyala, S.K., Gibson, I., Kumar, R., dan Chakravarthy, C., 2018, Mandibular repositioning appliance following resection crossing the midline- A3D printed guide, *Proceeding of the 29th Annual International Solid Freeform Fabrication Symposium – An Additive Manufacturing Conference*, pp. 887-96.
- Moiduddin, K., Al-Ahmari, A., Nasr, E.S.A., Al Kindi, M., Ramalingam, S., Kamrani, A. 2016. Comparing 3-Dimensional virtual reconstruction methods in customized implants. *International Journal of Advanced Biotechnology and Research*, 7(1): pp. 323-331.
- Ngeow, W.C., Aljunid, S.T., 2009, Craniofacial anthropometric norms of malays, *Singapore Med J*, 50(5): pp. 525-8.
- Norton, N.S., dan Netter, F.H., 2005, *Netter's Head and Neck Anatomy for Dentistry*, Elsevier, New York, pp. 46-48, 116-133, 167-175, 242-253.
- Oladipo, GS, Isong, EE, Okoh, PD 2010, Facial, nasal, maxillary, mandibular and oro-facial heights of adult Ibibios of Nigeria. *Australian Journal of Basic and Applied Sciences*, 4(12): pp. 6306-6311.
- Oliviera, M.T.F., Rocha, F.S., Batista, J.D., de Moraes, S.L.C., dan ZanettaBarbosa, D., 2013, Reconstruction of Mandibular Defects, in Motamedi, M.H.K., (ed.): *A Text Book of Advanced Oral and Maxillofacial Surgery*, Liscence in Tech, USA, pp. 481-500.
- O'Connor dan Linda, 1996, Reconstruction of a Mandible, *The Surgical Technologies*, pp. 13-19.
- Pamungkas, C. A., 2019, Aplikasi Penghitung Jarak Koordinat Berdasarkan Latitude dan Longitude Dengan Metode Euclidean Distance dan Metode Haversine, *Jurnal INFORMA Politeknik Indonusa*, 5(2): pp. 8-13.
- Pramono, C., 2008, Coen's ascending ramus fixator use for repositioning the ascending ramus during mandible reconstruction, *Dent. J. (Maj. Ked. Gigi)*, 41(1): pp. 10-14.
- Prototech, 2018, *Photopolymerisation in stereolithography*, NORCE company, USA.
- Putri, I.L., Hutagalung, M.R., Perdanakusuma, D.S., 2013, Analyzing postreconstruction facial anthropometric, cephalometric parameter and proporsion of facial edema on maxillofacial trauma patients, *Singapore Med. J.*, 2(1).
- Salahuddin, M., 2015, *Gambaran proporsi tinggi wajah berdasarkan fotometri pada mahasiswa India Tamil Malaysia FKG USU*, Medan, hal 16-9.

- Setiady, D.R., 2013, *Kajian prevalensi ameloblastoma berdasarkan usia, region, jenis kelamin, tipe histopatologi anatomis dan penatalaksanaannya di RSD dr. Soebandi Jember*, Jember, p. 5.
- Sinto, L., 2018, Scar hipertrofik dan Keloid: patofisiologi dan penatalaksanaan, *CDK260*, 45(1), pp. 29-32.
- Stephan, A.J., Wegscheider, P.K., Nelson, A.J., dan Dickey, J.P., 2015, Quantifying the precision and accuracy of the microscribe G2X three-dimensional digitizer, *Digital Application in Archaeology and Cultural Heritage*, 2: pp.28-33
- Urken, M.L., Buchbinder, D., dan Costantino, P.D., 1998, Oromandibular reconstruction using microvascular composite flaps: report of 210 cases, *Arch Otolaryngol Head Neck Surg.*, 124(1): pp. 46–55.
- Van Eijden, T.M.G.J., 2000, Biomechanics of the mandible. *Crit Rev Oral Biol Med.*, 11(1): pp.123–136.
- Wang, T.M., Chang, H.H., Hoa, Y., Lin, L.D. 2012. Screw hole-positioning guide and plate-positioning guide: A novel method to assist mandibular reconstruction. *Journal of Dental Sciences*, 7: pp.301-5.
- Widiastuti, M.G., Soesatyo, M., Megetsari, R., dan Tontowi, A.E., 2016, Evaluasi komplikasi plate exposure pasca reseksi ameloblastoma mandibula dengan rekonstruksi pelat titanium di RSUP dr. Sardjito Yogyakarta, *Jurnal Teknosains*, 5(2); pp.81-9.
- Wilde, F., Winter, K., Kletsch, K., Lorenz, K., dan Schramm, A., 2014, Mandible reconstruction using patient-specific pre-bent reconstruction plates: comparison of standard and transfer key methods, *Int. J. CARS*, 56(34): pp.145-9.
- Wong, R.C.W., Tideman, H., Kin, L., dan Merckx, M.A.W., 2009, Biomechanics of mandibular reconstruction: a review, *Int. J. Oral Maxillofac. Surg.*, 39(4): pp.313– 319.
- Zheng, G., Su, Y., Liao, G., Chen, Z., Wang, L., Jiao, P., Liu, H., Zhong, Y., Zhang, dan T., Liang, Y., 2012, Mandible reconstruction assisted by preoperative virtual surgical simulation, *Oral and Maxillofacial Surgery*, 113(5): pp.604-611.
- Zhu, J., Yang, Y., dan Li, W., 2014, Assessment of quality of life and sociocultural aspect in patients with ameloblastoma after immediate mandibular reconstruction with a fibular free flap, *British J. of Oral and Maxillofacial Surg.*, 52(2). pp.163-167.