

DAFTAR PUSATAKA

- Ahmed, T., Uddin, M.N., Ahmed, S.F., Saha, A., Farhana, K., Rana, M.S., 2012^a. In vitro evaluation of antioxidant potential of *Artocarpus chama* Buch. Fruits. *Journal of Applied Pharmaceutical Science*, **2**(10): 075-080.
- Ahmed, T., Uddin, M.N., Hossain, M.K., Islam, M.I., Uddin, N., Mazumder, M.E.H., 2012^b. Strategies to evaluate antioxidant and cytotoxic activity of pet ether extract of *Artocarpus chama* Buch. Seed. *Journal of Applied Pharmaceutical Science*, **2**(12): 089-095.
- Ahmed, T., Uddin, M.N., Hossain M.K., Hasan, N., Rana, M.S., 2013. Evaluation of Antioxidant and Cytotoxic Potential of *Artocarpus chama* Buch. Seeds Using *In Vitro* Models. *International Journal of Pharmacy and Pharmaceutical Science*, **5**(1): 283-289.
- Aguilar-Shea, A.L., 2021. Vitamin D, the natural way. *Clinical Nutrition ESPEN*, **41**:10-12.
- Akinwumi B.C., Bordun, K.M., Anderson, H.D., 2018. Biological Activities of Stilbenoids. *International Journal of Molecular Sciences*, **17**, 792.
- Ali, H.M., Abo-Shady, A., Eldeen, H.A.S., Soror, H.A., Shousha, W.G., Abdel-Barry, O.A., Saleh, A.M., 2013. Structural features, kinetics and SAR study of radical scavenging and antioxidant activities of phenolic and anilinic compounds. *Chemistry Central Journal*, **7**: 53.
- Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D. G., Lightfoot, D. A., 2017. Phytochemicals: Extraction, Isolation, and Identification of Bioactive Compounds from Plant Extracts. *Plants*, **6**(4), 42.
- Alshikh, N., de Camargo, A. C., Shahidi, F., 2015. Phenolics of selected lentil cultivars: Antioxidant activities and inhibition of low-density lipoprotein and DNA damage. *Journal of Functional Foods*, **18**(Part B): 1022–1038.
- Ali, M., Morshed, M.R., Hossen, M.S., Tanvir, E., Kabir, A., Islam, M., Karim, N., Alam, N., Khalil, M.I., Gan, S., 2018. Antioxidant Properties and Dose-Dependent Effects of Monkey Fruits (*Artocarpus lakoocha*) against Paracetamol-Induced Hepato-Renal Toxicity in Rats. *American Journal of Pharmacology and Toxicology*, **13**: 16-29.
- Amponsah, I.K., Annan, K., Koffour, G.A., Sarkodie, J.A., Umeric, I.J., Osei-wusu, S., 2014. Anti-inflammatory and antioxidant properties of the ethanolic stem bark extract of *Artocarpus altilis* (Parkinson) Fosberg (Moraceae). *Der Pharmacia Lettre*, **6**(3): 211-217.
- Andarwulan, N., Fardiaz, D., Wattimena, G.A., Shetty, K., 1999. Antioxidant activity associated with lipid and phenolic mobilization during seed germination of *Pangium edule* Reinw. *Journal of Agricultural and Food Chemistry*, **47**: 3158-3163.



- Anderson, M.O., dan Markham, K.R., 2006. *Flavonoids: Chemistry, Biochemistry, and Application*. Taylor & Francis Group, United States of America.
- Andriani, C.R., Rosidah, Dalimunthe, A., Satria, D., 2019. Wound healing activity of ointment *Artocarpus lakoocha* Roxb. ethanol leaves extract evaluation on excision wound. *Journal of Innovations in Pharmaceutical and Biological Sciences*, **6**(1): 12-14.
- Anonim, 2021. *Artocarpus kemando* Miq., Royal Botanic Garden Kewscience, <http://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:850399-1>.
- Anwar, H., Hussain, G., dan Mustafa, I., 2018. Antioxidants from Natural Sources dalam: Shalaby, E. dan Azzam, G.M., *Antioxidants in Foods and Its Applications*. InTech. DOI:10.5772/intechopen.75961.
- Apak, R., Özyürek, M., Güclü, K., Çapanoglu, E., 2016. Antioxidant Activity/Capacity Measurement. 1. Classification, Physicochemical Principles, Mechanisms, and Electron Transfer (ET)-Based Assays. *Journal of Agricultural and Chemistry*, **64**: 997–1027.
- Arunkumar, R., Gorusupudi, A., Bernstein, P.S., 2020. The macular carotenoids: A biochemical overview. *BBA - Molecular and Cell Biology of Lipids*, 1865, 158617.
- Azli, S.N.S., Bakar, M.F.A., Sanusi, S.B., Kanak, F.A., 2018. Nutritional, Phytochemical, Antioxidant Activity and Sensory Attributes of Herbal Infusion from Sukun (*Artocarpus altilis*) Leaf. *AIP Conference Proceedings*, **2016**(1), 020030.
- Bakar, M. F., Mohamed, M., Rahmat, A., Fry, J., 2009. Phytochemicals and antioxidant activity of different parts of bambangan (*Mangifera pajang*) and tarap (*Artocarpus odoratissimus*). *Food Chemistry*, **113**: 479-483.
- Bakar, M.F.A., Karim, F.A., Perisamy, E., 2015. Comparison of Phytochemicals and Antioxidant Properties of Different Fruit Parts of Selected *Artocarpus* Species from Sabah, Malaysia. *Sains Malaysiana*, **44**(3): 355-263.
- Bakar, F.I.A., dan Bakar, M.F.A., 2018. Tarap—*Artocarpus odoratissimus*, dalam Editor(s): Sueli Rodrigues, Ebenezer de Oliveira Silva, Edy Sousa de Brito, *Exotic Fruits*, 413-418, Academic Press.
- Baliga, M.S., Shivashankara, A.R., Haniadka, R., Dsouza, J., dan Bhat, H.P., 2011. Phytochemistry, nutritional and pharmacological properties of *Artocarpus heterophyllus* Lam (jackfruit): A review. *Food Research International*, **44**: 1800–1811.
- Basu, P., dan Maier, P., 2016. In vitro Antioxidant Activities and Polyphenol Contents of Seven Commercially Available Fruits. *Pharmacognosy Research*, **8**(4): 258-264.
- Berg, C.C., Corner, E.J.H., Jarret, F.M., 2006. Moraceae-genera other than *Ficus*. *Flora Malesiana*, **17**(1), National Herbarium Nederland, Leiden.



- Berker, K.I., Güçlü, K., Tor, I., Demirata, B., Apak, R., 2010. Total Antioxidant Capacity Assay Using Optimized Ferricyanide/Prussian Blue Method. *Food Analytical Methods*, **3**: 154–168.
- Bhat, V., Mutha, A., Dsouza, M.R., 2017. Pharmacognostic and Physiochemical Studies of *Artocarpus heterophyllus* Seeds. *International Journal of ChemTech Research*, **10**(9): 525-536.
- Bhattacharya, E., Dutta, R., Chakraborty, S., Biswas, S.M., 2019. Phytochemical profiling of *Artocarpus lakoocha* Roxb. leaf methanol extract and its antioxidant, antimicrobial and antioxidative activities. *Asian Pacific Journal of Tropical Biomedicine*, **9**(11): 484-492.
- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S., dan Kalayci, O., 2012. Oxidative Stress and Antioxidant Defense: World Allergy Organization Journal, **5**: 9–19.
- Bishnoi, S. K.; Shinde, R. and Sarkar, P. K. (2017). Monkey Jack (*Artocarpus lakoocha* Roxb.): Hope for Sustaining Livelihood. Dalam: Dutta, A. K. dan Mondal, B. (Eds.), *Fruits for Livelihood: Production Technology and Management Practices*, 199-213, Agrobios (India), Jodhpur, India.
- Bondet, V., Brand–Williams, W., Berset, C., 1997. Kinetics and mechanism of antioxidant activity using the DPPH free radical method. *LWT-Food Science and Technology*, **30**(6): 609-615.
- Boonphong, S., Baramée, A., Kittakoop, P., Puangsombat, P., 2007. Antitubercular and antiplasmodial prenylated flavones from the roots of *Artocarpus altilis*. *Chiang Mai Journal of Science*, **34**: 339–344.
- Busia, K., 2016. *Fundamentals of herbal medicine: Major plant families, analytical methods, materia medica volume 2*, Xlibris Publishing Co, United Kingdom.
- Butnarlu, M., dan Grozea, I., 2012. Antioxidant (Antiradical) Compounds. *Journal of Bioequivalence & Bioavailability*, **4**(6): 17-19.
- Chabert, P., Auger, C., Pincemail, J., dan Schini-Kerth, V.B., 2014. Overview of Plant-Derived Antioxidants, dalam: *Systems Biology of Free Radicals and Antioxidants*. hal. 4005–4022.
- Chang, K.H., Chiang, M.L., Chiang, M.C., Chena, C.M., 2018. Lipophilic antioxidants in neurodegenerative diseases. *Clinica Chimica Acta*, **485**: 79-87.
- Chen, G., Zhang, X., Chen, S., Han, M., Gao, Y., 2017. Antioxidant activities and contents of free, esterified and insoluble-bound phenolics in 14 subtropical fruit leaves collected from the south of China. *Journal of Functional Foods*, **30**: 290-302.
- Chithiraikumar, S., Gandhimathi, S., Neelakantan, M.A., 2017. Structural characterization, surface characteristics and non covalent interactions of a heterocyclic Schiff base: Evaluation of antioxidant potential by UV-visible spectroscopy and DFT. *Journal of Molecular Structure*, **1137**: 569-580.



- Csepregi, K., Neugart, S., Schreiner, M., Hideg, E., 2016. Comparative Evaluation of Total Antioxidant Capacities of Plant Polyphenols. *Molecules*, **21**, 208.
- Ćujić, N., Šavikin, K., Janković, T., Pljevljakušić, D., Zdunić, G., Ibrić, S., 2016. Optimization of polyphenols extraction from dried chokeberry using maceration as traditional technique. *Food Chemistry*, **194**:135–142.
- Daud, M.N.H., Fatanah, D.N., Abdullah, N., Ahmad, R., 2017. Evaluation of antioxidant potential of *Artocarpus heterophyllus* L. J33 variety fruit waste from different extraction methods and identification of phenolic constituents by LCMS. *Food Chemistry*, 232: 621-632.
- Daud, M.N.H., Wibowo, A., Abdullah, N., Ahmad, R., 2018. Bioassay-guided fractionation of *Artocarpus heterophyllus* L. J33 variety fruit waste extract and identification of its antioxidant constituents by TOF-LCMS. *Food Chemistry*, **266**: 200-214.
- Dawidowicz, A.L., Wianowska, D., Olszowy, M., 2012. On practical problems in estimation of antioxidant activity of compounds by DPPH method (Problems in estimation of antioxidant activity). *Food Chemistry*, **131**: 1037-1043.
- Dawidowicz, A.L., dan Olszowy, M., 2013. The importance of solvent type in estimating antioxidant properties of phenolic compounds by ABTS assay. *European Food Research and Technology*, **236**: 1099-1105.
- de Almeida Lopes, M.M., de Souza, K.O., de Oliveira Silva, E., 2018. Cempedak—*Artocarpus champedon*, dalam Editor(s): Rodrigues, S., de Oliveira Silva, E., de Brito, E.S., *Exotic Fruits*, 121-127, Academic Press.
- de Jesus, N.Z.T., Falcao, Hd.S., Gomes, I.F., Leite, T.Jd.A., Lima, G.Rd.M., Barbosa-Filho, J.M., Tavares, J.F., da Silva, M.S., de Athayde-Filho, P.F., Batista, L.M., 2012. Tannins, Peptic Ulcer and related Mechanisms. *International Journal of Molecular Sciences*, 13(3): 3203-3228.
- Dias, M.I., Barros, L., Sousa, M.J., Ferreira, I.C., 2011. Comparative study of lipophilic and hydrophilic antioxidants from in vivo and in vitro grown *Coriandrum sativum*. *Plant Foods for Human Nutrition*. **66**(2):181-6.
- Dolatabadi, J.E.N., Mokhtarzadeh, A., Ghareghoran, S. M., Dehghan, G., 2014. Synthesis, Characterization and Antioxidant Property of Quercetin-Tb(III) Complex. *Advanced pharmaceutical bulletin*, **4**(2): 101–104.
- Dong, J.W., Cai, L., Xing, Y., Yu, J., Ding, Z.T., 2015. Re-evaluation of ABTS•+ Assay for Total Antioxidant Capacity of Natural Products. *Natural Product Communications*, **10**(12): 2169-2172.
- Dutta S.K., Akoijman, R.S., Lungmuana, Boopathi, T., Saha, S., 2018. Bioactivity and traditional uses of 26 underutilized ethno-medicinal fruit species of North-East Himalaya, India. *Journal of Food Measurement and Characterization*, 12: 2503–2514.
- Ee, G.C.L., Teo, S.H., Lim, C.K., Lim, Y.M., Go, R., Bong, C.F.J., 2012. Free Radical Scavenging Effect of *Artocarpus kemando* and *Artocarpus*



odoratissimus: Structure-Activity Relationship of Flavonoid Derivatives. *Asian Journal of Chemistry*, **24**(1): 231-234.

- Ellison, S.L., 2016. *Carotenoids: Physiology*. Encyclopedia of Food and Health, 670-675, ISBN 9780123849533.
- Fakhrudin, N., Khairunnisa, S.Y., Azzahra, A., Ajiningtyas, R.J., 2016. Study of Radical Scavenger Activity, Total Phenol and Flavonoid Contents of *Artocarpus altilis* leaves Extracts. *International Journal of Pharmaceutical and Clinical Research*, **8**(5): 352-356.
- Fakhrudin, N., Pertiwi, K.K., Takubessi, M.I., Susiani, E.F., Nurrochmad, A., Widyarini, S., Sudarmanto, A., Nugroho, A.A., Wahyuono, S., 2020. A geranylated chalcone with antiplatelet activity from the leaves of breadfruit (*Artocarpus altilis*). *Pharmacia*, **67**(4): 173-180.
- Faria, J.F., Valido, I.H., Paz, W.H.P., da Silva, F.M.A., de Souza, A.D.L., Acho, L.R.D., Lima, E.S., Boleti, A.P.A., Marinho, J.V.N., Salvador, M.J., dos Santos, E.L., Soares, P.K., López-Mesas, M., Maia, J.M.F., Koolen, H.H.F., Bataglion, G.A., 2021. Comparative evaluation of chemical composition and biological activities of tropical fruits consumed in Manaus, central Amazonia, Brazil. *Food Research International*, **139**, 109836.
- Ferro, D.M., Mazzutti, S., Vitali, L., Müller, C.M.O., Ferreira, S.R.S., 2019. Integrated extraction approach to increase the recovery of antioxidant compounds from *Sida rhombifolia* leaves. *The Journal of Supercritical Fluids*, **149**: 10-19.
- Frankel, E.N., dan Finley, J.W., 2008. How to standardized the multiplicity of methods to evaluate natural antioxidants. *Journal of Agricultural and Food Chemistry*, **56**: 4901-4908.
- Gan, C.Y., dan Lhatiff, A.A., 2011. Optimisation of the solvent extraction of bioactive compounds from *Parkia speciosa* pod using response surface methodology. *Food Chemistry*, **124**: 1277-1283.
- Gagné, F., 2014. Chapter 6. Oxidative Stress. *Biochemical Ecotoxicology*, 103–115.
- Garcia, E.J., Oldoni, T.L.C., de Alencar, S.M., Reis, A., Loguercio, A.D., Grande, R.H.M., 2012. Antioxidant Activity by DPPH Assay of Potential Solutions to be Applied on Bleached Teeth. *Brazilian Dental Journal*, **23**(1): 22-27.
- Gardner, E.M. dan Zerega, N.J.C., 2020. Taxonomic updates to *Artocarpus* subgenus *Pseudojaca* (Moraceae), with a particular focus on the taxa in Singapore. *Gardens' Bulletin Singapore*, **72**: 173–213.
- Goswami, C. dan Chacrabati, R., 2016. Jackfruit (*Artocarpus heterophyllus*), dalam: *Nutritional Composition of Fruit Cultivars*. 317–335, Elsevier.
- Granato, D., Shahidi, F., Wrolstad, R., Kilmartin, P., Melton, L.D., Hidalgo, F.J., Miyashita, K., Camp, J.V., Alasalvar, C., Ismail, A.B., Elmore, S., Birch, G.G., Charalampopoulos, D., Astley, S.B., Pegg, R., Zhou, P., Finglas, P.,



2018. Antioxidant activity, total phenolics and flavonoids contents: Should we ban *in vitro* screening methods?. *Food Chemistry*, **264**: 471-475.
- Gulcin, İ., 2020. Antioxidants and antioxidant methods: an updated overview. *Archives of Toxicology*, **94**: 651–715.
- Hakim, E.H., Juliawaty, L.D., Syah, Y.M., Achmad, S.A. 2005. Molecular diversity of *Artocarpus integer* (Moraceae): A species endemic to Indonesia. *Molecular Diversity*, **9**: 149- 158.
- Halliwell, B., 2009. The wanderings of a free radical. *Free Radical Biology and Medicine*, **46**: 531–542.
- Harborne, J.B., 1987, *Phytochemical Method : A Guide to Modern Techniques of Plant Analysis*, Chapman and Hall Ltd., New York.
- Heim, K.E., Tagliafero, A.R., Bobilya, D.J., 2002. Flavonoid antioxidants: Chemistry metabolism and structure-activity relationships. *The Journal of Nutritional Biochemistry*, **13**: 572-584.
- Hermund, D.B., 2018. Antioxidant Properties of Seaweed-Derived Substances, dalam: *Bioactive Seaweeds for Food Applications*. Elsevier, 201–221.
- Heyne, K., 1987. *The Useful Indonesian Plants*. Research and Development Agency, Kementrian Kehutanan, Jakarta.
- Hidayati, A.R., Widyawaruyanti, A., Ilmi, H., Tanjung, M., Widiandani, T., Siswandono, Syafruddin, D., Hafid, A.F., 2020. Antimalarial Activity of Flavonoid Compound Isolated from Leaves of *Artocarpus altilis*. *Pharmacognosy Journal*, **12**(4): 835-842.
- Hisbuan, P.A.Z., dan Mardiana, 2018. Antioxidant Activity of n-Hexane, Ethyl Acetate and Ethanol Extract from Lakoocha Leaves (*Artocarpus lacucha* Buch.-Ham) using DPPH Method. *Indonesian Journal of Clinal and Pharmaceutical Research*, **1**(2): 40-47.
- Hostettmann, K., 2014. *Handbook of Chemical and Biological Plant Analytical Methods*. Wiley, **1**: 1127.
- Huang, D., Ou, B., Prior, R.L., 2005. The chemistry behind antioxidant capacity assays. *Journal of Agricultur and Food Chemistry*, **53**:1841.
- Irianti, T., Puspitasari, A., L, M., dan HR, R., 2015. Aktivitas Penangkapan Radikal 2-2'difenil-1-pikril hidrazil (DPPH) Ekstrak Etanolik Daun Mengkudu (*Morinda citrifolia* L.) dan Batang Brotowali (*Tinospora crispa* L.) Fraksi Air serta Fraksi Air Terhidrolisis. *Traditional Medicine Journal*, **20**: 140–148.
- Iverson, C.D., Zahid, S., Li, Y., Shoqafi, A.H., Ata, A., Samarasekera, R., 2010. Glutathione S-transferase inhibitory, free radical scavenging, and anti-leishmanial activities of chemical constituents of *Artocarpus nobilis* and *Matricaria chamomilla*. *Phytochemistry Letters*, **3**: 207-211.



- Jagtap, U.B. dan Bapat, V.A., 2010. *Artocarpus*: A review of its traditional uses, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, 129: 142–166.
- Jalal, T.K., Draman, S., Isa, M.L.M., Basad, M.S.B.A., Omar, M.N., Ibrahim, M., Wahab, A.R., 2014. Evaluation of Antioxidant, Total Phenols and Flavonoids Content and Antimicrobial Activities of *Artocarpus altilis* (Breadfruit) of Underutilized Tropical Fruit Extracts. *International Journal of Recent Technology and Engineering*, 3(5): 77-84.
- Jalal, T.K., Khan, A.Y.F., Natto, H.A., Rased, M.S.B.A., Kaderi, M.A., Mohammad, M., Johan, M.F., Omar, M.N., Wahab, R.A., 2019. Identification and Quantification of Quercetin, A Major Constituent of *Artocarpus altilis* by Targeting Related Genes of Apoptosis and Cell Cycle: In Vitro Against Human Lung Carcinoma Cell Lines. *Nutrition and Cancer*, 71(5): 792-805.
- Jarret, F.M., 1959a. Studies in *Artocarpus* and allied genera, II. A revision of *Prainea*. *Journal of the Arnold Arboretum*, 40:30-37.
- Jarret, F.M., 1959b. Studies in *Artocarpus* and allied genera, III. A revision of *Artocarpus* subgenus *Artocarpus*. *Journal of the Arnold Arboretum*, 40:113-368.
- Jarret, F.M., 1960. Studies in *Artocarpus* and allied genera, IV. A revision of *Artocarpus* subgenus *Pseudojaca*. *Journal of the Arnold Arboretum*, 41: 73-139.
- Jayasinghe, U.L.B., Samarakoon, T.B., Kumarihamy, B.M.M., Hara, N., Fujimoto, Y., 2008. Four new prenylated flavonoids and xanthenes from the root bark of *Artocarpus nobilis*. *Fitoterapia*, 79: 37–41.
- Jovanovic, S.V., Steenken, S., Tomic, M., Marjanovic, B., Simic, M.G., 1994. Flavonoids as Antioxidant. *Journal of the American Chemical Society*, 116 (11): 4846-4851.
- Karawasa, M.M.G., dan Mohan,C., 2018. Fruits as Prospective Reserves of bioactive Compounds: A Review, *Natural Products and Bioprospecting*, 8:335–346.
- Kehrer, J.P., Klotz, L.-O., dan Roberts, S.M., 2015. An Overview of Free Radicals as Causes and Consequences of Toxicity, dalam: Roberts, S.M., Kehrer, J.P., dan Klotz, L.-O. (Editor), *Studies on Experimental Toxicology and Pharmacology, Oxidative Stress in Applied Basic Research and Clinical Practice*, 21–27, Springer International Publishing.
- Kekuda, P.T.R., Raghavendra, H.L., Mallikarjun, N., Venugopal, T.M., Anil Kumar, H.S., 2012. Elemental composition, anticariogenic, pancreatic lipase inhibitory and cytotoxic activity of *Artocarpus lakoocha* Roxb pericarp. *International Journal of Drug Development and Research*, 4(1): 330-336.
- Khalequeuzzaman, M., Naser, K.M.A., Hossain, S., 2016. In Vitro Antioxidant Study of Methanolic Extracts of the Seed Kernel of *Mangifera Indica* &



Artocarpus Heterophyllus. *International Journal of Advanced Ayurvedic and Herbal Medicine*, **2**(1): 9-17.

- Ko, H.H., Tsai, Y.T., Yen, M.H., Lin, C.C., Liang, C.J., Yang, T.H., Lee, C.W., Yen, F.L., 2013. Norartocarpetin from a folk medicine *Artocarpus communis* plays a melanogenesis inhibitor without cytotoxicity in B16F10 cell and skin irritation in mice. *BMC Complementary and Alternative Medicine*, **13**:348.
- Kochummen, K.M., 2000. *Artocarpus* J.R. & G. Foster. nom. conserv. 187-212 dalam *Tree flora of Sabah and Sarawak*, Malaysia, edisi E, Soepadmo dan Saw, L.G., Sabah Forestry Department, Forest Research Institute Malaysia, dan Sarawak Forestry Department, Kuala Lumpur.
- Krueger, W.K., Gutierrez-Banuelos, H., Carstens, G.E., Min, B.R., Pinchak, W.E., Gomez, R.R., Anderson, R.C., Krueger, N.A., Forbes, T.D.A., 2010. *Effects of dietary tannin source on performance, feed efficiency, ruminal fermentation, and carcass and non-carcass traits in steers fed a high-grain diet*. *Animal Feed Science and Technology*, **159**:1-9.
- Krishnamurthy, S.R., dan Sarala, P., 2003. Phytochemical studies of *Artocarpus gomezianus* Wall. ex Trecul. var. *lakoocha* Roxb. fruits collected from various altitudes of Central Western Ghats. *Indian Journal of Natural Products Resource*, **4**(4): 398-411.
- Krishnaswamy, V.K.D., Alugoju, P., Periyasamy, L., 2020. Chapter 10 - Physiological effects of carotenoids on hyperglycemia and associated events. *Studies in Natural Products Chemistry*, **64**:303-320, Elsevier.
- Kumar, S. dan Pandey, A.K., 2013. Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*, 1–16.
- Kumar, N., dan Goel, N., 2019. Phenolic acids: Natural versatile molecules with promisingtherapeutic applications. *Biotechnology Reports*, **24**, e00370.
- Kurutas, E.B., 2015. The importance of antioxidants which play the role in cellular response against oxidative/nitrosative stress: current state. *Nutrition Journal*, **15**: 71.
- Lan, W.C., Tzeng, C.W., Lin, C.C., Yen, F.L., Ko, H.H., 2013. Prenylated flavonoids from *Artocarpus altilis*: Antioxidant activities and inhibitory effects on melanin production. *Phytochemistry*, **89**: 78-88.
- Langston, B.J., dan Lincoln, N.K., 2018. The Role of Breadfruit in Biocultural Restoration and Sustainability in Hawai'i. *Sustainability*, **10**(11), 3965.
- Lim, T.K., 2012. *Artocarpus heterophyllus*, dalam: *Edible Medicinal and Non-Medicinal Plants*. Springer Netherlands, Dordrecht, 318–336.
- Ley, J.P., Engelhart, K., Bernhardt, J., Bertram, H., 2002. 3,4-Dihydroxymandelic Acid, a Noradrenalin Metabolite with Powerful Antioxidative Potential. *Journal of Agricultur and Food Chemistry*, **50**: 5897-5902.



- Li, X., Jiang, Q., Chen, B., Luo, X., Chen, D., 2018. Structure–Activity Relationship and Prediction of the Electron-Transfer Potential of the Xanthones Series. *Chemistry Open*, **7**(9): 730-736.
- Lin, K.W., Wang, B.W., Wu, C.M., Yen, M.H., Wei, B.L., Hung, C.F., Lin, C.N., 2015. Antioxidant prenylated phenols of *Artocarpus* plants attenuate ultraviolet radiation-induced damage on human keratinocytes and fibroblasts. *Phytochemistry Letters*, **14**: 190-197.
- Liyanaarachchi, G.D., Samarasekera, J.K.R.R., Mahanama, K.R.R., Hemalal, K.D.P., 2018. Tyrosinase, elastase, hyaluronidase, inhibitory and antioxidant activity of Sri Lankan medicinal plants for novel cosmeceuticals. *Industrial Crops & Products*, **111**: 597-605.
- Mamun, S., Shaheen, N., Basak, T.A., Mohiduzzaman, M., Banu, C.P., Takano-Ishikawa, Y., 2012. Hydrophilic antioxidant capacities and total phenol content of seasonal fruits of Bangladesh. *Malaysian Journal of Nutrition*, **18**(3): 355-362
- Maria, W.M.H., 2014. Diversity and origins of an underutilized tropical fruit tree, cempedak (*Artocarpus integer*, Moraceae), and its wild relative bangkong (*Artocarpus integer* var. *silvestris*), Tesis, Northwestern University, Evanston.
- Marjoni, M.R., Sidik., F., Ovisa, F., Sukma, Y., 2018. Extraction of antioxidants from fruit peel of *Artocarpus altilis*. *International Journal of Green Pharmacy*, **12**(1): S284-S289.
- Mehta, S.K. dan Gowder, S.J.T., 2015. Members of Antioxidant Machinery and Their Functions, dalam: Gowder, S.J.T. (Editor), Basic Principles and Clinical Significance of Oxidative Stress. InTech.
- Mezzomo, N., dan Ferreira, S.R.S., 2016. Carotenoids Functionality, Sources, and Processing by Supercritical Technology: A Review, *Journal of Chemistry*, 3164312.
- Mohammad, N. A., Abang-Zaidel, D. N., Muhamad, I. I., Abdul Hamid, M., Yaakob, H., & Mohd Jusoh, Y. M. (2019). Optimization of the antioxidant-rich xanthone extract from mangosteen (*Garcinia mangostana* L.) pericarp via microwave-assisted extraction. *Heliyon*, **5**(10), e02571.
- Mohammed, M., dan Wickham, L., 2021. Breadnut (*Artocarpus camansi* Blanco): A review of postharvest physiology, quality management, processing and utilization. *Journal of Horticulture and Postharvest Research*, **4**(2): 199-218.
- Moharram, H.A., dan Youssef, M.M., 2014. Methods for Determining the Antioxidant Activity: A Review. *Alexandria Journal of Food Science and Technology*, **11**(1): 31-42.
- Morales, J.C., dan Lucas, R., 2010. Structure-Activity Relationship of Phenolic Antioxidants and Olive Components, dalam Preedy, V.R., dan Watson, R.R., *Olives and Olive Oil in Health and Disease Prevention*, 905-914, Elsevier.



- Mozef, T., Risdian, C., Sukandar, E.Y., Soemardji, A.A., Bioactivity of Ethyl Acetate Fraction from the Leaves of “Sukun” (*Artocarpus altilis* (Parkinson) Fosberg) in Preventing Atherosclerosis. *Procedia Chemistry*, **16**: 106-112.
- Mukprasirt, A., Sajjaanantakul, K., 2004. Physico-chemical properties of flour and starch from jackfruit seed. *International Journal of Food Science and Technology*, **39**(3): 271–276.
- Musa, K.H., Abdullah, A., Kuswandi, B., Hidayat, M.A., 2013. A novel high throughput method based on the DPPH dry reagent array for determination of antioxidant activity. *Food Chemistry*, **141**(4): 4102-4106.
- Nabavi, S.M., Šamec, D., Tomczyk, M., Milella, L., Russo, D., Habtemariam, S., dkk., 2020. Flavonoid biosynthetic pathways in plants: Versatile targets for metabolic engineering. *Biotechnology Advances*, **38**: 107316.
- Nagarajan, J., Ramanan, R.N., Raghunandan, M.E., Galanakis, C.M., Krishnamurthy, N.P., 2017. Chapter 8-Carotenoids, Editor: Galanakis, C.M., *Nutraceutical and Functional Food Components*, 259-296, Academic Press.
- Naji, K.M., Thamer, F.H., Numan, A.A., Dauqan, E.M., Alshaibi, Y.M., D'souza, M.R., 2020. Ferric-bipyridine assay: A novel spectrophotometric method for measurement of antioxidant capacity. *Heliyon*, **6**, e03162.
- Nasution, R., Barus, T., Nasution, P., Saidi, N., 2014. Isolation and structure elucidation of steroid from leaves of *Artocarpus camansi* (Kulu) as antidiabetic. *International Journal of PharmTech Research*, **6**:1279-85.
- Nasution, R., Marianne, Nur, H., 2015^a. β -Amyrin acetate of ethyl acetate extract of the bark plant *Artocarpus camansi* and its antidiabetic activity. *Der Pharma Chemica*, **7**:71-8.
- Nasution, R., Marianne, Bahi, M., Saidi, N., 2015^b. β -Sitosterol from Bark of *Artocarpus camansi* and its Antidiabetic Activity. *Proceedings of the 5th Annual International Conference, Syiah Kuala University (AIC Unsyiah), In Conjunction with the 8th International Conference of Chemical Engineering on Science and Applications (ChESA)*.
- Nasution, R., Muhabbah, N., Helwati, H., Bahi, M., Marianne, M., Amna, U., 2020. Isolation of lupeol acetate from fruit peels of *Artocarpus camansi*. *Journal of Advanced Pharmaceutical Technology and Research*, **11**(3): 148-156.
- Nguyen, M.T., Nguyen, N.T., Nguyen, K.D., Dau, H.T.T., Nguyen, H.X., Dang, P.H., Le, T.M., Nguyen, B.D., Ueda, J.Y., Awale, S., 2014. Geranyl dihydrochalcones from *Artocarpus altilis* and their antiausteric activity. *Planta Medica*. **80**(2-3):193- 200.
- Nurliyana, R., Zahir, I.S., Suleiman, K.M., Aisyah, M.R., Rahim, K.K., 2010. Antioxidant study of pulps and peels of dragon fruits: a comparative study. *International Food Research Journal*, **17**: 367-375.
- Osman, A.M.; Wong, K.K.Y.; Fernyhough, A., 2006. ABTS radical-driven oxidation of polyphenols: Isolation and structural elucidation of covalent



- adducts. *Biochemical and Biophysical Research Communications*, **346**(1): 321–329.
- Ozgen, M., Reese, R.N., Tulio, A.Z., Scheerens, J.C., Miller, R., 2006. Modified ABTS method to measure antioxidant capacity of selected small fruits and comparison to ferric reducing antioxidant power (FRAP) and DPPH methods. *Journal of Agriculture and Food Chemistry*, **54**(4):1151-7.
- Palupi, D.H.S., Retnoningrum, D.S., Iwo, M.I., Soemardji, A.A., 2020. Leaf Extract Of *Artocarpus Altilis* [Park.] Fosberg Has Potency as Antiinflammatory, Antioxidant, and Immunosuppressant. *Rasayan Journal of Chemistry*, **13**(1): 636-646.
- Panche, A.N., Diwan, A.D., dan Chandra, S.R., 2016. Flavonoids: an overview. *Journal of Nutritional Science*, 5: e47.
- Pandey, A., dan Tripathi, S., 2014. Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy and Phytochemistry*, **2**(5): 115-119.
- Paquette, G., Kupranycz, D.B., van de Voort, F.R., 1985. The Mechanism of Lipid Autoxidation I. Primary Oxidation Products. *Canadian Institute of Food Science and Technology Journal*, **18**(2): 112-118.
- Perry, L.M., 1980. *Medicinal Plants of East and South East Asia Attributed Properties and Uses*. MIT Press, Cambridge.
- Phaniendra, A., Jestadi, D.B., dan Periyasamy, L., 2015. Free Radicals: Properties, Sources, Targets, and Their Implication in Various Diseases. *Indian Journal of Clinical Biochemistry*, **30**: 11–26.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., dkk., 2017. Oxidative Stress: Harms and Benefits for Human Health. *Oxidative Medicine and Cellular Longevity*, 1–13.
- Pongpaichit, S., Nikom, J., Rungjindamai, N., Sakayaroj, J., Hutadilok-Towatana, N., Rukachaisirikul, V., Kirtikara, K., 2007. Biological Activities of Extracts from Endophytic Fungi Isolated from *Garcinia* Plants. *Federation of European Microbiological Societies Immunology and Medical Biology*, **51**(3): 517-525.
- Pratt, D.A., Tallman, K.A., dan Porter, N.A., 2011. Free Radical Oxidation of Polyunsaturated Lipids: New Mechanistic Insights and the Development of Peroxyl Radical Clocks. *Accounts of Chemical Research*, **44**: 458–467.
- Prior, R. L., Wu, X. L., Schaich, K., 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, **53**(10): 4290-4302.
- Procházková, D., Boušová, I., dan Wilhelmová, N., 2011. Antioxidant and prooxidant properties of flavonoids. *Fitoterapia*, **82**: 513–523.



- Quispe-Condori, S., Foglio M.A., Rosa, P.T.V., 2006. Obtaining β -caryophyllene from *Cordia verbenaceae* Candolle by supercritical fluid extraction. *The Journal of Supercritical Fluids*, **46**: 27-32.
- Rodboon, T., Palipoch, S., Okada, S., Charoenchon, N., Nakornpakdee, Y., Suwannalert, P., 2020. Oxyresveratrol inhibits cellular tyrosinase-related oxidative stress-induced melanogenesis in B16 melanoma cells. *Journal of Applied Pharmaceutical Science*, **10**(4): 8-13.
- Raaman, N., Sivaraj, C., Tenzing., 2014. Antioxidant Activities and Phytochemical Analysis of Methanol Extract of Leaves of *Artocarpus heterophyllus* Lam. *International Journal of Pharmacy and Pharmaceutical Sciences*, **6**(8): 289-293.
- Rashed, K., Ivanišová, E., Kačániová, M., 2018. Evaluation of antioxidant, antimicrobial activities and phytochemical content of some Egyptian plants. *International Food Research Journal*, **25**(6): 2292-2300.
- Rashmi, H.B., dan Negi, P.S., 2020. Phenolic acids from vegetables: A review on processing stability and health benefits. *Food Research International*, 136, 109298.
- Rice-Evans, C.A., Miller, N.J., Paganga, G. 1997. Antioxidant properties of phenolic compounds. *Trends in Plant Science*, **2**(4): 152-159.
- Rodriguez-Bonilla, P., Gandia-Herrero, F., Matencio, A., Garcia-Carmona, F., Lopez-Nicolas, J.M., 2017. Comparative Study of the Antioxidant Capacity of Four Stilbenes Using ORAC, ABTS⁺, and FRAP Techniques. *Food Analytical Methods*, **10**(9): 2994-3000.
- Rujinirun, C., Phinyocheep, P., Prachyabrued, W., dan Laemsak, N., 2005. Chemical treatment of wood for musical instruments. Part I: acoustically important properties of wood for the Ranad (Thai traditional xylophone). *Wood Science and Technology*, **39**: 77-85.
- Septama, A.W., dan Panichayupakaranant, P., 2018. Artocarpin isolated from *Artocarpus heterophyllus* heartwoods alters membrane permeability of *Streptococcus mutans*. *Journal of Applied Pharmaceutical Science*, **8**(6): 59-64.
- Shahat, A.A., dan Marzouk, M.S., 2013. Chapter 13. Tannins and Related Compounds from Medicinal Plants of Africa. *Medicinal Plant Research in Africa*, 479-555, Elsevier.
- Shanooba, P.M., Tungare, K., Sunariwai, S., Sonawane, S., 2020. Extraction and Characterization of Polyphenols from *Artocarpus heterophyllus* and Its Effect on Oxidative Stability of Peanut Oil. *International Journal of Fruit Science*, doi=10.1080/15538362.2020.1775162.
- Sharma, H.K., Chhangte, L., Dolui, A.K., 2001. Traditional medicinal plants in Mizoram, India. *Fitoterapia*, **72**: 146-161.



- Sharma, A., Gupta, P., Verma, A.K., 2015. Preliminary nutritional and biological potential of *Artocarpus heterophyllus* L. shell powder. *Journal of Food Science and Technology*, **52**(3): 1339-1349.
- Shi, J., Yu, J., Pohorly, J., Young, J., Bryan, M., Wu., Y., 2003. Optimization of the extraction of polyphenols from grape seed meal by aqueous ethanol solution. *Food Agriculture and Environment*, **1**:42-47.
- Shian, T.E., Abdullah, A., Musa, K.H., Maskat, M.Y., Ghani, M.A., 2012. Antioxidant Properties of Three Banana Cultivars (*Musa acuminata* 'Berangan', 'Mas' and 'Raja') Extracts. *Sains Malaysiana*, **41**(3): 319-324.
- Sies, H., 2019. Oxidative Stress, dalam: *Stress: Physiology, Biochemistry, and Pathology*, 153–163, Elsevier.
- Sinbad, O.O., Folorunsho, A.A., Olabisi, O.L., Ayoola, O.A., Temitope, E.J., 2019. Vitamins as Antioxidant. *Journal of Food Science and Nutrition*, **2**(3): 214-235.
- Singhatong, S., Leelarungrayub, D., Chaiyasut, C., 2010. Antioxidant and toxicity activities of *Artocarpus lakoocha* Roxb. heartwood extract. *Journal of Medicinal Plants Research*, **4**(10): 947-953.
- Stadtman, E.R., 1998. Free Radical Mediated Oxidation of Proteins. *Free Radicals, Oxidative Stress, and Antioxidants*, 51–64, Springer US, Boston, MA.
- Stuper-Szablewska, K., dan Perkowski, J., 2019, Phenolic acids in cereal grain: Occurrence, biosynthesis, metabolism and role in living organisms. *Critical Reviews in Food Science and Nutrition*, **59**(4): 664-675.
- Suhartati, T., Wulandari, Z., Wulandari, M., Yandri, Hadi, S., 2021. Identification and antibacterial activity of flavonoid compounds from wood branches of the pudau plant (*Artocarpus kemando* Miq.). *Journal of Physics: Conference Series*, **1751**(1), 012095.
- Teo, S.H., Ee, G.C.L., Lim, C.K., Rahmani, M., Bong, C.F.J., 2011. Chemical Constituents of *Artocarpus kemando* (Moraceae). *Asian Journal of Chemistry*, **23**(1): 74-76.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, H., 2011. Phytochemical screening and Extraction: A Review. *Internationale Pharmaceutica Scientia*, **1**(1): 98-106.
- Tiraravesit, N., Yakaew, S., Rukchay, R., Luangbudnark, W., Viennet, C., Humbert, P., Viyoch, J., 2015. *Artocarpus altilis* heartwood extract protects skin against UVB in vitro and in vivo. *Journal of Ethnopharmacology*, **175**:153-62.
- Tortosa, V., Pietropaolo, V., Brandi, V., Macari, G., Pasquadibisceglie, A., dan Polticelli, F., 2020. Computational Methods for the Identification of Molecular Targets of Toxic Food Additives. Butylated Hydroxytoluene as a Case Study. *Molecules*, **25**: 2229.
- Tosato, M.G., Orallo, D.E., Fangio, M.F., Diz, V., Dicalio, L.E., Churio, M.S., 2016. Chapter 12 - Nanomaterials and natural products for UV-



- photoprotection, dalam: *Surface Chemistry of Nanobiomaterials*, 359-392, William Andrew Publishing, ISBN 9780323428613.
- Tramontin, D.P., Cadena-Carrera, S.E., Bella-Cruz, A., Cruz, C.C.B., Bolzan, A., Quadri, M.B., 2019. Biological activity and chemical profile of Brazilian jackfruit seed extracts obtained by supercritical CO₂ and lowpressure techniques. *The Journal of Supercritical Fluids*, **152**, 104551.
- Tsai, P., Castro-Cruz, K.A., Shen, C., Chiou, C., Ragasa, C.Y., 2013. Chemical constituents of *Artocarpus camansi*. *Pharmacognosy Journal*, **5**:80-82.
- Uddin, M.G., Islam, M.M., Ahmed, A., Siddiqui, S.A., Debnath, A., 2020. Evaluation of anthelmintic, antioxidant and antiinflammatory potential of methanolic extract of *Artocarpus lacucha* leaves. *Discovery Phytomedicine*, **7**(1): 27-32.
- Vázquez-González, Y., Ragazzo-Sánchez, J.A., Calderón-Santoyo, M., 2020. Characterization and antifungal activity of jackfruit (*Artocarpus heterophyllus* Lam.) leaf extract obtained using conventional and emerging technologies. *Food Chemistry*, **330**, 127211.
- Vianney, Y.M., Amanda, N., Pieknell, K., Johan, C.W., Hardjo, P.H., 2018. Evaluation of the antioxidant and antibacterial activity of breadnut (*Artocarpus camansi* Blanco) leaf extracts. *Indian Journal of Natural Products*, **9**(2): 151-159.
- Vianney, Y.M., Putra, S.E.D., Purwanto, M.G.M., 2020. Antioxidant and toxicity activity of aqueous extracts from various parts of breadfruit and breadnut. *International Journal of Fruit Science*, **20** (3): S1639-S1651.
- Visht, S., dan Chaturvedi, S., 2012. Isolation of Natural Product. *Current Pharma Research*, **2**(3): 584-589.
- Vandghanooni, S., Forouharmehr, A., Eskandani, M., Barzegari, A., Kafil, V., Kashanian, S., dkk., 2013. Cytotoxicity and DNA Fragmentation Properties of Butylated Hydroxyanisole. *DNA and Cell Biology*, **32**: 98–103.
- Wang Y.H., Hou, A.J., Chen, L., Chen, D.F., Sun, H.D., Zhao, Q.S., Bastow, K.F., Nakanish, Y., Wang, X.H., Lee, K.H., 2004. New Isoprenylated Flavones, Artochamins A-E, and Cytotoxic Principles from *Artocarpus chama*. *Journal of Natural Product*, **67**: 757-761.
- Wang, Y., Deng, T., Lin, L., Pan, Y., Zheng, X., 2006^a. Bioassay guided isolation of antiatherosclerotic phytochemicals from *Artocarpus altilis*. *Phytotherapy Research*. **20**: 1052–1055.
- Wang Y.H., Hou, A.J., Chen, L., Chen, D.F., Weiller, M., Wendel, A., Staples, R.J., 2006^b. Prenylated Stilbenes and Their Novel Biogenetic Derivatives from *Artocarpus chama*. *European Journal of Organic Chemistry*, **15**: 3457–3463.
- Wang Y.H., Hou, A.J., Chen, D.F., 2007. Two New Isoprenylated Stilbenes from *Artocarpus chama*. *Journal of Integratif Plant Biology*, **49**(5): 605–608.



- Wang, T., Li, Q., dan Bi, K., 2018. Bioactive flavonoids in medicinal plants: Structure, activity and biological fate. *Asian Journal of Pharmaceutical Sciences*, **13**: 12–23.
- Warsi dan Sholichah, A.R., 2017. Phytochemical screening and antioxidant activity of ethanolic extract and ethyl acetate fraction from basil leaf (*Ocimum basilicum* L.) by DPPH radical scavenging method. *IOP Conference Series: Materials Science and Engineering*, **259**, 012008.
- Wen, L., Zhao, Y., Jiang, Y., Yu, L., Zeng, Z., Tian, J.M., Liu, H., Yang, B., 2017. Identification of a flavonoid C-glycoside as potent antioxidant. *Free Radical Biology and Medicine*, **110**: 92-101.
- Widyawaruyanti, A., Subehan, Kalauni, S.K., Awale, S., Nindatu, M., Zaini, N.C., Syafruddin, D., Asih, P.B.S., Tezuka, Y., Kadota, S., 2007. New prenylated flavones from *Artocarpus champeden*, and their antimalarial activity in vitro. *Journal of Natural Medicines*, **61**:410–413.
- Williams, E.W., Gardner, E.M., Harris, R., Chaveerach, A., Pereira, J.T., dan Zerega, N.J.C., 2017. Out of Borneo: biogeography, phylogeny and divergence date estimates of *Artocarpus* (Moraceae). *Annals of Botany*, mcw249.
- Wojtunik-Kulesza, K.A., 2020. Approach to Optimization of FRAP Methodology for Studies Based on Selected Monoterpenes. *Molecules*, **25**, 5267.
- Wu, C.Y., dan Chang, S.S., 1989. Taxa nova nonnulla Moracearum Sinensium. *Acta Botanica Yunnanica*, **11**: 24-34.
- Xiao, F., Xu, T., Lu, B., Liu, R., 2020. Guidelines for antioxidant assay for food components. *Food Frontiers*, **1**: 60-69.
- Xiao, Z., He, L., Hou, X., Wei, J., Ma, X., Gao, Z., Yuan, Y., Xiao, J., Li, P., & Yue, T., 2021. Relationships between Structure and Antioxidant Capacity and Activity of Glycosylated Flavonols. *Foods*, **10**(4): 849.
- Xu, D., Li., Y., Meng, X., Zhou, Y., Zheng, J., Zhang, J., Li, H., 2017. Natural Antioxidants in Foods and Medicinal Plants: Extraction, Assessment and Resources. *International Journal of Molecular Sciences*, **18**, 96.
- Yamin, Ruslin, Mistriyani, Sabarudin, Ihsan, S., Armadany, F.I., Sahumena, M.H., Fatimah, W.O.N., 2021. Determination of total phenolic and flavonoid contents of jackfruit peel and *in vitro* antiradical test. *Food Research*, **5**(1): 84-90.
- Zahid, S., Ata, A., Samarasekera, R., 2007. New cycloartane-type triterpenoids from *Artocarpus nobilis*. *Verlag der Zeitschrift fuer Naturforschung*, **62**: 280–284.
- Zang, Q.W., Lin, L.G., Ye, W.C., 2018. Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, **13**: 20.
- Zhang, L., Tu, Z., Xie, X., Wang, H., Wang, H., Wang, Z., Sha, X., Lu, Y., 2017. Jackfruit (*Artocarpus heterophyllus* Lam.) peel: A better source of



antioxidants and a-glucosidase inhibitors than pulp, flake and seed, and phytochemical profile by HPLC-QTOF-MS/MS. *Food Chemistry*, **234**: 303-313.

Zhang, X., Zhu, K., Xie, J., Chen, Y., Tan, L., Liu, S., Dong, R., Zheng, Y., Yu, Q., 2021. Optimization and identification of non-extractable polyphenols in the dietary fiber of jackfruit (*Artocarpus heterophyllus* Lam.) pulp released by alkaline, acid and enzymatic hydrolysis: Content, composition and antioxidant activities. *LWT-Food Science and Technology*, **138**(2), 110400.

Zhu, X.F., Guo, H., Li, G.L., Zhu, C.H., 2021. Effects of dietary hydrolyzable tannins on growth performance, antioxidant capacity, intestinal microflora and resistance against *Vibrio parahaemolyticus* of juvenile Pacific white shrimp, *Litopenaeus vannamei*. *Aquaculture Reports*, **19**, 100601.



UNIVERSITAS
GADJAH MADA

Aktivitas Antioksidan In Vitro Tanaman Genus Artocarpus: Narrative Review
WINDA RAKHMADANI, Dr.rer.nat. apt. Tatang Irianti, M.Sc.; Dr. apt. Purwanto, M.Sc.
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>