

DAFTAR PUSTAKA

- Abd Mutalib, M., Rahman, M. A., Othman, M. H. D., Ismail, A. F., & Jaafar, J. (2017). Scanning Electron Microscopy (SEM) and Energy-Dispersive X-Ray (EDX) Spectroscopy. In *Membrane Characterization*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63776-5.00009-7>
- Adams, B. R., Mostafa, A., Schwartz, Z., & Boyan, B. D. (2014). Osteoblast response to nanocrystalline calcium hydroxyapatite depends on carbonate content. *Journal of Biomedical Materials Research - Part A*, 102(9), 3237–3242. <https://doi.org/10.1002/jbm.a.34994>
- Agrawal, C. M., Ong, J. L., Appleford, M. R., & Mani, G. (2014). *Introduction to Biomaterials: Basic Theory with Engineering Applications*. Cambridge University Press.
- Akilal, N., Lemaire, F., Bercu, N. B., Sayen, S., Gangloff, S. C., Khelfaoui, Y., Rammal, H., & Kerdjoudj, H. (2019). Cowries derived aragonite as raw biomaterials for bone regenerative medicine. *Materials Science and Engineering C*, 94(October 2018), 894–900. <https://doi.org/10.1016/j.msec.2018.10.039>
- Alif, M. F., Aprillia, W., & Arief, S. (2018). A hydrothermal synthesis of natural hydroxyapatite obtained from Corbicula moltkiana freshwater clams shell biowaste. *Materials Letters*, 230, 40–43. <https://doi.org/10.1016/j.matlet.2018.07.034>
- Allen, M. R., Hock, J. M., & Burr, D. B. (2004). Periosteum: Biology, regulation, and response to osteoporosis therapies. *Bone*, 35(5), 1003–1012. <https://doi.org/10.1016/j.bone.2004.07.014>
- Almukarrama, & Yusuf, Y. (2020). Development carbonated hydroxyapatite powders from oyster shells (*Crassostrea gigas*) by carbonate content variations. *Materials Science Forum*, 975 MSF(1), 76–81. <https://doi.org/10.4028/www.scientific.net/MSF.975.76>
- Anggraini, R. M., Supii, A. I., Suparta, G. B., & Yusuf, Y. (2019). The effect of ph on the characteristics of carbonate hydroxyapatite based on pearl shell (*Pinctada*

- maxima). *Key Engineering Materials*, 818 KEM, 44–49.
<https://doi.org/10.4028/www.scientific.net/KEM.818.44>
- Anwar, A., Asghar, M. N., Kanwal, Q., Kazmi, M., & Sadiqa, A. (2016). Low temperature synthesis and characterization of carbonated hydroxyapatite nanocrystals. *Journal of Molecular Structure*, 1117, 283–286.
<https://doi.org/10.1016/j.molstruc.2016.03.061>
- Badan Penelitian dan Pengembangan Kesehatan. (2018). Laporan_Nasional_RKD2018_FINAL.pdf. In *Badan Penelitian dan Pengembangan Kesehatan* (p. 198).
http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf
- Bang, L. T., Long, B. D., & Othman, R. (2014). Carbonate hydroxyapatite and silicon-substituted carbonate hydroxyapatite: Synthesis, mechanical properties, and solubility evaluations. *The Scientific World Journal*, 2014.
<https://doi.org/10.1155/2014/969876>
- Bang, L. T., Ramesh, S., Purbolaksono, J., Ching, Y. C., Long, B. D., Chandran, H., & Othman, R. (2015). Effects of silicate and carbonate substitution on the properties of hydroxyapatite prepared by aqueous co-precipitation method. *Materials and Design*, 87, 788–796. <https://doi.org/10.1016/j.matdes.2015.08.069>
- Barinov, S. M., Fadeeva, I. V., Ferro, D., Rau, J. V., Cesaro, S. N., Komlev, V. S., & Fomin, A. S. (2008). Stabilization of carbonate hydroxyapatite by isomorphic substitutions of sodium for calcium. *Russian Journal of Inorganic Chemistry*, 53(2), 164–168. <https://doi.org/10.1134/s0036023608020022>
- Biga, L. M., Dwason, S., Harwell, A., Hopkins, R., Kaufmann, J., Lemaster, M., Matern, P., Morrison-Graham, K., Quick, D., & Runyeon, J. (2019). *Anatomy & Physiology*.
- BMA. (2013). *Illustrated Medical Dictionary* (3th editio). Dorling Kindersley.
- Bushroa, A. R., Rahbari, R. G., Masjuki, H. H., & Muhamad, M. R. (2012). Approximation of crystallite size and microstrain via XRD line broadening analysis in TiSiN thin films. *Vacuum*, 86(8), 1107–1112.

<https://doi.org/10.1016/j.vacuum.2011.10.011>

Cahyaningrum, S. E., Herdyastuty, N., Devina, B., & Supangat, D. (2018). Synthesis and Characterization of Hydroxyapatite Powder by Wet Precipitation Method. *IOP Conference Series: Materials Science and Engineering*, 299(1).
<https://doi.org/10.1088/1757-899X/299/1/012039>

Chambers, J. R., Zaheer, K., Akhtar, H., & Abdel-Aal, E.-S. M. (2017). Egg Innovations and Strategies for Improvements Chicken Eggs ORIGIN OF THE EGG PRODUCING CHICKEN. In *Egg Innovation and Strategies for Improvement*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800879-9/00001-9>

Corno, M., Busco, C., Civalleri, B., & Ugliengo, P. (2006). Periodic ab initio study of structural and vibrational features of hexagonal hydroxyapatite $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})$. 2. *Physical Chemistry Chemical Physics*, 8(21), 2464–2472.
<https://doi.org/10.1039/b602419j>

Cox, S. C. (2015). Synthesis Method of Hydroxyapatite Author : Sophie Cox. *Ceram, January 2014*. www.ceram.com

Dahlan, K., Sari, Y. W., Soejoko, D. S., & Yuniarti, E. (2006). Karakterisasi Gugus Fosfat Dan Karbonat Dalam Tulang Tikus Dengan Fourier Transform Infrared (FT-IR) Spectroscopy. *Jurnal Sains Materi Indonesia*, 221–224.

Direktorat Jenderal Peternakan. (2019). *Produksi Telur Ayam Ras Petelur Menurut Provinsi (2015-2018)*. 0, 2019.

Dorozhkin, S. V. (2009). Calcium orthophosphates in nature, biology and medicine. *Materials*, 2(2), 399–498. <https://doi.org/10.3390/ma2020399>

dos Santos, V., Brandalise, R. N., & Savaris, M. (2017). Engineering of Biomaterials. In *Engineering of biomaterials: Vol. X* (Issue 69).
http://link.springer.com/10.1007/978-3-319-58607-6_4
<http://link.springer.com/10.1007/978-3-319-58607-6>

Dutta, A. (2017). Fourier Transform Infrared Spectroscopy. In *Spectroscopic Methods for Nanomaterials Characterization* (Vol. 2). Elsevier Inc.
<https://doi.org/10.1016/B978-0-323-46140-5.00004-2>

- Epp, J. (2016). X-Ray Diffraction (XRD) Techniques for Materials Characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100040-3.00004-3>
- Ezekiel, I., Kasim, S. R., Ismail, Y. M. B., & Noor, A. F. M. (2018). Nanoemulsion synthesis of carbonated hydroxyapatite nanopowders: Effect of variant CO₂–/PO₄³⁻ molar ratios on phase, morphology, and bioactivity. *Ceramics International*, 44(11), 13082–13089. <https://doi.org/10.1016/j.ceramint.2018.04.128>
- Fatimah, I., Aulia, G. R., Puspitasari, W., Nurillahi, R., Sophia, L., & Herianto, R. (2018). Microwave-synthesized hydroxyapatite from paddy field snail (*Pila ampullacea*) shell for adsorption of bichromate ion. *Sustainable Environment Research*, 28(6), 462–471. <https://doi.org/10.1016/j.serj.2018.10.003>
- Ferdinand, F. dan Ariebowo, M., 2009, Praktis Belajar Biologi 2, Visindo Media Persada, Jakarta
- Fleet, M. (2015). *Carbonated Hydroxyapatite Applications*. 272.
- Galván-Ruiz, M., Hernández, J., Baños, L., Noriega-Montes, J., & Rodríguez-García, M. E. (2009). Characterization of Calcium Carbonate, Calcium Oxide, and Calcium Hydroxide as Starting Point to the Improvement of Lime for Their Use in Construction. *Journal of Materials in Civil Engineering*, 21(11), 694–698. [https://doi.org/10.1061/\(asce\)0899-1561\(2009\)21:11\(694\)](https://doi.org/10.1061/(asce)0899-1561(2009)21:11(694))
- Habibovic, P., Juhl, M. V., Clyens, S., Martinetti, R., Dolcini, L., Theilgaard, N., & Van Blitterswijk, C. A. (2010). Comparison of two carbonated apatite ceramics in vivo. *Acta Biomaterialia*, 6(6), 2219–2226. <https://doi.org/10.1016/j.actbio.2009.11.028>
- Henning, S., & Adhikari, R. (2017). Scanning Electron Microscopy, ESEM, and X-ray Microanalysis. In *Microscopy Methods in Nanomaterials Characterization*. Elsevier Inc. <https://doi.org/10.1016/b978-0-323-46141-2.00001-8>
- Hincke, M. T., Nys, Y., Gautron, J., Mann, K., Rodriguez-Navarro, A. B., & McKee, M. D. (2012). The eggshell: Structure, composition and mineralization. *Frontiers in Bioscience*, 17(4), 1266–1280. <https://doi.org/10.2741/3985>

- Inkson, B. J. (2016). Scanning electron microscopy and transmission electron microscopy for materials characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Izmailov, R. R., & Golovanova, O. A. (2015). Crystallization of carbonate hydroxyapatite in the presence of strontium ranelate. *Crystallography Reports*, 60(6), 979–983. <https://doi.org/10.1134/S1063774515060127>
- Januariyasa, I. K., & Yusuf, Y. (2020). Carbonated hydroxyapatite derived from snail shells (*Pilla ampulacea*): The influence of sintering temperature on purity and crystallography properties. *Materials Science Forum*, 975 MSF, 82–87. <https://doi.org/10.4028/www.scientific.net/MSF.975.82>
- Jayasree, R., Madhumathi, K., Rana, D., Ramalingam, M., Nankar, R. P., Doble, M., & Kumar, T. S. S. (2018). Development of Egg Shell Derived Carbonated Apatite Nanocarrier System for Drug Delivery. *Journal of Nanoscience and Nanotechnology*, 18(4), 2318–2324. <https://doi.org/10.1166/jnn.2018.14377>
- Jokanović, V., Izvonar, D., Dramićanin, M. D., Jokanović, B., Živojinović, V., Marković, D., & Dačić, B. (2006). Hydrothermal synthesis and nanostructure of carbonated calcium hydroxyapatite. In *Journal of Materials Science: Materials in Medicine* (Vol. 17, Issue 6, pp. 539–546). <https://doi.org/10.1007/s10856-006-8937-z>
- Kee, C. C., Ismail, H., & Mohd Noor, A. F. (2013). Effect of synthesis technique and carbonate content on the crystallinity and morphology of carbonated hydroxyapatite. *Journal of Materials Science and Technology*, 29(8), 761–764. <https://doi.org/10.1016/j.jmst.2013.05.016>
- Kolanthai, E., Abinaya Sindu, P., Thanigai Arul, K., Sarath Chandra, V., Manikandan, E., & Narayana Kalkura, S. (2017). Agarose encapsulated mesoporous carbonated hydroxyapatite nanocomposites powder for drug delivery. *Journal of Photochemistry and Photobiology B: Biology*, 166, 220–231. <https://doi.org/10.1016/j.jphotobiol.2016.12.005>
- Koutsopoulos, S. (2002). Synthesis and characterization of hydroxyapatite crystals: A

- review study on the analytical methods. *Journal of Biomedical Materials Research*, 62(4), 600–612. <https://doi.org/10.1002/jbm.10280>
- Kovaleva, E. S., Shabanov, M. P., Putlyaev, V. I., Tretyakov, Y. D., Ivanov, V. K., & Silkin, N. I. (2009). Bioresorbable carbonated hydroxyapatite $\text{Ca}_{10-x}\text{Na}_x(\text{PO}_4)_6-x(\text{CO}_3)_x(\text{OH})_2$ powders for bioactive materials preparation. *Central European Journal of Chemistry*, 7(2), 168–174. <https://doi.org/10.2478/s11532-009-0018-y>
- Landi, E., Celotti, G., Logroscino, G., & Tampieri, A. (2003). Carbonated hydroxyapatite as bone substitute. *Journal of the European Ceramic Society*, 23(15), 2931–2937. [https://doi.org/10.1016/S0955-2219\(03\)00304-2](https://doi.org/10.1016/S0955-2219(03)00304-2)
- Legeros, R. Z., Kijkowska, R., Bautista, C., & Legeros, J. P. (1995). Synergistic effects of magnesium and carbonate on properties of biological and synthetic apatites. *Connective Tissue Research*, 33(1–3), 203–209. <https://doi.org/10.3109/03008209509017003>
- Li, Q., Wen, Z., Chen, J., Huang, H., Shi, X., & Zhang, Q. (2019). Preparation of controllable hydroxyapatite nanoparticles with abalone shells. *Materials Letters*, 236, 562–565. <https://doi.org/10.1016/j.matlet.2018.11.021>
- Linggawati, A. (2016). Preparation and Characterization of Calcium Oxide Heterogeneous Catalyst Derived from Anadara Granosa Shell for Biodiesel Synthesis. *KnE Engineering*, 1(2015), 1–8. <https://doi.org/10.18502/keg.v1i1.494>
- LIPI. 2018. Padukan Logam Gantikan Tulang. Dikutip dari <http://lipi.go.id/lipimedia/Padukan-Logam-Gantikan-Tulang/19869>. Diakses pada Tanggal 15 Januari 2021 pukul 11.38
- Loy, C. W., Matori, K. A., Lim, W. F., Schmid, S., Zainuddin, N., Wahab, Z. A., Alassan, Z. N., & Zaid, M. H. M. (2016). Effects of Calcination on the Crystallography and Nonbiogenic Aragonite Formation of Ark Clam Shell under Ambient Condition. *Advances in Materials Science and Engineering*, 2016. <https://doi.org/10.1155/2016/2914368>
- Mohamed, M. A., Jaafar, J., Ismail, A. F., Othman, M. H. D., & Rahman, M. A. (2017). Fourier Transform Infrared (FTIR) Spectroscopy. In *Membrane Characterization*.

Elsevier B.V. <https://doi.org/10.1016/B978-0-444-63776-5.00001-2>

- Ningsih, R. P., Wahyuni, N., & Destiarti, L. (2014). Sintesis Hidroksiapatit Dari Cangkang Kerang Kepah (Polymesoda erosa) Dengan Variasi Waktu Pengadukan. *Jurnal Kimia Khatulistiwa*, 3(1), 22–26. <https://jurnal.unej.ac.id/index.php/STOMA/article/download/2079/1683/>
- Núñez, D., Elgueta, E., Varaprasad, K., & Oyarzún, P. (2018). Hydroxyapatite nanocrystals synthesized from calcium rich bio-wastes. *Materials Letters*, 230, 64–68. <https://doi.org/10.1016/j.matlet.2018.07.077>
- Nys, Y., & Guyot, N. (2011). Egg formation and chemistry. In *Improving the Safety and Quality of Eggs and Egg Products: Egg Chemistry, Production and Consumption*. Woodhead Publishing Limited. <https://doi.org/10.1533/9780857093912.2.83>
- Othman, R., Mustafa, Z., Loon, C. W., & Noor, A. F. M. (2016). Effect of Calcium Precursors and pH on the Precipitation of Carbonated Hydroxyapatite. *Procedia Chemistry*, 19, 539–545. <https://doi.org/10.1016/j.proche.2016.03.050>
- Parida, P., Behera, A., & Chandra Mishra, S. (2012). Classification of Biomaterials used in Medicine. *International Journal of Advances in Applied Sciences*, 1(3), 31–35. <https://doi.org/10.11591/ijaas.v1i3.882>
- Park, J. B., & Bronzino, J. D. (2000). *CRC Handbook of Chemistry and Physics: A Ready-Reference Book of Chemical and Physical Data. Biologic Biomaterials: Tissue-Derived Biomaterials (Collagen)*.
- Park, J., & Lakes, R. S. (2007). Biomaterials. In *Verhandelingen - Koninklijke Academie voor Geneeskunde van België* (Vol. 66, Issue 4). https://doi.org/10.4324/9780203381564_biomaterials
- Pawarangan, I., & Yusuf, Y. (2018). Characteristics of hydroxyapatite from buffalo bone waste synthesized by precipitation method. *IOP Conference Series: Materials Science and Engineering*, 432(1). <https://doi.org/10.1088/1757-899X/432/1/012044>
- Permatasari, H. A., Supii, A. I., Suparta, G. B., & Yusuf, Y. (2019). Characteristics of abalone mussel shells (Haliotis asinina) with calcination temperature variations

- as a basic material for synthesis of carbonated hydroxyapatite. *Key Engineering Materials*, 818, KEM, 31–36.
<https://doi.org/10.4028/www.scientific.net/KEM.818.31>
- Petit, S., & Madejova, J. (2013). Fourier Transform Infrared Spectroscopy. In *Developments in Clay Science* (2nd ed., Vol. 5, Issue C). Elsevier Ltd.
<https://doi.org/10.1016/B978-0-08-098259-5.00009-3>
- Pieters, I. Y., Van den Vreken, N. M. F., Declercq, H. A., Cornelissen, M. J., & Verbeeck, R. M. H. (2010). Carbonated apatites obtained by the hydrolysis of monetite: Influence of carbonate content on adhesion and proliferation of MC3T3-E1 osteoblastic cells. *Acta Biomaterialia*, 6(4), 1561–1568.
<https://doi.org/10.1016/j.actbio.2009.11.002>
- Ratnayake, J. T. B., Mucalo, M., & Dias, G. J. (2016). Substituted hydroxyapatites for bone regeneration: A review of current trends. *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 105(5), 1285–1299.
<https://doi.org/10.1002/jbm.b.33651>
- Rizkayanti, Y., & Yusuf, Y. (2018). Effect of Temperature on Syntesis of Hydroxyapatite from Cockle Shells (*Anadara Granosa*). *International Journal of Nanoelectronics and Materials*, 11, 43–50.
- Rujitanapanich, S., Kumpapan, P., & Wanjanoi, P. (2014). Synthesis of hydroxyapatite from oyster shell via precipitation. *Energy Procedia*, 56(C), 112–117.
<https://doi.org/10.1016/j.egypro.2014.07.138>
- Sampath Kumar, T. S., Manjubala, I., & Gunasekaran, J. (2000). Synthesis of carbonated calcium phosphate ceramics using microwave irradiation. *Biomaterials*, 21(16), 1623–1629. [https://doi.org/10.1016/S0142-9612\(00\)00014-4](https://doi.org/10.1016/S0142-9612(00)00014-4)
- Sari, M., & Yusuf, Y. (2018). Synthesis and characterization of hydroxyapatite based on green mussel shells (*Perna viridis*) with calcination temperature variation using the precipitation method. *International Journal of Nanoelectronics and Materials*, 11(3), 357–370.
- Shariffuddin, J. H., Jones, M. I., & Patterson, D. A. (2013). Greener photocatalysts:

- Hydroxyapatite derived from waste mussel shells for the photocatalytic degradation of a model azo dye wastewater. *Chemical Engineering Research and Design*, 91(9), 1693–1704. <https://doi.org/10.1016/j.cherd.2013.04.018>
- Ślósarczyk, A., Paszkiewicz, Z., & Paluszkiwicz, C. (2005). FTIR and XRD evaluation of carbonated hydroxyapatite powders synthesized by wet methods. *Journal of Molecular Structure*, 744–747(SPEC. ISS.), 657–661. <https://doi.org/10.1016/j.molstruc.2004.11.078>
- Suchanek, W. L., Shuk, P., Byrappa, K., Riman, R. E., TenHuisen, K. S., & Janas, V. F. (2002). Mechanochemical-hydrothermal synthesis of carbonated apatite powders at room temperature. *Biomaterials*, 23(3), 699–710. [https://doi.org/10.1016/S0142-9612\(01\)00158-2](https://doi.org/10.1016/S0142-9612(01)00158-2)
- Šupová, M. (2015). Substituted hydroxyapatites for biomedical applications: A review. *Ceramics International*, 41(8), 9203–9231. <https://doi.org/10.1016/j.ceramint.2015.03.316>
- Syafaat, F. Y., & Yusuf, Y. (2018). Effect of ca:P concentration and calcination temperature on hydroxyapatite (HAp) powders from quail eggshell (coturnix coturnix). *International Journal of Nanoelectronics and Materials*, 11, 51–58.
- Tadic, D., Peters, F., & Epple, M. (2002). Continuous synthesis of amorphous carbonated apatites. *Biomaterials*, 23(12), 2553–2559. [https://doi.org/10.1016/S0142-9612\(01\)00390-8](https://doi.org/10.1016/S0142-9612(01)00390-8)
- Van Alstine, J. M., Jagschies, G., & Lacki, K. M. (2018). Alternative Separation Methods: Flocculation and Precipitation. *Biopharmaceutical Processing: Development, Design, and Implementation of Manufacturing Processes*, 221–239. <https://doi.org/10.1016/B978-0-08-100623-8.00011-6>
- Wati, R., & Yusuf, Y. (2019a). Carbonated Hydroxyapatite Derived from Cerastoderma edule, Paphia undulata, and Meretrix meretrix Shells. *IOP Conference Series: Materials Science and Engineering*, 546(4), 1–8. <https://doi.org/10.1088/1757-899X/546/4/042049>
- Wati, R., & Yusuf, Y. (2019b). Effect of sintering temperature on carbonated hydroxyapatite derived from common cockle shells (Cerastoderma edule):

- Composition and crystal characteristics. *Key Engineering Materials*, 818 KEM, 37–43. <https://doi.org/10.4028/www.scientific.net/KEM.818.37>
- Wong, J. Y., & Bronzino, J. D. (2007). Biomaterials. In *Journal of Chemical Information and Modeling* (1st Editio). CRC Press.
- Wong, W. Y., & Noor, A.-F. M. (2016). Synthesis and Sintering-wet Carbonation of Nano-sized Carbonated Hydroxyapatite. *Procedia Chemistry*, 19, 98–105. <https://doi.org/10.1016/j.proche.2016.03.121>
- Wu, Y. S., Lee, Y. H., & Chang, H. C. (2009). Preparation and characteristics of nanosized carbonated apatite by urea addition with coprecipitation method. *Materials Science and Engineering C*, 29(1), 237–241. <https://doi.org/10.1016/j.msec.2008.06.018>
- Yang, W. H., Xi, X. F., Li, J. F., & Cai, K. Y. (2013). Comparison of crystal structure between carbonated hydroxyapatite and natural bone apatite with theoretical calculation. *Asian Journal of Chemistry*, 25(7), 3673–3678. <https://doi.org/10.14233/ajchem.2013.13709>
- Yusuf, Yusril, et al. 2019. Hidroksiapatit Berbahan Dasar Biogenik. Yogyakarta, Indonesia: Gadjah Mada University Press
- Zhou, W. Y., Wang, M., Cheung, W. L., Guo, B. C., & Jia, D. M. (2008). Synthesis of carbonated hydroxyapatite nanospheres through nanoemulsion. *Journal of Materials Science: Materials in Medicine*, 19(1), 103–110. <https://doi.org/10.1007/s10856-007-3156-9>