

## DAFTAR PUSTAKA

- Alam, S., Algahtani, M. S., Ahmad, M. Z., & Ahmad, J. (2020). Investigation utilizing the HLB concept for the development of moisturizing cream and lotion: in-vitro characterization and stability evaluation. *Cosmetics*, 7(2), 43. <https://doi.org/10.3390/cosmetics7020043>
- Ali, R., Farah, A., & Binkhathlan, Z. (2017). Development and characterization of methoxy poly (ethylene oxide)-block-poly ( $\epsilon$ -caprolactone) (PEO-b-PCL) micelles as vehicles for the solubilization and delivery of tacrolimus. *Saudi Pharmaceutical Journal*, 25(2), 258-265. <https://doi.org/10.1016/j.jsps.2016.06.009>
- Allen, L. V., & Ansel, H. C. (2014). *Ansel's pharmaceutical dosage forms and drug delivery systems* (Tenth edition). Wolters Kluwer Health.
- Amsler, E., Al-Raddadi, R., & Frances, C. (2017). Allergic contact dermatitis caused by PEG-22/dodecyl glycol copolymer in a skin-repairing cream. *Contact dermatitis*, 77(1), 54-55. <https://doi.org/10.1111/cod.12743>
- Assadi, Y., Farajzadeh, M. A., & Bidari, A. (2012). Dispersive Liquid–Liquid Microextraction. In *Comprehensive Sampling and Sample Preparation* (pp. 181–212). Elsevier. <https://doi.org/10.1016/B978-0-12-381373-2.00051-X>
- Barret, R. (2018). Importance and Evaluation of Lipophilicity. *Therapeutical Chemistry*, 53–78. Elsevier. <https://doi.org/10.1016/B978-1-78548-288-5.50003-2>
- Bernardi, D. S., Pereira, T. A., Maciel, N. R., Bortoloto, J., Viera, G. S., Oliveira, G. C., & Rocha-Filho, P. A. (2011). Formation and stability of oil-in-water nanoemulsions containing rice bran oil: In vitro and in vivo assessments. *Journal of Nanobiotechnology*, 9(1), 44. <https://doi.org/10.1186/1477-3155-9-44>
- Bromley, P. J. (2013). Nanotechnology and Nonpolar Active Compounds in Functional Foods: An Application Note. In D. Bagchi, M. Bagchi, H. Moriyama, & F. Shahidi (Eds.), *Bio-Nanotechnology* (pp. 697–703). Blackwell Publishing Ltd. <https://doi.org/10.1002/9781118451915.ch39>
- Burnett, C. L., Heldreth, B., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., ... & Andersen, F. A. (2014). Safety Assessment of PEGylated oils as used in cosmetics. *International journal of toxicology*, 33(4\_suppl), 13S-39S. <https://doi.org/10.1177%2F1091581814546337>
- Casiraghi, A., Di Grigoli, M., Cilurzo, F., Gennari, C. G. M., Rossoni, G., & Minghetti, P. (2012). The influence of the polar head and the hydrophobic chain on the skin penetration enhancement effect of poly (ethylene glycol) derivatives. *AAPS PharmSciTech*, 13(1), 247-253. <https://doi.org/10.1208/s12249-011-9745-4>

- Casiraghi, A., Selmin, F., Minghetti, P., Cilurzo, F., & Montanari, L. (2015). Nonionic Surfactants: Polyethylene Glycol (PEG) Ethers and Fatty Acid Esters as Penetration Enhancers. In N. Dragicevic & H. I. Maibach (Eds.), *Percutaneous Penetration Enhancers Chemical Methods in Penetration Enhancement* (pp. 251–271). Springer Berlin Heidelberg.  
[https://doi.org/10.1007/978-3-662-47039-8\\_15](https://doi.org/10.1007/978-3-662-47039-8_15)
- Cerdá, V., Rodríguez Pacheco, R., Doménech Witek, J., Marco de la Calle, F. M., & de la Sen Fernández, M. L. (2019). Immediate hypersensitivity to polyethylene glycols in unrelated products: When standardization in the nomenclature of the components of drugs, cosmetics, and food becomes necessary. *Allergy, Asthma & Clinical Immunology*, 15(1), 9.  
<https://doi.org/10.1186/s13223-019-0327-4>
- Chang, Q. (2016). *Colloid and interface chemistry for water quality control*. Elsevier.
- Cheng, L. C., Hashemnejad, S. M., Zarket, B., Muthukrishnan, S., & Doyle, P. S. (2020). Thermally and pH-responsive gelation of nanoemulsions stabilized by weak acid surfactants. *Journal of colloid and interface science*, 563, 229-240.  
<https://doi.org/10.1016/j.jcis.2019.12.054>
- Cornwell, P. A. (2018). A review of shampoo surfactant technology: consumer benefits, raw materials and recent developments. *International journal of cosmetic science*, 40(1), 16-30.  
<https://doi.org/10.1111/ics.12439>
- D'souza, A. A., & Shegokar, R. (2016). Polyethylene glycol (PEG): a versatile polymer for pharmaceutical applications. *Expert opinion on drug delivery*, 13(9), 1257-1275.  
<https://doi.org/10.1080/17425247.2016.1182485>
- Fiume, M. M., Heldreth, B., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., ... & Andersen, F. A. (2012). Safety assessment of alkyl PEG ethers as used in cosmetics. *International journal of toxicology*, 31(5\_suppl), 169S-244S.  
<https://doi.org/10.1177%2F1091581812444141>
- Fiume, M. M., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D. C., ... & Heldreth, B. (2020). Safety assessment of pegylated alkyl glycerides as used in cosmetics. *International journal of toxicology*, 39(2\_suppl), 26S-58S.  
<https://doi.org/10.1177%2F1091581820951557>
- Grosser, J. W., & Gmitter, F. G. (2011). Protoplast fusion for production of tetraploids and triploids: Applications for scion and rootstock breeding in citrus. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 104(3), 343–357.  
<https://doi.org/10.1007/s11240-010-9823-4>
- Halnor, V. V., Pande, V. V., Borawake, D. D., & Nagare, H. S. (2018). Nanoemulsion: A novel platform for drug delivery system. *J Mat Sci Nanotechol*, 6(1), 104.
- Hoppel, M., Reznicek, G., Kählig, H., Kotisch, H., Resch, G. P., & Valenta, C. (2015). Topical delivery of acetyl hexapeptide-8 from different emulsions:

- influence of emulsion composition and internal structure. *European Journal of Pharmaceutical Sciences*, 68, 27-35.  
<https://doi.org/10.1016/j.ejps.2014.12.006>
- Inoue, Y., Hibino, M., Murata, I., & Kanamoto, I. (2018). A Nanocarrier Skin-Targeted Drug Delivery System using an Ascorbic Acid Derivative. *Pharmaceutical research*, 35(1), 1.  
<https://doi.org/10.1007/s11095-017-2311-3>
- Ita, K. (2020). Anatomy of the human skin. In *Transdermal Drug Delivery* (pp. 9–18). Elsevier.  
<https://doi.org/10.1016/B978-0-12-822550-9.00002-8>
- Jaiswal, M., Dudhe, R., & Sharma, P. K. (2015). Nanoemulsion: an advanced mode of drug delivery system. *3 Biotech*, 5(2), 123-127.  
<https://dx.doi.org/10.1007%2Fs13205-014-0214-0>
- Jang, H. J., Shin, C. Y., & Kim, K. B. (2015). Safety evaluation of polyethylene glycol (PEG) compounds for cosmetic use. *Toxicological research*, 31(2), 105-136.  
<https://doi.org/10.5487/tr.2015.31.2.105>
- Junqueira, L. C. U., & Mescher, A. L. (Eds.). (2010). *Junqueira's basic histology: Text & atlas* (12. ed). McGraw-Hill Medical.
- Kargari, A., & Rezaeinia, S. (2020). State-of-the-art modification of polymeric membranes by PEO and PEG for carbon dioxide separation: A review of the current status and future perspectives. *Journal of Industrial and Engineering Chemistry*, 84, 1-22.  
<https://doi.org/10.1016/j.jiec.2019.12.020>
- Kaji, M., Takeyama, Y., Nioh, A., Tsuyuki, M., Akatsuka, H., Fujiwara, S., ... & Sakai, H. (2017). Surface morphology of cosmetic film consisting of PEG-diisostearate amphiphilic random copolymer, xanthan gum, and solvents. *Journal of oleo science*, 66(11), 1239-1245.  
<https://doi.org/10.5650/jos.ess17102>
- Kale, S. N., & Deore, S. L. (2016). Emulsion Micro Emulsion and Nano Emulsion: A Review. *Systematic Reviews in Pharmacy*, 8(1), 39–47.  
<https://doi.org/10.5530/srp.2017.1.8>
- Kubota, K., Okasaka, M., Kano, A., & Takata, S. (2021). The involvement of protein denaturing activity in the effect of surfactants on skin barrier function. *Skin Research and Technology*, 27(2), 241-248.  
<https://doi.org/10.1111/srt.12939>
- Kumar, N., & Mandal, A. (2018). *Surfactant Stabilized Oil-in-Water Nanoemulsion: Stability, Interfacial Tension, and Rheology Study for Enhanced Oil Recovery Application*. *Energy & Fuels*, 32(6), 6452–6466.  
<https://doi.org/10.1021/acs.energyfuels.8b00043>
- Kumar, N., & Mandal, A. (2020). Experimental Investigation of PEG 6000/Tween 40/SiO<sub>2</sub> NPs Stabilized Nanoemulsion Properties: A Versatile Oil Recovery Approach. *Journal of Molecular Liquids*, 319, 114087.  
<https://doi.org/10.1016/j.molliq.2020.114087>
- Lim, J. S., Wong, S. F., Law, M. C., Samyudia, Y., & Dol, S. S. (2015). A

- Review on the Effects of Emulsions on Flow Behaviours and Common Factors Affecting the Stability of Emulsions. *Journal of Applied Sciences*, 15(2), 167–172.  
<https://dx.doi.org/10.3923/jas.2015.167.172>
- Liu, B., & Hu, X. (2020). Hollow Micro-and Nanomaterials: Synthesis and Applications. In *Advanced Nanomaterials for Pollutant Sensing and Environmental Catalysis* (pp. 1-38). Elsevier.  
<https://doi.org/10.1016/B978-0-12-814796-2.00001-0>
- Lopez-Ojeda, W., Pandey, A., Alhajj, M., & Oakley, A. M. (2021). Anatomy, Skin (Integument). In *StatPearls*. StatPearls Publishing.  
<https://www.ncbi.nlm.nih.gov/books/NBK441980/>
- Malik, M. A., Wani, M. Y., & Hashim, M. A. (2012). Microemulsion method: A novel route to synthesize organic and inorganic nanomaterials: 1st Nano Update. *Arabian journal of Chemistry*, 5(4), 397-417.  
<https://doi.org/10.1016/j.arabjc.2010.09.027>
- Miastkowska, M. A., Banach, M., Pulit-Prociak, J., Sikora, E. S., Głogowska, A., & Zielina, M. (2017). Statistical Analysis of Optimal Ultrasound Emulsification Parameters in Thistle-Oil Nanoemulsions. *Journal of surfactants and detergents*, 20(1), 233-246.  
<https://doi.org/10.1007/s11743-016-1887-7>
- Myers, D. (2020). *Surfactant Science and Technology* (1st ed.). Wiley.  
<https://doi.org/10.1002/9781119465829>
- Nakonechna, O. A., Bezrodna, A. I., O. A., Kornienko, E. M., A. I., Tkacheva, T. N., Efimova, S. L., Posokhov, E. A., & Maksimova, I. G. (2018). The Fluorescent Probe Method in Investigation of the State of Erythrocyte Membranes in White Rats at Exposure to Chemical Environmental Factors. *Ukrains'kij Zhurnal Medicini, Biologii Ta Sportu*, 3(6), 299–303.  
<https://doi.org/10.26693/jmbs03.06.299>
- National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 3085738, PEG-20 methyl glucose sesquistearate.  
<https://pubchem.ncbi.nlm.nih.gov/compound/PEG-20-methyl-glucose-sesquistearate>
- Niu, Z., Thielen, I., Loveday, S. M., & Singh, H. (2021). Emulsions stabilised by polyethylene glycol (PEG) 40 stearate and lactoferrin for protection of lactoferrin during in vitro digestion. *Food Biophysics*, 16(1), 40-47.  
<https://doi.org/10.1007/s11483-020-09647-7>
- Oliveira, E. C. V., Boock, K. P., Maruno, M., & Rocha-Filho, P. (2011). Accelerated stability and moisturizing capacity of emulsions presenting lamellar gel phase obtained from brazilian natural raw material. *Journal of dispersion science and technology*, 32(8), 1135-1139.  
<https://doi.org/10.1080/01932691.2010.498234>
- Park, J. S., Cho, G. Y., & Park, S.-I. (2018). Current Research in Korean Herbal Cosmetics. In H. N. Chang (Ed.), *Emerging Areas in Bioengineering* (pp. 441–462). Wiley-VCH Verlag GmbH & Co. KGaA.  
<https://doi.org/10.1002/9783527803293.ch25>
- Patel, R. B., Patel, M. R., Thakore, S. D., & Patel, B. G. (2017). Nanoemulsion as

- a valuable nanostructure platform for pharmaceutical drug delivery. In *Nano-and Microscale Drug Delivery Systems* (pp. 321-341). Elsevier.  
<https://doi.org/10.1016/B978-0-323-52727-9.00017-0>
- Pawliszyn, J. (Ed.). (2012). *Comprehensive sampling and sample preparation: Analytical techniques for scientists*. Elsevier.
- PBPOM. (2019). Peraturan Badan Pengawas Obat dan Makanan Nomor 23 Tahun 2019 tentang Persyaratan Teknis Bahan Kosmetika, Pub. L. No. 23, 2019.
- Rakhman, D., Putra, W. N., Ramadhani, C. A., & Harjanto, S. (2019, October). Polyethylene Glycol Addition as Non-ionic Surfactant in Water-based Carbon Microfluid for QuenchMedium in Heat Treatment Process. In *IOP Conference Series: Materials Science and Engineering* (Vol. 622, No. 1, p. 012016). IOP Publishing.  
<https://doi.org/10.1088/1757-899X/622/1/012016>
- Roberts, M. J., Bentley, M. D., & Harris, J. M. (2012). Chemistry for peptide and protein PEGylation. *Advanced drug delivery reviews*, 64, 116-127.  
<https://doi.org/10.1016/j.addr.2012.09.025>
- Roohinejad, S., Greiner, R., Oey, I., & Wen, J. (Eds.). (2018). *Emulsion-based Systems for Delivery of Food Active Compounds: Formation, Application, Health and Safety*. John Wiley & Sons, Ltd.  
<https://doi.org/10.1002/9781119247159>
- Sakamoto, K., Lochhead, R. Y., Maibach, H. I., Yamashita, Y., & Nakama. (2017). Surfactants. In *Cosmetic Science and Technology* (pp. 231–244). Elsevier.  
<http://dx.doi.org/10.1016/B978-0-12-802005-0.00015-X>
- Samanta, S., Hezaveh, S., & Roccatano, D. (2013). Theoretical study of binding and permeation of ether-based polymers through interfaces. *The Journal of Physical Chemistry B*, 117(47), 14723-14731.  
<https://doi.org/10.1021/jp4028832>
- Sari, I. K., & Herdiana, Y. (2018). Review: formulasi nanoemulsi terhadap peningkatan kualitas obat. Bandung: Fakultas Farmasi UNPAD.  
<https://doi.org/10.24198/jf.v16i1.17464.g8644>
- Schmidts, T., Dobler, D., Guldán, A. C., Paulus, N., & Runkel, F. (2010). Multiple W/O/W emulsions—Using the required HLB for emulsifier evaluation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 372(1-3), 48-54.  
<https://doi.org/10.1016/j.colsurfa.2010.09.025>
- Sharma, S., & Sarangdevot, K. (2012). Nanoemulsions for cosmetics. *IJARPB*, 1(3), 408-15.
- Singh, Y., Meher, J. G., Raval, K., Khan, F. A., Chaurasia, M., Jain, N. K., & Chourasia, M. K. (2017). Nanoemulsion: Concepts, development and applications in drug delivery. *Journal of controlled release*, 252, 28-49.  
<https://doi.org/10.1016/j.jconrel.2017.03.008>
- Sivaramakrishnan, C. N. (2013). The use of surfactants in the finishing of technical textiles. In *Advances in the Dyeing and Finishing of Technical Textiles* (pp. 199–235). Elsevier.  
<https://doi.org/10.1533/9780857097613.2.199>



- Syukri, Y., Kholidah, Z., & Chabib, L. (2020). Fabrikasi dan Studi Stabilitas Self-Nano Emulsifying Propolis menggunakan Minyak Kesturi sebagai Pembawa. *Jurnal Sains Farmasi & Klinis*, 6(3), 265-273.  
<http://dx.doi.org/10.25077/jsfk.6.3.265-273.2019>
- Tang, A. Y., Lee, C. H., Wang, Y. M., & Kan, C. W. (2018). Effect of hydrophilic-lipophilic balance (HLB) values of PEG-based non-ionic surfactant on reverse micellar dyeing of cotton fibre with reactive dyes in non-aqueous medium. *Fibers and Polymers*, 19(4), 894-904.  
<https://doi.org/10.1007/s12221-018-8061-y>
- Uter, W., Gonçalo, M., Yazar, K., Kratz, E. M., Mildau, G., & Lidén, C. (2014). Coupled exposure to ingredients of cosmetic products: III. Ultraviolet filters. *Contact dermatitis*, 71(3), 162-169.  
<https://doi.org/10.1111/cod.12245>
- Wei, Z., Bilbulian, S., Li, J., Pandey, R., O'Connor, E., Casas-Finet, J., & Cash, P. W. (2015). Universal method for the determination of nonionic surfactant content in the presence of protein. *Journal of separation science*, 38(8), 1318-1325.  
<https://doi.org/10.1002/jssc.201400766>
- Whitby, C. P. (2019). Nanoparticles at Fluid Interfaces: From Surface Properties to Biomedical Applications. In *Comprehensive Nanoscience and Nanotechnology* (pp. 127–146). Elsevier.  
<https://doi.org/10.1016/B978-0-12-803581-8.10459-X>
- Yamashita, Y., Miyahara, R., & Sakamoto, K. (2017). Emulsion and emulsification technology. *Cosmetic Science and Technology: Theoretical Principles and Applications*; Elsevier Inc.: Amsterdam, The Netherlands, 489-506.  
<https://doi.org/10.1016/B978-0-12-802005-0.00028-8>
- Yanhendri, & Yenny, S. W. (2012). *Berbagai Bentuk Sediaan Topikal dalam Dermatologi*. Bagian Ilmu Kesehatan Kulit dan Kelamin Fakultas Kedokteran Universitas Andalas, 39(6), 9.
- Yousef, H., Alhajj, M., & Sharma, S. (2021). Anatomy, Skin (Integument), Epidermis. In *StatPearls*. StatPearls Publishing.  
<https://www.ncbi.nlm.nih.gov/books/NBK470464/>
- Zaichik, S., Steinbring, C., Jelkmann, M., & Bernkop-Schnürch, A. (2020). Zeta potential changing nanoemulsions: Impact of PEG-corona on phosphate cleavage. *International journal of pharmaceutics*, 581, 119299.  
<https://doi.org/10.1016/j.ijpharm.2020.119299>
- Zia, F., Anjum, M. N., Saif, M. J., Jamil, T., Malik, K., Anjum, S., BiBi, I., & Zia, M. A. (2017). Alginate-Poly(Ethylene) Glycol and Poly(Ethylene) Oxide Blend Materials. In *Algae Based Polymers, Blends, and Composites* (pp. 581–601). Elsevier.  
<https://doi.org/10.1016/B978-0-12-812360-7.00016-1>