

DAFTAR PUSTAKA

- [1] Joseph Johnson, Cyber crime : number of breaches and records exposed 2005-2020. Diakses dari <https://www.statista.com/statistics/273550/data-breaches-recorded-in-the-united-states-by-number-of-breaches-and-records-exposed/#:~:text=In%202019%2C%20the%20number%20of,were%20540%20reported%20data%20breaches.,> 3 Februari 2021.
- [2] Anonim, The Largest Data Breaches in U.S. History, Diakses dari <https://spanning.com/resources/industry-research/largest-data-breaches-us-history/>, 15 Juli 2020.
- [3] A. K. Jain, P. Flynn, dan A. A. Ross, editors. Handbook of Biometrics. USA: Springer, ISBN-13-978-0-387-71040-2, 2008.
- [4] A. K. Jain, R. Bolle, dan S. Pankanti, editors. Biometrics: Personal Identification in Networked Society. Kluwer Academic Publishers, 1999.
- [5] T. Yanagawa, S. Aoki, dan T. Ohyama. "Human finger vein images are diverse and its patterns are useful for personal identification," in MHF Prepr. Ser. vol. 12, pp. 1-7, Apr. 2007.
- [6] A. Kumar dan Y. Zhou. "Human identification using finger images," in IEEE Trans. Image Process., vol. 21, no. 4, pp. 2228–2244, Apr. 2012.
- [7] R. Dev dan R. Khanam, "Review on finger vein feature extraction methods," in 2017 International Conference on Computing, Communication and Automation (ICCCA), Greater Noida, 2017, pp. 1209-1213, 2017, doi: 10.1109/CCAA.2017.8229983.
- [8] X. Meng, et al., "Finger Vein Recognition Based on Fusion of Deformation Information," in IEEE Access, vol. 8, pp. 50519-50530, 2020, doi: 10.1109/ACCESS.2020.2979902.

- [9] E. C. Lee dan K. R. Park, "Image restoration of skin scattering and optical blurring for finger vein recognition," in *Opt. Lasers Eng*, vol. 49, pp. 816-828, Jul. 2011.
- [10] H. Qin dan M. A. El-Yacoubi. "Deep Representation-Based Feature Extraction and Recovering for Finger-Vein Verification," in *IEEE Transactions on Information Forensics and Security*, vol. 12, no. 8, pp. 1816-1829, Aug. 2017, doi: 10.1109/TIFS.2017.2689724.
- [11] C. Xie dan A. Kumar, "Finger vein identification using Convolutional Neural Network and supervised discrete hashing," in *Pattern Recognition Letters*, vol. 119, pp. 148-156, 2019, doi: 10.1016/j.patrec.2017.12.001.
- [12] R. Das, et al., "Convolutional Neural Network for Finger-Vein-Based Biometric Identification," in *IEEE Transactions on Information Forensics and Security*, vol. 14, no. 2, pp. 360-373, Feb. 2019, doi: 10.1109/TIFS.2018.2850320.
- [13] I. Boucherit, et al., "Finger vein identification using deeply-fused Convolutional Neural Network," in *Journal of King Saud University - Computer and Information Sciences*, 2020, doi : 10.1016/j.jksuci.2020.04.002.
- [14] Y. Zhang, et al., "Adaptive Gabor Convolutional Neural Networks for Finger-Vein Recognition," 2019 International Conference on High Performance Big Data and Intelligent Systems (HPBD&IS), Shenzhen, China, 2019, pp. 219-222, doi: 10.1109/HPBDIS.2019.8735471.
- [15] Aurélien Géron. *Hands-on Machine Learning with Scikit-Learn, Keras & TensorFlow Second Edition*. Canada: O'REILLY, ISBN 9781492032649, 2019.
- [16] François Chollet. *Deep Learning with Python*. USA: Manning, ISBN 9781617294433, 2018.
- [17] S. Fairuz, M. H. Habaebi, dan E. M. A. Elsheikh, "Finger Vein Identification Based On Transfer Learning of AlexNet," 2018 7th International

Conference on Computer and Communication Engineering (ICCCE), Kuala Lumpur, 2018, pp. 465-469, doi: 10.1109/ICCCE.2018.8539256.

[18] Muneeb ul Hassan, VGG16-Convolution Network for Classification and Detection. Diakses dari <https://neurohive.io/en/popular-networks/vgg16/>, 10 Februari 2021.

[19] Anonim, Image Classification on ImageNet. Diakses dari <https://paperswithcode.com/sota/image-classification-on-imagenet>, 11 Februari 2021.

[20] Lili Liu Yilong Yin dan Xinwei Sun. “SDUMLA-HMT: A Multimodal Biometric Database,” in The 6th Chinese Conference on Biometric Recognition (CCBR 2011), LNCS 7098, 2011.

[21] N. Miura, T. Miyatake, A. Nagasaka, H. Kiyomizu, “Finger Vein Authentication Device,” United States Patent 8855376, Jun. 4, 2008.

[22] X. Qiu, W. Kang, S. Tian, W. Jia and Z. Huang, “Finger Vein Presentation Attack Detection Using Total Variation Decomposition,” in IEEE Transactions on Information Forensics and Security, vol. 13, no. 2, pp. 465-477, Feb. 2018, doi: 10.1109/TIFS.2017.2756598.

[23] B. Rosdi, C. Shing, S. A. Suandi, “Finger Vein Recognition Using Local Line Binary Pattern,” in Sensors (Basel, Switzerland), vol. 11, no.12, pp. 11357-11371, Dec. 2011, doi: 10.3390/s111211357.

[24] J. D. Wu, C. T. Liu, “Finger-vein pattern identification using SVM and neural network technique,” in Expert Systems with Applications, vol. 38, no.11, pp. 14284-14289, Jun. 2011, doi: 10.1016/j.eswa.2011.05.086.

[25] Y. Zhang, W. Li, L. Zhang, X. Ning, L. Sun and Y. Lu, “Adaptive Learning Gabor Filter for Finger-Vein Recognition,” in IEEE Access, vol. 7, pp. 159821-159830, 2019, doi: 10.1109/ACCESS.2019.2950698.

- [26] Y. Le Cun et al., “Handwritten zip code recognition with multilayer networks,” [1990] Proceedings. 10th International Conference on Pattern Recognition, Atlantic City, NJ, USA, 1990, pp. 35-40 vol.2, doi: 10.1109/ICPR.1990.119325.
- [27] A. Krizhevsky, I. Sutskever, G. E. Hinton, “ImageNet classification with deep convolutional neural networks,” in Proc. NIPS, 2012, pp. 1097-1105.
- [28] O. A. Hamid, et al., “Convolutional neural networks for speech recognition,” in IEEE/ACM Trans. Audio, Speech, Language Process., vol. 22, no. 10, pp. 1533-1545, Oct. 2014.
- [29] D. C. Cire, el al., “Deep, big, simple neural nets for handwritten digit recognition,” in Neural Comput., vol. 22, no. 12, pp. 3207-3220, 2010.
- [30] D. Ciresan, A. Giusti, L. M. Gambardella, and J. Schmidhuber, “Deep neural networks segment neuronal membranes in electron microscopy images,” in Proc. Adv. Neural Inf. Process. Syst., 2012, pp. 2843–2851.
- [31] E. C. Lee, K. R. Park, “Image restoration of skin scattering and optical blurring for finger vein recognition,” in Opt. Lasers Eng., vol. 49, no. 7, pp. 816-828, 2011.
- [32] W. Liu, et al., “Finger vein recognition based on deep learning,” in 2017 12th IEEE Conference on Industrial Electronics and Applications (ICIEA), pp. 205-210, 2017, doi: 10.1109/ICIEA.2017.8282842.
- [33] Y. Gultom, R. J. Masikome, dan A. M. Arymrthy, “Batik Classification Using Deep Convolution Neural Network Transfer Learning,” in Jurnal Ilmu Komputer dan Informasi, vol. 11, no. 2, pp. 59-66, 2018, doi: 10.21609/jiki.v11i2.507.
- [34] A. Rehman, el al., “A Deep Learning-Based Framework for Automatic Brain Tumors Classification Using Transfer Learning,” in Circuits, System, and Signal Processing, vol. 39, pp. 757-775, 2019, doi: 10.1007/s00034-019-01246-3.

- [35] K. Wang, et al., "Finger vein recognition," in Biometrics, 2011, doi: 10.5772/18025.
- [36] N. Miura, A. Nagasaka, A. T. Miyatake, "Feature extraction of finger-vein patterns based on repeated line tracking and its application to personal identification," in Mach. Vis. Appl, vol. 15, pp. 194-203, 2004.
- [37] L. Lei, F. Xi and S. Chen, "Finger-Vein Image Enhancement Based on Pulse Coupled Neural Network," in IEEE Access, vol. 7, pp. 57226-57237, 2019, doi: 10.1109/ACCESS.2019.2914229.
- [38] M. Al-Tamimi, "A survey on the vein biometric recognition systems: Trends and challenges," in Journal of Theoretical and Applied Information Technology, vol. 97, pp. 551-568, 2019.
- [39] X. Xi, L. Yang, Y. Yin, "Learning discriminative binary codes for finger vein recognition," in Pattern Recognition, vol. 66, pp. 26-33, 2017.
- [40] Zemanta, The Hitachi Finger Vein Reader-Bells, Whistles and More. Diakses dari <https://www.m2sys.com/blog/vascular-biometrics/the-hitachi-finger-vein-reader-bells-whistles-and-more/>, 13 Februari 2021.
- [41] K. Q. Wang, A. S. Khisa, X. Q. Wu, Q. S. Zhao, "Finger vein recognition using LBP variance with global matching," In Proceedings of the Wavelet Analysis and Pattern Recognition (ICWAPR), 2012 International Conference, Guangdong, China, 2012, pp. 196–201.
- [42] Ravindu Senaratne, CLAHE and Thresholding in Python. Diakses dari <https://towardsdatascience.com/clahe-and-thresholding-in-python-3bf690303e40>, 7 Maret 2021.
- [43] Adrian Rosebrock, OpenCV Histogram Equalization and Adaptive Histogram Equalization (CLAHE). Diakses dari <https://www.pyimagesearch.com/2021/02/01/opencv-histogram-equalization-and-adaptive-histogram-equalization-clahe/>, 7 Maret 2021.

- [44] B. Kurt, V. V. NabiyeV and K. Turhan, “Medical images enhancement by using anisotropic filter and CLAHE,” 2012 International Symposium on Innovations in Intelligent Systems and Applications, Trabzon, Turkey, 2012, pp. 1-4. doi: 10.1109/INISTA.2012.6246971.
- [45] P. Musa, F. A. Rafi and M. Lamsani, “A Review: Contrast-Limited Adaptive Histogram Equalization (CLAHE) methods to help the application of face recognition,” 2018 Third International Conference on Informatics and Computing (ICIC), Palembang, Indonesia, 2018, pp. 1-6, doi: 10.1109/IAC.2018.8780492.
- [46] V. K. Jain, N. Tripathi, “Speech Features Analysis and Biometric Person Identification in Multilingual Environment,” in International Journal of Scientific Research in Network Security and Communication, vol. 6, no. 1, pp. 7-11, 2018.
- [47] K. Shaheed, el al., “A systematic review of finger vein recognition techniques. Information,” vol. 9, no. 9, pp. 213, 2018.
- [48] A. Kumar, Y. Zhou, “Human Identification Using Finger Images,” in IEEE Transactions on Image Processing, vol. 21, no. 4, pp. 2228-2244, April 2012. doi: 10.1109/TIP.2011.2171697
- [49] K. A. Akintoye, M. R. M. Shafry, H. A. Abdullah, “A Novel Approach for Finger Vein Pattern Enhancement using Gabor and Canny Edge Detector,” in Int. J. Comput. Appl., vol. 157, 2017.
- [50] S. Y. Lu et al., “A available database for the research of finger vein recognition,” in Proceedings of the 6th International Congress on Image and Signal Processing (CISP '13), pp. 410–415, Hangzhou, China, Dec. 2013.
- [51] P. Tome, M. Vanoni and S. Marcel, “On the vulnerability of finger vein recognition to spoofing,” in 2014 International Conference of the Biometrics Special Interest Group (BIOSIG), Darmstadt, Germany, 2014, pp. 1-10.

- [52] Anonim, Tsinghua University Finger Vein and Finger Dorsal Texture Database (THU-FVFDt). Diakses dari <https://www.sigs.tsinghua.edu.cn/labs/vipl/thu-fvfdt.html>, 14 Februari 2021.
- [53] B. T. Ton, R. N. J. Veldhuis, "A high quality finger vascular pattern dataset collected using a custom designed capturing device," in Proceedings of the 2013 International Conference on Biometrics (ICB), Madrid, Spain, Jun. 2013, pp. 1–5.
- [54] Anonim, Artificial Intelligence - Overview. Diakses dari https://www.tutorialspoint.com/artificial_intelligence/artificial_intelligence_overview.htm, 15 Februari 2021.
- [55] B. J. Copeland, Artificial Intelligence. Diakses dari <https://www.britannica.com/technology/artificial-intelligence>, 15 Februari 2021.
- [56] J. Alzubi, A. Nayyar, A. Kumar, "Machine Learning from Theory to Algorithms: An Overview," in Journal of Physics: Conference Series. 1142. 012012, 2018, doi: 10.1088/1742-6596/1142/1/012012.
- [57] Anonim, Supervised and Unsupervised learning. Diakses dari <https://www.geeksforgeeks.org/supervised-unsupervised-learning/>, 19 Februari 2021.
- [58] Anonim, Clustering in Machine Learning. Diakses dari <https://www.geeksforgeeks.org/clustering-in-machine-learning/>, 19 Februari 2021.
- [59] Anonim, Novelty Detection. Diakses dari <https://deepai.org/machine-learning-glossary-and-terms/novelty-detection>, 20 Februari 2021.
- [60] Rajat S, Understanding Dimensionality Reduction for Machine Learning. Diakses dari <https://towardsdatascience.com/understanding-dimensionality-reduction-for-machine-learning-ad9a3811bd89>, 20 Februari 2021.
- [61] Abhisshek Nandy dan Manisha Biswas. Reinforcement Learning with Open AI, Tensorflow, Keras Using Python. Kolkata: Apress, 2018, doi: 10.1007/978-1-4842-3285-9.

- [62] Laxman Singh Tomar, Model-based vs Instance-based Learning. Diakses dari <https://www.kaggle.com/getting-started/179177>, 22 Februari 2021.
- [63] AG Farizawani, et al., “A review of artificial neural network learning rule based on multiple variant of conjugate gradient approaches,” in Journal of Physics : Conference Series. 1529 022040, 2020, doi: 10.1088/1742-6596/1529/2/022040.
- [64] Summit Saha, A Comprehensive Guide to Convolution Neural Networks-the ELI5 way. Diakses dari <https://towardsdatascience.com/a-comprehensive-guide-to-convolutional-neural-networks-the-eli5-way-3bd2b1164a53>, 1 Maret 2021.
- [65] O. Polat, C. Güngen, “Classification of brain tumors from MR images using deep transfer learning,” in The Journal of Supercomputing, Jan. 2021, doi: 10.1007/s11227-020-03572-9.
- [66] Jason Brownlee, How to Choose an Activation Function for Deep Learning. Diakses dari <https://machinelearningmastery.com/choose-an-activation-function-for-deep-learning/>, 7 Maret 2021.
- [67] Sakshi Tiwari, Activation functions in Neural Networks. Diakses dari <https://www.geeksforgeeks.org/activation-functions-neural-networks/>, 7 Maret 2021.
- [68] Y. Wang, Y. Li, Y. Song, X. Rong, “The Influence of the Activation Function in a Convolution Neural Network Model of Facial Expression Recognition,” Appl. Sci. 2020, vol. 10, pp. 1897, doi: 10.3390/app10051897.
- [69] Sagar Sharma, Activation Functions in Neural Networks. Diakses dari <https://towardsdatascience.com/activation-functions-neural-networks-1cbd9f8d91d6>, 8 Maret 2021.
- [70] Ravindra Parmar, Common Loss functions in Machine Learning. Diakses dari <https://towardsdatascience.com/common-loss-functions-in-machine-learning-46af0ffc4d23>, 8 Maret 2021.

- [71] Jason Brownlee, How to Choose Loss Functions When Training Deep Learning Neural Networks. Diakses dari <https://machinelearningmastery.com/how-to-choose-loss-functions-when-training-deep-learning-neural-networks/>, 9 Maret 2021.
- [72] Anonim, Mean squared logarithmic error (MSLE). Diakses dari [https://peltarion.com/knowledge-center/documentation/modeling-view/build-an-ai-model/loss-functions/mean-squared-logarithmic-error-\(msle\)](https://peltarion.com/knowledge-center/documentation/modeling-view/build-an-ai-model/loss-functions/mean-squared-logarithmic-error-(msle)), 9 Maret 2021.
- [73] Khyati Mahendru, A Detailed Guide to 7 Loss Functions for Machines Learning Algoritms with Python Code. Diakses dari <https://www.analyticsvidhya.com/blog/2019/08/detailed-guide-7-loss-functions-machine-learning-python-code/>, 9 Maret 2021.
- [74] A. Shrestha, A. Mahmood, "Review of Deep Learning Algorithms and Architectures," in IEEE Access, vol. 7, pp. 53040-53065, 2019, doi: 10.1109/ACCESS.2019.2912200.
- [75] P. Widegren, "Deep Learning-based forecasting of financial assets," M.S. thesis, School of Eng. And Sc, KTH Royal Institute, Sweden, 2017. Accessed on: March 9, 2021. [Online]. Available: <http://www.diva-portal.org/smash/get/diva2:1107427/FULLTEXT01.pdf>
- [76] J. Park, D. Yi, S. Ji, "A Novel Learning Rate Schedule in Optimization for Neural Networks and It's Convergence," in Symmetry, vol. 12, no. 4, pp. 660, 2020, doi: 10.3390/sym12040660
- [77] Ayoosh Kathuria, Intro to optimazion in deep learning: Momentum, RMSProp and Adam. Diakses dari <https://blog.paperspace.com/intro-to-optimization-momentum-rmsprop-adam/>, 9 Maret 2021.
- [78] Jeremy Jordan, Setting the learning rate of your neural network. Diakses dari <https://www.jeremyjordan.me/nn-learning-rate/>, 10 Maret 2021.



- [79] Anonim, ML Practicum: Image Classification. Diakses dari <https://developers.google.com/machine-learning/practica/image-classification/preventing-overfitting?hl=id>, 11 Maret 2021.
- [80] Sergios Karagiannakos, Data Augmentation Techniques for Larger Image Datasets. Diakses dari <https://lionbridge.ai/articles/data-augmentation-with-machine-learning-an-overview/>, 11 Maret 2021.
- [81] Anonim, What is the F-1 score?. Diakses dari <https://www.educative.io/edpresso/what-is-the-f1-score>, 11 Maret 2021.