

## DAFTAR PUSTAKA

- Agibetov, A., Blagec, K., Xu, H. & Samwald, M., 2018, Fast and scalable neural embedding models for biomedical sentence classification, *BMC Bioinformatics*, 19, 1, 1–9.
- Ahamed, S., Rahman, M., Niloy, M.H. & Chowdhury, S.M.M.H., 2019, Implementation of Machine Learning to Detect Hate Speech in Bangla Language, In, *2019 8th International Conference System Modeling and Advancement in Research Trends (SMART)*, IEEE, pp. 317–320., <https://ieeexplore.ieee.org/document/9117214/>.
- Alfina, I., Mulia, R., Fanany, M.I. & Ekanata, Y., 2017, Hate speech detection in the Indonesian language: A dataset and preliminary study, In, *2017 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, IEEE, pp. 233–238., <https://ieeexplore.ieee.org/document/8355039/>.
- Allot, A., Chen, Q., Kim, S., Vera Alvarez, R., Comeau, D.C., Wilbur, W.J. & Lu, Z., 2019, LitSense: making sense of biomedical literature at sentence level, *Nucleic Acids Research*, 47, W1, 594–599. <https://academic.oup.com/nar/article/47/W1/W594/5479473>.
- Alshalan, R. & Al-Khalifa, H., 2020, A Deep Learning Approach for Automatic Hate Speech Detection in the Saudi Twittersphere, *Applied Sciences*, 10, 23, 1–16. <https://www.mdpi.com/2076-3417/10/23/8614>.
- Bojanowski, P., Grave, E., Joulin, A. & Mikolov, T., 2017, Enriching Word Vectors with Subword Information, *Transactions of the Association for Computational Linguistics*, 5, 135–146. [https://doi.org/10.1162/tacl\\_a\\_00051](https://doi.org/10.1162/tacl_a_00051).
- Bramer, M., 2007, *Principles of Data Mining*, Springer-Verlag London Limited, London.
- Chen, Q., Peng, Y. & Lu, Z., 2019, BioSentVec: creating sentence embeddings for biomedical texts, In, *2019 IEEE International Conference on Healthcare Informatics (ICHI)*, IEEE, pp. 1–5., <https://ieeexplore.ieee.org/document/8904728/>.
- Choi, J. & Lee, S.-W., 2020, Improving FastText with inverse document frequency of subwords, *Pattern Recognition Letters*, 133, 165–172. <https://doi.org/10.1016/j.patrec.2020.03.003>.
- Ertugrul, A.M. & Karagoz, P., 2018, Movie Genre Classification from Plot Summaries Using Bidirectional LSTM, In, *2018 IEEE 12th International Conference on Semantic Computing (ICSC)*, IEEE, pp. 248–251., <http://ieeexplore.ieee.org/document/8334466/>.
- Fauzi, M.A. & Yuniarti, A., 2018, Ensemble Method for Indonesian Twitter Hate Speech Detection, *Indonesian Journal of Electrical Engineering and Computer Science*, 11, 1, 294–299. <http://ijeecs.iaescore.com/index.php/IJECS/article/view/10638>.
- Feldman, R. & Sanger, J., 2006, *The Text Mining Handbook*, Cambridge University Press, Cambridge. <https://www.cambridge.org/core/product/identifier/9780511546914/type/book>.
- Fernquist, J., Lindholm, O., Kaati, L. & Akrami, N., 2019, A Study on the

- Feasibility to Detect Hate Speech in Swedish, In, *2019 IEEE International Conference on Big Data (Big Data)*, IEEE, pp. 4724–4729., <https://ieeexplore.ieee.org/document/9005534/>.
- Gambäck, B. & Sikdar, U.K., 2017, Using Convolutional Neural Networks to Classify Hate-Speech, In, *Proceedings of the First Workshop on Abusive Language Online*, Association for Computational Linguistics, Stroudsburg, PA, USA, pp. 85–90., <http://aclweb.org/anthology/W17-3013>.
- Graves, A., Fernández, S. & Schmidhuber, J., 2005, Bidirectional LSTM networks for improved phoneme classification and recognition, *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 3697 LNCS, 799–804.
- Graves, A. & Schmidhuber, J., 2005, Framewise phoneme classification with bidirectional LSTM networks, In, *Proceedings. 2005 IEEE International Joint Conference on Neural Networks, 2005.*, IEEE, pp. 2047–2052., <https://linkinghub.elsevier.com/retrieve/pii/S0893608005001206>.
- Gupta, P., Pagliardini, M. & Jaggi, M., 2019, Better Word embeddings by Disentangling Contextual n-Gram Information, In, *Proceedings of the 2019 Conference of the North*, Association for Computational Linguistics, Stroudsburg, PA, USA, pp. 933–939., <http://aclweb.org/anthology/N19-1098>.
- Hakim, A.Y.N., Widayawan & Adji, T.B., 2020, *DETEKSI UJARAN KEBENCIAN PADA TEKS BAHASA INDONESIA DENGAN HYBRID CLASSIFIER BERBASIS MULTI WORD N-gram*. Universitas Gadjah Mada,
- Hameed, Z. & Garcia-Zapirain, B., 2020, Sentiment Classification Using a Single-Layered BiLSTM Model, *IEEE Access*, 8, 73992–74001. <https://ieeexplore.ieee.org/document/9069952/>.
- Herwanto, G.B., Maulida Ningtyas, A., Nugraha, K.E. & Nyoman Prayana Trisna, I., 2019, Hate Speech and Abusive Language Classification using fastText, In, *2019 International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, IEEE, pp. 69–72., <https://ieeexplore.ieee.org/document/9034560/>.
- Hochreiter, S. & Schmidhuber, J., 1997, Long Short-Term Memory, *Neural Computation*, 9, 8, 1735–1780. <https://direct.mit.edu/neco/article/9/8/1735-1780/6109>.
- Ibrohim, M.O. & Budi, I., 2019, Multi-label Hate Speech and Abusive Language Detection in Indonesian Twitter, In, *Proceedings of the Third Workshop on Abusive Language Online*, Association for Computational Linguistics, Stroudsburg, PA, USA, pp. 46–57., <https://www.aclweb.org/anthology/W19-3506>.
- Ishmam, A.M. & Sharmin, S., 2019, Hateful Speech Detection in Public Facebook Pages for the Bengali Language, In, *2019 18th IEEE International Conference On Machine Learning And Applications (ICMLA)*, IEEE, pp. 555–560., <https://ieeexplore.ieee.org/document/8999254/>.
- Isnain, A.R., Sihabuddin, A. & Suyanto, Y., 2020, Bidirectional Long Short Term Memory Method and Word2vec Extraction Approach for Hate Speech Detection, *IJCCS (Indonesian Journal of Computing and Cybernetics)*

- Systems*), 14, 2, 169–178. <https://jurnal.ugm.ac.id/ijccs/article/view/51743>.,
- Kao, A. & Stephen R. Poteet, 2007, *Natural Language Processing and Text Mining*, Springer-Verlag London Limited, London.
- Karim, R., 2018, Animated RNN, LSTM and GRU, <https://towardsdatascience.com/animated-rnn-lstm-and-gru-ef124d06cf45>, diakses 10 July 2021.
- Kumar, L., Remote, N. & Centre, S., 2016, TEXT MINING : CONCEPTS , PROCESS AND , 4, January 2013, 36–39.
- Li, D. & Qian, J., 2016, Text sentiment analysis based on long short-term memory, In, *2016 First IEEE International Conference on Computer Communication and the Internet (ICCCI)*, IEEE, pp. 471–475., <http://ieeexplore.ieee.org/document/7778967/>.,
- Liang, H., Sun, X., Sun, Y. & Gao, Y., 2017, Text feature extraction based on deep learning: a review, *EURASIP Journal on Wireless Communications and Networking*, 2017, 1, 1–12. <https://jwcn-urasipjournals.springeropen.com/articles/10.1186/s13638-017-0993-1>.,
- Luu, S.T., Nguyen, H.P., Van Nguyen, K. & Luu-Thuy Nguyen, N., 2020, Comparison Between Traditional Machine Learning Models And Neural Network Models For Vietnamese Hate Speech Detection, In, *2020 RIVF International Conference on Computing and Communication Technologies (RIVF)*, IEEE, pp. 1–6., <https://ieeexplore.ieee.org/document/9140745/>.,
- Madhukar, M., Chronopoulos, A. . & Agaian, S., 2012, New Decision Support Tool for Acute Lymphoblastic Leukemia Classification, *SPIE-IS&T*, Vol. 8295.
- Malmasi, S. & Zampieri, M., 2017, Detecting Hate Speech in Social Media, In, *RANLP 2017 - Recent Advances in Natural Language Processing Meet Deep Learning*, Incoma Ltd. Shoumen, Bulgaria, Varna, Bulgaria, pp. 467–472., [http://www.acl-bg.org/proceedings/2017/RANLP\\_2017/pdf/RANLP062.pdf](http://www.acl-bg.org/proceedings/2017/RANLP_2017/pdf/RANLP062.pdf).,
- Mijwil, M.M., 2018, Artificial Neural Networks Advantages and Disadvantages, *Researchgate*, 2, March, 18. <https://www.researchgate.net/publication/323665827>.,
- Nurrohmat, M.A. & SN, A., 2019, Sentiment Analysis of Novel Review Using Long Short-Term Memory Method, *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 13, 3, 209. <https://jurnal.ugm.ac.id/ijccs/article/view/41236>.,
- Olah, C., 2015, Understanding LSTM Networks, <http://colah.github.io/posts/2015-08-Understanding-LSTMs/>, diakses 24 March 2021.
- Pagliardini, M., Gupta, P. & Jaggi, M., 2018, Unsupervised Learning of Sentence Embeddings Using Compositional n-Gram Features, In, *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long Papers)*, Association for Computational Linguistics, Stroudsburg, PA, USA, pp. 528–540., <http://aclweb.org/anthology/N18-1049>.,
- Patihullah, J. & Winarko, E., 2019, Hate Speech Detection for Indonesia Tweets Using Word embedding And Gated Recurrent Unit, *IJCCS (Indonesian Journal of Computing and Cybernetics Systems)*, 13, 1, 43–52.

- <https://jurnal.ugm.ac.id/ijccs/article/view/40125>,  
Peraturan Presiden nomor 63 tahun, 2019, *Peraturan Presiden nomor 63 tahun tentang Penggunaan Bahasa Indonesia*,  
[https://jdih.setkab.go.id/PUUdoc/175936/Perpres\\_Nomor\\_63\\_Tahun\\_2019.pdf](https://jdih.setkab.go.id/PUUdoc/175936/Perpres_Nomor_63_Tahun_2019.pdf),  
Polri, D.T.P.S.B., 2021, *Patroli Siber*, <https://patrolisiber.id/statistic>, diakses 11 March 2021.  
Pratiwi, N.I., Budi, I. & Alfina, I., 2018, Hate Speech Detection on Indonesian Instagram Comments using FastText Approach, In, *2018 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, IEEE, pp. 447–450.,  
<https://ieeexplore.ieee.org/document/8618182/>,  
Pustejovsky, J. & Stubbs, A., 2013, *Natural Language Annotation for Machine Learning -- A guide to Corpus-building for applications*, “ O’Reilly Media, Inc.”  
Setiono, R. & Liu, H., 1998, Feature extraction via Neural networks, In, *Feature Extraction, Construction and Selection*, Springer US, Boston, MA, pp. 191–204., [http://link.springer.com/10.1007/978-1-4615-5725-8\\_12](http://link.springer.com/10.1007/978-1-4615-5725-8_12),  
Son, L.H., Kumar, A., Sangwan, S.R., Arora, A., Nayyar, A. & Abdel-Basset, M., 2019, Sarcasm Detection Using Soft Attention-Based Bidirectional Long Short-Term Memory Model With Convolution Network, *IEEE Access*, 7, 23319–23328. <https://ieeexplore.ieee.org/document/8641269/>,  
Sreelakshmi, K., Premjith, B. & Soman, K.P., 2020, ScienceDirect Detection of of Hate Hate Speech Speech Text Text in in Hindi-English Code-mixed Data Data, *Procedia Computer Science*, 171, 2019, 737–744. <https://doi.org/10.1016/j.procs.2020.04.080>,  
Sutejo, T.L. & Lestari, D.P., 2018, Indonesia Hate Speech Detection Using Deep Learning, In, *2018 International Conference on Asian Language Processing (IALP)*, IEEE, pp. 39–43., <https://ieeexplore.ieee.org/document/8629154/>,  
UU Republik Indonesia, 2008, Undang-undang Republik Indonesia Nomor 11 Tahun 2008 tentang informasi dan transaksi elektronik, *Undang-undang*, 11, 1–18. <papers3://publication/uuid/8C845E4E-CD67-4476-BB4F-7123C56F0449>,  
Xu, G., Meng, Y., Qiu, X., Yu, Z. & Wu, X., 2019, Sentiment Analysis of Comment Texts Based on BiLSTM, *IEEE Access*, 7, 51522–51532. <https://ieeexplore.ieee.org/document/8684825/>,  
Yildirim, Ö., 2018, A novel wavelet sequence based on deep bidirectional LSTM network model for ECG signal classification, *Computers in Biology and Medicine*, 96, January, 189–202. <https://linkinghub.elsevier.com/retrieve/pii/S0010482518300738>,  
Zhao, D., Wang, J., Lin, H., Chu, Y., Wang, Y., Zhang, Y. & Yang, Z., 2021, Sentence representation with manifold learning for biomedical texts, *Knowledge-Based Systems*, 218, 1–8. <https://doi.org/10.1016/j.knosys.2021.106869>,