

DAFTAR PUSTAKA

- Acosta O. Viquez F, Cubero E. (2008). Optimisation of low-calorie mixed fruit jelly by response surface methodology. *J. Food Quality and Preference*. Vol. 9(1):79-85.
- Adjonu, R., Doran, G., Torley, P., & Agboola, S. (2014). Whey protein peptides as components of nanoemulsions: A review of emulsifying and biological functionalities. *Journal of Food Engineering*, 122(1), 15–27.
- Aganovic, K., Bindrich, U., & Heinz, V. (2018). Ultra-high pressure homogenisation process for production of reduced fat mayonnaise with similar rheological characteristics as its full fat counterpart. *J. Innovative Food Science & Emerging Technologies*, 45, 208–214.
- Alba, K., Sagis, L. M. C., & Kontogiorgos, V. (2016). Engineering of acidic O/W emulsions with pectin. *Colloids and Surfaces B: Biointerfaces*, 145, 301–308.
- Ali, T. M., Waqar, S., Ali, S., Mehboob, S., & Hasnain, A. O. (2015). Comparison of textural and sensory characteristics of low-fat mayonnaise prepared from octenyl succinic anhydride modified corn and white sorghum starches. *Starch - Stärke*, 67(1–2), 183–190.
- Alimi, M., Mizani, M., Naderi, G., & Shokoohi, S. (2013). Effect of inulin formulation on the microstructure and viscoelastic properties of low-fat mayonnaise containing modified starch. *Journal of Applied Polymer Science*, 130(2), 801–809.

- Aluyor, EO. (2014). Traditional Preservatives-Vegetable Oil. *Elsevier* volume 3 : 1743-1749.
- Alves, A. C., & Tavares, G. M. (2019). Mixing animal and plant proteins: Is this a way to improve protein techno-functionalities?. *Food Hydrocolloids*, 97, Article 105171.
- Andarwulan, N., F. Kusnandar, dan D. Herawati. (2011). Analisis Pangan. PT Dian Rakyat, Jakarta.
- Anton, N. dan Vandamme, T.F. (2011). Nano-emulsions and micro-emulsions: clarifications of the critical differences. *Pharmaceutical Research* **28**: 978-985.
- Anwar, S. H., Grinting, B. M. B., Aisyah Y., & Safriani, N. (2017). Application of Porang Flour as Stabilizer in O/W Emulsion and Coating Material for Fish Oil Microcapsules. *J. Teknologi Industri Pertanian*. Vol. 27(1): 76-88
- AOAC (2006). Official Methods of Analysis of AOAC International. 18th Edition, AOAC International, Gaithersburgs, Maryland, USA.
- Audina. (2011). Perbandingan Mutu Mayones Telur Ayam dan Mayones Telur Itik. . *Skripsi*. Institut Pertanian Bogor. Bogor
- Bachdar, Saviq. (2016). 80% Orang Indonesia Diet Ketat, Ini Peluang Pemasar. Diakses dari <https://www.marketeers.com/80-orang-indonesia-diet-ketat-ini-peluang-pemasar/> pada 22 Maret 2021
- Benelam, B. (2009). Satiation, satiety and their effects on eating behaviour. *Nutrition Bulletin*, 34, 126–173.

Bendtsen, L. Q., Lorenzen, J. K., Bendtsen, N. T., Rasmussen, C., & Astrup, A. (2013).

Effect of Dairy Proteins on Appetite, Energy Expenditure, Body Weight, and Composition: a Review of the Evidence from Controlled Clinical Trials. *J. Advances in Nutrition*, 4(4), 418–438.

C. Chung, G. Smith, B. Degner, D.J. McClements. (2016). Reduced fat food emulsions: physicochemical, sensory, and biological aspects. *Crit. Rev. Food Sci. Nutr.* 56 (4): 650–685

Chanchan Sun, Rui Liu, Bin Liang, Tao Wu, Wenjie Sui, Min Zhang. (2017). Microparticulated whey protein-pectin complex: A texture-controllable gel for mayones rendah lemak. *Food Research International*

Chang, C., Li, J., Li, X., Wang, C., Zhou, B., Su, Y., & Yang, Y. (2017). Effect of protein microparticle and pectin on properties of light mayonnaise. *LWT – Food Science and Technology*, 82(Suppl C), 8–14.

Codex Standard. (1989). Codex Standart for Mayonnaise (Regional European Standard) : Codex Stan 168-1989.
http://siweb.dss.go.th/standard/Fulltext/codex/CXS_168E.pdf

Crowley, Kyle. (2019). Whey Protein Concentrate Vs Isolate: Which Is Better?. diakses dari <https://www.theproteinworks.com/thelockerroom/whey-protein-concentrate-vs-whey-protein-isolate/> pada 10 Maret 2021

D.J. McClements. (2015) .Food emulsions: principles, practices, and techniques. *CRC press*, Boca Raton, FL

- Dalgleish, D.G., P.A. Spagnuolo, and H.D. Goff. (2004). A possible structure of the casein micelle based on high resolution field emission scanning electron microscopy. *Int. Dairy J.* 14: 1025 – 1031.
- Davidov-Pardo, G., C.E. Gumus and D.J. McClements. (2016). Lutein-enriched emulsion-based delivery systems: Influence of pH and temperature on physical and chemical stability. *Food Chem.*, 196: 821-827.
- Depree, J.A., and G.P. Savage. (2001). Physical and flavour stability of mayonnaise. *J.Trends in Food Sci and Tech.*12 (5/6): 157 – 163.
- Diangingsih, N., Purnomo, E. H., & Muchtadi, T. R. (2016). Sifat Reologi Dan Stabilitas Fisik Minuman Emulsi Minyak Sawit. *J. Teknologi dan Industri Pangan.* Vol 27(2): 165-174
- Dickinson, E. (1998). Stability and Rheological Implications of Electrostatic Milk Protein-Polysaccharide Interaction. *Trends in Food Science & Technology*, 9, 347-354.
- Dickinson, E. (2009). Hydrocolloids as emulsifiers and emulsion stabilizers. *Food Hydrocolloids*, 23(6) : 1473-1482.
- Dickinson, E. (2010). Flocculation of protein-stabilized oil-in-water emulsions. *Colloids and Surfaces B: Biointerfaces*, 81(1), 130–140.
- ED Ngouémazong, Christiaens S, Shpigelman A, Van Loey AM, Hendrickx ME. (2015) The emulsifying and emulsion-stabilizing properties of pectin: A review. *Comprehensive Reviews in Food Science and Food Safety.* 14, 705-718.

- Ernoviya & Nurpermatasari, Adhisty. (2020). Formulasi dan Evaluasi Nanoemulsi Ketokonazole. *J. Dunia Farmasi*. Vol. 4(3): 138-148
- Espinal-Ruiz, M., Parada-Alfonso, F., Restrepo-Sánchez, L.-P., Narváez-Cuenca, C.-E., & McClements, D. J. (2014.) Impact of dietary fibers [methyl cellulose, chitosan, and pectin] on digestion of lipids under simulated gastrointestinal conditions. *Food Funct.*, 5(12), 3083–3095
- Evanuarini, H., Nurliyani., Indratiningsih, dan Pudji Hastuti. (2016). Stabilitas emulsi dan Karakteristik Sensoris Mayones rendah lemak dengan Menggunakan Kefir Sebagai Emulsifier Replacer. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 11(2):53-59. ISSN 1978- 0303.
- Evanuarini, Herly. (2016). Karakteristik Mayones rendah lemak yang Diformulasi dari Rice Bran Oil, Tepung Porang, dan Kefir. *Disertasi*. Yogyakarta: Universitas Gadjah Mada.
- Faridah, A., Pada, K. S., Yulastri, A., Yusuf, L. (2008). Patiseri Jilid 3. *Direktorat Pembinaan Sekolah Menengah Kejuruan*. Jakarta
- Fioramonti, S.A., A.A. Perez, E.E. Aríngoli, A.C. Rubiolo and L.G. Santiago. (2014). Design and characterization of soluble biopolymer complexes produced by electrostatic self-assembly of a whey protein isolate and sodium alginate. *Food Hydrocolloid.*, 35: 129-136.
- Foegeding, E. A., & Davis, J. P. (2011). Food protein functionality: A comprehensive approach. *Food Hydrocolloids*, 25(8), 1853–1864.

- Foegeding, E. A., Davis, J. P., Doucet, D., & McGuffey, M. K. (2002). Advances in modifying and understanding whey protein functionality. *Trends in Food Science & Technology*, 13(5), 151-159.
- Glueck, C. J.; Streicher, P. A.; Illig, E. K.; Weber, K. D. (1994). Dietary Fat Substitutes. *Nutr. Res.* 14(10), 1605–1619.
- Goh, K. K., Sarkar, A., & Singh, H. (2009). Milk protein-polysaccharide interactions. *Milk Proteins: From Expression to Food. Elsevier*, 347-351.
- Gustone, F. (2004). The Chemistry of Oils and Fats : Sources, Composition, Properties, and Uses. *Technology & Engineering*. Blackwell Pub
- Hanan, M.A., Al-Sayed, Nagwa M.H. Rasmy, Ibrahim.R.S. Rizk and Eman E.I. Yousef. (2012). Functional Properties of Some Fat-Replacers and Their Uses in Preparation of Reduced-Fat Mayonnaise. *World Journal of Dairy & Food Sciences* 7 (1); 109-119.
- Harrison L.J., and F.E. Cunningham. (1985). Factors influencing the quality of mayonnaise. *J.Food Quality*. 8: 1 – 20.
- Hidayah, N., Kasmiyatun, M., & Purwaningtyas, E. F. (2020). Pengambilan Pektin dari Kulit Bagian Dalam (Albedo) Semangka dengan Proses Ekstraksi. *Journal of Chemical Engineering*. Vol 1(2): 27-32
- I. Lozano, R. Van der Werf, W. Bietiger, E. Seyfritz, C. Peronet, M. Pinget, N. Jeandidier, E. Maillard, E. Marchioni, S. Sigrist, S. Dal. (2016). High-fructose and high-fat diet-induced disorders in rats: impact on diabetes risk, hepatic and vascular complications. *Nutr. Metab.* (Lond.) 13, 1–13.

International Pectin Producers Association. (2021). Pectin in Food & Beverage Products. <https://ippa.info/wp-content/uploads/2019/10/IPPA-FactSheet-General-040619-v8a-LR.pdf> diakses pada 5 Maret 2021

Ipsen, R. (2016). Microparticulated whey proteins for improving dairy product texture.

International Dairy Journal.

Izidoro, D. R., Scheer, A. P., Sierakowski, M.-R., & Haminiuk, C. W. I. (2008).

Influence of green banana pulp on the rheological behaviour and chemical characteristics of emulsions (mayonnaises). *LWT – Food Science and Technology*, 41(6), 1018–1028

Jofee, M.H. (1942). Mayonnaise and Salad Dressing Production. *Emulsol Corp*: Chicago

Jones, O. G., & McClements, D. J. (2010). Recent progress in biopolymer nanoparticle and microparticle formation by heat-treating electrostatic protein-polysaccharide complexes. *Advances in Colloid and Interface Science*, 167(1–2), 49–62.

Jones, O. G., Decker, E. A., & McClements, D. J. (2010). Comparison of protein-polysaccharide nanoparticle fabrication methods: Impact of biopolymer complexation before or after particle formation. *Journal of Colloid and Interface Science*, 344(1), 21–29.

Jones, O. G., Lesmes, U., Dubin, P., & McClements, D. J. (2010). Effect of polysaccharide charge on formation and properties of biopolymer nanoparticles created by heat treatment of β -lactoglobulin-pectin complexes. *Food Hydrocolloids*, 24(4), 374–383.

- Jones, O., Decker, E. A., & McClements, D. J. (2010). Thermal analysis of β -lactoglobulin complexes with pectins or carrageenan for production of stable biopolymer particles. *Food Hydrocolloids*, 24(2–3), 239–248.
- Kessler, H.-G., & Beyer, H.-J. (1991). Thermal denaturation of whey proteins and its effect in dairy technology. *International Journal of Biological Macromolecules*, 13(3), 165-173.
- Kovalcuks A, Straumite E, Duma M. (2016). The effect of egg yolk oil on the chemical, physical and sensory properties of mayonnaise. *Rural Sustain Res* 35 (330): 25-31.
- Kupongsak S, Sathitvorapojjanan S. (2017). Properties and storage stability of O/W emulsion replaced with medium-chain fatty acid oil. *Pol J Food Nutr Sci* 67(2): 107-115.
- Lam, R., Nickerson, M. (2013). Food Protein : A review on their Emulsifying Properties Using a Structure – Function. *Food Chemistry* 141 : 975 – 984
- Lan, Y., Chen, B., & Rao, J. (2018). Pea protein isolate–high methoxyl pectin soluble complexes for improving pea protein functionality: Effect of pH, biopolymer ratio and concentrations. *Food Hydrocolloids*, 80, 245–253.
- Laneuville, S. I., Paquin, P., & Turgeon, S. L. (2000). Effect of preparation conditions on the characteristics of whey protein - xanthan gum complexes. *Food Hydrocolloids*, 14(4), 305-314.
- Leal-Calderon, F., Thivilliers, F., & Schmitt, V. (2007). Structured emulsions. *Current Opinion in Colloid & Interface Science*, 12(4), 206-212.

- Liu, H., Xu, X. M., & Guo, Sh. D. (2007). Rheological, texture and sensory properties of mayones rendah lemak with different fat mimetic. *LWT*, 40, 946-954.
- Lucca, P. A., & Tepper, B. J. (1994). Fat replacers and the functionality of fat in foods. *Trends in Food Science & Technology*, 5, 12–19.
- Lutz, R., A. Aserin, L. Wicker and N. Garti. (2009). Double emulsions stabilized by a charged complex of modified pectin and whey protein isolate. *Colloid. Surface. B*, 72(1): 121-127
- Lv, Y., X. Zhang, S. Abbas and E. Karangwa. (2012). Simplified optimization for microcapsule preparation by complex coacervation based on the correlation between coacervates and the corresponding microcapsule. *J. Food Eng.*, 111(2): 225-233.
- Ma, Z., & Boye, J. I. (2013). Advances in the design and production of reduced-fat and reduced-cholesterol salad dressing and mayonnaise: A review. *Food and Bioprocess Technology*, 6, 648–670.
- Maskan, Medeni and Gogus, Fahretti. (2000). Effect of sugar on the rheological properties of sun flower oil in water emulsions. *Journal of Food Engineering* (43)173-177
- McClements, D. J. (2016). Food Emulsion : Principle, Practices, and Techniques. 3rd Ed. 289-365. *CRC Press* : Florida
- McClements, D. J., & Gumus, C. E. (2016). Natural emulsifiers-biosurfactants, phospholipids, biopolymers, and colloidal particles: molecular and

physicochemical basis of functional performance. *Advances in Colloid and Interface Science*, 234, 3–26.

McCleary B and McCleary and Prosky L. (2001). Advanced Dietary Fibre Technology. *Blackwell Science Ltd* : Oxford

Mellinas, C., Ramos, M., Jiménez, A., & Garrigós, M. C. (2020). Recent Trends in the Use of Pectin from Agro-Waste Residues as a Natural-Based Biopolymer for Food Packaging Applications. *Materials*, 13(3), 673.

Microtrac. Nanoparticle Size Analyzer Nanotrack Wave II.
<https://www.microtrac.com/products/particle-size-shape-analysis/dynamic-light-scattering-zeta-potential/nanotrac-wave-ii/> diakses pada 8 Maret 2021 pukul 18:39 WIB

Mikail, B. (2012). Praktisi Kesehatan Dukung RPP Garam, Gula, dan Lemak. Diakses pada <http://www.kompas.com/health/read/2012/07.html> diakses pada 2 Maret 2021

Mirzanajafi-Zanjani, M., Yousefi, M., & Ehsani, A. (2019). Challenges and approaches for production of a healthy and functional mayonnaise sauce. *Food Science & Nutrition*.

Mollakhalili Meybodi N., Mohammadifar M.A. (2014). Effective factors on the stability of oil-in-water emulsion based beverage: A review. *Journal of Food Quality and Hazards Control*. 1: 67-71.

Muhoza, B., Karangwa, E., Duhoranimana, E., Zhang, X., & Xia, S. (2016). Influence of Pectin on the Stability of Whey Protein Isolate Stabilized Emulsion for

- Encapsulating Lutein. *Advance Journal of Food Science and Technology*, 12(11), 617–626.
- Mun, S., Kim, Y. L., Kang, C. G., Park, K. H., Shim, J. Y., & Kim, Y. R. (2009). Development of reduced-fat mayonnaise using 4_GTase-modified rice starch and xanthan gum. *International Journal of Biological Macromolecules*, 44, 400-407.
- Munarin, F.; Tanzi, M.C.; Petrini, P. (2012). Advances in Biomedical Applications of Pectin Gels. *Int. J. Biol. Macromol.* 51: 681–689.
- Mutiah. (2002). Perbandingan Mutu Mayones Telur Ayam dan Mayones Telur Itik. *Skripsi*. Institut Pertanian Bogor
- Nehete, J. Y., Bhambar, R. S., Narkhede, M. R., & Gawali, S. R. (2013). Natural proteins: Sources, isolation, characterization and applications. *Pharmacognosy Reviews*, 7, 107–116.
- Nielsen, S. (2010). Food Analysis : High Performance Liquid Chromatography. *Springer*. New York : USA
- Nikzade, V., Mazaheri, T., and Saadatman. (2012). Fat mayonnaise formulation effect of soy milk and some stabilizer by a mixture design approach. *Food Hydrocolloids*. 28: 344 – 352.
- Nikzade, V., Tehrani, M. M., & Saadatmand-Tarzjan, M. (2012). Optimization of low-cholesterol–low-fat mayonnaise formulation: Effect of using soy milk and some stabilizer by a mixture design approach. *Food Hydrocolloids*, 28(2), 344–352.

- Oduse, K., Campbell, L., Lonchamp, J., & Euston, S. R. (2017). Electrostatic complexes of whey protein and pectin as foaming and emulsifying agents. *International Journal of Food Properties*, 20(3), S3027–S3041.
- Ognean, C. F.; Darie, N.; Ognean, M. (2006). Fat Replacers: Review. *J. Agroaliment. Processes Technol.* 12(2): 433–442.
- Omayma, E. S., & Youssef, M. M. (2007). Fat Replacers and Their Applications in Food Products: A Review. *Alexandria Journal of Food Science and Technology*, Vol. 4, pp. 29-44
- Palma A., Aziz, M.G., Chawdhury, M.M., Uddin, M.B., Alam, M. (2004). Effector Edible Oils On Quality and Shelf Life of Mayones rendah lemak. *Pakistan Journal of Nutrition* 3 (6): 340-343.
- Paraskevopoulou, A., D. Boskow, and A. Paraskevopolou. (2007). Oxidative stability of olive oil – lemon juice salad dressings stabilized with polysaccharides. *J. Food Chem.* 10(3): 1197 – 1204.
- Paximada, P., Koutinas, A. A., Scholten, E., & Mandala, I. G. (2016). Effect of bacterial cellulose addition on physical properties of WPI emulsions. Comparison with common thickeners. *Food Hydrocolloids*, 54, 245–254.
- Qiu, C., M. Zhao and D.J. McClements. (2015). Improving the stability of wheat protein-stabilized emulsions: Effect of pectin and xanthan gum addition. *Food Hydrocolloid.*, 43: 377-387.

- R. Bajaj, N. Singh, A. Kaur. (2019). Properties of octenyl succinic anhydride (OSA) modified starches and their application in mayones rendah lemak, *Int. J. Biol. Macromol.* 131 : 147–157.
- Rahmati, K dan Tehrani, M. (2012). Soy Milk as an emulsifier in mayonnaise: psychochemical, stability and sensory evaluation. *Association of Food Science & Technologist: India*.
- Rao, J. dan McClements, D.J. (2011). Formation of flavor oil microemulsions, nanoemulsions and emulsions: influence of composition and preparation method. *Journal of Agricultural and Food Chemistry* **59**: 5026- 5035.
- Rebouillat, Serge and Requena, Salvadora Ortega. (2015). Potential Applications of Milk Fractions and Valorization of Dairy By-Products : A Review of the State of the Art Available Data, Outlining the Innovation Potential from a Bigger Data Standpoint. *Journal of Biomaterials and Nanobiotechnology* Vol 6 , 176-203
- Rusalim, Muhammad M., Tamrin, dan Gusnawaty. (2017). Analisis Sifat Fisik Mayonnaise Berbahan Dasar Putih Telur Dan Kuning Telur Dengan Penambahan Berbagai Jenis Minyak Nabati. *J. Sains dan Teknologi Pangan* Vol. 2, No.5, P. 770-778
- Roman, L., Santos, S., Martinez, M. M., and Gomez, M. (2015). Effect of extruded wheat flour as a fat replacer on batter characteristics and cake quality. *J. Food Sci. Technol.*, **52**, 8188-8195.
- Rodríguez Patino, J. M., & Pilosof, A. M. R. (2011). Protein–polysaccharide interactions at fluid interfaces. *Food Hydrocolloids*, 25(8), 1925–1937

- S. Thaiudom, K. Khantarat. (2011). Stability and rheological properties of fat-reduced mayonnaises by using sodiumoctenyl succinate starch as fat replacer. *Procedia Food Science* 1 : 315–321.
- S. Y. Chan, W. S. Choo, D. J. Young, and X. J. Loh, (2016). Pectin as a Rheology Modifier: Origin, Structure, Commercial Production and Rheology. *Carbohydr. Polym.*, vol. 161, no. 1, pp. 118–139
- Saenz, C., E. Sepulveda, and B. Matsuihiro. (2005). *Opuntia* spp mucilages functional component with industrial perspectives. *J. Env.* 57: 275 – 290.
- Safari, A., Kusnandar, F., & Syamsir E. (2016). Biji Chia: Karakteristik Gum dan Potensi Kesehatannya. *J. Pangan*. Vol. 25(2): 137-146
- Sahaya, R., Widodo, B., & Imron, C. (2016). Aliran Fluida Magnetohidrodinamik Viskoelatis Tersuspensi yang Melewati Pelat Datar. *J. Sains dan Seni ITS*. Vol. 5(2) 2337-3520
- Salminen, H., & Weiss, J. (2014). Effect of Pectin Type on Association and pH Stability of Whey Protein-Pectin Complexes. *Food Biophysics*, 9(1), 29–38.
- Salvia-Trujillo, L., Rojas-Graü, M. A., Soliva-Fortuny, R., & Martín-Belloso, O. (2013). Effect of processing parameters on physicochemical characteristics of microfluidized lemongrass essential oil-alginate nanoemulsions. *Food Hydrocolloids*, 30(1), 401–407.
- Santipanichwong, R., & Supphantharika, M. (2007). Carotenoids as colorants in reduced-fat mayonnaise containing spent brewer's yeast β -glucan as a fat replacer. *Food Hydrocolloids*, 21(4), 565–574

- Sarika, P.R., A. Pavithran and N.R. James. (2015). Cationized gelatin/gum arabic polyelectrolyte complex: Study of electrostatic interactions. *Food Hydrocolloid.*, 49: 176-182.
- Saukani, Muhammad. (2016). Observation Particle Size of $Mg_{0.8}Zn_{0.2}TiO_3$ by Laser Diffraction Method. *Jurnal Teknik Mesin UNISKA*. Vol. 1(2), 40-43
- Schmitt, C., & Turgeon, S. L. (2011). Protein/polysaccharide complexes and coacervates in food systems. *Advances in Colloid and Interface Science*, 167(1–2), 63–70.
- Sedaghat Doost, A., Nikbakht Nasrabadi, M., Sadžak, A., & Van der Meeren, P. (2020). Production of food nanomaterials by specialized equipment. *Handbook of Food Nanotechnology*, 161–204.
- Setiowati, A. D., Wijaya, W., & Van der Meeren, P. (2020). Whey protein-polysaccharide conjugates obtained via dry heat treatment to improve the heat stability of whey protein stabilized emulsions. *Trends in Food Science and Technology*, 150–161.
- Setiowati.A.D., Saeedi S, Wijaya W, Mereen P.V. (2017). Improved heat stability of whey protein isolate stabilized emulsions via dry heat treatment of WPI and low methoxyl pectin: Effect of pectin concentration, pH, and ionic strength. *Food Hydrocolloids* 63 : 716-726
- Shao P, Zhu Y, Jin W. (2017). Physical and chemical stabilities of β -carotene emulsions stabilized by *Ulva fasciata* polysaccharide. *Food Hydrocolloids* 64: 28–35

- Shee, Anoop, K., Balaji, R., Deepika, S., Anushree, K., dan Kantha, D. A. (2010). Studies on The Antibacterial Activity Potential of Commonly Used Food Preservatives. *International Journal of Engineering Science and Technology*. Vol 2(3), 264-269. ISSN : 0975-5462
- Shen, R., Luo, S., Dong, J. (2011). Application of Oat Dextrine for Fat Substitute in Mayonnaise. *Food Chemistry*, 126, 65-71.
- Singh, H. (2011). Aspects of milk-protein-stabilised emulsions. *Food Hydrocolloid.*, 25(8): 1938-1944.
- Siregar, R. F., A. Hintono, dan S. Mulyani. (2012). Perubahan Sifat Fungsional Telur ayam Ras Pasca Pasteurisasi. *AAJ*, Vol. 1 No. 1, 2012, 521-528
- Soekopitojo, S. (2012). *Isu terkini pengembangan fat replacer*. *Food Review Indonesia*. Diakses dari <http://foodreview.co.id/preview.php?view2&id=56357#>. pada 28 Desember 2020
- Sun, C., Liu, R., Liang, B., Wu, T., Sui, W., & Zhang, M. (2018). Microparticulated whey protein-pectin complex: A texture-controllable gel for low-fat mayonnaise. *Food Research International*, 108, 151–160.
- Sun, C., Liu, R., Wu, T., Liang, B., Shi, C., Cong, X., Hou, T., & Zhang, M. (2015). Combined Superfine Grinding and Heat-Shearing Treatment for the microparticulation of Whey Proteins. *Food and Bioprocess Technology*, 9(2), 1-9.
- Sun, L., Chen, W., Liu, Y., Li, J., & Yu, H. (2015). Soy protein isolate/cellulose nanofiber complex gels as fat substitutes: rheological and textural properties and extent of cream imitation. *Cellulose*, 22(4), 2619–2627.

- Sundar, A.; Rubila, S.; Jayabalan, R.; Ranganathan, T.V. (2012). A Review on Pectin: Chemistry due to General Properties of Pectin and its Pharmaceutical Uses. *Sci. Rep.* 1: 1–4.
- Syaaf, Syafina. (2019). *Gaya Hidup Sehat Orang Indonesia Menurun*. Diakses dari <https://lokadata.id/artikel/gaya-hidup-sehat-orang-indonesia-menurun> pada 22 Maret 2021
- T. Funami, S. Ishihara, M. Nakauma, K. Kohyama, K. Nishinari. (2012). Texture design for products using food hydrocolloids, *Food Hydrocolloids*. 26 (2) : 412–420.
- Tavares, G.M., T. Croguennec, A.F. Carvalho and S. Bouhallab, (2014). Milk proteins as encapsulation devices and delivery vehicles: Applications and trends. *Trends Food Sci. Tech.*, 37(1): 5-20.
- Thakur, B. R., Singh, R. K., Handa, A. K., & Rao, M. (1997). Chemistry and uses of pectin—a review. *Critical Reviews in Food Science & Nutrition*, 37(1), 47-73.
- The US Department of Agriculture. (2015). USDA National Nutrient Database. <http://ndb.nal.usda.gov/search/list.html>
- Thomas P. O'Connor, Nora M. O'Brien. (2016). Types of Fat Replacers. *Reference Module in Food Science*.
- Thongkaew, C., J. Hinrichs, M. Gibis and J. Weiss. (2015). Sequential modulation of pH and ionic strength in phase separated whey protein isolate –Pectin dispersions: Effect on structural organization. *Food Hydrocolloid.*, 47: 21-31.
- Veldhorst, M. A. B., Nieuwenhuizen, A. G., Hochstenbach-Waelen, A., Westerterp, K. R., Engelen, M. P. K. J., Brummer, R.-J. M., et al. (2009). Effects of high and

normal soyprotein breakfasts on satiety and subsequent energy intake, including amino acid and ‘satiety’ hormone responses. *European Journal of Nutrition*, 48, 92.

Wang, Y., Zheng, H., Li, Y., Li, B., & Chen, Y. (2015). One step procedure for desalting salty egg white and preparing fat analogue and its application in mayonnaise. *Food Hydrocolloids*, 45, 317–326. <https://doi.org/10.1016/j.foodhyd.2014.11.007>

Widerström, Ebba & Öhman, Rebecca. (2017). Mayonnaise: Quality and Catastrophic Phase Inversion. *Thesis*. Department of Food Technology, Engineering and Nutrition, Lund University.

Wijaya, W., Turan, S., Setiowati, A. D., Dewettinck, K., Patel, A. R., & Van der Meeren, P. (2020). Effect of low-methoxy pectin on interfacial and emulsion stabilizing properties of heated whey protein isolate (WPI) aggregates. *Food Structure*, 100159.

Winarno, F. G. (2008). Ilmu Pangan dan Gizi. *Gramedia Pustaka Utama* : Jakarta

WHO. (2014). Noncommunicable Diseases Country Profile. Diakses dari <https://www.who.int/nmh/publications/ncd-profiles-2014/en/> pada 29 Maret 2021

Worrasinchai S, Suphantharika M, Pinjai S and Jamnong P,. (2006). Beta-Glucan prepared from spent brewer’s yeast as a fat replacer in mayonnaise. *Food Hydrocolloids* 20:68–78

- Wustenberg, T. (2015). Cellulose and Cellulose Derivatives in the Food Industry: Fundamentals and Applications. *Wiley-VCH Verlag GmbH & Co.*
- Wyszecki, G., Stiles, W.S. (1982). Color Science : Concepts and Methods, Quantitative Data and Formulae, 2nd ed., *John Wiley & Sons*: New York
- Y.Y. Lee. (1998). Effect of emulsifiers and stabilizers on the emulsion stability of mayonnaise. *Journal Korean Society of Food and Nutrition* 27 :115–120.
- Yang, J. S., Mu, T. H., & Ma, M. M. (2019). Optimization of ultrasound-microwave assisted acid extraction of pectin from potato pulp by response surface methodology and its characterization. *Food Chemistry*, 289(March), 351–359.
- Yashini M, Sunil C K, Sahana S, Hemanth S D, Chidanand D V & Ashish Rawson. (2019). Protein-based Fat Replacers – A Review of Recent Advances, *Food Reviews International*. ISSN: 8755-9129
- Yumna, M. H., Zakaria, A. & Nurgiartiningsih, V. M. A. (2014). Kuantitas dan kualitas telur ayam arab (*Gallus turcicus*) silver dan gold. *Jurnal Ilmu-Ilmu Peternakan* 23 (2): 19 – 24.
- Zeeb, B., Shock, V., Schmid, N., Majer, L., Herrmann, K., Hinrichs, J., & Weiss J. (2017). Mixing behaviour of WPI–pectin-complexes in meat dispersions: impact of biopolymer ratios. *J. Food Funct.* 8: 333-340
- Zhang, T., McCarthy, J., Wang, G., Liu, Y., & Guo, M. (2015). Physiochemical properties, microstructure, and probiotic survivability of nonfat goats' milk yogurt using heat-treated whey protein concentrate as fat replacer. *Journal of Food Science*, 80, M788–M794.

Zia-ud-Din, H. Xiong, P. Fei,. (2017). Physical and chemical modification of starches:

a review, *Crit. Rev. Food Sci. Nutr.* 57 (12) : 2691–2705

Ziani, K., Fang, Y. dan McClements, D.J. (2012). Fabrication and stability of colloidal delivery systems for flavor oils: Effect of composition and storage conditions.

Food Research International **46**: 209-216.