



DAFTAR PUSTAKA

- [1] Pusat Sumber Daya Mineral Batu Bara dan Panas Bumi, “Kapasitas Terpasang Pembangkit Panas Bumi Indonesia,” 2020. [Online]. Available: http://psdg.bgl.esdm.go.id/index.php?option=com_content&view=article&id=1306&Itemid=610. [Accessed: 08-Nov-2020].
- [2] A. S. Nugraha, “Process Design of Micro Hydro, Expander , Binary ORC and Double Flash Cycle Using Separator Pressure of Unit V in Lahendong Geothermal Field, Indonesia,” PT Pertamina Geothermal Energy, Sulawesi Utara, no. 23, 2018.
- [3] N. A. Pambudi, “Geothermal power generation in Indonesia, a country within the ring of fire: Current status, future development and policy,” *Renew. Sustain. Energy Rev.*, vol. 81, no. 2017, pp. 2893–2901, 2018, doi: 10.1016/j.rser.2017.06.096.
- [4] C. H. Armsted, *Geothermal Energy*. E & FNSPON, 1973.
- [5] F. O. Purwaningsih and G. Abdurrahman, “Geothermal Brine, from Waste to Alternative Thermal Energy Source,” *PROCEEDINGS, 41st Work. Geotherm. Reserv. Eng. Stanford Univ. Stanford, California, Febr. 22-24, 2016 SGP-TR-209*, pp. 1–6, 2016.
- [6] Z. Guzović, P. Rašković, and Z. Blatarić, “The Comparision of a Basic and a Dual-Pressure ORC (Organic Rankine Cycle): Geothermal Power Plant Velika Ciglena Case Study,” *Energy*, vol. 76, pp. 175–186, 2014, doi: 10.1016/j.energy.2014.06.005.
- [7] J. Bonafin, A. Duvia, and C. Zulfikar, “Operations Update of European Geothermal Binary Units Delivered by Turboden,” no. June, pp. 11–14, 2019.
- [8] A. Algieri and J. Šebo, “Energetic Investigation of Organic Rankine Cycles (ORCs) for the Exploitation of Low-Temperature Geothermal Sources - A possible application in Slovakia,” *Procedia Comput. Sci.*, vol. 109, pp. 833–840, 2017, doi: 10.1016/j.procs.2017.05.348.



- [9] X. Luo, Z. Yi, Z. Chen, Y. Chen, and S. Mo, “Performance Comparison of the Liquid-Vapor Separation, Parallel Flow, and Serpentine Condensers in the Organic Rankine Cycle,” *Appl. Therm. Eng.*, vol. 94, pp. 1–14, 2016, doi: 10.1016/j.applthermaleng.2015.10.074.
- [10] S. Mohammadzadeh Bina, S. Jalilinasrably, and H. Fujii, “Energy, Economic and Environmental (3E) Aspects of Internal Heat Exchanger for ORC Geothermal Power Plants,” *Energy*, vol. 140, pp. 1096–1106, 2017, doi: 10.1016/j.energy.2017.09.045.
- [11] A. Nurul, A. Diga, P. Putera, and A. Subiantoro, “Selection of Optimum Working Fluid and Cycle Configuration of Organic Rankine Cycle (ORC) as Bottoming Binary Cycle at Wayang Windu Geothermal Power Plant,” no. 2007, pp. 1–14, 2020.
- [12] S. N. Wibowo, K. Pudyastuti, S. Suyanto, L. Agustina, H. Harmen, and S. Patangke, “Review Application of ORC in Lahendong Geothermal Field,” in *Asia Pacific Oil and Gas Conference and Exhibition*, 2019, pp. 1–9, doi: 10.2118/196278-ms.
- [13] Badan Pengkajian dan Penerapan Teknologi, “Start Small Make Progress, PLTP Merah Putih Skala Kecil Pertama Siap Berkibar,” *Clean Energy for a Brighter Future*, 2019. [Online]. Available: <http://pltp.b2tke.bppt.go.id/index.php/2019/04/08/start-small-make-progress-pltp-merah-putih-skala-kecil-pertama-siap-berkibar/>. [Accessed: 09-Feb-2021].
- [14] R. Capata and E. Zangrillo, “Preliminary Design of Compact Condenser in an Organic Rankine Cycle System for the Low Grade Waste Heat Recovery,” *Energies*, vol. 7, no. 12, pp. 8008–8035, 2014, doi: 10.3390/en7128008.
- [15] V. Zare and S. M. S. Mahmoudi, “A Thermodynamic Comparison between Organic Rankine and Kalina Cycles for Waste Heat Recovery from The Gas Turbine-Modular Helium Reactor,” *Energy*, vol. 79, no. C, pp. 398–406, 2015, doi: 10.1016/j.energy.2014.11.026.



- [16] G. N. Tama, “Perancangan Awal Pembangkit Listrik Siklus Biner Berbasis Siklus Rankine Organik Memanfaatkan Kalor Buang Brine PLTP Ulubelu, Studi Kasus : Desain Kondensor,” pp. 1–10, 2020.
- [17] A. Afriandi, “Analisis Pemanfaatan Geothermal Brine untuk Pembangkitan Listrik dengan Menggunakan Heat Exchanger,” Institut Teknologi Sepuluh Nopember, 2017.
- [18] M. Agani, S. Patangke, D. B. Hartanto, and M. Silaban, “Opportunity and Barriers to Develop a Bottoming Unit by Utilizing Separated Hot Brine in Ulubelu, Indonesia,” in *Proceedings World Geothermal Congress*, 2015, pp. 1–11.
- [19] A. R. K. Wardana, N. Nandaliarasyad, and D. T. Maulana, “Preliminary Study of Membrane Technology to Resolve Silica Scaling to Enhance Geothermal Binary Power Plant,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 417, no. 1, 2020, doi: 10.1088/1755-1315/417/1/012015.
- [20] B. N. Syahputri, “Analisis Desain Rekuperator pada Pemanfaatan Kalor Buang (Brine) Pembangkit Listrik Tenaga Panas Bumi Ulubelu Berbasis Siklus Rankine Organik,” Universitas Gadjah Mada, 2020.
- [21] K. Thurairaja, A. Wijewardane, S. Jayasekara, and C. Ranasinghe, “Working Fluid Selection and Performance Evaluation of ORC,” *Energy Procedia*, vol. 156, no. September 2018, pp. 244–248, 2019, doi: 10.1016/j.egypro.2018.11.136.
- [22] X. Y. Huang, H. Y. Wang, Z. Wu, T. Zhu, and J. Z. Wu, “Selection of Working Fluids for Organic Rankine Cycle (ORC) in Waste Heat Power Generation System,” *ICMREE 2013 - Proc. 2013 Int. Conf. Mater. Renew. Energy Environ.*, vol. 3, pp. 774–779, 2013, doi: 10.1109/ICMREE.2013.6893789.
- [23] P. J. Mago, L. M. Chamra, and C. Somayaji, “Performance Analysis of Different Working Fluids for Use in Organic Rankine Cycles,” *Proc. Inst. Mech. Eng. Part A J. Power Energy*, vol. 221, no. 3, pp. 255–264, 2007, doi: 10.1243/09576509JPE372.



- [24] F. A. Latrash, B. Agnew, M. A. Al-Weshahi, and N. M. Eshoul, “Optimal Selection of Using Fluids (HFC, HCFC, HFC) for an Organic Rankine Cycle Utilising a Low Temperature Geothermal Energy Source Fathi,” *Int. Proc. Chem. Biol. Environ. Eng.*, vol. 32, no. 1, pp. 12–16, 2015, doi: 10.7763/IPCBEE.
- [25] A. Sircar, M. Shah, and S. Sharma, “Selection of Working Fluid for Organic Rankine Cycle by Energy and Exergy, Selection of Working Fluid for Organic Rankine Cycle by Energy and Exergy, For Low Temperature Low Enthalpy Dholera Geothermal Reservoir,” no. November, 2016.
- [26] I. A. Wibowo, “Perancangan Sistem Rankine Organik Bertingkat dengan Memanfaatkan Kalor Buang Brine PLTP PT. Geo Dipa Energi Unit Dieng Studi Kasus: Perancangan Kondensor,” Universitas Gadjah Mada, 2019.
- [27] D. Walraven, B. Laenen, and W. D’Haeseleer, “Comparison of Shell-and-Tube with Plate Heat Exchangers for The Use in Low-Temperature Organic Rankine Cycles,” *Energy Convers. Manag.*, vol. 87, pp. 227–237, 2014, doi: 10.1016/j.enconman.2014.07.019.
- [28] S. Kakaç, H. Liu, and A. Pramuanjaroenkij, *Heat Exchangers: Selection, Rating, and Thermal Design*, Third Edit. CRC Press, 2012.
- [29] J. Xu, X. Luo, Y. Chen, and S. Mo, “Multi-criteria Design Optimization and Screening of Heat Exchangers for a Subcritical ORC,” *Energy Procedia*, vol. 75, pp. 1639–1645, 2015, doi: 10.1016/j.egypro.2015.07.397.
- [30] C. Zhang, C. Liu, S. Wang, X. Xu, and Q. Li, “Thermo-economic Comparison of Subcritical Organic Rankine Cycle Based on Different Heat Exchanger Configurations,” *Energy*, vol. 123, pp. 728–741, 2017, doi: 10.1016/j.energy.2017.01.132.
- [31] R. DiPippo, *Geothermal Power Plants: Principles, Applications, Case Studies and Environmental Impact*, Third Edit. 2015.
- [32] I. A. Pratama, “Perancangan dan Simulasi Sistem Operasional Siklus Kalina Kapasitas Steam 50 Ton/Jam dengan Memanfaatkan Uap dari Vent – Valve System PLTP Kamojang,” Institut Teknologi Sepuluh Nopember, 2017.



- [33] F. Donatini, “Geothermal Power,” *POWER Eng. Adv. Challenges*, no. September, pp. 179–215, 2019, doi: 10.1201/9781315202105-7.
- [34] D. Al-Madani, “Proses Produksi Panas Bumi Di PT Pertamina Geothermal Energy Area Lahendong,” Jakarta Selatan, 2019.
- [35] S. S. Bajaj, H. B. Patil, G. B. Kudal, and S. P. Shisode, “Organic Rankine Cycle and Its Working Fluid Selection-A Review,” *Int. J. Curr. Eng. Technol.*, vol. 4, no. 4, pp. 20–26, 2011, doi: 10.14741/ijcet/22774106/spl.4.2016.3.1.
- [36] S. Lecompte, H. Huisseune, M. Van Den Broek, B. Vanslambrouck, and M. De Paepe, “Review of Organic Rankine Cycle (ORC) Architectures for Waste Heat Recovery,” *Renew. Sustain. Energy Rev.*, vol. 47, no. January 2019, pp. 448–461, 2015, doi: 10.1016/j.rser.2015.03.089.
- [37] M. J. Moran, H. N. Shapiro, D. D. Boettner, and M. B. Bailey, *Fundamentals of Engineering Thermodynamics*, Eighth., vol. 29, no. 1. United States of America: Don Fowley, 2014.
- [38] S. Douvartzides and I. Karmalis, “Working fluid selection for the Organic Rankine Cycle (ORC) exhaust heat recovery of an internal combustion engine power plant,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 161, no. 1, 2016, doi: 10.1088/1757-899X/161/1/012087.
- [39] D. H. Kenney *et al.*, “Designation and Safety Classification of Refrigerants,” vol. 2016, 2016.
- [40] K. L. Brown, “Scaling and Geothermal Development (Geothermal Technology Lecture Note),” New Zealand, 1998.
- [41] O. J. Vetter and V. Kandarpa, “Handling of Scale in Geothermal Operation,” in *International Conference on Geothermal Energy*, 1982.
- [42] R. DiPippo, *Geothermal Power Plants: Principles, Applications, Case Studies and Environmental Impact: Fourth Edition*, Third. Oxford: Butterworth-Heinemann, 2015.
- [43] S. Ciptadi and S. Patangke, “Evaluasi Potensi Silica Scaling Pada Pipa Produksi Lapangan Panasbumi Lahendong – Sulawesi Utara,” *Proceeding*



5th Ina. Annu. Sci. Conf. Exhib., no. November 1995, 2001.

- [44] A. J. Nugroho, “Evaluation of Waste Brine Utilization From Lhd Unit III for Electricity Generation in Lahendong Geothermal Field , Indonesia,” *Geotherm. Energy*, no. 17, 2007.
- [45] B. Zohuri, “Heat Exchanger Types and Classifications,” in *Compact Heat Exchanger*, 2017, pp. 19–56.
- [46] Nptel, “Module 1: Process Design of Heat Exchanger,” *Chem. Eng. Des. - II*, pp. 1–41, 2006.
- [47] M. Rokni, “Introduction to Pinch Technology,” *Tech. Univ. Denmark*, pp. 1–25, 2016.
- [48] K. Neupauer, S. Pater, and K. Kupiec, “Study of Ground Heat Exchangers in the Form of Parallel Horizontal Pipes Embedded in the Ground Krzysztof,” *Energies*, vol. 11, no. 3, 2018, doi: 10.3390/en11030491.
- [49] R. K. Sinnott, *Chemical Engineering Design*, Fourth. Elsevier, 2005.
- [50] J. P. Holman, *Heat Transfer*, Tenth. McGraw-Hill Education, 2010.
- [51] T. L. Bergman, A. S. Lavine, F. P. Incropera, and D. P. Dewitt, *Fundamental of Heat and Mass Transfer*, Seventh. John Wiley & Sons, 2011.
- [52] E. Wijayanti, “Alat Penukar Panas (Heat Exchanger),” Yogyakarta, 2018.
- [53] K. Thulukkanam, *Heat Exchanger Design Handbook*, Second. New York: CRC Press, 2013.
- [54] B. Thonon and A. Bontemps, “Condensation of pure and mixture of hydrocarbons in a compact heat exchanger: Experiments and modelling,” *Heat Transf. Eng.*, vol. 23, no. 6, pp. 3–17, 2002, doi: 10.1080/01457630290098718.
- [55] D. Luo, A. Mahmoud, and F. Cogswell, “Evaluation of Low-GWP fluids for power generation with Organic Rankine Cycle,” *Energy*, vol. 85, pp. 481–488, 2015, doi: 10.1016/j.energy.2015.03.109.
- [56] X. Zhang, Y. Zhang, and J. Wang, “Evaluation and selection of dry and isentropic working fluids based on their pump performance in small-scale organic Rankine cycle,” *Appl. Therm. Eng.*, vol. 191, 2021, doi:



UNIVERSITAS
GADJAH MADA

PERANCANGAN SISTEM SIKLUS RANKINE ORGANIK UNTUK MEMANFAATKAN KALOR BUANG
BRINE PLTP LAHENDONG UNIT
V, STUDI KASUS: DESAIN KONDENSOR
FARADHILA ANASTA SARI, Dr.-Ing. Ir. Sihana; Ir. Kutut Suryopratomo, M.T., M.Sc.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

10.1016/j.aplthermaleng.2021.116919.

- [57] The Engineering Concepts, “Difference between Vertical and Horizontal Shell and Tube Heat Exchanger,” 2020. [Online]. Available: <https://www.theengineeringconcepts.com/difference-between-vertical-and-horizontal-shell-and-tube-heat-exchanger/>. [Accessed: 20-Jul-2021].
- [58] R. Sánta, “The analysis of two-phase condensation heat transfer models based on the comparison of the boundary condition,” *Acta Polytech. Hungarica*, vol. 9, no. 6, pp. 167–180, 2012.