

DAFTAR PUSTAKA

- Albertsmeier, M. *et al.* (2012) 'Evaluation of the safety and efficacy of MonoMax® suture material for abdominal wall closure after primary midline laparotomy - A controlled prospective multicentre trial: ISSAAC [NCT005725079]', *Langenbeck's Archives of Surgery*, 397(3), pp. 363–371. doi: 10.1007/s00423-011-0884-6.
- Ceydeli, A., Rucinski, J. and Wise, L. (2007) 'Finding the best abdominal closure - An evidence-based overview of the literature', *Recurrent Hernia: Prevention and Treatment*, pp. 117–122. doi: 10.1007/978-3-540-68988-1_14.
- Chalya, P. L. *et al.* (2015) 'Abdominal fascia closure following elective midline laparotomy: A surgical experience at a tertiary care hospital in Tanzania', *BMC Research Notes*. BioMed Central, 8(1), pp. 1–9. doi: 10.1186/s13104-015-1243-4.
- Choudhary, A., Bansal, N. and Chaudhari, P. (2017) 'Closure of Pfannenstiel skin incisions in cesarean sections: comparison of wound outcomes with interrupted mattress vs . subcuticular suture', 6(7), pp. 2964–2968.
- D'Souza, R.. and Novell, R. (2013) 'Laparotomy: Elective and Emergency', in Novell, R., Baker, D. M., and Goddard, N. (eds) *Kirk's General Surgical Operations*. Sixth Ed. Edinburgh: Churchill Livingstone Elsevier, pp. 38–56.
- Dahlan, S. (2011) '*Statistik Untuk Kedokteran dan Kesehatan*', Edisi 5, Jakarta: Salemba Medika.
- Dart, A. J. and Dart, C. M. (2011) 'Suture Material: Conventional and Stimuli Responsive', *Comprehensive Biomaterials*, pp. 573–587. doi: 10.1016/B978-0-08-055294-1.00245-2.
- Deerenberg, E. B. *et al.* (2015) 'Small bites versus large bites for closure of abdominal midline incisions (STITCH): A double-blind, multicentre, randomised controlled trial', *The Lancet*. Elsevier Ltd, 386(10000), pp. 1254–1260. doi: 10.1016/S0140-6736(15)60459-7.
- Dubay, D. A. and Franz, M. G. (2003) 'Acute wound healing: The biology of acute wound failure', *Surgical Clinics of North America*, pp. 463–481. doi: 10.1016/S0039-6109(02)00196-2.
- Dubay, D. A. *et al.* (2004) 'Fascial fibroblast kinetic activity is increased during abdominal wall repair compared to dermal fibroblasts', *Wound Repair and Regeneration*, 12(5), pp. 539–545. doi: 10.1111/j.1067-1927.2004.012506.x.
- Faiz, O. and Moffat, D. (2002) *Anatomy at a Glance [e-Book]*. doi: 10.5005/jp/books/10050.
- Falanga V., Satori I (2012) Mechanism of Wound Repair, Wound Healing, and Wound Dressing .Chapter 248. Fitzpatrick's dermatology in general medicine . New York Mc Graw-Hill Medical Fernandez, L. G. (2017) *Abdominal Closure Technique: Closure of Abdomen, Postoperative Care, Complications*, Medscape. Available at: <https://emedicine.medscape.com/article/1961789-technique>
- Fink, C. *et al.* (2014) 'Incisional hernia rate 3 years after midline laparotomy', *British*

- Journal of Surgery*, 101(2), pp. 51–54. doi: 10.1002/bjs.9364.
- Fortelny, R. H. *et al.* (2015) ‘Effect of suture technique on the occurrence of incisional hernia after elective midline abdominal wall closure: Study protocol for a randomized controlled trial’, *Trials*, 16(1), pp. 1–8. doi: 10.1186/s13063-015-0572-x.
- Franz, M. G. (2009) ‘The Biology of Hernia Formation-2009’, 88(1), pp. 1–16. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2276402/>.
- Franz, M. G. *et al.* (2001) ‘Fasial incisions heal faster than skin: A new model of abdominal wall repair’, *Surgery*, 129(2), pp. 203–208. doi: 10.1067/msy.2001.110220.
- Gaikwad, V., Kapoor, R. and Thambudorai, R. (2009) ‘An ideal suture for midline abdominal closure?’, *Indian Journal of Surgery*, 71(3), pp. 128–132. doi: 10.1007/s12262-009-0036-1.
- Gelse, K., Po, E. and Aigner, T. (2003) ‘Collagens — structure , function , and biosynthesis’, 55, pp. 1531–1546. doi: 10.1016/j.addr.2003.08.002.
- Gomes, A. *et al.* (2017) ‘Wound-healing peptides for treatment of chronic diabetic foot ulcers and other infected skin injuries’, *Molecules*, 22(10), pp. 1–18. doi: 10.3390/molecules22101743.
- Gurusamy, K. S. *et al.* (2014) ‘Continuous versus interrupted skin sutures for non-obstetric surgery’, *Cochrane Database of Systematic Reviews*, (2). doi: 10.1002/14651858.CD010365.pub2.
- Heinrich, P. C. *et al.* (2003) ‘Principles of interleukin (IL)-6-type cytokine signalling and its regulation’, *Biochemical Journal*, 374(1), pp. 1–20. doi: 10.1042/bj20030407.
- Hodgson, N. C. F., Malthaner, R. A. and Østbye, T. (2000) ‘The search for an ideal method of abdominal fasial closure: A meta- analysis’, *Annals of Surgery*, 231(3), pp. 436–442. doi: 10.1097/00000658-200003000-00018.
- Höer, J. *et al.* (2002) ‘Factors influencing the development of incisional hernia. A retrospective study of 2,983 laparotomy patients over a period of 10 years’, *Der Chirurg*, 73(5), pp. 474–480. doi: 10.1007/s00104-002-0425-5.
- Hulmes, D. J. S. (2008) ‘Collagen Diversity , Synthesis and Assembly’.
- Indrawan, I. and Dachlan, I. (2016) ‘Perbandingan pengaruh aplikasi aloe vera, madu, saliva dan putih telur terhadap ekspresi interleukin-6 pada proses penyembuhan luka insisi kulit tikus’, Universitas Gadjah Mada, pp. 1-14.
- Israelsson, L. A. and Millbourn, D. (2013) ‘Prevention of incisional hernias. How to close a midline incision.’, *Surgical Clinics of North America*, pp. 1027–1040. doi: 10.1016/j.suc.2013.06.009.
- Janz, A. B. (2013) *Regions and Planes of the Abdomen: Overview, Abdominal Skin, Superficial Fasial*. Available at: <http://emedicine.medscape.com/article/1923166-overview#a1>.
- Keith, L. and Arthur, F. (2012) *Ovid: Clinically Oriented Anatomy*. Available at: <http://ueu.co/zh/ovid-clinically-oriented-anatomy-2/> (Accessed: 19 January 2018).
- Klinge, U. *et al.* (2001) ‘Collagen I/III and matrix metalloproteinases (MMP) 1 and 13 in the fascia of patients with incisional hernias’, *Journal of Investigative Surgery*, pp. 47–54. doi: 10.1080/089419301750072202.
- Klinge, U. *et al.* (2000) ‘Abnormal collagen I to III distribution in the skin of patients with

- incisional hernia', *European Surgical Research*, 32(1), pp. 43–48. doi: 10.1159/000008740.
- Kopf, M. *et al.* (1994) 'Impaired immune and acute-phase responses in interleukin-6-deficient mice', *Nature*, 368(6469), pp. 339–342. doi: 10.1038/368339a0.
- Kumar, R. and Hastir, A. (2017) 'Prospective Clinical Study: Mass Closure Versus Layer Closure of Abdominal Wall', *International Journal of Surgery and Medicine*, 3, p. 1. doi: 10.5455/ijsm.mass-closure-versus-layer-closure-abdominal-wall.
- Kudur, M. *et al.* (2009) 'Sutures and suturing techniques in skin closure', *Indian Journal of Dermatology, Venereology and Leprology*, 75(4), p. 425. doi: 10.4103/0378-6323.53155.
- Lambertz, A. *et al.* (2015) 'Polyvinylidene fluoride as a suture material: Evaluation of comet tail-like infiltrate and foreign body granuloma', *European Surgical Research*, 55(1–2), pp. 1–11. doi: 10.1159/000371797.
- Lau, F. H. and Pomahac, B. (2014) 'Wound healing in acutely injured fascia', *Wound Rep Reg*, 22, pp. 14–17. doi: 10.1111/wrr.12165.
- Lehr *et al.* (1999) Complete chromogen separation and analysis in double immunohistochemical stains using Photoshop-based image analysis. *J Histochem Cytochem Jan*; 47(1):119-26
- Lin, Z.-Q. (2003) 'Essential involvement of IL-6 in the skin wound-healing process as evidenced by delayed wound healing in IL-6-deficient mice', *Journal of Leukocyte Biology*, 73(6), pp. 713–721. doi: 10.1189/jlb.0802397.
- Manturova, N. E. *et al.* (2018) 'The ratio of collagen types I/III as a marker of skin aging and prognosis of aesthetic facial surgery results', *Journal of Pharmaceutical Sciences and Research*, 10(10), pp. 2543–2546.
- Meijer, E. J. *et al.* (2013) 'The principles of abdominal wound closure', *Acta Chirurgica Belgica*, 113(4), pp. 239–244. doi: [http://dx.doi.org/10.1016/0890-4332\(93\)90047-Y](http://dx.doi.org/10.1016/0890-4332(93)90047-Y).
- Mercandetti, A. M., Editor, C. and Molnar, J. A. (2015) 'Wound Healing and Repair: Overview, Types of Wound Healing, Categories of Wound Healing', pp. 1–7. Available at: <http://emedicine.medscape.com/article/1298129-overview>.
- Millbourn, D. (2009) 'Effect of Stitch Length on Wound Complications After Closure of Midline Incisions A Randomized Controlled Trial', *Archives of Surgery*, 144(11), p. 1056. doi: 10.1001/archsurg.2009.189.
- Mizell, J. S. (2015) 'Complications of abdominal surgical incisions', *UpToDate*, pp. 1–27.
- Muysoms, F. E. *et al.* (2015) 'European Hernia Society guidelines on the closure of abdominal wall incisions', *Hernia: the journal of hernias and abdominal wall surgery*, 19(1), pp. 1–24. doi: 10.1007/s10029-014-1342-5.
- Naka, T., Nishimoto, N. and Kishimoto, T. (2002) 'The paradigm of IL-6: from basic science to medicine.', *Arthritis research*, 4 Suppl 3, pp. S233–S242. doi: 10.1186/ar565.
- Nout, E. *et al.* (2007) 'Creep Behavior of Commonly Used Suture Materials in Abdominal Wall Surgery', *Journal of Surgical Research*, 138(1), pp. 51–55. doi: 10.1016/j.jss.2006.06.001.
- Osther, P. J. *et al.* (1995) 'Randomized comparison of polyglycolic acid and polyglyconate sutures for abdominal fasial closure after laparotomy in patients with suspected impaired wound healing', *British Journal of Surgery*, 82(8), pp. 1080–1082. doi:

10.1002/bjs.1800820824.

- Paul W. (2015) *Advances in Wound Healing Materials : Science and Skin Engineering*
- Popa, F. and Georgescu, A. V (2017) 'Abdominal Wall Reconstruction after Flap Surgery and the Effect on the Immune System', *Hindawi*, 2017, pp. 1–10.
- Radu, P. *et al.* (2013) 'Molecular factors of failure in incisional hernia surgery.', *Chirurgia (Bucharest, Romania : 1990)*, 108(2), pp. 193–8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/23618569>
- Rahbari, N. N. *et al.* (2009) 'Current practice of abdominal wall closure in elective surgery? Is there any consensus?', *BMC Surgery*, 9(1), pp. 1–8. doi: 10.1186/1471-2482-9-8.
- Ramshorst Gabrielle H van, Eker Hasan H, Hop Wim C.J., Jeekel Johannes, L. J. F. (2012) 'Impact of incisional hernia on health-related quality of life and body image : a prospective cohort study', *AJS. Elsevier Inc.*, 204(2), pp. 144–150. doi: 10.1016/j.amjsurg.2012.01.012.
- Rios, I. *et al.* (2017) 'In Situ Cytokine Expression and Morphometric Evaluation of Total Collagen and Collagens Type I and Type III in Keloid Scars', 2017(I).
- Robson, M. C. *et al.* (2000) 'Wound healing trajectories as predictors of effectiveness of therapeutic agents', *Archives of surgery*. doi: 10.1001/archsurg.135.7.773.
- Roses, R. E. and Morris, J. B. (2013) 'Incisions, Closures, And Management of The Abdominal Wound', in Zinner, M. J. and Ashley, S. W. (eds) *Maingot's Abdominal Operations*. 12th editi. New York: Mc Graw Hill Companies, pp. 99–122.
- Satteson, E. S. (2017) *Materials for Wound Closure: Wound Healing and Closure, Suture Characteristics, Suture Materials, Medscape*. Available at: <https://emedicine.medscape.com/article/1127693-overview%0Ahttps://emedicine.medscape.com/article/1127693-overview#a3>.
- Singal, R. *et al.* (2016) 'A Comparative Study of Polydioxanone and Nylon for Abdominal Wall Closure With Interrupted Figure of Eight in Peritonitis Cases', 6, pp. 65–72.
- Stewart, R. J. *et al.* (1981) 'the Wound Fibroblast and Macrophage .1. Wound Cell-Population Changes Observed in Tissue-Culture', *British Journal of Surgery*, 68(2), pp. 125–128.
- Thiruvoth, F. *et al.* (2015) 'Current concepts in the physiology of adult wound healing', *Plastic and Aesthetic Research*, 2(5), p. 250. doi: 10.4103/2347-9264.158851.
- Urban, E. *et al.* (1994) 'Why make monofilament sutures out of polyvinylidene fluoride?', *ASAIO journal (American Society for Artificial Internal Organs : 1992)*, pp. 145–156. Available at: http://journals.lww.com/asaiojournal/Abstract/1994/04000/Why_Make_Monofilament_Sutures_Out_of.6.aspx%5C
- Veljkovic, R. *et al.* (2010) 'Prospective Clinical Trial of Factors Predicting the Early Development of Incisional Hernia after Midline Laparotomy', *Journal of the American College of Surgeons*. Elsevier Inc., 210(2), pp. 210–219. doi: 10.1016/j.jamcollsurg.2009.10.013.
- Walming, S., Angenete, E., Block, M., Bock, D., Gessler, B., & Haglind, E. (2017). Retrospective review of risk factors for surgical wound dehiscence and incisional hernia. *BMC Surgery*, 17(1). doi:10.1186/s12893-017-0207-0

- Xing, L. *et al.* (2013) 'Early laparotomy wound failure as the mechanism for incisional hernia formation', *Journal of Surgical Research*. Elsevier Ltd, 182(1), pp. 1–8. doi: 10.1016/j.jss.2012.09.009.
- Xue, M. and Jackson, C. J. (2015) 'Extracellular Matrix Reorganization During Wound Healing and Its Impact on Abnormal Scarring', *Advances in Wound Care*, 4(3), pp. 119–136. doi: 10.1089/wound.2013.0485.