

DAFTAR PUSTAKA

- Adem, S., Eyupoglu, V., Sarfraz, I., Rasul, A., and Ali, M., 2020, Identification of potent COVID-19 main protease (Mpro) inhibitors from natural polyphenols: An in silico strategy unveils a hope against CORONA, *Preprints*.
- Ali, H.A., Chowdhury, A.K.A., Rahman, A.K.M., Borkowski, T., Nahar, L., and Sarker, S.D., 2008, Pachypodol, a flavonol from the leaves of calycopteris floribunda, inhibits the growth of gaco 2 colon cancer cell line in vitro, *Phytother. Res.*, 22, 1684-1687.
- Andrés, S., Tejido, M.L., Bodas, R., Morán, L., Prieto, N., Blanco, C., and Giráldez, F.J., 2013, Quercetin dietary supplementation of fattening lambs at 0.2% rate reduces discolouration and microbial growth in meat during refrigerated storage, *Meat. Sci.*, 93(2), 207–212.
- Anhê, G.F., Okamoto, M.M., Kinote, A., Sollon, C., Lellis-Santos, C., Anhê, F.F., Lima, G.A., Hirabara, S.M., Velloso, L.A., Bordin, S., dan Machado, U.F., 2012, Quercetin decreases inflammatory response and increases insulin action in skeletal muscle of ob/ob mice and in L6 myotubes, *Eur. J. Pharmacol.*, 689(1–3), 285–293.
- Anonim, 2021a, World Coronavirus Disease (Covid-19) report 2021.
- Anonim, 2021b, Situasi Terkini Perkembangan Novel Coronavirus (Covid-19).
- Arai, Y., Watanabe, S., Kimira, M., Shimoi, K., Mochizuki, R., and Kinae, N., 2000, Dietary intakes of flavonols, flavones and isoflavones by Japanese women and the inverse correlation between quercetin intake and plasma LDL cholesterol concentration, *J. Nutr.*, 130(9), 2243–2250.
- Arba, M., Azali, H., Ombe, S., Armid, A., and Usman, I., 2019, 3D-QSAR, Molecular docking and dynamics simulation of difluorophenol pyridine derivatives as RSK2 inhibitor, *J. Appl. Pharm. Sci.*, 9(6), 1-9.
- Asai, K., Moriwaki, S. and Maeda-Yumamoto, M., 2005, Kaempferol a tea flavonol effect on interleukin-2 signal transduction of human T cell leukimia, *JARQ.*, 39(3), 175-179.
- Baker, J., Woolfson, D., Muskett, F., Stoneman, R., Urbaniak, M., and Caddick, S., 2007, Protein–small molecule interactions in neocarzinostatin, the prototypical enediyne chromoprotein antibiotic, *ChemBioChem*, 8, 704-717.



- Belouzard, S., Millet, J. K., Licitra, B. N., and Whittaker, G. R., 2012, Mechanisms of coronavirus cell entry mediated by the viral spike protein, *Viruses*, 4(6), 1011–1033.
- BIOVIA, D.S., 2019, Discovery Studio Visualizer.
- Borde, P., Mohan, M., and Kasture, S., 2011, Effect of myricetin on deoxycorticosterone acetate (DOCA)-salt-hypertensive rats, *Nat. Prod. Res.*, 25(16), 1549–1559.
- Büchter, C., Ackermann, D., Havermann, S., Honnen, S., Chovolou, Y., Fritz, G., Kampkötter, A., and Wätjen, W., 2013, Myricetin-mediated lifespan extension in *caenorhabditis elegans* is modulated by DAF-16, *Int. J. Mol. Sci.*, 14(6), 11895–11914.
- Cushnie, T.P.T. and Lamb, A.J., 2005, Antimicrobial activity of flavonoids, *Int. J. Antimicrob. Agents.*, 26, 343–356.
- Daina, A., Michielin, O., and Zoete, V., 2017, SwissADME: a free web tool to evaluate pharmacokinetics drug-likeness and medicinal chemistry friendliness of small molecules, *Sci. Rep.*, 7(1).
- Dajas, F., 2012, Life or death: Neuroprotective and anticancer effects of quercetin, *J. Ethnopharmacol.*, 143(2), 383–396.
- Dany, P., Lattimer, J.M., Prakash, M., and Steiner, A.W., 2013, Stellar superfluids, *Inspire*.
- De Wit, E., Van Doremalen, N., Falzarano, D., and Munster, V.J., 2016, SARS and MERS: Recent insights into emerging coronaviruses, *Nat. Rev. Microbiol.*, 14, 523-534.
- Ding, Y., He, L., Zhang, Q., Huang, Z., Che, X., Hou, J., Wang, H., Shen, H., Qiu, L., Li, Z., Geng, J., Cai, J., Han, H., Li, X., Kang, W., Weng, D., Liang, P. and Jiang, S., 2004, Organ distribution of severe acute respiratory syndrome (SARS) associated coronavirus (SARS-CoV) in SARS patients: implications for pathogenesis and virus transmission pathways, *J. Pathol.*, 203, 622-630.
- Gao, Y., Yan, L., Huang, Y., Liu, F., Zhao, Y., Cao, L., Wang, T., Sun, Q., Ming, Z., Zhang, L., Ge, J., Zheng, L., Zhang, Y., Wang, H., Zhu, Y., Zhu, C., Hu, T., Hua, T., Zhang, B., Yang, X., Li, J., Yang, H., Liu, Z., Xu, W., Guddat, L.W., Wang, Q., Lou, Z. and Rao, Z., 2020, Structure of the RNA-dependent RNA polymerase from Covid-19 virus, *Science*, 368, 779-782.

- Geissman, T. A., 1962, *The chemistry of flavonoid compound*, Pergamon Press, Oxford.
- Giglio, R.V., Patti, A.M., Cicero, A.F., Lippi, G., Rizzo, M., Toth, P.P., and Banach, M., 2018, Polyphenols: potential use in the prevention and treatment of cardiovascular diseases, *Curr. Pharm. Des.*, 24(2), 239–258.
- Guo, Y., Korteweg, C., McNutt, M. A. and Gu, J., 2008, Pathogenetic mechanisms of severe acute respiratory syndrome, *Virus Res.*, 133, 4-12.
- Gupta, S. C., Tyagi, A. K., Deshmukh-Taskar, P., Hinojosa, M., Prasad, S., and Aggarwal, B. B., 2014, Downregulation of tumor necrosis factor and other proinflammatory biomarkers by polyphenols. *Arch. Biochem. Biophys.*, 559, 91–99.
- Hakkinen, S., 2000, *Flavonols and phenolic acids in berries and berry product*, University of Kuopio, Kuopio.
- Hakkinen, S.H., Karenlampi, S.O., Heinonen, I.M., Mykkanen, H.M., and Torronen, A.R., 1999, Content of the flavonols quercetin, myricetin, and kaempferol in 25 edible berries, *J. Agric. Food Chem.*, 47(6), 2274-2279.
- Harborne, J.B., 1967, *Comparative biochemistry of the flavonoids*, Academic Press London, New York.
- Harborne, J.B., 1993, *The Flavonoids*, Chapman and Hall, London.
- Herowaty, R., Rahman, E.K., Ketut, I.K., Nuraini, H., dan Tutus, G.K., 2008, Aktivitas antiinflamasi quercetin-3-monoasetat. hasil asetilasi selektif quercetin, *Artocarpus*, 8(2), 60-67.
- Hevener, K. E., Zhao, W., Ball, D. M., Babaoglu, K., Qi, J., White, S. W., and Lee, R. E., 2009, Validation of molecular docking programs for virtual screening against dihydropteroate synthase, *J. Chem. Inf. Model.*, 49(2), 444–460.
- Hilgenfeld, R., 2014, From SARS to MERS: crystallographic studies on coronaviral proteases enable antiviral drug design, *FEBS J.*, 281(18), 4085–4096.
- Hoffmann, M., Kleine-Weber, H., Schroeder, S., Krüger, N., Herrler, T., Erichsen, S., Schiergens, T.S., Herrler, G., Wu, N.-H., Nitsche, A., Müller, M.A., Drosten, C., and Pöhlmann, S., 2020, SARS-CoV-2 cell entry depends on ACE2 and TMPRSS2 and is blocked by a clinically proven protease inhibitor, *Cell*, 181(2), 271-280.

- Holland, T. M., Agarwal, P., Wang, Y., Leurgans, S. E., Bennett, D. A., Booth, S. L., and Morris, M. C., 2020, Dietary flavonols and risk of alzheimer dementia, *Neurology*, 94(16), 1749–1756.
- Hsu, M.-F., Kuo, C.-J., Chang, K.-T., Chang, H.-C., Chou, C.-C., Ko, T.-P., Shr, H.-H., Chang, G.-G., Wang, A.H.-J, and Liang, P.- H., 2005, Mechanism of the maturation process of SARS-CoV 3CL protease, *J. Bio. Chem.*, 280, 31257-31266.
- Hung, H., 2004, Food against breast cancer, *Journal of Cell Physiology*, 2.
- Idrees, S., and Ashfaq, U.A., 2014, Discovery and design of cyclic peptides as dengue virus inhibitors through structure-based molecular docking, *Asian Pac. J. Trop. Med.*, 7(7), 513-516.
- Iside, C., Scafuro, M., Nebbioso, A., and Altucci, L., 2020, SIRT1 Activation by natural phytochemicals: An Overview, *Front. Pharmacol.*, 11, 1–14.
- Istyastono, E.P., 2017, Virtual screening campaigns on isoflavones to discover potent cyclooxygenase-2 inhibitor, *J. Farm. Sains Kom.*, 14, 2, 1-5.
- Jahan, N., Khalil-Ur-Rahman, A.S., and Asi, M.R., 2013, Phenolic acid and flavonol contens of gemmo-modified and native extracts of some indigenous medical plants, *Pak. J. Bot.*, 45 (5), 1515-1519.
- Jin, Z., Du, X., Xu, Y., Deng, Y., Liu, M., Zhao, Y., Zhang, B., Li, X., Zhang, L., Peng, C., Duan, Y., Yu, J., Wang, L., Yang, K., Liu, F., Jiang, R., Yang, X., You, T., Liu, X., Yang, X., Bai, F., Liu, H., Liu, X., Guddat, L.W., Xu, W., Xiao, G., Qin, C., Shi, Z., Jiang, H., Rao, Z., and Yang H., 2020, Structure of Mpro from Covid-19 virus and discovery of its inhibitors, *Nature*, 582, 289-293.
- Johari, J., Kianmehr, A., Mustafa, M.R., Abubakar, S., and Zandi, K., 2012, Antiviral activity of baicalein and quercetin against the Japanese encephalitis virus, *Int. J. Mol. Sci.*, 13(12), 16020–16045.
- Kang, B.Y., Kim, S.H., Cho, D., and Kim, T.S., 2005, Inhibition of interleukin-12 production in mouse macrophages via decreased nuclear factor- κ B DNA binding activity by myricetin, a naturally occurring flavonoid, *Arch. Pharm. Res.*, 28(3), 274–279.
- Kartasasmita, R.E., Herowati, R., Harmastuti, N., dan Gusdinar, T., 2009, Docking turunan quercetin berdasarkan studi interaksi flavonoid terhadap enzim siklooksigenase-2, *Indones. J. Chem.*, 9, 2, 297-302.

- Khaerunnisa, S., Kurniawan, H., Awaluddin, R., Suhartati, S., dan Soetjipto, S., 2020, Potential inhibitor of Covid-19 main protease (Mpro) from several medicinal plant compounds by molecular docking study, ADME-toxicity prediction, and evaluation of curcumin derivative compound as inhibitor inflammation on rheumatoid arth, *Preprints*, 1-15.
- Khan, A., Manna, K., Bose, C., Sinha, M., Das, D.K., Kesh, S.B., Chakrabarty, A., Banerji, A. and Dey, S., 2013, Gossypetin an naturally occurring hexahydroxy flavone ameliorates gamma radiation-mediated DNA damage, *Int. J. Radiat. Biol.*, 89(11), 965-975.
- Khan, N., Syed, D.N., Ahmad, N., and Mukhtar, H., 2013, Fisetin: a dietary antioxidant for health promotion, *Antioxid. Redox Signal.*, 19(2), 151-162.
- Kim, E.K., Kim, J.H., Jeong, S., Choi, Y.W., Choi, H.J., Kim, C.Y., and Kim, Y.M., 2019, Pachypodol a methoxyflavonoid isolated from *Pogostemon cablin* bentham exerts antioxidant and cytoprotective effects in HepG2 Cells: Possible Role of ERK-Dependent Nrf2 Activation, *Int. J. Mol. Sci.*, 20 (17).
- Kim, M.E., Ha, T.K., Yoon, J.H., and Lee J.S., 2014, Myricetin induces cell death of human colon cancer cells via BAX/BCL2-dependent pathway, *Anticancer Res.*, 34(2), 701–706.
- Koirala, N., Pandey, R.P., Parajuli, P., Jung, H.J., and Sohng, J.K., 2014, Methylation and subsequent glycosylation of 7,8- dihydroxyflavone, *J. Biotechnol.*, 184, 128–137.
- Kosasih, E.N., Setiabudhi, T., and Heryanto, H., 2004, *Peranan antioksidan pada lanjut usia*, Pusat Kajian Nasional Masalah Lanjut Usia, Jakarta.
- Kroemer, R. T., 2007, Structure-based drug design: docking and scoring, *Curr. Protein Pept. Sci.*, 8(4),312.
- Kumar, S., and Pandey, A.K., 2013, Chemistry and biological activities of flavonoids: an overview, *Sci. World J.*, 1–16.
- Lai, C.C., Shih, T.P., Ko, W.C., Tang, H.J. and Hsueh, P.R., 2020, Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) and corona virus disease-2019 (Covid-19): the epidemic and the challenges, *Int. J. Antimicrob. Agents*, 55, 1-9.
- Leach, A.R., Shoichet, B.K., and Peishoff, C.E., 2006, Prediction of protein ligand interactions docking and scoring: Successes and Gaps, *J. Med. Chem.* , 49(20), 5851-5855.



- Lee, Y.J. and Wu, T.D., 2001, Total synthesis of kaempferol and methylated kaempferol derivatives, *J. Chin. Chem. Soc.*, 48, 201-2016.
- Leung, A.Y., 1980, *Encyclopedia of common natural ingredient used in food drugs and cosmetics*, John Wiley and Sons, New York.
- Li, C., Zhao, W., He, C., Wu, D., Yue, Y. and Chen, Y., 2020, Covid-19 prevention and control strategies for psychiatric hospitals, *Psychiatry Res.*, 2020, 289.
- Lindner, H. A., Fotouhi-Ardakani, N., Lytvyn, V., Lachance, P., Sulea, T., and Ménard, R., 2005, The papain-like protease from the severe acute respiratory syndrome coronavirus is a deubiquitinating enzyme, *J. Virol.*, 79(24), 15199- 151208.
- Lipinski, C.A., 2004, Lead-and drug-likecompunds: the rule-of-five revolution, *Drug Discov. Today: Technol.*, 1(4), 337-341.
- Lipinski, C.A., Lombardo, F., Dominy, B.W., and Feeney, P.J., 1997, experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings, *Adv. Drug Deliv. Rev.*, 23, 3-26.
- Liu, J., Cao, R., Xu, M., Wang, X., Zhang, H., Hu, H., Li, Y., Hu, Z., Zhong, W., and Wang, M., 2020, Hydroxychloroquine, a less toxic derivative of chloroquine, is effective in inhibiting SARS-CoV-2 infection in vitro, *Cell Discov.*, 6(1), 6-9.
- Markham, K.R., 1988, *Cara mengidentifikasi flavonoid*, Penerbit ITB, Bandung.
- Morris , G. M., Huey, R., Lindstrom, W., Sanner , M. F., Belew, R. K., Goodsell, D. S., and Olson, A. J., 2009, AutoDock4 and AutoDock Tools4: automated docking with selective receptor flexibility, *J. Comput. Chem.*, 30(16), 2785-2791.
- Mukesh, B., and Rakesh, K., 2011, Molecular docking: A Review, *Int. J. Res. Ayurveda Pharm.*, 2, 1746-1750.
- Mustafa, R.A., Abdul Hamid, A., Mohamed, S., and Abu Bakar, F., 2010, Total phenolic compounds, flavonoids, and radical scavenging activity of 21 selected tropical plants, *J. Food Sci.*, 75(1), 28-35.
- Nakanishi, I., Ohkubo, K., Shoji, Y., Fujitaka, Y., Shimoda, K., Matsumoto, K.I., and Hamada, H., 2020, Relationship between the radical-scavenging activity of selected flavonols and thermodynamic parameters calculated by density functional theory, *Free Radic. Res.*. 1-11.
- Narasimhan, S., and Rajalakshmi, D., 1985, *Food antioxidants: sources and methods of evaluation* dalam D.L. Madhavi: *food antioxidant, technological, toxilogical and health perspectives*, Marcel Dekker Inc, Hongkong.



- Nardini, M., and Garaguso, I., 2020, Characterization of bioactive compounds and antioxidant activity of fruit beers, *Food Chem.*, 305, 125437.
- O'Boyle, N.M., Banck, M., James, C.A., Morley, C., Vandermeersch, T., and Hutchison, G.R., 2011, OpenBabel: An open chemical toolbox, *J. Cheminform.*, 1–14.
- Ophinni, Y., Hasibuan, A.S., Widhani, A., Maria, S., Koesnoe, S., Yunihastuti, E., Kajadi, T.H., Rengganis, I., and Djauzi, S., 2020, Covid-19 vaccines: current status and implication for use in Indonesia, *Acta Med. Indones.*, 52(4), 388-412.
- Ozcan, C., and Yaman, M., 2015, Determination of myricetin in medicinal plants by high-performance liquid chromatography, *Instrum. Sci. Technol.*, 43(1), 44-52.
- Panche, A.N., Diwan, A.D. and Chandra, S.R., 2016, Flavonoids: an overview, *J. Nutr. Sci.*, 5.
- Park, K. S., Chong, Y., and Kim, M. K., 2016, Myricetin: biological activity related to human health, *Appl. Biol. Chem.*, 59(2), 259–269.
- Prajapat, M., Sarma, P., Shekhar, N., Avti, P., Sinha, S., Kaur, H., Kumar, S., Bhattacharyya, A., Kumar, H., Bansal, S., and Medhi, B., 2020, Drug target for coron virus: A systematic review, *Indian J. Pharmacol.*, 52(1), 56-65.
- Prieto-Martinez, F.D., Arciniega, M., dan Medina-Franco, J.L., 2018, Molecular docking: current advances and challenges, *TIP*, 21(1), 65-87.
- Purnomo, H., 2013, *Kimia komputasi: penambatan molekul plants penambatan molekul plants [protein-ligand-ant- system] (“ilmu semut”)*, Pustaka Pelajar, Yogyakarta.
- Rester, U., 2008, From virtuality to reality-virtual screening in lead discovery and lead optimization: a medicinal chemistry perspective, *Curr. Opin. Drug Discov. Devel.*, 11, 559-568.
- Rodríguez-Morales, A.J.R., MacGregor, K., Kanagarajah, S., Patel, D., and Schlagenhauf, P., 2020, Going global – travel and the 2019 novel coronavirus, *Travel Med. Infect. Dis.*, 33.
- Rodríguez-García, C., Sánchez-Quesada, C., Gaforio, J. J., and Gaforio, J. J., 2019, Dietary flavonoids as cancer chemopreventive agents: An updated review of human studies, *Antioxidants*, 8(5), 1–23.
- Rothan, H.A., and Byrareddy, S.N., 2020, The epidemiology and pathogenesis of coronavirus disease (Covid-19) outbreak, *J. Autoimmun.*

- Sahertian, R., 1999, Content of the flavonoid quercetin, myricetin and kaempferol in 25 edible berries, *J. Agric. Food Chem.*, 47 (6), 2274-2279.
- Sahu, B. D., Kalvala, A. K., Koneru, M., Kumar, J. M., Kuncha, M., Rachamalla, S. S., and Sistla, R., 2014, Ameliorative effect of fisetin on cisplatin-induced nephrotoxicity in rats via modulation of NF- κ B activation and antioxidant defence, *PLoS ONE*, 9(9).
- Sanders, J.M., Monogue, M.L., Jodlowski, T.Z., and Cutrell, J.B., 2020, Pharmacologic treatment for coronavirus disease 2019 (Covid-19), *JAMA*, 323, 1824-1836.
- Santoso, B., Hanwar, D., dan Suhendi, A., 2015, Prediksi 3D molekular aktivitas turunan senyawa polihidroksi zerumbon terhadap glikogen sintase kinase-3 Beta (GSK-3 β) Menggunakan DOCK6, *2nd Univ. Res. Coloquium 2015*, 1-7.
- Santoyo, A.H., Barajas, A.Y.T., Altuzar, V., Vivanco-Cid, H., and Mendoza-Barrera, C., 2013, Protein-protein and protein-ligand docking, *In Tech*, 64- 81.
- Sarker, U., and Oba, S., 2019, Antioxidant constituents of three selected red and green color amaranthus leafy vegetable, *Sci. Rep.*, 9(1), 18233.
- Sharma, A., Sharma, P., Tuli, H.S., and Sharma, A.K., 2018, Phytochemical and pharmacological properties of flavonols, *Phytochemical and Pharmacological Properties of Flavonols*, In: eLS. John Wiley & Sons, Ltd: Chichester.
- Singh, H.B., and Bharati, K.A., 2014, *Handbook of natural dyes and pigments*, Woodhead Publishing India, India.
- Smirnoff, N., 2005, *Antioxidant and reactive oxygen species in plants*, Blackwell Publishing, USA.
- Sohrabi, C., Alsafi, Z., O'Neill, N., Khan, M., Kerwan, A., Al-Jabir, A., Iosifidis, C. and Agha, R., 2020, World Health Organization declares global emergency: A review of the 2019 novel coronavirus (COVID-19), *Int. J. Surg.*, 76 : 71-76.
- Sousa, S.F, Fernandes, P.A., and Ramos, M.J., 2006, Protein-ligand docking: current status and future challenges, *Proteins*, 65(1), 15-26.
- Stalikas, C. D., 2007, Extraction, separation, and detection methods for phenolic acids and flavonoids, *J. Sep. Sci.*, 30(18), 3268–3295.
- Sultana, B., and Anwar, F., 2008, Flavonols (kaempferol, quercetin, myricetin) contents of selected fruits, vegetables and medicinal plants, *Food Chem.*, 108(3), 879-884.

- Tapas, A., Sakarkar, D.M. and Kakde, R.B., 2008, Flavonoids as nutraceuticals: a review, *Trop. J. Pharm. Res.*, 7(3), 1089-1099.
- Tassa, C., Duffner, J., Lewis, T., Weissleder, R., Schreiber, S., Koehler, A., and Shaw, S., 2010, Binding affinity and kinetic analysis of targeted small molecule-modified nanoparticles, *Bioconjug. Chem.*, 21(1), 14-19.
- Tian, W., Chen, C., Lei, X., Zhao, J., and Liang, J., 2018, CASTp 3.0: computed atlas of surface topography of proteins, *Nucleic Acids Res.*, 46, W363-W367.
- Tong, Y., Zhou, X-M., Wang, S-J., Yang, Y., and Cao, Y-L., 2009, Analgesic activity of myricetin isolated from myrica rubra sieb. et zucc. leaves, *Arch. Pharm. Res.*, 32(4), 527–533.
- Tripathi, A., and Bankaitis, V.A., 2017, Molecular docking: from lock and key to combination lock, *JMMCA*, 2(1), 1-19.
- Trott, O., and Olson, A., 2009, Software news and update Autodock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimazation and multithreading, *J. Comput. Chem.*, 0, 1-7.
- Wang, T.-Y., Li, Q., and Bi, K.-S., 2018, Bioactive flavonoids in medicinal plants: structure, activity and biological fateasian, *J. Pharm. Sci.*, 13, 12–23.
- Weiss, S. R., and Leibowitz, J. L., 2011, Coronavirus pathogenesis, *Adv. Virus Res.*, 81, 85–164.
- Xie, X., Liu, K., Liu, F., Chen, H., Wang, X., Zu, X., Ma, X., Wang, T., Wu, Q., Zheng, Y., Bode, A.M., Dong, Z. and Kim, D.J., 2019, Gossypetin is a novel MKK3 and MKK6 inhibitor that suppresses esophageal cancer growth in vitro and in vivo, *Cancer Lett.*, 442, 126-136.
- Yang, Z., Lasker, K., Schneidman- Duhovny, D., Webb, B., Huang, C. C., Pettersen, E. F., Goddard, T.D., Meng, E.C., Sali, A., and Ferrin, T.E., 2012, UCSF Chimera, MODELLER, and IMP: An integrated modeling system, *J. Struct. Biol.*, 179 (3), 269-278.
- Yang, Z-J., Wang, H-R., Wang, Y-I., Zhai, Z-H., Wang, L-W., Li, L., Zhang, C., and Tang, L., 2019, Myricetin attenuated diabetes-associated kidney injuries and dysfunction via regulating nuclear factor (erythroid derived 2)-like 2 and nuclear factor- κ B signaling, *Front. Pharmacol.*, 10, 647.
- Yao, X., Ye, F., Zhang, M., Cui, C., Huang, B., Niu, P., Zhao, L., Dong, E., Song, C., Zhan, S., Lu, R., Li, H., Liu, D., Clinical, D., Liu, D., Tan, W., Liu, D., and



Clinical, D., 2020, In vitro antiviral activity and projection of optimized dosing design of hydroxychloroquine for the treatment of severe acute respiratory syndrome main point : hydroxychloroquine was found to be more potent than chloroquine at inhibiting SARS-CoV-2 in vit, *Clin. Infect. Dis.*, 2, 1–25.

Yao, Y., Lin, G., Xie, Y., Ma, P., Li, G., Meng, Q., and Wu, T., 2014, Preformulation studies of myricetin: a natural antioxidant flavonoid, *Pharmazie*, 69(1), 19-26.

Zaragozá, C., Villaescusa, L., Monserrat, J., Zaragozá, F., and Álvarez-Mon, M., 2020, Potential therapeutic anti-inflammatory and immunomodulatory effects of dihydroflavones, flavones, and flavonols, *Molecules*, 25, 1017.

Zhang, L., Lin, D., Sun, X., Curth, U., Drosten, C., Sauerhering, L., Becker, S., Rox, K., and Hilgenfeld, R., 2020, Crystal structure of SARS-CoV-2 main protease provides a basis for design of improved α -ketoamide inhibitors, *Science*, 368, 409-412.

Zhavoronkov, A., Aladinskiy, V., Zhebrak, A., Zagribelnyy, B., Terentiev, V., Bezrukov, D.S., Polykovskiy, D., Shayakhmetov, R., Filimonov, A., Orekhov, P., Yan, Y., Popova, O., Vanhaelen, Q., Aliper, A., and Ivanenkov, Y., 2020, Potential Covid-2019 3C-like protease inhibitors designed using generative deep learning approaches, *ChemRxiv*.

Zhou, D., Dai, S.M., and Tong Q., 2020, COVID-19: a recommendation to examine the effect of hydroxychloroquine in preventing infection and progression, *J. Antimicrob. Chemother.*, 75, 1667-1670.