

## DAFTAR PUSTAKA

- Adil M, Adil S, Syed K, Aziz T, Badshah A. Comparison of Interpremolar, Molar Widths and Arch Depth Among Different Malocclusions. *Pak Oral Dent J*. 2016; 36(2): 241-244.
- Anacleto MA, Souki BQ, Superimposition of 3D Maxillary Digital Models Using Open-Source Software. *Dental Press J Orthod*. 2019; 24(2): 81-91.
- Aroujo TM, Fonseca LM, Caldas LD, Costa-Pinto RA. Preparation and Evaluation of Orthodontic Setup. *Dental Press J Orthod*. 2012; 17(3): 146-165.
- Asquith J, Gillgrass T, Mossey P. Three-dimensional Imaging of Orthodontic Models: A Pilot Study. *Eur J Orthod*. 2007; 29: 517-522.
- Barberia E, Suarez MC, Villalon G, Maroto M, Garcia-Godoy F. Standards for Mesiodistal and Buccolingual Crown Size and Height of Primary Molars in A Sample of Spanish Children. *Eur J Paediatr Dent*. 2009; 10(2): 169-175.
- Beuer F, Schweiger J, Edelhoff D. Digital dentistry: an overview of recent developments for CAD/CAM generated restorations. *Br Dent J*. 2008; 204:505–511.
- Bhalaji SI. Model Analysis. *Orthodontics The Art and Science*. 2006. Edisi III. Arya (MEDI) Publishing House. New Delhi.
- Blender. [www.blender.org](http://www.blender.org). diakses pada tanggal 15 Januari 2021.
- Chan LY, Yao CCJ, Chen YJ. Clear Aligner Treatment with "In-Office" Virtual Model Set-Up and 3D Printing. *J Dent Oral Care*. 2017; 3(1): 21-25.
- Chrusciel-Nogalska M, Smektata, T. Open-Source Software in Dentistry: A Systematic Review. *Int J Technol Assess Health Care*. 2017, 33(4): 1-7.
- Correia GDC, Habib FAL, Vogel CJ. Tooth-size discrepancy: A comparison between manual and digital methods. *Dental Press J Orthod*. 2014; 19(4): 107-113.
- Dogra S, Sharma V, Dhiman T, Dua B. Comparison of Intraoral and Extraoral Digital Impressions: Clinical Study. *J Adv Med Dent Sci Res*. 2019; 7(7):119-122.

- Dovramadjiev T. Advanced Creating of 3D Dental Models in Blender Software. *MTM Proceedings*. 2016; 4: 32-33.
- Felter M, Lenza MMO, Lenza MG, Shibazaki WMM, Silva RF. Comparative Study of The Usability of Two Software Program for Visualization and Analysis of Digital Orthodontic Models. *J Dent Res Dent Clin Dent Prospect*. 2018; 12(3) 213-220.
- Fernandes TMF, Sathler R, Leticia GN, Henriques JFC, Pinzan A. Comparison of Mesiodistal Tooth Widths in Caucasian, African and Japanese Individuals With Brazilian Ancestry and Normal Occlusion. *Dental Press J Orthod*. 2013; 18(3): 130-135.
- Ferreira JB, Christovam IO, Alencar D, da Motta AF, Mattos CT, Cury-Saramago A. Accuracy and Reproducibility of Dental Measurements on Tomographic Digital Models: A Systematic Review and Meta-Analysis. *Dentomaxillofac Radiol*. 2017; 46(7): 1-16.
- Fleming PS, Marinho V, Johal A. Orthodontic Measurements on Digital Study Models Compared with Plaster Models: A Systematic Review. *Orthod Craniofac Res*. 2011; 14: 1-16.
- Flugge T, Schlager S, Nelson K, Nahles S, Metzger M. Precision of intraoral digital dental impressions with iTero and extraoral digitization with the iTero and a model scanner. *Am J Orthod Dentofacial Orthop*. 2013; 144: 471–8.
- Forster CW, Sunga E, Chung CH. Relationship Between Dental Arch Width and Vertical Facial Morphology in Untreated Adults. *Eur J Orthod*. 2008; 30: 288-294.
- Galibourg A, Brenes C. Virtual Smile Design Tip: From 2D to 3D Design with Free Software. *J Pros Dent*. 2018; 121(5): 862-864.
- Grant GT, Campbell SD, Masri RM, Andersen MR, American College of Prosthodontists Digital Dentistry Glossary Development Task Force. *J Pros*. 2016; S2 - S9.
- Han KU, Vig KWL, Weintraub JA, Vig PS, Kowalski CJ. Consistency of orthodontic treatment decisions relative to diagnostic records. *Am J Orthod Dentofacial Orthop*. 1991; 100: 212–219.

- Harris EF, Smith RN. Accounting for measurement error: acritical but often overlooked process. *Archives of Oral Biology*. 2007; 54: 107-117.
- Hou H, Kit R, Hägg WU. The uses of orthodontic study models in diagnosis and treatment planning. *Hong Kong Dent J*. 2006; 3: 107-15.
- Houston WJB. The Analysis of Errors in Orthodontic Measurements. *Am J Orthod*. 1983; 83(5): 382-390.
- Javaid M, Haleem A, Kumar L. Current Status and Applications of 3D Scanning In Dentistry. *Clin Epidemiol Glob Health*. 2018; 1-6.
- Junk S, Kuen C. Review of Open-Source and Freeware CAD Systems for Use with 3D-Printing. *Procedia CIRP*. 2016: 430-435.
- Kamoen A, Dermaut L, Verbeeck R. The Clinical Significance of Error Measurement in The Interpretation of Treatment Results. *Eur J Orthod*. 2001; 23: 569-578.
- Kasparova M, Halamova S, Dostalova T, Prochazka A. Intraoral 3D Scanning for The Digital Evaluation of Dental Arch Parameters. *Appl Sci*. 2018; 8: 1-9.
- Keim RG, Gottlieb EL, Nelson AH, Vogels DS. 2008 JCO Study of Orthodontic Diagnosis and Treatment Procedure Part 1 Results and Trends. *JCO*. 2008; 17(11): 625-640.
- Koo TK, Li MY. A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research. *J Chiropr Med*. 2016; 15: 155-163.
- Koretsi V, Tingelhoff L, Proff P, Kirschneck C. Intra-Observer Reliability and Agreement of Manual and Digital Orthodontic Model Analysis. *Eur J Orthod*. 2017; 1-6.
- Kravitz ND, Groth C, Shannon T. CAD/CAM Software for Three-Dimensional Printing. *JCO*. 2018; 52(1): 22-27.
- Lachin JM. The Role of Measurement Reliability in Clinical Trials. *Clinical Trials*. 2004; 1: 553-566.
- Luan XD, Xie YX, Ying L, Wu LD. Research and Development of 3D Modeling. *Int J Com Sci Net Sec*. 2008; 8(1): 49-53.

- Luu NS, Nikolcheva LG, Retrouvey JM, Flores-Mir C, Bialy TE, Carey JP, Major PW. Linear Measurements Using Virtual Study Models A Systematic Review. *Angle Orthod.* 2012; 82(6): 1098-1106.
- Mah J, Sachdeva R. Computer-assisted Orthodontic Treatment: The SureSmile Process. *Am J Orthod Dentofacial Orthop.* 2001; 120: 85-87.
- Matrix Education. <https://www.matrix.edu.au/the-beginners-guide-to-physics-practical-skills/physics-practical-skills-part-2-validity-reliability-accuracy-experiments/>. diakses pada tanggal 15 Januari 2021.
- Mushtaq N, Tajik I, Baseer S, Shakeel S. Intercanine and Intermolar Widths in Angle Class I, II, and III Malocclusions. *Pak Oral Dent J.* 2014; 34(1): 83-86.
- Paredes V, Gandia JL, Cibrian R. Digital Diagnosis Records in Orthodontics, An Overview. *Med Oral Patol Oral Cir Bucal.* 2006; 11: E88-93.
- Peluso MJ, Josell SD, Levine SW, Lorei BJ. Digital models: an introduction *Semin Orthod.* 2004; 10: 226-238
- Quaas S, Rudolph H, Luthardt RG. Direct Mechanical Data Acquisition of Dental Impressions For The Manufacturing of CAD/ CAM Restorations. *J Dent.* 2007; 35: 903-908.
- Quimby ML, Vig KW, Rashid RG, Firestone AR. The accuracy and reliability of measurements made on computer-based digital models. *Angle Orthod.* 2004; 74(3): 298-303.
- Ranstam J, Methodological Note: Accuracy, Precision, and Validity. *Acta Radiologica.* 2008; 105-106.
- Richert R, Goujat A, Venet L, Viguie G, Viennot S, Robinson P, Farges JC, Fages M, Ducret M. Intraoral Scanner Technologies: A Review to Make a Successful Impression. *J Healthc Eng.* 2017; 1-9.
- Rischen RJ, Breuning KH, Bronkhorst EM, Kuijpers-Jagtman AM. Records needed for orthodontic diagnosis and treatment planning: a systematic review. *PLoS ONE.* 2013; 8(11): e74186
- Rori J, Sentinuwo S, Karouw S. Perancangan Aplikasi Panduan Belajar Pengenalan Ortodonsia Menggunakan Animasi 3D. 2016; 8(1): 47-51.

- Rossini G, Parrini S, Castroflorio T, Deregibus A, Debernardi CL. Diagnostic Accuracy and Measurement Sensitivity of Digital Models for Orthodontic Purposes: A Systematic Review. *AJODO*. 2016; 149(2): 161-170.
- Ryan SJ, Stewart K, Ghoneima A. Three-Dimensional analysis of digital models generated from intraoral, extraoral, and cbct scanning devices. *J Dent Maxillofacial Res*. 2019; 2(4): 1-7.
- Sakar T, Orhan K, Sinanoglu A, Tosun O, Oz U. Assessment of The Accuracy of Orthodontic Digital Models. *EURASIA J Math Sci and Tech Ed*. 2017; 13(8): 5465-5473.
- Santoro M, Galkin S, Teredesai M, Nicolay OF, Cangialosi TJ. Comparison of Measurements Made on Digital and Plaster Models. *AJODO*. 2003; 124(1): 101-105.
- Shaifei I, Bahrami M, Nokar S. Dimensional Accuracy of Intraoral and Laboratory Scanners: A Literature Review. *Biosci Biotech Res Comm* 2017; 10(4): 790-796.
- Scherer M. Introducing Open Architecture Digital Dentistry. 2019. <https://learndentistry.com/introducing-open-source-digital-dentistry/>.
- Scholz RP. Orthodontic technolocity. *Am J Orthod Dentofacial Orthop*. 2001; 119(3): 666-8.
- Shastry S, Park JH. Evaluation of The Use of Digital Study Models in Postgraduate Orthodontic Programs in The United States and Canada. *Angle Orthod*. 2014; 84(1): 62-67.
- Shin SH, Lim JH, Kang YJ, Kim JH, Shim JS, Kim JE. Evaluation of The 3D Printing Accuracy of a Dental Model According to Its Internal Structure and Cross-Arch Plate Design: An In Vitro Study. *Materials*. 2020; 13(5433): 1-12.
- Singh SP, Goyal A. Mesiodistal Crown Dimensions of The Permanent Dentition in North Indian Children. *J Indian Soc Pedod Prev Dent*. 2006; 192-196.
- Staley RN, Reske NT. *Essentials of Orthodontics: Diagnosis and Treatment*. 2011. Blackwell Publishing, Ltd.

- Stevens DR, Flores-Mir C, Nebbe B, Raboud DW, Heo G, Major PW. Validity, Reliability, dan Reproducibility of Plaster vs Digital Study Models: Comparison of Peer assessment Rating and Bolton Analysis and Their Constituent Measurements. *AJODO*. 2006; 129(6): 794-803.
- Trajkovic G. Measurement: Accuracy and Precision, Reliability and Validity. *Encyclopedia of Public Health*. 2008. Springer Link.
- Watanabe-Kanno GA, Abrao J, Junior HHM, Sanchez-Ayala A, Lagravere MO. Reproducibility, reliability and validity of measurements obtained from Ceph3 digital models. 2009; 23(3): 288-295.
- Westerlund A, Tancredi W, Ransjo M, Psonis S, Torgersson O. Digital Casts in Orthodontics: A Comparison of 4 Software Systems. *Am J Orthod Dentofacial Orthop*. 2015; 147(4): 509-516.
- WHO. World Medical Association Declaration of Helsinki, Ethical Principles for Medical Research Involving Human Subjects. *Bulletin of The World Health Organization*. 2001; 79(4): 373-374.
- [www.kulzer.com](http://www.kulzer.com) diakses pada tanggal 15 Januari 2021.
- [www.maestro3d.com](http://www.maestro3d.com) diakses pada tanggal 15 Januari 2021.
- Zhou C, Pan S, Zhou T. Design and Implementation of Software Simulation System for Dental Orthodontic Robot. *Mater Sci Eng*. 2019; 646: 1-6.