

## DAFTAR PUSTAKA

- Alavi-Naini, R., Moghtaderi, A., Metanat, M., Mohammadi, M., & Zabetian, M. (2013). Factors associated with mortality in tuberculosis patients. *Journal of Research in Medical Sciences : The Official Journal of Isfahan University of Medical Sciences*, 18(1), 52–55. <http://www.ncbi.nlm.nih.gov/pubmed/23901338>
- Anggriani, Y., Restinia, M., Mitakda, V. C., Rochsismandoko, R., & Kusumaeni, T. (2015). Clinical Outcomes Penggunaan Antibiotik pada Pasien Infeksi Kaki Diabetik. *Jurnal Sains Farmasi & Klinis*, 1(2), 111. <https://doi.org/10.29208/jsfk.2015.1.2.27>
- Arbex, M. A., Varella, M. de C. L., Siqueira, H. R. de, & Mello, F. A. F. de. (2010). Antituberculosis drugs: drug interactions, adverse effects, and use in special situations. Part 2: second line drugs. *Jornal Brasileiro de Pneumologia : Publicacao Oficial Da Sociedade Brasileira de Pneumologia e Tisiologia*, 36(5), 641–656. <https://doi.org/10.1590/s1806-37132010000500017>
- Arikunto, S. (2010). *Prosedur penelitian: suatu pendekatan praktik*. Rineka Cipta.
- Aullia, F. (2014). Management of Pulmonary Tuberculosis and Diabetes Mellitus in a 48 Years Old Woman With Family Medicine Approach. *Jurnal Agromedicine*. <http://juke.kedokteran.unila.ac.id/index.php/agro/article/view/1317>
- Balepur, S. S., & Schlossberg, D. (2016). Hematologic Complications of Tuberculosis. *Microbiology Spectrum*, 4(6). <https://doi.org/10.1128/microbiolspec.TNMI7-0004-2016>
- Bourgi, K., Fiske, C., & Sterling, T. R. (2017). Tuberculosis Meningitis. *Current Infectious Disease Reports*, 19(11), 39. <https://doi.org/10.1007/s11908-017-0595-4>
- Bowden, S., Jalles, J. t., Pereira, A. s., & Sadler, A. (2014). Respiratory tuberculosis and standards of living in postwar Europe. *European Review of Economic History*, 18(1), 57–81. <https://doi.org/10.1093/ereh/het018>
- Byng-Maddick, R., & Noursadeghi, M. (2016). Does tuberculosis threaten our ageing populations? *BMC Infectious Diseases*, 16(1), 119. <https://doi.org/10.1186/s12879-016-1451-0>
- Carrol, E. D., Clark, J. E., & Cant, A. J. (2001). Non-pulmonary tuberculosis. *Paediatric Respiratory Reviews*, 2(2), 113–119. <https://doi.org/10.1053/prrv.2000.0118>
- CDC (Centers for Disease Control and Prevention). (2015). *International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)*. CDC (Center for Disease Control and Prevention). <https://www.cdc.gov/nchs/icd/icd9cm.htm>
- Cegielski, J. P., & McMurray. (2004). The relationship between malnutrition and tuberculosis: evidence from studies in humans and experimental animals. *The*

*International Journal of Tuberculosis and Lung Disease*, 8(3), 286–298.

- Chalasani, N., Fontana, R. J., Bonkovsky, H. L., Watkins, P. B., Davern, T., Serrano, J., Yang, H., & Rochon, J. (2008). Causes, Clinical Features, and Outcomes From a Prospective Study of Drug-Induced Liver Injury in the United States. *Gastroenterology*, 135(6), 1924-1934.e4. <https://doi.org/10.1053/j.gastro.2008.09.011>
- Chandrasekaran, P., Saravanan, N., Bethunaickan, R., & Tripathy, S. (2017). Malnutrition: Modulator of Immune Responses in Tuberculosis. *Frontiers in Immunology*, 8. <https://doi.org/10.3389/fimmu.2017.01316>
- Cooper, D. R., & Schindler, P. S. (2013). *Business Research Methods 12th (twelfth)* (12th ed.). McGraw-Hill.
- Daniels, C. E., & Ryu, J. H. (2011). Improving the safety of thoracentesis. *Current Opinion in Pulmonary Medicine*, 17(4), 232–236. <https://doi.org/10.1097/MCP.0b013e328345160b>
- Diana, E. S., Wiyono, W. H., Swidarmoko, B., & Nawas, A. (2010). Nilai Kepositifan Pemeriksaan Basil Tahan Asam ( BTA ) dari Teknik Induksi Sputum dan Bronchoalveolar Lavage ( BAL ) dalam Diagnosis Tuberkulosis Paru BTA Negatif. *J Resp Indo*, 33(2), 82–91.
- Dinas Kesehatan Daerah Istimewa Yogyakarta. (2018). *Profil Kesehatan Provinsi Daerah Istimewa Yogyakarta*. Dinas Kesehatan Daerah Istimewa Yogyakarta.
- Diniari, N., Virani, D., & . C. (2019). Gambaran Asupan Dan Status Gizi Pada Pasien Rawat Inap Penyakit Tuberkulosis Di Rumah Sakit Umum Daerah Labuang Baji Makassar Tahun 2018. *Jurnal Gizi Masyarakat Indonesia: The Journal of Indonesian Community Nutrition*, 8(2), 79–89. <https://doi.org/10.30597/jgmi.v8i2.8511>
- Doan, T. V. P., Couet, W., & Olivier, J. C. (2011). Formulation and in vitro characterization of inhalable rifampicin-loaded PLGA microspheres for sustained lung delivery. *International Journal of Pharmaceutics*, 414(1–2), 112–117. <https://doi.org/10.1016/j.ijpharm.2011.05.007>
- Dobler, C. C., Flack, J. R., & Marks, G. B. (2012). Risk of tuberculosis among people with diabetes mellitus: an Australian nationwide cohort study. *BMJ Open*, 2(1), e000666. <https://doi.org/10.1136/bmjopen-2011-000666>
- DWIJAYANTHI, K. N., SRINADI, I. G. A. M., & SUCIPTAWATI, N. L. P. (2013). HUBUNGAN PENGARUH PENOLONG KELAHIRAN TERHADAP STATUS KELAHIRAN BAYI DENGAN KONTROL VARIABEL CONFOUNDING DI KABUPATEN BULELENG (STUDI KASUS: PUSKESMAS SUKASADA II). *E-Jurnal Matematika*, 2(4), 29. <https://doi.org/10.24843/MTK.2013.v02.i04.p055>
- Febriantama, et al. (2019). UNIT COST ANALYSIS OF TUBERCULOUS MENINGITIS PATIENTS Meningitis tuberkulosis (meningitis TB ) merupakan infeksi yang disebabkan oleh Mycobacterium mengenai tuberkulosis yang meningitis diagnosis karena pemeriksaan meningen parenkim penunjang

atau waktu. *Sinaps*, 2(1), 43–56.

- Feng, J.-Y., Fang, W.-F., Wu, C.-L., Yu, C.-J., Lin, M.-C., Ku, S.-C., Chen, Y.-C., Chen, C.-W., Tu, C.-Y., Su, W.-J., & Yang, K.-Y. (2012). Concomitant Pulmonary Tuberculosis in Hospitalized Healthcare-Associated Pneumonia in a Tuberculosis Endemic Area: A Multi-center Retrospective Study. *PLoS ONE*, 7(5), e36832. <https://doi.org/10.1371/journal.pone.0036832>
- Fitri Fauzia, D., Basyar, M., & Manaf, A. (2016). Insidensi Tuberkulosis Paru pada Pasien Diabetes Melitus Tipe 2 di Ruang Rawat Inap Penyakit Dalam RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, 5(2). <https://doi.org/10.25077/jka.v5i2.520>
- Frost, P. (2016). Hospital Performance: Length of Stay. *Victorian Auditor-General's Report, February*, 1–62.
- Groenewald, W., Baird, M. S., Verschoor, J. A., Minnikin, D. E., & Croft, A. K. (2014). Differential spontaneous folding of mycolic acids from *Mycobacterium tuberculosis*. *Chemistry and Physics of Lipids*, 180, 15–22. <https://doi.org/10.1016/j.chemphyslip.2013.12.004>
- Hasan, M. I. (2001). *Pokok-Pokok Materi Statistik 1 (Statistik Deskriptif)*. PT Bumi Aksara.
- Hasmawati, H., Anggraeni, I., & Susanti, R. (2019). IDENTIFIKASI VARIABEL CONFOUNDING DENGAN PENERAPAN UJI CHI SQUARE MANTEL HAENSZEL PADA HUBUNGAN ANTENATAL CARE (ANC) TERHADAP BBLR DI KOTA SAMARINDA. *Jurnal Kesehatan Reproduksi*, 10(1), 21–31. <https://doi.org/10.22435/kespro.v10i1.2069>
- Heysell, S. K., Moore, J. L., Keller, S. J., & Houpt, E. R. (2010). Therapeutic Drug Monitoring for Slow Response to Tuberculosis Treatment in a State Control Program, Virginia, USA. *Emerging Infectious Diseases*, 16(10), 1546–1553. <https://doi.org/10.3201/eid1610.100374>
- Horton, K. C., MacPherson, P., Houben, R. M. G. J., White, R. G., & Corbett, E. L. (2016). Sex Differences in Tuberculosis Burden and Notifications in Low- and Middle-Income Countries: A Systematic Review and Meta-analysis. *PLOS Medicine*, 13(9), e1002119. <https://doi.org/10.1371/journal.pmed.1002119>
- Huffman, E. K. (1994). *Health Information Management Tenth Edition*. Phycian Record Company.
- Hungu. (2007). *Demografi Kesehatan Indonesia*. Grasindo.
- InfoDatin. (2018). *Pusat Data dan Informasi Kesehatan RI Tuberculosis*.
- Jain, A. K. (2010). Tuberculosis of the spine. *The Journal of Bone and Joint Surgery. British Volume*, 92-B(7), 905–913. <https://doi.org/10.1302/0301-620X.92B7.24668>
- Janson, J., Marais, F., Mehtar, S., & Baltussen, R. M. P. M. (2012). Costs and process of in-patient tuberculosis management at a central academic hospital,

Cape Town, South Africa. *Public Health Action*, 2(3), 61–65.  
<https://doi.org/10.5588/pha.12.0003>

Kato, H., Horita, N., Miyazawa, N., Yoshiyama, T., Ueda, A., & Ishigatsubo, Y. (2013). Risk factors for liver injury with an elevated serum bilirubin concentration caused by antituberculous drugs. *Internal Medicine*, 52(19), 2209–2214. <https://doi.org/10.2169/internalmedicine.52.0545>

Kemendes RI. (2013). *Laporan Nasional Riset Kesehatan Dasar 2013*. [http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2013/Laporan\\_riskesdas\\_2013\\_final.pdf](http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2013/Laporan_riskesdas_2013_final.pdf)

Kementerian Kesehatan RI. (2014). *Pedoman Nasional Pengendalian Tuberkulosis*.

Kementerian Kesehatan RI. (2018). *Data dan Informasi Profil Kesehatan Indonesia 2018*.

Kemendiknas Kesehatan Republik Indonesia. (2017). Pengobatan Pasien Tuberkulosis. *Kemendiknas Kesehatan Republik Indonesia*, 1–117. [http://www.ljj-kesehatan.kemkes.go.id/pluginfile.php/4607/coursecat/description/Pengobatan\\_Pasien\\_TB.pdf](http://www.ljj-kesehatan.kemkes.go.id/pluginfile.php/4607/coursecat/description/Pengobatan_Pasien_TB.pdf)

Kethireddy, S., Light, R. B., Mirzanejad, Y., Maki, D., Arabi, Y., Lapinsky, S., Simon, D., Kumar, A., Parrillo, J. E., & Kumar, A. (2013). Mycobacterium tuberculosis Septic Shock. *Chest*, 144(2), 474–482. <https://doi.org/10.1378/chest.12-1286>

Kowalak, J. (2011). *Buku Ajar Patofisiologi*. EGC.

Krell, R. W., Girotti, M. E., & Dimick, J. B. (2014). Extended Length of Stay After Surgery. *JAMA Surgery*, 149(8), 815. <https://doi.org/10.1001/jamasurg.2014.629>

Kumar, A., Roberts, D., Wood, K. E., Light, B., Parrillo, J. E., Sharma, S., Suppes, R., Feinstein, D., Zanotti, S., Taiberg, L., Gurka, D., Kumar, A., & Cheang, M. (2006). Duration of hypotension before initiation of effective antimicrobial therapy is the critical determinant of survival in human septic shock\*. *Critical Care Medicine*, 34(6), 1589–1596. <https://doi.org/10.1097/01.CCM.0000217961.75225.E9>

Kurniawan, E., Raveinal, R., Fauzar, F., & Arsyad, Z. (2016). Nilai Diagnostik Metode “Real Time” PCR GeneXpert pada TB Paru BTA Negatif. *Jurnal Kesehatan Andalas*, 5(3). <https://doi.org/10.25077/jka.v5i3.609>

Lee, S. H., Hur, G. Y., Jung, K. H., Lee, S. Y., Lee, S. Y., Kim, J. H., Park, S. M., Shin, C., Shim, J. J., In, K. H., Kang, K. H., & Ryu, S. H. (2004). Clinical Investigation of Tuberculous Pneumonia. *Tuberculosis and Respiratory Diseases*, 57(1), 19. <https://doi.org/10.4046/trd.2004.57.1.19>

LIAM, C.-K., PANG, Y.-K., & POOSPARAJAH, S. (2006). Pulmonary tuberculosis presenting as community-acquired pneumonia. *Respirology*, 11(6), 786–792.

<https://doi.org/10.1111/j.1440-1843.2006.00947.x>

Lubis, I. K., & Susilawati, S. (2018). Analisis Length Of Stay (Los) Berdasarkan Faktor Prediktor Pada Pasien DM Tipe II di RS PKU Muhammadiyah Yogyakarta. *Jurnal Kesehatan Vokasional*, 2(2), 161. <https://doi.org/10.22146/jkesvo.30330>

Malbruny, B., Marrec, G. Le, Courageux, K., Leclercq, R., & Cattoir, V. (2011). *Rapid and efficient detection of Mycobacterium tuberculosis in respiratory and non-respiratory samples*. 15(August 2010), 553–555. <https://doi.org/10.5588/ijtld.10.0497>

Peraturan Menteri Kesehatan Nomor 269 Tahun 2008 Tentang Rekam Medis, Pub. L. No. No.269/MENKES/III/2008 (2008).

Pedoman Nasional Pelayanan Kedokteran Tata Laksana Tuberculosis, Pub. L. No. KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR HK.01.07/MENKES/755/2019 (2019).

Mukherjee, A., Kaeley, N., Dhar, M., Kumar, S., & Bhushan, B. (2019). Prevalence, characteristics, and predictors of tuberculosis associated anemia. *Journal of Family Medicine and Primary Care*, 8(7), 2445. [https://doi.org/10.4103/jfmpc.jfmpc\\_311\\_19](https://doi.org/10.4103/jfmpc.jfmpc_311_19)

Notoatmodjo, S. (2015). *Metodologi Penelitian Kesehatan*. Rineka Cipta.

Pan American Health Organization. (2016). *Electronic Medical Records in Latin America and the Caribbean: An Analysis of the current situation and recommendations for the Region*. 28.

Pardjono, P., Santoso, P., Krisnawati, D. I., Susilowati, E., Quayumi, E., & Setyowati, N. (2017). Pengaruh Dinamika Kelompok Sosial Terhadap Angka Kejadian Dan Penyembuhan Penyakit Tuberkulosis Paru Di Wilayah Puskesmas Mojoroto. *Jurnal Ilmu Kesehatan*, 1(1). <https://doi.org/10.32831/jik.v1i1.14>

Piccazzo, R., Paparo, F., & Garlaschi, G. (2014). Diagnostic Accuracy of Chest Radiography for the Diagnosis of Tuberculosis (TB) and Its Role in the Detection of Latent TB Infection: a Systematic Review. *The Journal of Rheumatology Supplement*, 91, 32–40. <https://doi.org/10.3899/jrheum.140100>

Pigrau-Serrallach, C., & Rodríguez-Pardo, D. (2013). Bone and joint tuberculosis. *European Spine Journal*, 22(S4), 556–566. <https://doi.org/10.1007/s00586-012-2331-y>

Putri, N. I., & Budyanra. (2019). PENERAPAN REGRESI LOGISTIK ORDINAL DENGAN PROPORTIONAL ODDS MODEL PADA DETERMINAN TINGKAT STRES AKADEMIK MAHASISWA ( Studi Kasus pada Mahasiswa Tingkat I Politeknik Statistika STIS Tahun Akademik 2018 / 2019 ). *Seminar Nasional Official Statistics*, 368–378.

Quintana, J. M., Unzurrunzaga, A., Garcia-Gutierrez, S., Gonzalez, N., Lafuente,



- I., Bare, M., de Larrea, N. F., Rivas, F., & Esteban, C. (2015). Predictors of Hospital Length of Stay in Patients with Exacerbations of COPD: A Cohort Study. *Journal of General Internal Medicine*, 30(6), 824–831. <https://doi.org/10.1007/s11606-014-3129-x>
- Ramel, A., Jonsson, P. V., Bjornsson, S., & Thorsdottir, I. (2008). Anemia, nutritional status, and inflammation in hospitalized elderly. *Nutrition*, 24(11–12), 1116–1122. <https://doi.org/10.1016/j.nut.2008.05.025>
- Saryono. (2013). *Metodologi Penelitian Kualitatif dan Kuantitatif dalam Bidang Kesehatan*. Nuha Medika.
- Scott, J., Hall, A., Muyodi, C., Lowe, B., Ross, M., Chohan, B., Mandaliya, K., Getambu, E., Gleeson, F., Drobniewski, F., & Marsh, K. (2000). Aetiology, outcome, and risk factors for mortality among adults with acute pneumonia in Kenya. *The Lancet*, 355(9211), 1225–1230. [https://doi.org/10.1016/S0140-6736\(00\)02089-4](https://doi.org/10.1016/S0140-6736(00)02089-4)
- Shah, K., Chan, L. W., & Wong, T. W. (2017). Critical physicochemical and biological attributes of nanoemulsions for pulmonary delivery of rifampicin by nebulization technique in tuberculosis treatment. *Drug Delivery*, 24(1), 1631–1647. <https://doi.org/10.1080/10717544.2017.1384298>
- Shah, M., & Reed, C. (2014). Complications of tuberculosis. *Current Opinion in Infectious Diseases*, 27(5), 403–410. <https://doi.org/10.1097/QCO.0000000000000090>
- Shen, G.-H., Tsao, T. C.-Y., Kao, S.-J., Lee, J.-J., Chen, Y.-H., Hsieh, W.-C., Hsu, G.-J., Hsu, Y.-T., Huang, C.-T., Lau, Y.-J., Tsao, S.-M., & Hsueh, P.-R. (2012). Does empirical treatment of community-acquired pneumonia with fluoroquinolones delay tuberculosis treatment and result in fluoroquinolone resistance in Mycobacterium tuberculosis? Controversies and solutions. *International Journal of Antimicrobial Agents*, 39(3), 201–205. <https://doi.org/10.1016/j.ijantimicag.2011.11.014>
- Silva, D. R., Menegotto, D. M., Schulz, L. F., Gazzana, M. B., & Dalcin, P. T. (2010). Mortality among patients with tuberculosis requiring intensive care: a retrospective cohort study. *BMC Infectious Diseases*, 10(1), 54. <https://doi.org/10.1186/1471-2334-10-54>
- Smeltzer, S. C., Bare, B. G., Hinkle, J. L., & Cheever, K. H. (2016). *Brunner & Suddarth's Textbook of Medical-Surgical Nursing* (12th Editi). Lippincott Williams and Wilkins.
- Snow, K. J., Sismanidis, C., Denholm, J., Sawyer, S. M., & Graham, S. M. (2018). The incidence of tuberculosis among adolescents and young adults: a global estimate. *European Respiratory Journal*, 51(2), 1702352. <https://doi.org/10.1183/13993003.02352-2017>
- Society, A. T. (2016). *Thoracentesis*. American Thoracic Society. <https://www.thoracic.org/patients/patient-resources/resources/thoracentesis.pdf>

- Soedarto. (2009). *Penyakit Menular di Indonesia*. Sagung Seto.
- Sugiyono. (2010). *Metode Penelitian Kuantitatif Kualitatif & RND*. Alfabeta.
- Sugiyono. (2016). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Alfabeta.
- Suyono, Budiman, & Ester, M. (2010). *Ilmu Kesehatan Masyarakat: Dalam Konteks Kesehatan Lingkungan*. EGC.
- Tampil, Y. A., Komalig, H., & Langi, Y. (2017). Analisis Regresi Logistik Untuk Menentukan Faktor-Faktor Yang Mempengaruhi Indeks Prestasi Kumulatif ( IPK ) Mahasiswa FMIPA Universitas Sam Ratulangi Manado Logistic Regression Analysis To Determine Factors Affecting The Grade Point Average ( GPA ) Of FM. *D'CARTESIAN*, 6(2), 57–62.
- Tavares, C., Lins, T. B. A., Junqueira-Kipnis, A. P., & de Araújo-Filho, J. A. (2013). Tuberculosis deaths in a tertiary hospital in Goiânia, Brazil: a descriptive study. *Le Infezioni in Medicina*, 21(4), 279–286. <http://www.ncbi.nlm.nih.gov/pubmed/24335458>
- Thwaites, G. E., van Toorn, R., & Schoeman, J. (2013). Tuberculous meningitis: more questions, still too few answers. *The Lancet Neurology*, 12(10), 999–1010. [https://doi.org/10.1016/S1474-4422\(13\)70168-6](https://doi.org/10.1016/S1474-4422(13)70168-6)
- Torok, M. E. (2015). Tuberculous meningitis: advances in diagnosis and treatment. *British Medical Bulletin*, 113(1), 117–131. <https://doi.org/10.1093/bmb/ldv003>
- Vray, M., Germani, Y., Chan, S., Duc, N. H., Sar, B., Sarr, F. D., Bercion, R., Rahalison, L., Maynard, M., L'Her, P., Chartier, L., & Mayaud, C. (2008). Clinical features and etiology of pneumonia in acid-fast bacillus sputum smear-negative HIV-infected patients hospitalized in Asia and Africa. *AIDS*, 22(11), 1323–1332. <https://doi.org/10.1097/QAD.0b013e3282fdf8bf>
- Wei, M., Yongjie Zhao, Zhuoyu Qian, Biao Yang, Xi, J., Wei, J., & Tang, B. (2020). Pneumonia caused by Mycobacterium tuberculosis. *Microbes and Infection*, 22(6–7), 278–284. <https://doi.org/10.1016/j.micinf.2020.05.020>
- WHO. (2010). *International Statistical Classification Of Diseases And Related Health Problems 10th Revision. Volume 1 -3*. WHOPress.
- WHO. (2019). *Global Tuberculosis Report*. [https://www.who.int/tb/publications/global\\_report/en/](https://www.who.int/tb/publications/global_report/en/)
- World Health Organization. (2016). *Chest Radiography in Tuberculosis*. 1–44. <https://apps.who.int/iris/bitstream/handle/10665/252424/9789241511506-eng.pdf?sequence=1>
- World Health Organization. (2019). *Global Tuberculosis Report 2019*. <https://apps.who.int/iris/bitstream/handle/10665/329368/9789241565714-eng.pdf?ua=1>
- Wouk, H. (2010). *Tuberculosis*. Marshall Cavendish Benchmark.
- Wright, W. (2013). *Essentials Of Clinical Infectious Diseases*. Demos Medical.

- Wulandari, A. A., Nurjazuli, N., & Adi, M. S. (2015). Faktor Risiko dan Potensi Penularan Tuberkulosis Paru di Kabupaten Kendal , Jawa Tengah. *Jurnal Kesehatan Lingkungan Indonesia*, 14(1), 7–13. <https://doi.org/https://doi.org/10.14710/jkli.14.1.7> - 13.
- Zhou, Y., Chen, C., Jiang, H., Pan, H.-Q., Zhu, L.-M., & Lu, W. (2019). High admission rates and heavy inpatient service costs of urban tuberculosis patients in eastern China. *BMC Health Services Research*, 19(1), 47. <https://doi.org/10.1186/s12913-019-3892-9>
- Zunt, J. R. (2018). Tuberculosis of the Central Nervous System. *CONTINUUM: Lifelong Learning in Neurology*, 24(5), 1422–1438. <https://doi.org/10.1212/CON.0000000000000648>