

DAFTAR PUSTAKA

- Abdullah, A., Akhir, J. M., & Abdullah, I. (2010). Automatic Mapping of Lineaments using Shaded Relief Images Derived from Digital Elevation Model (DEMs) in the Maran - Sungai Lembing Area, Malaysia. *Electronic Journal of Geotechnical Engineering*, 15, 1–9. Retrieved from <https://ukm.pure.elsevier.com/en/publications/automatic-mapping-of-lineaments-using-shaded-relief-images-derive>.
- Abidin, H. Z., & Mugiarto, F. T. (2000). Pengaruh Geometri Jaringan Terhadap Ketelitian Survei GPS. *Jurnal Surveying Dan Geodesi*, X(1). <https://doi.org/10.31227/osf.io/t7pds>.
- Abulude, F. O., Akinyinka, A., & Adeyemi, A. (2015). Global Positioning System and it's Wide Applications. *Continental Journal Information Technology*, 9(1), 22–32. <https://doi.org/10.5707/cjit.2015.9.1.22.32>.
- Adhyawan, M. A. (2015). *Pengaruh Fluktuasi Muka Air Waduk terhadap Elevasi Tubuh Bendungan (Studi Kasus : Waduk Sermo)*. Skripsi, Departemen Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta.
- Alhirmizy, S. (2013). Automatic Mapping of Lineaments using Shaded Relief Images Derived from Digital Elevation Model (DEM) in Kirkuk Northeast Iraq. *International Journal of Science and Research*, 4(5), 2015.
- Alizadeh-Khameneh, M. A., Eshagh, M., & Sjöberg, L. E. (2015). Optimisation of Lilla Edet Landslide GPS Monitoring Network. *Journal of Geodetic Science*, 5(1), 57–66. <https://doi.org/10.1515/jogs-2015-0005>.
- Alizadeh-Khameneh, M. Amin, Sjöberg, L. E., & Jensen, A. B. O. (2017). Optimisation of GNSS Networks-Considering Baseline Correlations. *Survey Review*, 1–8. <https://doi.org/10.1080/00396265.2017.1342896>.
- Altamimi, Z., Collilieux, X., Legrand, J., Garayt, B., & Boucher, C. (2007). ITRF2005: a New Release of the International Terrestrial Reference Frame Based on Time Series of Station Positions and Earth Orientation Parameters. *Journal of Geophysical Research: Solid Earth*, 112(9), 1–19. <https://doi.org/10.1029/2007JB004949>.
- Aminfar, M. H., Rastbud, A., Ahmadi, H., & Naseri, A. (2016). Comparing the Geodetical and Geotechnical Methods in Investigating Deformation of Earthfill Dams ; a Case Study of Mahabad Earthfill Dam, Iran, 11(4), 619–637.
- Aminuddin. (2005). *Prinsip-prinsip Riset Operasi*. Jakarta: Erlangga.
- Amiri-Simkooei, A. R. (2013). On the Nature of GPS Draconitic Year Periodic Pattern in Multivariate Position Time Series. *Journal of Geophysical Research: Solid Earth*,

118(5), 2500–2511. <https://doi.org/10.1002/jgrb.50199>.

- Ansori, A. Z. Al, Stefano, A. Di, Jyalita, J., & Amijaya, D. H. (2015). Relationships of Depositional Environment and Mineralogy on Rock Fracturability (Brittleness): Case Study of Eocene Nanggulan Shale, Kulon Progo, Yogyakarta. In *Proceedings, Indonesian Petroleum Association, Thirty-Ninth Annual Convention & Exhibition*.
- Arini, S., Yulaikhah, & Cahyono, B. K. (2019). Calculation of Sedimentation at Sempor Reservoirs in 2018 Using Modified Universal Soil Loss Equation Method (MUSLE). *Journal of Geospatial Information Science and Engineering*, 2(2), 212–219.
- Azdan, M. D., & Samekto, C. R. (2008). Kritisnya Kondisi Bendungan di Indonesia 1, 1–7.
- Baarda, W. (1968). *A Testing Procedure for Use in Geodetic Networks. Publications on Geodesy* (New Series, Vol. 2). Netherlands Geodetic Commission: Publ Geodesy.
- Benzao, T., & Shaorong, Z. (1995). Optimal Design of Monitoring Networks with Prior Deformation Information. *Survey Review*, 33(258), 231–246. <https://doi.org/10.1179/sre.1995.33.258.231>.
- Bock, Y., Prawirodirdjo, L., Genrich, J. F., Stevens, C. W., McCaffrey, R., Subarya, C., ... Calais, R. (2003). Crustal Motion in Indonesia from Global Positioning System Measurements. *Journal of Geophysical Research*, 108(B8), 2367. <https://doi.org/10.1029/2001JB000324>.
- Bos, M. S., Fernandes, R. M. S., & Apolinario, J. (2013). Investigation of the Cross - Correlation in GNSS Time-Series. *Fundação Para de e Ciência e a Tecnologia*.
- Cahyono, B. K., Hakim, L., Waljiyanto, & Adi, A. D. (2017). Perhitungan Kecepatan Sedimentasi Melalui Pendekatan USLE dan Pengukuran Kandungan Tanah dalam Air Sungai yang Masuk ke dalam Waduk Sermo. *Jurnal Nasional Teknologi Terapan*, 1(1), 8–23.
- Caspary, W. F. (2000). *Concepts of Network and Deformations Analysis*. Sidney, New South Wales, Australia: School of Geomatic Engineering, The University of New South Wales.
- Chen, Y.-Q. (1983). *Analysis of Deformation Surveys - a Generalized Method*. Canada: University of New Brunswick.
- Chrzanowski, A. S., Chrzanowski, A., & Massiéra, M. (2005). Use of Deformation Monitoring Results in Solving Geomechanical Problems-Case Studies. *Engineering Geology*, 79(1–2), 3–12. Retrieved from <https://www.sciencedirect.com/science/article/abs/pii/S0013795205000517>.

- Chugh, A. K. (2007). *Training Aids for Dam Safety Module :Evaluation of Embankment Dam Stability and Deformation*. Bureau of Reclamation.
- Craymer, M. R., & Beck, N. (1992). Session Versus Baseline GPS Processing. In *Proceedings of ION GPS-92, 5th International Technical Meeting of the Satellite Division of the Institute of Navigation* (pp. 995–1004). Albuquerque.
- Davis, R.O., & Selvadurai, A. P. . (1996). *Elasticity and Geomechanics*. United State of America: Cambridge University Press.
- Dawoud, S. (2012). GNSS Principles and Comparison. Retrieved from <https://www.semanticscholar.org/paper/GNSS-principles-and-comparison-Dawoud/f77d36966cfd66be3d1feefe9faae1a6aa7e2756?p2df>.
- Dennis, J. G. (1972). *Structural Geology*. United State of America: John Wiley & Son, Inc.
- Departemen Pekerjaan Umum. (1985). *Laporan Utama Pekerjaan Disain Detil Proyek Bendungan Sermo*. Yogyakarta.
- ElGharbawi, T., & Tamura, M. (2014). Measuring Deformations using SAR Interferometry and GPS Observables with Geodetic Accuracy: Application to Tokyo, Japan. *ISPRS Journal of Photogrametry and Remote Sensing*, 88, 156–165.
- Even-Tzur, G. (2002). GPS Vector Configuration Design for Monitoring Deformation Networks. *Journal of Geodesy*, 76(8), 455–461. <https://doi.org/10.1007/s00190-002-0274-5>.
- F. Alfa, P. L. T. (2004). *Analisis Dinamik Bendungan Sermo Jawa Tengah*. Skripsi, Jurusan Teknik Sipil Fakultas Teknik, Universitas Kristen Maranatha, Bandung.
- Fajriyanto, Suyadi, Dewi, C., & Meilano, I. (2013). Estimasi Laju Geser dan Pembuatan Model Deformasi di Selat Sunda dengan Menggunakan GPS Kontinyu. In *Seminar Nasional Sains dan Teknologi V Lembaga Penelitian Universitas Lampung* (pp. 241–252). Lampung. Retrieved from <http://satek.unila.ac.id/wp-content/uploads/2014/03/3-241.pdf>.
- Fathani, T. F., & Legono, D. (2012). Dynamics of Earth Dam Staility caused by Rapid Rising and Drawdown of Water Level. In *The 3rd International Workshop on Multimodal Sediment Disasters* (p. E-1-1 s.d E-1-8). Kyoto University, Jepang.
- Fathullah, A., Awaluddin, M., & Haniah. (2015). Pengamatan Deformasi Sesar Kaligarang Dengan GPS Tahun 2015. *Jurnal Geodesi Undip*, 4(4), 42.
- Febrina, D. (2016). *Analisis Deformasi 3D Aspek Geometrik pada Jaring Kontrol Pemantauan Bendungan Sermo Tahun 2015 s.d. 2016*. Thesis, Program Studi

Magister Teknik Geomatika, Departemen Teknik Geodesi Fakultas Teknik,
Universitas Gadjah Mada.

- Fitri. (2016). Analisa dan Tampilan Kelurusan Geologi (Lineament) dari Citra Satelit dan Rose Diagram. Retrieved March 30, 2017, from <https://fagustin.wordpress.com/2016/05/31/analisa-dan-tampilan-kelurusan-geologi-lineament-dari-citra-satelit-dan-rose-diagram/>.
- Fossen, H. (2016). *Structural Geology* (Second Edi). Cambridge, United Kingdom: Cambridge University Press.
- Fowler, C. M. R. (1996). *The solid earth: an Introduction to Global Geophysics* (2nd editio). United Kingdom: Cambridge University Press. <https://doi.org/10.1029/90eo00309>.
- Fuadi, H. (2014). *Analisis Stabilitas Bendungan Urugan Tanah: Uji Model Fisik di Laboratorium dan Analisis Elemen Hingga*. Tesis, Program Studi S2 Teknik Sipil, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta.
- Gahalaut, K., & Gahalaut, V. K. (2010). Effect of the Zipingpu Reservoir Impoundment on the Occurrence of the 2008 Wenchuan Earthquake and Local Seismicity. *Geophysical Journal International*, 183, 277–285. <https://doi.org/10.1111/j.1365-246X.2010.04715.x>.
- Gahalaut, K., & Hassoup, A. (2012). Role of Fluids in the Earthquake Occurrence Around Aswan Reservoir , Egypt. *Journal of Geophysical Research*, 117(August 2011), 1–13. <https://doi.org/10.1029/2011JB008796>.
- Gerasimenko, M. D., Shestakov, N. V., & Kato, T. (2000). On Optimal Geodetic Network Design for Fault-Mechanics Studies. *Earth, Planets and Space*, 52(11), 985–987. <https://doi.org/10.1186/BF03352317>.
- Ghilani, C. D. (2010). *Adjustment Computation Spatial Data Analysis* (Fifth). New Jersey: John Wiley & Son, Inc.
- Ginting, S., & Hatmoko, W. (2010). Penentuan Laju Sedimen pada Rencana Waduk Jatibarang. *Jurnal Sumber Daya Air*, 6(1), 33–46.
- Grafarend, E. W., & Sanso, F. (1985). *Optimization and Design of Geodetic Networks*. Berlin Heidelberg: Springer-Verlag.
- Guler, G., Kilic, H., Hosbas, G., Ozaydin, K., & Asce, M. (2006). Evaluation of the Movements of the Dam Embankments by Means of Geodetic and Geotechnical Methods. *Journal of Surveying Engineering*, 132(1), 31–39.

- Halicioglu, K., & Ozener, H. (2008). Geodetic Network Design and Optimization on the Active Tuzla Fault (Izmir, Turkey) for Disaster Management. *Sensors*, 8(8), 4742–4757. <https://doi.org/10.3390/s8084742>.
- Harvey, B. R. (1994). *Practical Least Squares and Statistics for Surveyors*. New South Wales, Australia: The School of Surveying University of New South Wales.
- Hatewar, P. D., Birajdar, S., Howal, A. A., Badhe, A., & Kharat, P. V. (2020). Sedimentation Analysis Using Empirical Formula. *International Research Journal of Engineering and Technology*, 7(7), 875–880.
- Hu, B., Yang, Z., Wang, H., Sun, X., Bi, N., & Li, G. (2009). Sedimentation in the Three Gorges Dam and the Future Trend of Changjiang (Yangtze River) Sediment Flux to the Sea. *Hydrology and Earth System Sciences*, 13, 2253–2264.
- Huang, L., & Liu, C. Y. (2017). Three Types of Flower Structures in a Divergent-Wrench Fault Zone. *Journal of Geophysical Research: Solid Earth*, 122(12), 10,478–10,497. <https://doi.org/10.1002/2017JB014675>.
- Iqbal, M., & Juliarka, B. R. (2019). Analisis Kerapatan Kelurusan (Lineament Density) sebagai Indikator Tingkat Permeabilitas di Lapangan Panasbumi Suoh-Sekincau, Lampung. *Journal of Science and Applicative Technology*, 3(2), 61–67. <https://doi.org/10.35472/x0xx0000>.
- Jin, S., Cardellach, E., & Xie, F. (2014). *GNSS Remote Sensing: Theory, Methods and Applications. Photogrammetric Engineering & Remote Sensing* (Vol. 19). Dordrecht: Springer Science+Business Media. <https://doi.org/10.14358/pers.83.3.173>.
- Jong, de . C. D., Lachapelle, G., Skone, S., & Elema, I. A. (2002). *Hydrography*. Netherlands: VSSD.
- Kalkan, Y., Alkan, R. M., & Bilgi, S. (2010). Deformation Monitoring Studies at Atatürk Dam. In *FIG Congress 2010* (pp. 11–16). Sidney, Australia.
- Kalkan, Y., Potts, L. V, & Bilgi, S. (2015). Assessment of Vertical Deformation of the Atatürk Dam using Geodetic Observations. *Journal of Surveying Engineering*, 142(2), 1–14. [https://doi.org/10.1061/\(ASCE\)SU.1943-5428.0000148](https://doi.org/10.1061/(ASCE)SU.1943-5428.0000148).
- Karaim, M., Elsheikh, M., & Noureldin, A. (2018). GNSS Error Sources. In *Multifunctional Operation and Application of GPS*. Intech Open. <https://doi.org/dx.doi.org/10.5772/intechopen.75493>.
- Karnawati, D. (2005). *Bencana Alam Gerakan Massa Tanah di Indonesia dan Upaya Penanggulangnya*. Yogyakarta: Jurusan Teknik Geologi Fakultas Teknik Universitas Gadjah Mada.

- Khojasteh, A. N., Jamshidi, M., Vahedi, E., & Telikani, S. (2016). Introduction to Global Navigation Satellite Systems and its Errors. *International Academic Journal of Science and Engineering*, 3(3), 53–61.
- Koulali, A., McClusky, S., Susilo, S., Leonard, Y., Cummins, P., Tregoning, P., ... Wijanarto, A. B. (2017). The Kinematics of Crustal Deformation in Java from GPS Observations: Implications for Fault Slip Partitioning. *Earth and Planetary Science Letters*, 458, 69–79. <https://doi.org/10.1016/j.epsl.2016.10.039>.
- Koulali, A., Susilo, S., McClusky, S., Meilano, I., Cummins, P., Tregoning, P., ... Syafi'I, M. A. (2016). Crustal Strain Partitioning and the Associated Earthquake Hazard in the Eastern Sunda-Banda Arc. *Geophysical Research Letters*, 43(5), 1943–1949. <https://doi.org/10.1002/2016GL067941>.
- Krakiwsky, E. J., & Wells, D. E. (1971). *Coordinate Systems in Geodesy*. Canada: Department of Geodesy and Geomatics Engineering University of New Brunswick.
- Kuang, S. (1996). *Geodetic Network Analysis and Optimal Design Concept and Applications*. Michigan: Ann Arbor Press. Inc.
- Lechner, W., & Baumann, S. (2000). Global Navigation Satellite Systems. *Computers and Electronics in Agriculture*, 25, 67–85.
- Liu, S., & Trenkler, G. (2008). Hadamard, Khatri-Rao, Kronecker and other Matrix Products. *International Journal of Information and System Sciences*, 4(1), 160–177.
- Maimunah. (2014). *Pengaruh Fluktuasi Muka Air Reservoir terhadap Stabilitas Bendungan Tanah (Uji Model Fisik di Laboratorium)*. Tesis, Program Studi S2 Teknik Sipil, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta.
- Marliyani, G. I., Arrowsmith, J. R., & Whipple, K. X. (2016). Characterization of Slow Slip Rate Faults in Humid Areas: Cimandiri Fault Zone, Indonesia. *Journal of Geophysical Research: Earth Surface*, 121(12), 2287–2308. <https://doi.org/10.1002/2016JF003846>.
- Mehrabi, H., & Voosoghi, B. (2014). Optimal Observational Planning of Local GPS Networks : Assessing an Analytical Method. *Journal of Geodetic Science*, 4, 87–97. <https://doi.org/10.2478/jogs-2014-0005>.
- Meisyara, N. (2012). *Pengaruh Fluktuasi Muka Air Reservoir terhadap Deformasi dan Stabilitas Bendungan Tanah (Uji Model di Laboratorium)*. Tesis, Program Studi S2 Teknik Sipil, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta.
- Mikhail, E. M., & Gracie, G. (1981). *Analysis and Adjustment of Survey Measurements*. New York: Van Nostrand Reinhold Company.

- Muhammad, M. M., & Awdal, A. H. (2012). Automatic Mapping of Lineaments using Shaded Relief Images Derived from Digital Elevation Model (DEM) in Erbil-Kurdistan, Northeast Iraq. *Advances in Natural and Applied Sciences*, 6(2), 138–146.
- Narita, K. (2000). Design and Construction of Embankment Dams (pp. 0–17). Department of Civil Engineering, Aichi Institute of Technology.
- Noor, J. (2012). Penafsiran Citra Satelit untuk Pemetaan Geologi. *Bahan Ajar*. Bogor: Universitas Pakuan, Bogor. Retrieved from https://www.academia.edu/6746052/Metoda_Penafsiran_Citra_Satelit_Untuk_Pemetaan_Geologi.
- Obialor, C. A., Okeke, O. C., Onunkwo, A. A., Fagorite, V. I., & Ehujuo, N. N. (2019). Reservoir Sedimentation : Causes , Effects and Mitigation. *International Journal of Advanced Academic Research, Sciences, Technology and Engineering*, 5(10), 92–109.
- Ogundare, J. O. (2016). *Precision Surveying the Principles and Geomatics Practice*. New Jersey: John Wiley & Son, Inc.
- Okorochoa, C. V., & Olajugba, O. (2014). Comparative Analysis of Short, Medium and Long Baseline Processing in the Precision of GNSS Positioning. In *FIG Congress 2014* (pp. 1–15). Kuala Lumpur, Malaysia.
- Papanikolaou, I. (2011). Active and Inactive Faults. Retrieved August 19, 2020, from <https://paleoseismicity.org/active-and-inactive-faults/>.
- Parcharidis, I., Kokkalas, S., Fountoulis, I., & Fomelis, M. (2009). Detection and Monitoring of Active Faults in Urban Environments : Time Series Interferometry on the Cities of. *Remote Sensing*, 1, 676–696. <https://doi.org/10.3390/rs1040676>.
- Permadi, O. (2016). *Perhitungan Volume dan Sebaran Sedimentasi pada Waduk Sermo Berdasarkan Kondisi Awal Pembangunan dan Keadaan Terkini*. Skripsi, Departemen Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta.
- Permana, H., Handayani, L., & Gaffar, E. Z. (2010). Studi Awal Pola Struktur Busur Muka Aceh, Sumatra Bagian Utara (Indonesia): Penafsiran dan Analisis Peta Batimetri. *Jurnal Geologi Kelautan*, 8(3), 105. <https://doi.org/10.32693/jgk.8.3.2010.191>.
- Pinasti, A. (2019). *Pemodelan Deformasi Kawasan Sesar Opak Berdasarkan Data GNSS Periodik Tahun 2013 sampai 2018*. Tesis, Program Studi Magister Teknik Geomatika, Departemen Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada.
- Ploymukda, A., & Chansangiam, P. (2016). Khatri-Rao Products for Operator Matrices Acting on the Direct Sum of Hilbert Spaces. *Journal of Mathematics*, 2016. <https://doi.org/10.1155/2016/8301709>.

- Poerbandono, & Djunarsjah, E. (2005). *Survei Hidrografi (Pertama)*. Bandung: PT. Refika Aditama.
- Pratama, C. (2018). *Transient Rheology Model of the Oceanic Asthenosphere Inferred from the 2012 Indian Ocean Earthquake using a Finite Element Method*. Nagoya University.
- Rahardjo, W., Sukandarrumidi, & Rosidi, H. (2012). *Peta Geologi Lembar Yogyakarta Skala 1 : 100.000*. Pusat Survey Geologi-Badan Geologi-Kementrian Energi dan Sumberdaya Mineral.
- Ramachandra, M., Kottala, R. B., Rajasekhar, M., & Badapalli, P. K. (2019). Lineament Analysis by Remote Sensing and GIS Techniques for Groundwater and Mineral Exploration in and around Lingala and Pendlimarri Mandal's of Kadapa District, A.P, India. *SSRG International Journal of Geoinformatics and Geological Science*, 6(2), 38–44. <https://doi.org/10.14445/23939206/ijggs-v6i2p106>.
- Real-Time Kinematic and Differential GPS. (n.d.). Retrieved June 26, 2020, from <https://www.e-education.psu.edu/geog862/node/1828>.
- Sabins, F. F. (1997). *Remote Sensing Principles and Interpretation* (3rd Editio). New York: W.H. Freeman and Company.
- Satirapod, C., Simons, W. J. F., & Promthong, C. (2008). Monitoring Deformation of Thai Geodetic Network due to the 2004 Sumatra-Andaman and 2005 Nias Earthquakes by GPS. *Journal of Surveying Engineering*, 134(3), 83–88. [https://doi.org/10.1061/\(ASCE\)0733-9453\(2008\)134:3\(83\)](https://doi.org/10.1061/(ASCE)0733-9453(2008)134:3(83)).
- Seeber, G. (2003). *Satellite Geodesy: Foundations, Methods, and Applications*. Berlin: Walter de Gruyter GmbH & Co. KG.
- Septiani, N. (2016). *Optimasi Penentuan Kombinasi Produk Berdasarkan Prakiraan dan Metode Linear Programming*. Skripsi, Jurusan Matematika, Fakultas Matematika Dan Ilmu Pengetahuan Alam, Universitas Negeri Semarang, Semarang.
- Setan, H., & Singh, R. (2001). Deformation Analysis of a Geodetic Monitoring Network. *Geomatica*, 55(3), 333–346.
- Setiawan, T. (2016). Sistem Akuifer Kars Waekabubak, Sumba Barat, Berdasarkan Analisis Densitas Kelurusan Morfologi dan Variasi Spasial Hidrogeokimia. *Jurnal Lingkungan Dan Bencana Geologi*, 7(2), 89–102.
- Shang-jie, X., Fa-ning, D., Qing, H., & Su-zhen. (2009). Analysis of Stability of Dam Slope During Rapid Drawdown of Reservoir Water Level. In *International Conference on Engineering Computation* (pp. 221–224). Hongkong: IEEE Computer

Society. <https://doi.org/10.1109/ICEC.2009.29>.

Shen, Z. K., Wang, M., Zeng, Y., & Wang, F. (2015). Optimal Interpolation of Spatially Discretized Geodetic Data. *Bulletin of the Seismological Society of America*, 105(4), 2117–2127. <https://doi.org/10.1785/0120140247>.

Simons, W. J. F., Socquet, A., Vigny, C., Ambrosius, B. A. C., Abu, S. H., Promthong, C., ... Spakman, W. (2007). a Decade of GPS in Southeast Asia: Resolving Sundaland Motion and Boundaries. *Journal of Geophysical Research: Solid Earth*, 112(6), 1–20. <https://doi.org/10.1029/2005JB003868>.

Siyahi, B., & Arslan, H. (2008). Earthquake Induced Deformation of Earth Dams. *Bulletin of Engineering Geology and the Environment*, 67(3), 397–403. <https://doi.org/10.1007/s10064-008-0150-5>.

Sosrodarsono, S., & Takeda, K. (1977). *Bendungan Tipe Urugan*. Jakarta: PT. Pradnya Paramita.

Souliyavong, T., Gallge, C., Egodawatta, P., & Maher, B. (2012). Factors Affecting the Stability Analysis of Earth Dam Slopes Subjected to Reservoir Drawdown. In *Second International Conference on Geotechnique, Construction Material and Environment, Kuala Lumpur Malaysia* (Vol. 2012, pp. 507–512).

Sugiyanto, D., Zulfakriza, Ismail, N., Adriansyah, F., Meilano, I., & Abidin, H. Z. (2011). Analisa Deformasi Permukaan Patahan Aktif Segmen Seulimum dan Segmen Aceh. In *Prosiding seminar Hasil Penelitian Kebencanaan TDMRC-Unsyiah, Banda Aceh* (pp. 72–77). Banda Aceh. Retrieved from https://www.researchgate.net/publication/273003735_Analisa_Deformasi_Permukaan_Patahan_Aktif_Segmen_Seulimum_dan_Segmen_Aceh.

Suryawiria, N. M., & Raharjo, P. D. (2017). Analisis Morfologi dalam Penentuan Arah Pergerakan Patahan (Studi Kasus Daerah Kebakalan Karanggayam Kebumen). In *Seminar Nasional Kebumian Ke-10 Peran Penelitian Ilmu Kebumian dalam Pembangunan Infrastruktur di Indonesia* (pp. 1956–1965). Yogyakarta.

Syabi, H. F., Haryanto, A. D., & Yoseph, B. (2019). Deliniasi Zona Upflow/Outflow Panas Bumi Daerah Cibeber, Banten Menggunakan Analisis Densitas Kelurusan dan Geoindikator. *Padjadjaran Geoscience Journal*, 3(1).

Thannoun, R. G. (2013). Automatic Extraction and Geospatial Analysis of Lineaments and Their Tectonic Significance in Some Areas of Northern Iraq using Remote Sensing Techniques and GIS. *International Journal of Enhanced Research in Science Technology & Engineering I*, 2(2). <https://doi.org/10.13140/RG.2.2.20851.99363>.

Tjakrawarsa, G., Adi, R. N., & Supangat, A. B. (2014). *Teknik Pengukuran Hasil Sedimen*.

Solo: Balai Penelitian Teknologi Kehutanan Daerah Aliran Sungai.

- Trifonov, V. G., & Kozhurin, A. I. (2010). Study of Active Faults: Theoretical and Applied Implications. *Geotectonics*, 44(6), 510–528. <https://doi.org/10.1134/S0016852110060051>.
- Ulinnuha, H. (2015). *Analisis Deformasi Aspek Geometrik Segmen Mentawai Akibat Gempa Tektonik 10 Juli 2013*. Tesis, Departemen Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada, Yogyakarta. <https://doi.org/10.1145/3132847.3132886>.
- US Army Corps of Engineers. (2002). Engineering and Design Structural Deformation Surveying (EM 1110-2-1009). In *Engineer Manual*. Washington DC: Department of the Army, US Army Corps of Engineers.
- US Army Corps of Engineers. (2013). Engineering and Design Hydrographic Surveying (EM 1110-2-1002). In *Engineer Manual*. Washington DC: Department of the Army, US Army Corps of Engineers.
- Van Bemmelen, R. W. (1949). *The Geology of Indonesia, Vol. IA, General Geology of Indonesia and Adjacent Archipelago*. Government Printing Office, The Hague.
- Verdiansyah, O. (2019). A Desktop Study to Determine Mineralization using Lineament Density Analysis at Kulon Progo Mountains, Yogyakarta and Central Java Province, Indonesia. *Indonesian Journal of Geography*, 51(1).
- Waljiyanto, Nugroho, P., Yulaikhah, & Cahyono, B. K. (2016). *Mitigasi Bencana Bendungan Sermo melalui Pemantauan Sedimentasi dan Deformasi Menggunakan Teknologi Satelit GPS*. Laporan Penelitian, Universitas Gadjah Mada, Yogyakarta.
- Wellenhof, B. H., Lichtenegger, H., & Collins, J. (2001). *GPS Theory and Practice*. New York: Springer-Verlag Wien.
- Wibowo, N. B., & Gunawan, A. (2014). The Spatial of Dam Responsiveness Based on Peak Ground Acceleration (PGA) Model, Regional Geology and Observation of Instruments. In *The international Conference in Sustainable Built Environment (ICSBE)* (pp. 1–15). Yogyakarta. <https://doi.org/10.13140/2.1.2277.0883>.
- Widagdo, A. (2020). *Perkembangan Struktur Geologi pada Batuan Berumur Paleogen hingga Neogen di Pegunungan Kulon Progo, Provinsi Daerah Istimewa Yogyakarta dan Jawa Tengah*. Disertasi, Departemen Teknik Geologi, Fakultas Teknik, Universitas Gadjah Mada. <https://doi.org/10.1017/CBO9781107415324.004>.
- Widagdo, A., Paramumijono, S., Harijoko, A., & Setiawan, A. (2016). Kajian Pendahuluan Kontrol Struktur Geologi terhadap Sebaran Batuan-batuan di Daerah Pegunungan Kulonprogo Yogyakarta. In *Proceeding Seminar Nasional Kebumihan ke-9*.

Yogyakarta.

- Widagdo, A., Pramumijoyo, S., & Harijoko, A. (2019a). Pengaruh Tektonik Kompresional Baratlaut-Tenggara terhadap Struktur Bidang Perlapisan, Kekar, Sesar dan Lipatan di Pegunungan Kulon Progo-Yogyakarta. *Jurnal Geosapta*, 5(2), 81–91.
- Widagdo, A., Pramumijoyo, S., & Harijoko, A. (2019b). The Structural Geology Constellation of Western Boundary of Yogyakarta Basin. In *Prosiding Seminar Nasional Kebumihan ke-12* (pp. 1421–1432). Yogyakarta: Teknik Geologi, Fakultas Teknik, Universitas Gadjah Mada.
- Widagdo, A., Pramumijoyo, S., Harijoko, A., & Setiawan, A. (2016). Type , Pattern and Force Direction of the Geological Structure at Kulonprogo Area-Yogyakarta-Indonesia. In *6th International Annual Engineering Seminar (InAES)* (pp. 1–5). Yogyakarta, Indonesia: Universitas Gadjah Mada.
- Widagdo, A., Pramumijoyo, S. P., Harijoko, A., & Setiyanto, A. (2018). Fault Lineament Control on Disaster Potentials in Kulon Progo Mountain Area-Central Java-Indonesia. In *International Conference on Disaster Management*. Padang, Indonesia: Andalas University-Indonesian Disaster Expert Association (IABI).
- Widagdo, A., Pramumijoyo, S., & Harijoko, A. (2018). Relation of Lineaments and Volcano-Stratigraphy of Tertiary Volcanic Rocks in Kulon Progo Mountains Area , Yogyakarta Indonesia. In *International Conference on Science and Technology*. Yogya: EDP Sciences.
- Widjajanti, N. (2010). *Deformation Analysis of Offshore Platform Using GPS Technique and its Applications in Structural Integrity Assessment*. Disertasi, Doctor of Philosophy Civil Engineering, Universiti Teknologi Petronas.
- Widjajanti, N., Parseno, & Ulinnuha, H. (2016). Analisis Gerakan Stasiun Pemantauan Patahan Opak. In *Prosiding 6th Annual Engineering Seminar (AES 2016)* (pp. 1–5). Yogyakarta.
- Widjajanti, N., Pratama, C., Parseno, Sunantyo, T. A., Heliani, L. S., Ma'ruf, B., ... Umami, R. F. (2020). Present-day Crustal Deformation Revealed Active Tectonics in Yogyakarta , Indonesia Inferred from GPS Observations. *Geodesy and Geodynamics*, 11, 135–142. <https://doi.org/10.1016/j.geog.2020.02.001>.
- Widya. (2010). Pengukuran Kadar Sedimen Suspensi. Retrieved March 9, 2020, from <https://widyawarta.wordpress.com/tag/pengukuran-sedimen/>.
- Wijaya, D. R. P., & Hendratno, A. (2015). Petrogenesis Andesit Basaltik di Daerah Kali Wader dan Sekitarnya, Kecamatan Bener, Kabupaten Purworejo, Provinsi Jawa Tengah. In *Proceeding, Seminar Nasional Kebumihan Ke-8, Academia-Industry*

Linkage. Yogyakarta.

- Wirawan, N. (2014). *Kajian Monitoring dan Analisis Stabilitas Bendungan Sermo*. Tesis, Program Studi S2 Teknik Sipil, Universitas Gadjah Mada, Yogyakarta.
- Wu, J., Tang, C., & Chen, Y. Q. (2003). First-order Optimization for GPS Crustal Deformation Monitoring. In *Proceedings of the 7th South East Asian Surveying Congress, Hong Kong, China, 3-7 November* (pp. 1–11). Retrieved from https://www.researchgate.net/publication/228757510_First-order_Optimization_for_GPS_Crustal_Deformation_Monitoring/citations.
- Wulandari, A., & Cahyono, B. K. (2020). Estimasi Volume Sedimentasi Waduk Sermo Menggunakan Metode RUSLE, Batimetri dan Angkutan Sedimen Estimation. *Journal of Geospatial Information Science and Engineering*, 3(1), 39–48. <https://doi.org/10.22146/jgise>.
- Yalçinkaya, M., & Teke, K. (2006). Optimization of GPS Networks with Respect to Accuracy and Reliability Criteria Optimization. In *Shaping the Change, XXIII FIG Congress* (pp. 1–16). Munich, Germany.
- Yu, K., Rizos, C., Burrage, D., Dempster, A. G., Zhang, K., & Markgraf, M. (2014). An Overview of GNSS Remote Sensing. *EURASIP Journal on Advances in Signal Processing*, 1–14.
- Yulaikhah, & Andaru, R. (2014). Pergeseran Horisontal Jaring Kontrol Waduk Sermo, Kulonprogo Periode 2012-2013. In *Prosiding Annual Engineering Seminar 2014, 12 Februari 2014*. Yogyakarta.
- Yulaikhah, Pramumijoyo, S., & Widjajanti, N. (2020). Lineament Trend Analysis for Designing of Fault Deformation Monitoring Network in the Sermo Reservoir Area , Yogyakarta , Indonesia. *International Journal on Advanced Science, Engineering and Information Technology*, 10(4), 1584–1590.
- Yulaikhah, Widjajanti, N., Nugroho, P., Cahyono, B. K., Waljiyanto, Adi, A. D., & Taftazani, M. I. (2017). The Analysis of Monitoring Control Point Displacement of Sermo Dam Based on the 2015-2016 GNSS Data. In *Proceeding of the 6th International Symposium on Earth Hazard and Disaster Mitigation (ISEDMD) 2016*. Institut Teknologi Bandung, Bandung: AIP Conference Proceedings.
- Yulaikhah, Y., Pramumijoyo, S., & Widjajanti, N. (2018). Correlation of GNSS Observation Data Quality Resulted from TEQC Checking and Coordinate's Precision. *JGISE: Journal of Geospatial Information Science and Engineering*, 1(1), 8–13. <https://doi.org/10.22146/jgise.38387>.