

DAFTAR PUSTAKA

- Al-Muhana, S.J., Al-Mudhafar, Z.A., Bahloul, R., Musa, S.I., Hadi, N.R., 2019. Impact of plasma neutrophil gelatinase-associated lipocalin level on early outcome of a patient with ST-segment elevation myocardial infarction. *International Journal of Research in Pharmaceutical Sciences*, 10(3), 1688-1691.
- Albaeni, A., Harris, C.M., Nasser, H., Sifontes, S., Hasan, S.M., Guduru, S., *et al.*, 2020. In-Hospital acute ischemic stroke following ST-elevation myocardial infarction, *IJC Heart & Vasculature*, Volume 31, 2020, 100684, ISSN 2352-9067.
- Alvelos, M., Lourenco, P., Dias, C., Amorim, M., Rema, J., Leite, AB., *et al.*, 2013. Prognostic value of neutrophil gelatinase-associated lipocalin in acute heart failure. *Int J Cardiol*; 165:51-55.
- Anderson, M.L., Peterson, E.D., Peng, S.A., Wang, T.Y., Ohman, E.M., Bhatt, D.L., *et al.*, 2013. Differences in the profile, treatment, and prognosis of patients with cardiogenic shock by myocardial infarction classification: A report from NCDR. *Circ Cardiovasc Qual Outcomes*. 2013 Nov;6(6):708-15.
- Andreucci, M., Faga, T., Pisani, A., Sabbatini, M., Russo, D., Michael, A., 2014. The choice of iodinated radiographic of contrast media to prevent contrast-induced nephropathy. *Advances in nephrology*; 11 pages.
- Aswania, G., Yasmin, A., 2019. Dislipidemia sebagai prediktor kejadian kardiovaskular mayor pada pasien infark miokard akut. *Jurnal Medika Udayana*, Vol.9, No.11.
- Barbarash, L.O., Bykova, S.I., Kashtalap, V.V., Zykov, V.M., Hryachkova, N.O., Kalaeva, V.V., *et al.*, 2017. Serum neutrophil gelatinase-associated lipocalin has an advantage over serum cystatin C and glomerular filtration rate in prediction of adverse cardiovascular outcome in patients with ST-segment elevation myocardial infarction. *BMC Cardiovascular Disorders*, Vol.17, No.1.
- Bellomo, R., Kellum, J.A., Bagshaw, S.M., 2007. Normotensive ischemic acute renal failure. *The New England journal of medicine*. 357 : 2205; author reply 2205–2206.

- Bennett, M.R., Ma, Q., Ying, J., Devarajan, P., Brunner, H, 2017. Effects of age and gender on reference levels of biomarkers comprising the pediatric Renal Activity Index for Lupus Nephritis (p-RAIL). *Pediatr Rheumatol Online J*;15(1):74. Published 2017 Oct 13.
- Bolignano, D., Donato, V., Lacquaniti, A., Fazio, M.R., Bono, C., Coppolino, G., *et al.*, 2010. Neutrophil gelatinase-associated lipocalin (NGAL) in human neoplasia : A new protein enters the scene. *Cancer Lett.* 288(1):10-6.
- Borregaard, N., Sehested, M., Nielsen, B.S, 2005. Biosynthesis Of Granule Proteins In Normal Human Bone Marrow Cells. Gelatinase Is A Marker Of Terminal Neutrophil Differentiation. *Blood*; 85: 812-81.
- Boucher, J.M., Racine, N., Thanh, T.H., Rahme, E., Brophy, J., LeLorier, J., *et al.*, 2001. Age-related differences in in-hospital mortality and the use of thrombolytic therapy for acute myocardial infarction. *CMAJ.* 164:1285-1290.
- Bratt, T., Ohlson, S., Borregaard, N., 1999. Interactions between neutrophil gelatinase-associated lipocalin and natural lipophilic ligands. *Biochimica et biophysica acta*; 1472(1±2):262±9. PMID: 10572948.
- Burgess, S., Juergens, P.C., Yang, W., Shugman, M.I., Idris, H., Nguyen, T., *et al.*, 2017. Cardiac mortality, diabetes mellitus, and multivessel disease in ST elevation myocardial infarction, *International Journal of Cardiology*, Volume 323, Pages 13-18.
- Cai, L., Borowiec, J., Xu, S., Han, W., Venge, P., 2009. Assays of urine levels of HNL/NGAL in patients undergoing cardiac surgery and the impact of antibody configuration on their clinical performances. *Clin Chim Acta*; 403: 121–125.
- Cai, L., Rubin, J., Han, W., Venge, P., Xu, S., 2010. The origin of multiple molecular forms in urine of HNL/NGAL . *Clin J Am Soc Nephrol*; 5: 2229–2235.
- Chen, T.H., Chang, C.H., Lin, C.Y., Jenq, C.C., Chang, M.Y., Tian, Y.C., *et al.*, 2012. Acute kidney injury biomarkers for patients in a coronary care unit: a prospective cohort study. *PLoS One*;7(2):e32328.
- Choi JW, Fujii T, Fujii N. 2016. Elevated Plasma Neutrophil Gelatinase-Associated Lipocalin Level as a Risk Factor for Anemia in Patients with Systemic Inflammation. *Biomed Res Int.* 2016:9195219.

- De Luca, G., Suryapranata, H., van 't Hof, A.W., de Boer, M.J., Hoorntje, J.C., Dambrink, J.H., *et al.*, 2004. Prognostic assessment of patients with acute myocardial infarction treated with primary angioplasty: implications for early discharge. *Circulation*; 109:2737-2743.
- Delewi, R., Zijlstra, F., Piek, J.J., 2012. Left ventricular thrombus formation after acute myocardial infarction. *Heart*. 2012; 98:1743–1749.
- Devarajan, P., 2008. Neutrophil gelatinase-associated lipocalin (NGAL). NIH Public Access;241:89-94.
- Dharma, S., Andriantoro, H., Dakota, I., Purnawan, I., Pratama, V., Isnaniyah, H., *et al.*, 2015. Organisation of reperfusion therapy for STEMI in a developing country. *Open Heart*.;2(1):e000240.
- Eeckhout, E., Carlier, S., Lerman, A., Kern, M., 2007. *Handbook of Complications During Percutaneous Coronary Interventions*. London: Taylor and Francis: Informa Healthcare.
- Elaziz, M.A., Fahmy, A.A., Hisham, D., 2017. "The value of urine neutrophil gelatinase-associated lipocalin in the prediction of septic acute kidney injury, dialysis need, and mortality in a cohort of Egyptian sepsis patients." *Kasr Al Ainy Medical Journal*, vol. 23, no. 2, p. 80.
- Falke, P., Elneihoum, A.M., Ohlsson, K., 2000. Leukocyte activation: relation to cardiovascular mortality after cerebrovascular ischemia. *Cerebrovasc Dis*. 10:97-101.
- Fan, Y., Zou, C., 2019. Prognostic value of neutrophil gelatinase-associated lipocalin in patients with acute ST-segment elevation myocardial infarction: A meta-analysis. *European Journal of Preventive Cardiology*, 26(4):444-446.
- Fang, Y., Ding, X., Zhong, Y., Zou, J., Teng, J., Tang, Y., *et al.*, 2010. Acute kidney injury in a Chinese hospitalized population. *Blood Purif* 2010;30(2):120-6.
- Gibson, C.M., Pinto, D.S., Murphy, S.A., Morrow, D.A., Hobbach, H.P., Wiviott, S.D., *et al.*, 2003. TIMI Study Group. Association of creatinine and creatinine clearance on presentation in acute myocardial infarction with subsequent mortality. *J Am Coll Cardiol*. 2003 Nov 5;42(9):1535-43.

- Goetz, D.H., Willie, S.T., Armen, R.S., Bratt, T., Borregaard, N., Strong, R.K., 2000. Ligand preference inferred from the structure of neutrophil gelatinase associated lipocalin. *Biochemistry*. 39(8):1935±41. PMID: 10684642.
- Goldberg, R.J., Spencer, F.A., Gore, J.M., Lessard, D., Yarzebski, J., 2009. Thirty-year trends (1975 to 2005) in the magnitude of, management of, and hospital death rates associated with cardiogenic shock in patients with acute myocardial infarction: a population-based perspective. *Circulation*. 119:1211-1219.
- Hall, I.E., Coca, S.G., Perazella, M.A., Eko, U.U., Luciano, R.L., Peter, P.R., *et al.*, 2011. Risk of poor outcomes with novel and traditional biomarkers at clinical AKI diagnosis. *Clin J Am Soc Nephrol*. 6(12):2740-2749.
- Hayiroglu, M.I., Keskin, M., Uzun, A.O., Yildirim, D.I., Kaya, A., Cinier, G., *et al.*, 2019. Predictors of In-Hospital Mortality in Patients With ST-Segment Elevation Myocardial Infarction Complicated With Cardiogenic Shock. *Heart Lung Circ*. 2019 Feb;28(2):237-244.
- Helanova, K., Spinar, J., Parenica, J., 2014. Diagnostic and prognostic utility of neutrophil gelatinase-associated lipocalin (NGAL) in patients with cardiovascular diseases-review. *Kidney Blood Press Res* 39(6): 623-629.
- Hidayat, A., 2009. Metode Penelitian Keperawatan dan Teknik. Analisis Data. Jakarta: Salemba Medika.
- Ji, M.S., Jeong, M.H., Ahn, Y.K., Kim, Y.J., Chae, S.C., Hong, T.J., *et al.*, 2015. Korea Acute Myocardial Infarction Registry Investigators. Impact of low level of high-density lipoprotein-cholesterol sampled in overnight fasting state on the clinical outcomes in patients with acute myocardial infarction (difference between ST-segment and non-ST-segment-elevation myocardial infarction). *J Cardiol*. 2015 Jan;65(1):63-70.
- Kacprzak, M., Zielinska, M., 2016. Prognostic value of myeloperoxidase concentration in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. *Int J Cardiol*. 223:452-457.
- Kafkas, N., Demponeras, C., Zoubouloglou, F., Spanou, L., Babalis, D., Makris, K., 2012. Serum Levels of Gelatinase Associated Lipocalin as Indicator of the Inflammatory Status in Coronary Artery Disease. *Int. J. Inflamm*. 2012.

- Kawaji, T., Shiomi, H., Morimoto, T., Furukawa, Y., Nakagawa, Y., Kadota, K., *et al.*, 2018. CREDO-Kyoto AMI investigators. Long-term clinical outcomes in patients with ST-segment elevation acute myocardial infarction complicated by cardiogenic shock due to acute pump failure. *Eur Heart J Acute Cardiovasc Care*. 2018 Dec;7(8):743-754.
- Keeley, E.C., Hillis, L.D., 2007. Primary PCI for Myocardial Infarction with ST-Segment Elevation. *N Engl J Med*. 356:47-54.
- Kelly, D.J., Gershlick, T., Witzenbichler, B., Guagliumi, G., Fahy, M., Dangas, G., *et al.*, 2011. Incidence and predictors of heart failure following percutaneous coronary intervention in ST-segment elevation myocardial infarction: The HORIZONS-AMI trial, *American Heart Journal*, Volume 162, Issue 4, 2011, Pages 663-670.
- Kirbis, S., Gorenjak, M., Sinkovič, A., 2015. The role of urine neutrophil gelatinase-associated lipocalin (NGAL) in acute HF in patients with ST-elevation myocardial infarction. *BMC Cardiovasc Disord*. 15:49.
- Kumar, A., Cannon, C.P., 2009. Acute Coronary Syndromes: Diagnosis and Management, Part 1. *Mayo Clinic Proc*. 84(10):917.
- Kumar, V., Abbas, A.K., Fausto, N., Mitchell, R., 2007. Basic Pathology, 8th Edition, Philadelphia, USA, Saunders Elsevier.
- Lekston, A., Tajstra, M., Gasior, M., Gietlorka, M., Pres, D., Hudzik, B., *et al.*, 2011. Impact of multivessel coronary disease on one-year clinical outcomes and five-year mortality in patients with ST-elevation myocardial infarction undergoing percutaneous coronary intervention. *Kardiol Pol*. 69(4):336-43.
- Lindberg, S., Pedersen, S.H., Mogelvang, R., Jensen, J.S., Flyvbjerg, A., Galatius, S., *et al.*, 2012. Prognostic utility of neutrophil gelatinase-associated lipocalin in predicting mortality and cardiovascular events in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. *J. Am. Coll. Cardiol*. 60, 339-345.
- Luo, J., Li, H., Qin, X., Liu, B., Zhao, J., Maihe, G., *et al.*, 2018. Increased risk of ischemic stroke associated with new-onset atrial fibrillation complicating acute coronary syndrome: a systematic review and meta-analysis. *Int J Cardiol*. 2018; 265:125–131.
- Mandelzweig, L., Battler, A., Boyko, V., Bueno, H., Danchin, N., Filippatos, G., *et al.*, 2006. The second Euro Heart Survey on acute coronary syndromes: characteristics, treatment, and outcome of patients with ACS in Europe and the Mediterranean Basin in 2004. *Eur Heart J*. 27:2285-2293.

- Martensson, J., Bellomo, R., 2014. The rise and fall of NGAL in acute kidney injury. *Blood Purif.* 37:304-10.
- May, M.R., So, D.Y., Dionne, R., Glover, C.A., Michael, P.V., Froeschl, *et al.*, 2008. A Citywide Protocol for Primary PCI in ST-Segment Elevation Myocardial Infarction. *N Engl J Med*;358:231-40.
- Nakada, Y., Kawakami, R., Matsui, M., Ueda, T., Nakano, T., Takitsume A., *et al.*, 2017. Prognostic Value of Urinary Neutrophil Gelatinase-Associated Lipocalin on the First Day of Admission for Adverse Events in Patients With Acute Decompensated Heart Failure. *J Am Heart Assoc.* 6(5):e004582.
- Nickolas, T.L., Schmidt-Ott, K.M., Canetta, P., Forster, C., Singer, E., Sise, M., *et al.*, 2012. Diagnostic and prognostic stratification in the emergency department using urinary biomarkers of nephron damage: a multicenter prospective cohort study. *J Am Coll Cardiol.* 59(3):246-255.
- O’Gara, P.T., Kushner, F.G., Ascheim, D.D., Casey, D.E., Chung, M.K., de Lemos, JA., *et al.*, 2013. ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction: A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Journal of the American Heart Association.* 127(4):362– 425.
- Paul, E., Felix, G., Philip, U., Marco, M., Pierre-Frederic, K., Dragana, R., 2012. Characteristic and outcome in acute coronary syndrome patients with and without established modifiable cardiovascular risk factors: insights from the nationwide AMIS Plus Registry 1997-2010. *Cardiology.* 121: 228-36.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, 2015. *Pedoman Tatalaksana Sindrom Koroner Akut*. Edisi III. Jakarta : PERKI.
- Perhimpunan Dokter Spesialis Kardiovaskular Indonesia, 2018. *Pedoman Tatalaksana Sindrom Koroner Akut*. Edisi IV. Jakarta : PERKI.
- Radovanovic, D., Erne, P., Schilling, j., Nosedo, G., Gutzwiller, F., 2005. Association of Dyslipidemia and Concomitant Risk Factors with In-Hospital Mortality in Acute Coronary Syndrome in Switzerland. *Heart Drug.* 5. 131-139. 10.1159/000085886.
- Roth, G.A., Abate, D., Abate, K.H., Abay, S.M., Abbafati, C., Abbasi, N., *et al.*, 2018. Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet.* 392 (10159) :1736 - 1788.

- Schmidt, K.M., 2011. Neutrophil Gelatinase-Associated Lipocalin As A Biomarker Of Acute Kidney Injury—Where Do We Stand Today?. *Nephrol Dial Transplant*; 1-3.
- Simarmata, A.E., 2012. Profil Intervensi Koroner Perkutan (IKP) pada unit kateterisasi RSUP Haji Adam Malik periode 2009-2010. *USU e-repository*.
- Singer, E., Elger, A., Elitok, S., Kettritz, R., Nickolas, T.L., Barasch, J., *et al.*, 2011. Urinary neutrophil gelatinase-associated lipocalin distinguishes pre-renal from intrinsic renal failure and predicts outcomes. *Kidney Int.* 80(4):405-414.
- Steele, L., Palmer, J., Lloyd, A., Fotheringham, J., Iqbal, J., Grech, E.D., 2019. The impact of smoking on mortality after acute ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention: a retrospective cohort outcome study at 3 years. *J Thromb Thrombolysis* 47, 520–526.
- Stone, S.G., Serrao, G.W., Mehran, R., Tomey, M.I., Witzenbichler, B., Guagliumi, G., *et al.*, 2014. Incidence, predictors, and implications of reinfarction after primary percutaneous coronary intervention in ST-segment-elevation myocardial infarction: the Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction Trial. *Circ Cardiovasc Interv.* 2014 Aug;7(4):543-51.
- Sudoyo, A.W., Setiyohadi, B., Alwi, I., Simadibrata, M., Setiati, S., 2010. Buku Ajar Ilmu Penyakit Dalam Jilid II edisi V. Jakarta: Interna Publishing.
- Takada, T., Shishido, K., Hayashi, T., Yokota, S., Miyashita, H., Yokoyama, H., *et al.*, 2019. "Impact of Late Ventricular Arrhythmias on Cardiac Mortality in Patients with Acute Myocardial Infarction", *Journal of Interventional Cardiology*, vol. 2019, Article ID 5345178, 9 pages.
- Tavakol, M., Ashraf, S., Brener, S.J., 2012. Risks and complications of coronary angiography: a comprehensive review. *Global journal of health science.* 4(1):65.
- Thomsen, A.F., Jacobsen, P.K., Køber, L., Joergensen, R.M., Huikuri, H.V., Thomsen, P.E., *et al.*, 2021. Risk of arrhythmias after myocardial infarction in patients with left ventricular systolic dysfunction according to mode of revascularization: a Cardiac Arrhythmias and Risk Stratification after Myocardial infArction (CARISMA) substudy, *EP Europace*, Volume 23, Issue 4, April 2021, Pages 616-623.

- Thune, J.J., Signorovitch, J., Kober, L., Velazquez, E.J., McMurray, J.J., Califf, R.M., *et al.*, 2008. Effect of antecedent hypertension and follow-up blood pressure on outcomes after high-risk myocardial infarction. *Hypertension*. 51(1):48–54.
- Thygesen K, Alpert JS, White HD. 2007. Universal definition of myocardial infarction. *Eur Heart J*. 28:2525-2538.
- Uretsky, B.F., Sheahan, R.G., 1997. Primary prevention of sudden cardiac death in heart failure: will the solution be shocking? *J Am Coll Cardiol*. 1997;30:1589–159.
- Wong, W.D., 2014. Epidemiological studies of CHD and the evolution of preventive cardiology. *Nature*. 11:276-89.
- Yousufuddin, M., Takahashi, P.Y., Major, B., Ahmmad. E., Al-Zubi, H., Peters, J., *et al.*, 2019. Association between hyperlipidemia and mortality after incident acute myocardial infarction or acute decompensated heart failure: a propensity score matched cohort study and a meta-analysis. *BMJ Open*. 2019 Dec 15;9(12):e028638.
- Zhao, L., Wang, L., Zhang, Y., 2009. Elevated admission serum creatinine predicts poor myocardial blood flow and one-year mortality in ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention. *J Invasive Cardiol*. 2009 Oct;21(10):493-8.