

DAFTAR PUSTAKA

- Adiutama, N. M. Fauzi, A.K. Ellina, A. D. 2021. Intervensi Edukasi Berbasis Theory of Planned Behavior untuk Meningkatkan Kepatuhan Pengobatan, Nutrisi, dan Pencegahan Penularan pada Pasien Tuberkulosis. *Jurnal Ilmiah Keperawatan (Scientific Journal of Nursing)*, Vol 7, No 1, Tahun 2021.
- Alemu YM, Habtewold TD, Alemu SM. (2018). Mother's knowledge on prevention of mother-to-child transmission of HIV, Ethiopia: A cross sectional study. *PloS ONE*. 13(9): e0203043.
- Allender JA, Warner KD, Rector CL, Allender JA, E. (2014) ‘Community and public health nursing: promoting the public’s health’, 8th ed. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins Health; p. 1086 p.
- Ajzen, I. (1991). The Theory of Planned Behavior. *Organizational Behavior and Human Decision Processes*, 50, 179-211. doi: 10.1016/0749-5978(91)90020-T
- Ajzen, I. and Fishbein, M. 2005. The influence of attitudes on behavior. In Albarracin, D., Johnson, BT., Zanna MP. (Eds), *The handbook of attitudes*, Lawrence Erlbaum Associates
- Dhesi Ari Astuti, Mohammad Hakimi, Yayi Suryo Prabandari, Ida Safitri Laksanawati, Atik Triratnawati. (2020). Health Promotion for the Prevention of Mother-to-Child Transmission of HIV from HIV-Infected Pregnant Women: A Meta-Analysis. *International Journal of Advanced Science and Technology*, 29(05), 6762 - 6771. Retrieved from <http://sersc.org/journals/index.php/IJAST/article/view/17731>
- Astuti, D. A., Hakimi, . M., Prabandari, . Y. S., Laksanawati, . I. S. & Triratnawati, . A. (2020) Implementation of Health Promotion Methods for the Prevention of Mother-to-Child HIV Transmission among Pregnant Women: A Literature Review. SRP, 11 (10), 361-366. doi:10.31838/srp.2020.10.58
- Astuti, D. A., Hakimi, . M., Prabandari, . Y. S., Laksanawati, . I. S. & Triratnawati, . A. (2021) The Prevention of Mother-to-Child HIV Transmission at Public Centers: A Phenomenology Study. Benthamopen, Volume 15, 2021.
- Bannink Mbazzi F, Namukwaya Z, Amone A, Ojok F, Etima J, Byamugisha J, et al. (2020) “[Repeat] testing and counseling is one of the key [services] that the government should continue providing”: participants’ perceptions on extended repeat HIV testing and enhanced counseling (ERHTEC) for primary HIV prevention in pregnant and lactating wo’, BMC Public Health, p. May 15;20(1):694.

Bartholomew LK, Parcel GS, Kok G, Gottlieb NH. (2006). Planning health promotion programs: an intervention mapping approach. San Francisco: Jossey-Bass.

Bcheraoui, C. El et al. (2018) 'Health system strategies to increase HIV screening among pregnant women in Mesoamerica'. Population Health Metrics, pp. 1–10.

Becka CM, Chacon-Cruz E, Araneta MR, Viani RM. (2015). Lack of knowledge about mother-to-child HIV transmission prevention in pregnant women at Tijuana General Hospital, Baja California, Mexico. *J Int Assoc Provid AIDS Care*. 14(1): 72-6.

Becquet R, Bland R, Leroy V, Rollins NC, Ekouevi DK, Coutsoudis A, et al. (2009). Duration, pattern of breastfeeding and postnatal transmission of HIV: pooled analysis of individual data from West and South African cohorts. *PLoS One*. 4(10): e7397.

Bertozzi, S. et al. (2005) 'Chapter 18 HIV / AIDS Prevention and Treatment'.

Brittain, K. et al. (2018) 'infected pregnant women in South Africa', 21(1), pp. 274–282. doi: 10.1007/s10461-016-1389-7.Social.

Camacho-Gonzalez AF, Kingbo MH, Boylan A, Eckard AR, Chahroudi A, Chakraborty R. (2015). Missed opportunities for prevention of mother-to-child transmission in the United States. *AIDS*. 29(12): 1511–5.

Carrilio, Terry Eisenberg. 2007. Home-visiting Strategies A Case-management Guide for Caregivers. United States, Columbia: University of South Carolina Press

Cheng LJ, L. Y. (2020) 'The state of the evidence for voluntary home-based human immunodeficiency virus counseling and testing in the community: A proposed model for evidence translation', Public Health Nurs Boston Mass, p. Jul;37(4):541–59.

Cohen (Cohen J. Statistical Power Analysis for the Behavioral Sciences, 2nd ed. Mahwah, NJ: Lawrence Erlbaum Associates, 1988) suggested that $d = 0.2$ be considered a 'small' effect size, 0.5 represents a 'medium' effect size and 0.8 a 'large' effect size.

Cordova D, Munoz-Velazquez J, Bauermeister. (2020). Pilot Study of a Multilevel Mobile Health App for Substance Use, Sexual Risk Behaviors, and Testing for Sexually Transmitted Infection and HIV Among Youth: Randomized Controlled Trial.JMIR mHealth and uHealth. 8(3): e16251. Published online 2020 Mar 17. doi: [10.2196/16251](https://doi.org/10.2196/16251)



Cragg L, Davies M, Macdowall W. (2013). Health promotion theory: understanding public health. New York: Open University Press.

Cushman, L. F., Nadal, L. L. and Halpern, M. (2019) 'HHS Public Access', 35(3), pp. 166–175. doi: 10.1111/phn.12382. Associations.

Dicarlo, A., Fayorsey, R., Syengo, M., Chege, D., Sirengo, M., Reidy, W., ... Abrams, E. J. (2018). Lay health worker experiences administering a multi-level combination intervention to improve PMTCT retention. *BMC Health Services Research*, 18(17), 1–14. <https://doi.org/10.1186/s12913-017-2825-8>

Dryden-Peterson S, Bennett K, Hughes MD, Veres A, John O, Pradhananga R, et al. (2015). An augmented SMS intervention to improve access to antenatal CD4 testing and ART initiation in HIV-infected pregnant women: a cluster randomized trial. *PloS One*. 10(2): e0117181.

Dryden-peterson, S. et al. (2015) 'An Augmented SMS Intervention to Improve Access to Antenatal CD4 Testing and ART Initiation in HIV-Infected Pregnant Women : A Cluster Randomized Trial', (April 2012), pp. 1–17. doi: 10.1371/journal.pone.0117181.

Dryden-Peterson, S. et al. (2015) 'An augmented SMS intervention to improve access to antenatal CD4 testing and ART initiation in HIV-infected pregnant women: A cluster randomized trial', PLoS ONE, 10(2), pp. 1–17. doi: 10.1371/journal.pone.0117181.

Ejigu, Y. and Tadesse, B. (2018) 'HIV testing during pregnancy for prevention of mother-to-child transmission of HIV in Ethiopia.', Plos One. Department of Health Economics, Management and Policy, College of Health Sciences, Jimma University, Jimma, Ethiopia.; International Center for Health Monitoring and Evaluation (ICHME), Jimma University, Jimma, Ethiopia.: Public Library of Science, 13(8), pp. e0201886–e0201886. doi: 10.1371/journal.pone.0201886.

Ersida, Hermansyah dan Endang Mutiawati. *Home Visit Perawat dan kemandirian keluarga dalam perawatan hausinasi pada pasien schizophenia*. *Jurnal Ilmu Keperawatan Vol. 4, No. 1*

Evangeli et al. (2018). A Systematic Review of Phychological Correlates of HIV testing Intention. AIDS Care. Jan 2018.

Fertman CI, Allensworth DD. (2010). Health Promotion Programs From Theory to Practice. San Fransisco: Jossey-Bass.

Fishbein and Icek Ajzen.2011. *Predicting and Changing Behavior : the reasoned action approach*. Taylor and Francis Group : New York

Foster, J. M. et al. (2017) ‘Patient-perceived acceptability and behaviour change benefits of inhaler reminders and adherence feedback : A qualitative study’, *Respiratory Medicine*. Elsevier Ltd, 129, pp. 39

Glanz K, Rimer B, Viswanath K. (2008). *Health Behaviour And Health Education: Theory, Research, Practice*. In 4th Edition. San Fransisco: Jossey-Bass.

Glanz K, Rimer BK, Viswanath K. (2008). *Health Behaviour and Health Education*. In *Health Education*. 97-121.

Guerin, R. J. Toland, M. D. Okun, A.H. Rojas-Guyler, L. Bernand, A.L. 2018. Using a Modified Theory of Planned Behavior to Examine Adolescents’ Workplace Safety and Health Knowledge, Perceptions, and Behavioral Intention: A Structural Equation Modeling Approach. *J Youth Adolesc.* 2018 August ; 47(8): 1595–1610. doi:10.1007/s10964-018-0847-0

Gliner, et al. (2003). Pretest-Posttest Comparison Group Designs: Analysis and Interpretation. *Clinicians’ guide to research methods and statistics*.

Gunn, J. K. L. et al. (2016) ‘Antenatal care and uptake of HIV testing among pregnant women in sub-Saharan Africa : a cross-sectional study’.

Hanh NT, Gammeltoft TM, R. V. (2011) ‘Number and timing of antenatal HIV testing: Evidence from a community-based study in Northern Vietnam’, *BMC Public Health*, p. Mar 25;11(1):183.

Hardon AP, Oosterhoff P, Imelda JD, Anh NT, Hidayana I. (2009). Preventing Mother-to-Child Transmission of HIV in Vietnam and Indonesia: Diverging Care Dynamics. *Sosial Science and Medicine*. 69(6): 838-45.

Heemelaar S, Habets N, Makukula Z, Roosmalen J van, A. T. van den (2015) ‘Repeat HIV testing during pregnancy and delivery: missed opportunities in a rural district hospital in Zambia’, *Trop Med Int Health*, pp. 20(3):277–83.

Hensen, B. et al. (2012) ‘Universal voluntary HIV testing in antenatal care settings : a review of the contribution of provider-initiated testing & counselling’, 17(1), pp. 59–70. doi: 10.1111/j.1365-3156.2011.02893.x.

Hoffman TC, Glasziou PP, Boutron I, Milne R, Perera R, Moher D, et al. (2014). Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *BMJ*. 348: 1-12.

Hurst SA, Appelgren KE, Kourtis AP. (2016). Prevention of mother-to-child transmission of Human Immunodeficiency Virus Type 1 (HIV): the role of neonatal and infant prophylaxis. *Expert Rev Anti Infect Ther*. 13(2): 169–181.

Irfan A, Kazmi SK, et al. (2019) ‘Knowledge and attitude of pregnant women

regarding HIV transmission, prevention and associated factors in Karachi, Pakistan - A cross-sectional study', Sex Reprod Healthc Off J Swed Assoc Midwives., pp. 21:46–50.

Jaelan.(2018).*Konseling Dan Tes HIV Berbasis Masyarakat Dan Pemanfaatannya Pada Pekerja Migran Perempuan Pasca Penempatan di Kabupaten Wonosobo, Jawa Tengah*. Yogyakarta : Universitas Gadjah Mada

Jennings, L., Ong'ech, J., Simiyu, R., Sirengo, M., & Kassaye, S. (2013). Exploring the use of mobile phone technology for the enhancement of the prevention of mother-to-child transmission of HIV program in Nyanza , Kenya : a qualitative study. *BMC Public Health*, 13. <https://doi.org/10.1186/1471-2458-13-1131>

Joshi S, Kulkarni V, Gangakhedkar R, Mahajan U, Sharma S, Shirole D, et al. (2015) 'Cost-effectiveness of a repeat HIV test in pregnancy in India', MJ Open, p. Jun 1;5(6):e006718.

Kassa, G. M. (2018) 'Mother-to-child transmission of HIV infection and its associated factors in Ethiopia: a systematic review and meta-analysis.', BMC Infectious Diseases. College of Health Sciences, Debre Markos University, Debre Markos, Ethiopia. gechm2005@gmail.com: BioMed Central, 18(1), p. 216. doi: 10.1186/s12879-018-3126-5.

Kassaye SG, Ong'ech J, Sirengo M, Kose J, Matu L, McOdida P, et al. (2016). Cluster-Randomized Controlled Study of SMS Text Messages for Prevention of Mother-to-Child Transmission of HIV in Rural Kenya. *AIDS Res Treat*. 2016:1289328.

Kassaye, Seble G et al. (2016) 'Cluster-Randomized Controlled Study of SMS Text Messages for Prevention of Mother-to-Child Transmission of HIV in Rural Kenya'. Hindawi Publishing Corporation, 2016. doi: 10.1155/2016/1289328.

Kassaye, Seble G. et al. (2016) 'Cluster-Randomized Controlled Study of SMS Text Messages for Prevention of Mother-to-Child Transmission of HIV in Rural Kenya', AIDS Research and Treatment. Hindawi Publishing Corporation, 2016. doi: 10.1155/2016/1289328.

Keliat BA. (2014). Keperawatan Kesehatan Jiwa Komunitas : CMHN (Basic Course). Jakarta : Buku Kedokteran EGC.

Kelly Feist Bumgarner, Jennifer Pharr, Mark Buttner & Echezona Ezeanolue (2016): Interventions that increase the intention to seek voluntary HIV testing in young people: a review, AIDS Care, DOI: 10.1080/09540121.2016.1259456

Kim, HB., Beliyou H., Taehwa L.2016. Promotion and Persistence of HIV testing and HIV/AIDS Knowledge: Evidence from A randomized Controlled Trial in Ethiopia. Journal Health Economics, DOI:10.1002/hec.3425

Kemenkes. (2010). Riset Kesehatan Dasar 2010. Jakarta: Badan Pengembangan Kesehatan Kementerian Kesehatan RI.

Kemenkes. (2014). Statistik Kasus HIVAIDS di Indonesia, Dilapor s/d Juni 2014. Jakarta: Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan Kemenkes RI.

Kementerian Kesehatan Republik Indonesia. (2013). Rencana aksi nasional pencegahan penularan HIV dari ibu ke anak (PPIA) Indonesia 2013-2017. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan Republik Indonesia. (2018). Data dan Informasi Profil Kesehatan Indonesia. Jakarta: Kementerian Kesehatan Republik Indonesia

Kementrian Kesehatan Republik Indonesia (2015) Pedoman Manajemen Program Pencegahan Penularan HIV dan Sifilis dari Ibu ke Anak. Jakarta.

Kim HB, Haile B, L. T. (2017) 'Promotion and Persistence of HIV Testing and HIV/AIDS Knowledge: Evidence From a Randomized Controlled Trial in Ethiopia', *Health Econ*, pp. 26(11):1394–411.

Kim, HB., Beliyou H., Taehwa L.2016. Promotion and Persistence of HIV testing and HIV/AIDS Knowledge: Evidence from A randomized Controlled Trial in Ethiopia. Journal Health Economics, DOI:10.1002/hec.3425

Kirkpatrick Partners.(2012).Kirkpatrick Four Levels Evaluation Certificate Program Online Course Manual.Newnan : Kirkpatrick Publishing

Knottel et al. (2019) 'Serostatus disclosure among a cohort of HIV-infect'.

Knottel, B. A., Minja, L., Chumba, L. N., Oshosen, M., & Cichowitz, C. (2019). SSM - Population Health Serostatus disclosure among a cohort of HIV-infected pregnant women enrolled in HIV care in Moshi , Tanzania : A mixed-methods study. *SSM - Population Health*, 7(November 2018), 100323. <https://doi.org/10.1016/j.ssmph.2018.11.007>

Kolb DA. (2015). Experiential Learning: Experience as the source of learning and development. 2nd edition. New Jersey: Pearson Education, Inc.

Komisi Nasional Etik Penelitian Kesehatan. (2007). Pedoman Nasional Etik Penelitian Kesehatan. Komisi Nasional Etik Penelitian Kesehatan, ed. Jakarta: Komisi Nasional Etik Penelitian Kesehatan.

Krakowiak D, Kinuthia J, Osoti A, Asila V, Gone MA, Mark J, et al. (2016). Home-Based HIV Testing Among Pregnant Couples Increases Partner Testing and

Identification of Serodiscordant Partnerships. *J Acquir Immune Defic Syndr.* 72(2): S167–S173.

Krakowiak, D. et al. (2016) ‘Home-based HIV testing among pregnant couples increases partner testing and identification of serodiscordant partnerships’, *Journal of Acquired Immune Deficiency Syndromes*, pp. S167–S173. doi: 10.1097/QAI.0000000000001053.

Kroshus E, Baugh CM, Daneshvar DH, Nowinski CJ, Cantu R. Concussion Reporting Intention: A Valuable Metric for Predicting Reporting Behavior and Evaluating Concussion Education. *Clin J Sport Med* 2015;25:243-7

Larki M, L. R. R. (2020) ‘Home-Based Care, the Missing Link in Caring of Patients Living with HIV/AIDS and Their Family Members: A Narrative Review’, *Int J Community Based Nurs Midwifery*, p. Jul;8(3):190–208.

Lenhard, W. & Lenhard, A. (2016). *Calculation of Effect Sizes*. Retrieved from: https://www.psychometrica.de/effect_size.html. Dettelbach (Germany): Psychometrica. DOI: 10.13140/RG.2.2.17823.92329.

Mahamba, N. D. (2009). *Factors Influencing Relaps of Psychiatric Patients in Rural Communities of the Eastern Cape Province*. Eastern Cape Province: University of South Africa.

Mahyarni. 2013. Theory of Reason Action Dan Theory of Planned Behavior (Sebuah Kajian Historis tentang Perilaku). <http://ejournal.uin-suska.ac.id>.

Maman S, Moodley D, McNaughton-Reyes HL, Groves AK, Kagee A, M. P. (2014) ‘Efficacy of Enhanced HIV Counseling for Risk Reduction during Pregnancy and in the Postpartum Period: A Randomized Controlled Trial’, *PLoS ONE* [Internet], p. May 13 [cited 2020 Aug 3];9(5). Available from: ht.

Mamudu, AM.2014.Knowledge Attitude and Practices of Prevention of Mother to Child Transmission of HIV(PMTCT) among women of Child Bearing Age, in Karu Village, Abuja, Nigeria. Stellenbosch University

Mardikanto. (2010). Konsep Pemberdayaan Masyarakat. Surakarta: Penerbit TS.

Masters SH, Agot K, Obonyo B, Napierala Mavedzenge S, Maman S, Thirumurthy H. (2016). Promoting Partner Testing and Couples Testing through Secondary Distribution of HIV Self-Tests: A Randomized Clinical Trial. *Plos Med.* 13(11): e1002166.

Masters, S. H. et al. (2016) ‘Promoting Partner Testing and Couples Testing through Secondary Distribution of HIV Self-Tests: A Randomized Clinical Trial’, *PLoS Medicine*, 13(11), pp. 1–15. doi: 10.1371/journal.pmed.1002166.



Mbuagbaw, L., Thabane, L., Ongolo-zogo, P., Lester, R. T., Mills, E. J., Smieja, M., ... Kouanfack, C. (2012). The Cameroon Mobile Phone SMS (CAMPS) Trial : A Randomized Trial of Text Messaging versus Usual Care for Adherence to Antiretroviral Therapy, 7(12), 6–12. <https://doi.org/10.1371/journal.pone.0046909>

Mitiku, I., Addissie, A. and Molla, M. (2017) ‘Perceptions and experiences of pregnant women about routine HIV testing and counselling in Ghimbi town , Ethiopia : a qualitative study’, BMC Research Notes. BioMed Central, pp. 1–7. doi: 10.1186/s13104-017-2423-1.

Mobolanle Balogun, K. O. (2010) ‘Knowledge and practice of prevention of mother-to-child transmission of HIV among traditional birth attendants in Lagos State, Nigeria Mobolanle’, 8688, pp. 1–13.

Mogoba P, Phillips TK, Myer L, Ndlovu L, Were MC, C. K. (2019) ‘Smartphone usage and preferences among postpartum HIV-positive women in South Africa’, AIDS Care, p. Jun;31(6):723–9.

Mulyanti, Sri.2012.Faktor-Faktor yang Berkontribusi Pada Perilaku Ibu Hamil Trimester 2 dan 3 dalam Pemeriksaan HIV Di Empat Puskesmas Kota Pontianak.Skripsi : Universitas Indonesia

Mumtaz GR, Hilmi N, Majed EZ, A.-R. L. (2019) ‘Characterising HIV/AIDS knowledge and attitudes in the Middle East and North Africa: Systematic review and data synthesis.’, Glob Public Health, p. Sep 26;1–24.

Mustapha, M. et al. (2018) ‘Utilization of “prevention of mother-to-child transmission” of HIV services by adolescent and young mothers in Mulago Hospital, Uganda.’, BMC Infectious Diseases. Department of Paediatrics and Child Health, School of Medicine, Makerere University College of Health Sciences, Kampala, Uganda. mamspha@yahoo.com.; Ministry of Health and Sanitation, Freetown, Sierra Leone. mamspha@yahoo.com.: BioMed Central, 18(1), p. 566. doi: 10.1186/s12879-018-3480-3.

Musumari PM, Techasrivichien T, Srithanaviboonchai K, Tangmunkongvorakul A, Ono-Kihara M, Kihara M (2020) Factors associated with HIV testing and intention to test for HIV among the general population of Nonthaburi Province, Thailand. PLoS ONE 15(8): e0237393. <https://doi.org/10.1371/journal.pone.0237393>

Mwendo EM, Mtuy TB, Renju J, Rutherford GW, Nondi J, Sichalwe AW, et al. (2014). Effectiveness of prevention of mother-to-child HIV transmission programmes in Kilimanjaro region, northern Tanzania. *Trop Med Int Health.* 19(3): 267-274.

Naik R, Zembe W, Adigun F, Jackson E, Tabana H, Jackson D, et al. (2018) ‘What Influences Linkage to Care After Home-Based HIV Counseling and Testing?’, AIDS Behav, pp. 22(3):722–32.

Ngidi WH, Naidoo JR, Ncama BP, Luvuno ZPB, Mashamba-Thompson TP. (2017). Mapping evidence of interventions and strategies to bridge the gap in the implementation of the prevention of mother-to-child transmission of HIV programme policy in sub-Saharan countries: A scoping review. *Afr J Prim Health Care Fam Med.* 9(1): 1368.

Nies MA, M. M. (no date) Promoting the Health of Populations.

Noviana N. (2013). Kesehatan Reproduksi & HIV/AIDS. Jakarta: CV Trans Info Media.

Nyondo AL, Choko AT, Chimwaza AF, Muula AS. (2015). Invitation cards during pregnancy enhance male partner involvement in prevention of mother to child transmission (PMTCT) of human immunodeficiency virus (HIV) in Blantyre, Malawi: a randomized controlled open label trial. *PloS One.* 10(3): e0119273.

Nyondo, A. L. et al. (2015) 'Invitation cards during pregnancy enhance male partner involvement in Prevention of Mother to Child Transmission (PMTCT) of Human Immunodeficiency Virus (HIV) in Blantyre, Malawi: A randomized controlled open label trial', *PLoS ONE*, 10(3), pp. 1–13. doi: 10.1371/journal.pone.0119273.

Olowokere AE, Adelakun OA, K. A. (2018) 'Knowledge, perception, access and utilisation of HIV counselling and testing among pregnant women in rural communities of Osogbo town, Nigeria', *Aust J Rural Health*, p. Feb;26(1):33–41.

Orne-Gliemann J, Zuma T, Chikovore J, Gillespie N, Grant M, Iwuji C, et al. (2016) 'Community perceptions of repeat HIV-testing: experiences of the ANRS 12249 Treatment as Prevention trial in rural South Africa', *AIDS Care*, pp. 28 Suppl 3:14–23.

Osoti AO, John-Stewart G, Kiarie J, Richardson B, Kinuthia J, Krakowiak D, et al. (2014). Home visits during pregnancy enhance male partner HIV counselling and testing in Kenya: a randomized clinical trial. *AIDS.* 28(1): 95–103.

Osoti, A. O. et al. (2015a) 'Counseling and Testing in Kenya : A Randomized Clinical Trial', 28(1), pp. 95–103. doi: 10.1097/QAD.000000000000023.Home.

Osoti, A. O. et al. (2015b) 'Home Visits during Pregnancy enhance Male Partner HIV Counseling and Testing in Kenya: A Randomized Clinical Trial', *Aids*, 28(1), pp. 95–103. doi: 10.1097/QAD.000000000000023.Home.

Osuji A, Pharr JR, Nwokoro U, Ike A, Ali C, Ejiro O, et al. (2015) 'Impact of HIV Testing and Counseling (HTC) Knowledge on HIV Prevention Practices Among Traditional Birth Attendants in Nigeria', *Int J Environ Res Public*

Health, p. Feb;12(2):1969–82.

Padyana M, Dinesha, Bhat R, N. A. (2013) ‘HIV in females: A clinico-epidemiological study’, J Fam Med Prim Care, p. 2(2):149.

Peltzer, K., Weiss, S. M., Soni, M., Lee, T. K., Rodriguez, V. J., Cook, R., ... Jones, D. L. (2017). A cluster randomized controlled trial of lay health worker support for prevention of mother to child transmission of HIV (PMTCT) in South Africa, 1–13.

Penda, C. I. et al. (2018) ‘Feasibility and utility of active case finding of HIV-infected children and adolescents by provider-initiated testing and counselling: Evidence from the Laquintinie hospital in Douala, Cameroon’, BMC Pediatrics. BMC Pediatrics, 18(1), pp. 1–8. doi: 10.1186/s12887-018-1235-3.

Penda, C. I., Else, C., Moukoko, E., Koum, D. K., Fokam, J., Anatole, C., ... Ndombo, P. K. (2018). Feasibility and utility of active case finding of HIV-infected children and adolescents by provider-initiated testing and counselling : evidence from the Laquintinie hospital in Douala , Cameroon. *BMC Pediatrics*, 18, 1–8.

Peraturan Menteri Kesehatan Republik Indonesia Nomor 4 Tahun 2019 Tentang Standar Teknis Pemenuhan Mutu Pelayanan Dasar Pada Standar Pelayanan Minimal Bidang Kesehatan, Tanggal 31 Januari 2019

Pirkle CM, Dumont A, Traoré M, Z. M.-V. (2014) ‘Training and nutritional components of PMTCT programmes associated with improved intrapartum quality of care in Mali and Senegal’, Int J Qual Health Care J Int Soc Qual Health Care, p. Apr;26(2):174–83.

Prendergast AJ, Essajee S, Penazzato M. (2015). HIV and the Millennium Development Goals. *Arch Dis Child*. 100(1): S48-52.

Puspitasasir, Mira Miranti dan Pusnawan Junadi. Analisis Implementasi Integrasi Layanan PPIA HIV ke Layanan Antenatal di Kota Depok 2017. Jurnal Kebijakan Kesehatan Indonesia : JKKI Vol. 07, No.02 Tahun 2018.

Rawlins, M. L. W. Suggs, D. W. Bierema, L. Miller, L. S. Reifsteck, F. Schmidt, J. D. (2020). Examination of Collegiate Student-Athlete Concussion Reporting Intentions and Behavior. Journal of Clinical and Translational Research 2020; 5(4): 186-196. DOI: <http://dx.doi.org/10.18053/jctres.05.202004.005>

Richter L, Rotheram-Borus MJ, Van Heerden A, Stein A, Tomlinson M, Harwood JM, et al. (2014). Pregnant women living with HIV (WLH) supported at clinics by peer WLH: a cluster randomized controlled trial. *AIDS Behav*. 18(4): 706-15.



Richter, L., Jane, M. and Heerden, R. A. Van (2014) 'Pregnant Women Living with HIV (WLH) Supported at Clinics by Peer WLH : A Cluster Randomized Controlled Trial'. doi: 10.1007/s10461-014-0694-2.

Rogers A, et al. (2006) 'HIV-Related Knowledge, Attitudes, Perceived Benefits, and Risks of HIV Testing Among Pregnant Women in Rural Southern India. AIDS Patient Care STDs.', p. Nov;20(11):803–11.

Rogers A, Meundi A, Amma A, Rao A, Shetty P, Antony J, et al. HIV- related knowledge, attitude, perceived benefits, and risk of HIV testing among pregnant women in rural Southern India. AIDS patient care and STDs. 2006; 20 (11): 803-11.

Rogers AJ, Akama E, Weke E, Blackburn J, Owino G, Bukusi EA, et al. (2020) 'Implementation of repeat HIV testing during pregnancy in southwestern Kenya: progress and missed opportunities', J Int AIDS Soc [Internet], p. Dec 13 [cited 2020 Jun 13];20(4). Available from:

Rogers EM. (1995). Diffusions of Innovation, Fourth Edition. Copyright 1961, 1962, 1971, 1983. New York: The Free Press.

Rosenberg NE, Mtande TK, Saidi F, Stanley C, Jere E, Paile L, et al. (2015). Recruiting male partners for couple HIV testing and counselling in Malawi's option B+ programme: an unblinded randomised controlled trial. *Lancet HIV*. 2(11): e483-91.

Rotheram-Borus MJ, Richter LM, van Heerden A, van Rooyen H, Tomlinson M, Harwood JM, et al. (2014). A cluster randomized controlled trial evaluating the efficacy of peer mentors to support South African women living with HIV and their infants. *PLoS One*. 9(1): e84867.

Rotheram-Borus, M. J. et al. (2014) 'A cluster randomized controlled trial evaluating the efficacy of peer mentors to support South African women living with HIV and their infants', PLoS ONE, 9(1), pp. 1–9. doi: 10.1371/journal.pone.0084867.

Sama C-B, Feteh VF, Tindong M, Tanyi JT, Bihle NM, A. F. (2017) 'Prevalence of maternal HIV infection and knowledge on mother-to-child transmission of HIV and its prevention among antenatal care attendees in a rural area in northwest Cameroon', PLoS ONE [Internet], p. Feb 15 [cited 2020 Jul 11];12(2). Available from:

Seth, P. (2016) 'HHS Public Access', 15(3), pp. 318–328. doi: 10.1007/s11121-013-0420-8.Psychosocial.

Setiyawati N, M. N. (2015) 'Determinan of HIV Testing Behavior Among Pregnant Women.', J Kesehat Masy Nas., pp. 9(3):201–6.

Setiyawati, N., Meilani, N.2015.Determinan Perilaku Tes HIV pada Ibu Hamil.Jurnal Kesehatan Masyarakat Nasional Vol. 9, No. 3 Tahun 2015.



Smolak A, Bassel NE. Multilevel stigma as barrier to HIV testing in Central Asia: a contest-a context quantified. AIDS and Behaviour. 2013; 17 (8): 2742-55.

Snelling A. (2014). Introduction of Health Promotion. San Francisco: Jossey-Bass A.

Stephen OO, Lilian D. (2018). Knowledge, attitude and practice of infant feeding in the first 6 months among HIV-positive mothers at the Queen Mamohato Memorial hospital clinics, Maseru, Lesotho. Afr J Prm Health Care Fam Med. 10(1): a1438.

Sugiyono. (2012). Metode Penelitian Kuantitatif, Kualitatif dan Kombinasi (Mixed Methods). Bandung: Penerbit Alfabeta.

Sulaeman, E. S. Murti, B. Setyawan, H. Rinawati, S. 2017. Aplikasi Theory of Planned Behavior pada Perilaku Pemberian ASI Eksklusif : Studi Kasus. JURNAL KEDOKTERAN YARSI 25 (2) : 084-100 (2017)

Sulistomo, Akmal, dan Andri Prastiwi. 2012. *Persepsi mahasiswa akuntansi terhadap pengungkapan kecurangan (studi empiris pada mahasiswa akuntansi UNDIP dan UGM)*. Semarang : Universitas Diponegoro.

Tatagan A, Mouhari-Toure A, Saka B, Akakpo AS, Kombate D, Tchama R, et al. (2011). Knowledge, attitudes and practices about prevention of mother to child transmission of HIV (PMTCT) among pregnant women in antenatal clinic at 2010 in Togo. Med Trop (Mars). 71(5): 472-6.

Tonen-Wolyec S, Mboumba Bouassa R-S, Batina-Agasa S, Tepungipame AT, Tshilumba CK, B. L. (2020) ‘Sociodemographic characteristics of adolescents preferring home-based HIV self-testing over facility-based voluntary counseling and testing: a cross-sectional study in Kisangani, Democratic Republic of the Congo’, Int J STD AIDS, p. Apr 1;31(5):481–7.

Tosi, A. (2010). Hubungan antara pengetahuan siswa tentang HIV/AIDS dengan sikap siswa terhadap penyakit HIV/AIDS di SMA Negeri 6 Kota Kupang tahun 2010. Diperoleh pada tanggal 4 Juli 2015 dari <http://mediakesehatanmasyarakat.files.wordpress.com>

UNAIDS (2020) ‘Combination_Prevention_paper_en.pdf [Internet]’, p. 20111110_JC2007_Combination_Prevention_paper_en.pdf. Available at: [ps://files.unaids.org/en/media/unaids/contentassets/documents/unaidspublication/2011/20111110_JC2007_Combination_Prevention_paper_en.pdf](http://files.unaids.org/en/media/unaids/contentassets/documents/unaidspublication/2011/20111110_JC2007_Combination_Prevention_paper_en.pdf).

UNS.2013. *Modul Field Lab Semester VII Home Visit*. Surakarta : Bagian Field Lab Fakultas Kedokteran UNS.

Uwimana, J. et al. (2012) ‘Health system barriers to implementation of

collaborative TB and HIV activities including prevention of mother to child transmission in South Africa', 17(5), pp. 658–665. doi: 10.1111/j.1365-3156.2012.02956.x.

Wangwe PJT, Nyasinde M, Charles DSK. 2014. Effectiveness of counseling at primary health facilities: Level of knowledge of antenatal attendee and their attitude on prevention of Mother to Child Transmission of HIV in primary health facilities in Dar es Salaam, Tanzania. *Journal African Health sciences* Vol. 14 No.1, March 2014

Wawrzyniak AJ, et al. (2013) 'Health Literacy: Impact on the Health of HIV-Infected Individuals.', Curr HIV/AIDS Rep., pp. 10(4):295–304.

WHO (2020) 'No Title', Mother-to-child transmission of HIV [Internet]. [cited 2020 Dec 8]. Available at: <https://www.who.int/teams/maternal-newborn-child-adolescent-health-and-ageing/maternal-health/about/hiv>.

WHO (no date) 'hiv_country_review_indonesia_eng.pdf' [Internet].', p. [cited 2020 Dec 8]. Available at: http://origin.searo.who.int/indonesia/publications/hiv_country_review_indonesia_eng.pdf.

Wilbroda H. Ngidi, et al (2017) 'Mapping evidence of interventions and strategies to bridge the gap in the implementation of the prevention of mother-to-child transmission of HIV programme policy in sub-Saharan countries: A scoping review', African of Primary Health Care & Family Medicine. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5458573/#referencestitle>.

Wiley (2014) introduction to health promotion. Edited by A. Snelling. Jossey bass. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/25933806>.

Witzel TC, Lora W, Lees S, D. N. (2017) 'Uptake contexts and perceived impacts of HIV testing and counselling among adults in East and Southern Africa: A meta-ethnographic review', PLoS ONE [Internet], p. Feb 16 [cited 2020 Dec 8];12(2). Available from: h.

World Health Organization (WHO). (2008). Report on The Global AIDS Epidemic. Geneva, Switzerland: United Nations Programme on HIV/AIDS

World Health Organization (WHO). (2011). PMTCT Strategic Vission 2010-2015: Prevention of Mother to Child Transmission of HIV To Reach The UNGASS and Millenium Development Goals. Geneva: WHO

World Health Organization (WHO). (2013). Progress Report 2011: Global HIV/AIDS Response Epidemic Update and Health Sector Progress Towards Universal Access WHO, UNICEF, UNAIDS. Geneva Switzerland: World Health Organization HIV/AIDS Department

Yuliyanasari, N. (2017). GLOBAL BURDEN DESEASE – HUMAN IMMUNODEFICIENCY VIRUS – ACQUIRED IMMUNE DEFICIENCY



UNIVERSITAS
GADJAH MADA

PENGARUH INTERVENSI HOME BASED TERHADAP INTENSI TES HIV ULANG PADA IBU HAMIL DI
PUSKESMAS WILAYAH
DIY

DHESI ARI ASTUTI, Prof. dr. Mohammad Hakimi, Sp.OG(K),, Ph.D.
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>

SYNDROME (HIV-AIDS), (October 2016), 65–77.

Zainiddinov H, H. N. A. (2018) ‘Comprehensive HIV/AIDS Knowledge Among Women Across Seven Post-Soviet Countries. Cent Asian’, Comparison of J Glob Health, p. 7(1).

Zarei E, Khabiri R, Tajvar M, N. S. (2018) ‘Knowledge of and attitudes toward HIV/AIDS among Iranian women’, Epidemiol Health., pp. 40:e2018037–e2018030.



UNIVERSITAS
GADJAH MADA

PENGARUH INTERVENSI HOME BASED TERHADAP INTENSI TES HIV ULANG PADA IBU HAMIL DI
PUSKESMAS WILAYAH

DIY

DHESI ARI ASTUTI, Prof. dr. Mohammad Hakimi, Sp.OG(K),, Ph.D.

Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>