

REFERENCES

- Abbas, S. A., Al-aboodi, A. H., & Ibrahim, H. T. (2020). Identification of Manning ' s Coefficient Using HEC-RAS Model : Upstream Al-Amarah Barrage. 2020.
- ADB. (2016). Indonesia Country Water Assessment.
- Balany, F. (2011). The different ways of calculating catchment rainfall: cases in Indonesia. XX(September), 1189–1200.
- Brunner, G., & Bonner, V. (2010). HEC River Analysis System (HEC-RAS) Hydraulic Reference Manual Version 4.1. January, 411.
- Brunner, G. W. (2008). HEC-RAS River Analysis System - User's Manual Version 4.0. US Army Corps of Engineers – Hydrologic Engineering Center. March, 547.
- Chen, Y., Wang, Y., Zhang, Y., Luan, Q., & Chen, X. (2020). Flash floods, land-use change, and risk dynamics in mountainous tourist areas: A case study of the Yesanpo Scenic Area, Beijing, China. *International Journal of Disaster Risk Reduction*, 50(12), 101873.
- Chow, V. Te, Maidment, D. R., Mays, L. W., & Ven Te Chow, David R. Maidment, L. W. M. (1998). *Applied Hydrology* Chow 1988.pdf (pp. 1–294). http://ponce.sdsu.edu/Applied_Hydrology_Chow_1988.pdf
- Chow, V. T. (1959). *Open-channel hydraulics*. McGraw-Hill Civil Engineering Series.
- Corral, C., Berenguer, M., Sempere-Torres, D., Poletti, L., Silvestro, F., & Rebora, N. (2019). Comparison of two early warning systems for regional flash flood hazard forecasting. *Journal of Hydrology*, 572(March), 603–619.
- Doswell, C. A. (2015). *Hydrology, Floods and Droughts: Flooding*. *Encyclopedia of Atmospheric Sciences: Second Edition*, 3, 201–208.
- Faizalhakim, M., Shafuan, A., & Quantification, S. (2016). *Flood Prediction SCS-CN*. May 2015.
- Gasica, T. A., Bioresita, F., & Murtiyoso, A. (2020). Identification of temporary surface water using SENTINEL-1 SAR DATA, case study: Semtani flash flood, Indonesia. XLIII, 55–59.
- HEC-HMS App. Guide. (2008). *Hydrologic Modeling System Applications Guide*. March.
- HEC. (2000). *Hydrologic Modeling System Technical Reference Manual*. *Hydrogeology Journal: Hydrologic Modeling System: Technical Reference Manual*, March, 145.
- Huang, W., Cao, Z., Huang, M., Duan, W., Ni, Y., & Yang, W. (2019). A new flash flood warning scheme based on hydrodynamic modelling. *Water (Switzerland)*, 11(6), 1–15.
- Johnson, L. E. (2000). Assessment of flash flood warning procedures. *Journal of Geophysical Research Atmospheres*, 105(D2), 2299–2313.
- Jonkman, S. N. (2005). Global perspectives on loss of human life caused by floods. *Natural Hazards*, 34(2), 151–175.
- Khattak, M. S., Anwar, F., Saeed, T. U., Sharif, M., Sheraz, K., & Ahmed, A. (2016).

- Floodplain Mapping Using HEC-RAS and ArcGIS: A Case Study of Kabul River. *Arabian Journal for Science and Engineering*, 41(4), 1375–1390.
- Li, Z., Zhang, H., Singh, V. P., Yu, R., & Zhang, S. (2019). A simple early warning system for flash floods in an ungauged catchment and application in the Loess Plateau, China. *Water (Switzerland)*, 11(3).
- Lind, N., Hartford, D., & Assaf, H. (2004). Hydrodynamic models of human stability in a flood. *Journal of the American Water Resources Association*, 40(1), 89–96.
- Patil, V. K., Saraf, V. R., Karad, O. V, Ghodke, S. B., Gore, D. K., & Dhekale, S. S. (2019). Simulation of Rainfall Runoff Process Using HEC-HMS Model for Upper Godavari Basin Maharashtra , India. 4(4), 102–107.
- Penna, D., Borga, M., & Zoccatelli, D. (2013). 7.9 Analysis of Flash-Flood Runoff Response, with Examples from Major European Events. In *Treatise on Geomorphology* (Vol. 7, Issue 2010, pp. 95–104). Elsevier.
- Sari, A. N., Sujono, J., & Jayadi, R. (2016). Perhitungan Hujan Efektif Dengan Metode SCS-CN DAN Pengaruhnya Terhadap Hidrograf Satuan. 8(1), 27–38.
- Schumann, A. H. (2006). Thiessen polygon. *Encyclopedia of Hydrology and Lakes*, 648–649.
- Shafuan, M. F. A., Nurhidayu, S., & Kamarudin, N. (2016). SCS-CN in Tropics : Is It Reliable? *Pertanika Journal of Scholarly Research Reviews*, 2(1), 1–21.
- Shahabi, H., Shirzadi, A., Ronoud, S., Asadi, S., Pham, B. T., Mansouripour, F., Geertsema, M., Clague, J. J., & Bui, D. T. (2020). Flash flood susceptibility mapping using a novel deep learning model based on deep belief network, back propagation and genetic algorithm. *Geoscience Frontiers*.
- Shao, G., Zhang, D., Guan, Y., Sadat, M. A., & Huang, F. (2020). Application of different separation methods to investigate the baseflow characteristics of a semi-arid sandy area, Northwestern China. *Water (Switzerland)*, 12(2), 1–22.
- Song, Y., Park, Y., Lee, J., Park, M., & Song, Y. (2019). Flood forecasting and warning system structures: Procedure and application to a small urban stream in South Korea. *Water (Switzerland)*, 11(8).
- Soulis, K. X., & Valiantzas, J. D. (2012). SCS-CN parameter determination using rainfall-runoff data in heterogeneous watersheds-the two-CN system approach. *Hydrology and Earth System Sciences*, 16(3), 1001–1015.
- Sri Harto, B. (1985). *Hidrograf Satuan Sintetik GAMA I*. Badan Penerbit Departemen Pekerjaan Umum, Jakarta.
- Takagi, H., Mikami, T., Fujii, D., Esteban, M., & Kurobe, S. (2016). Mangrove forest against dyke-break-induced tsunami on rapidly subsiding coasts. 2009, 1629–1638.
- Thiessen, A. H. (1911). Precipitation averages for large areas. *Monthly Weather Review*, 39(7), 1082–1089.
- Tu, H., Wang, X., Zhang, W., Peng, H., Ke, Q., & Chen, X. (2020). Flash flood early warning coupled with hydrological simulation and the rising rate of the flood stage in a mountainous small watershed in Sichuan province, China. *Water (Switzerland)*, 12(1).

- U.S. Department of the Interior, B. of R. (USBR). (1988). Downstream Hazard Classification Guidelines. ACER Technical Memorandum No. 11.
- USACE. (2016). HEC-RAS River Analysis System Hydraulic Reference Manual Version 5.0. Hydrologic Engineering Center, February, 547.
- Wang, J., Zhang, Z., Greimann, B., & Huang, V. (2018). Application and evaluation of the HEC-RAS – riparian vegetation simulation module to the Sacramento River. *Ecological Modelling*, 368, 158–168.
- Wardhono, A., Rondhi, M., Irawan, J. F., & Prakoso, B. (2010). Identification and Mapping of Disaster Risk of Flash Floods In Jember Regency - East Java , Indonesia. Asia International Symposium, Microdis and Hue University, Hue City- Vietnam, 1, 1–23.
- Watt, W. E., & Chow, K. C. A. (1985). A general expression for basin lag time. *Canadian Journal of Civil Engineering*, 12(2), 294–300.
- Yang, J., Townsend, R. D., & Daneshfar, B. (2006). Applying the HEC-RAS model and GIS techniques in river network floodplain delineation. *Canadian Journal of Civil Engineering*, 33(1), 19–28.
- Yang, T. H., Yang, S. C., Ho, J. Y., Lin, G. F., Hwang, G. Do, & Lee, C. S. (2015). Flash flood warnings using the ensemble precipitation forecasting technique: A case study on forecasting floods in Taiwan caused by typhoons. *Journal of Hydrology*, 520(August 2018), 367–378.
- Yao, Q., Xie, J., Guo, L., Zhang, X., & Liu, R. (2016). Analysis and Evaluation of Flash Flood Disasters: A Case of Lingbao County of Henan Province in China. *Procedia Engineering*, 154, 835–843.
- Zhao, K., Peng, D., Gu, Y., & Fan, C. (2018). The research status of flash flood warning in China. *MATEC Web of Conferences*, 246.
- Zimoch, I., & Bartkiewicz, E. (2018). Process of hydraulic models calibration. *E3S Web of Conferences*, 59, 1–5.