

DAFTAR PUSTAKA

- Balandin, A. A., Ghosh, S., Bao, W., Calizo, I., Teweldebrhan, D., Miao, F. and Lau, C. N. (2008), 'Superior thermal conductivity of single-layer graphene', *Nano letters* **8**(3), 902–907.
- Becker, H. I. (1957), 'Low voltage electrolytic capacitor'. US Patent 2,800,616.
- Bello, A., Fashedemi, O. O., Barzegar, F., Madito, M., Momodu, D. Y., Masikhwa, T., Dangbegnon, J. K. and Manyala, N. (2016), 'Microwave synthesis: characterization and electrochemical properties of amorphous activated carbon-mno₂ nano-composite electrodes', *Journal of Alloys and Compounds* **681**, 293–300.
- Bi, T., Fang, H., Jiang, J., He, X., Zhen, X., Yang, H., Wei, Z. and Jia, Z. (2019), 'Enhance supercapacitive performance of mno₂/3d carbon nanotubes-graphene as a binder-free electrode', *Journal of Alloys and Compounds* **787**, 759–766.
- Bolotin, K. I., Sikes, K. J., Jiang, Z., Klima, M., Fudenberg, G., Hone, J., Kim, P. and Stormer, H. (2008), 'Ultrahigh electron mobility in suspended graphene', *Solid state communications* **146**(9-10), 351–355.
- Borenstein, A., Hanna, O., Attias, R., Luski, S., Brousse, T. and Aurbach, D. (2017), 'Carbon-based composite materials for supercapacitor electrodes: a review', *Journal of Materials Chemistry A* **5**(25), 12653–12672.
- Burke, A., Murphy, T., Goughly, D., Vyas, B., Takamura, T. and RH, J. (1995), Materials for electrochemical energy storage and conversion batteries capacitors and fuel cells, in 'Materials Research Society Symposium, Volume 393, Materials Research Society', p. 375.
- Cai, W., Li, Z., Wei, J. and Liu, Y. (2018), 'Synthesis of peanut shell based magnetic activated carbon with excellent adsorption performance towards electroplating wastewater', *Chemical Engineering Research and Design* **140**, 23–32.
- Chalmin, E., Vignaud, C., Salomon, H., Farges, F., Susini, J. and Menu, M. (2006), 'Minerals discovered in paleolithic black pigments by transmission electron microscopy and micro-x-ray absorption near-edge structure', *Applied Physics A* **83**(2), 213–218.

- Chao, D., Zhou, W., Ye, C., Zhang, Q., Chen, Y., Gu, L., Davey, K. and Qiao, S.-Z. (2019), 'An electrolytic zn-mno₂ battery for high-voltage and scalable energy storage', *Angewandte Chemie International Edition* **58**(23), 7823–7828.
- Cheremisinoff, P. N. and Ellerbusch, F. (1978), *Carbon adsorption handbook*, Ann Arbor Science Publishers.
- Choi, M., Lee, S.-H., Kim, D.-H., Shin, K.-H., Jin, C.-S., Kim, S.-S., Kang, Y. C. and Yeon, S.-H. (2019), 'Rgo/sac composites as electrode materials for supercapacitors to enhance electrochemical performance', *Journal of Physics and Chemistry of Solids* **131**, 69–78.
- Conway, B. E. (2013), *Electrochemical supercapacitors: scientific fundamentals and technological applications*, Springer Science & Business Media.
- Croswell, K. (1996), *The alchemy of the heavens*.
- de la Fuente, J. (Online-a), *Graphene - What Is It?*
URL: <https://www.graphenea.com/pages/graphene>
- de la Fuente, J. (Online-b), *Graphene Oxide - What Is It?*
URL: <https://www.graphenea.com/pages/graphene-oxide#.XsPh6MAxU2w>
- Devaraj, S. and Munichandraiah, N. (2008), 'Effect of crystallographic structure of mno₂ on its electrochemical capacitance properties', *The Journal of Physical Chemistry C* **112**(11), 4406–4417.
- Dolbin, A. V., Khlistyuck, M. V., Esel'son, V. B., Gavrilko, V. G., Vinnikov, N. A., Basnukaeva, R. M., Maluenda, I., Maser, W. K. and Benito, A. M. (2016), 'The effect of the thermal reduction temperature on the structure and sorption capacity of reduced graphene oxide materials', *Applied Surface Science* **361**, 213–220.
- Doloksaribu, M. E. (2019), *Fabrikasi dan Karakterisasi Superkapasitor Berbasis Karbon Aktif Nanopori dan Logam Transisi Oksida*, PhD thesis, Universitas Gadjah Mada.
- Doloksaribu, M., Prihandoko, B., Priyono, S., Subhan, A., Lestariningsih, T. et al. (2019), 'The effect of reduced graphene oxide on the activated carbon metal oxide supercapacitor', *Materials Today: Proceedings* **13**, 181–186.

- Dong, J., Lu, G., Wu, F., Xu, C., Kang, X. and Cheng, Z. (2018), 'Facile synthesis of a nitrogen-doped graphene flower-like mno_2 nanocomposite and its application in supercapacitors', *Applied Surface Science* **427**, 986–993.
- Ellabban, O., Abu-Rub, H. and Blaabjerg, F. (2014), 'Renewable energy resources: Current status, future prospects and their enabling technology', *Renewable and Sustainable Energy Reviews* **39**, 748–764.
- Feng, X., Yan, Z., Chen, N., Zhang, Y., Ma, Y., Liu, X., Fan, Q., Wang, L. and Huang, W. (2013), 'The synthesis of shape-controlled mno_2 /graphene composites via a facile one-step hydrothermal method and their application in supercapacitors', *Journal of Materials Chemistry A* **1**(41), 12818–12825.
- Filip, J. and Tkac, J. (2014), 'Is graphene worth using in biofuel cells?', *Electrochimica Acta* **136**, 340–354.
- Gao, F., Tang, X., Yi, H., Chu, C., Li, N., Li, J. and Zhao, S. (2017), 'In-situ drifts for the mechanistic studies of no oxidation over $\alpha\text{-mno}_2$, $\beta\text{-mno}_2$ and $\gamma\text{-mno}_2$ catalysts', *Chemical Engineering Journal* **322**, 525–537.
- Gong, W., Fugetsu, B., Wang, Z., Sakata, I., Su, L., Zhang, X., Ogata, H., Li, M., Wang, C., Li, J. et al. (2018), 'Carbon nanotubes and manganese oxide hybrid nanostructures as high performance fiber supercapacitors', *Communications Chemistry* **1**(1), 1–8.
- González, A., Goikolea, E., Barrena, J. A. and Mysyk, R. (2016), 'Review on supercapacitors: technologies and materials', *Renewable and Sustainable Energy Reviews* **58**, 1189–1206.
- Guo, X., Zhang, Q., Li, Q., Yu, H. and Liu, Y. (2019), 'Composite aerogels of carbon nanocellulose fibers and mixed-valent manganese oxides as renewable supercapacitor electrodes', *Polymers* **11**(1), 129.
- Han, D., Weng, Z., Li, P., Tao, Y., Cui, C., Zhang, L., Lin, W., Gao, Y., Kong, D. and Yang, Q.-H. (2019), 'Electrode thickness matching for achieving high-volumetric-performance lithium-ion capacitors', *Energy Storage Materials* **18**, 133–138.
- Helmholtz, H. v. (1853), 'Ueber einige gesetze der vertheilung elektrischer ströme in körperlichen leitern, mit anwendung auf die thierisch-elektrischen versuche (schluss.)', *Annalen der Physik* **165**(7), 353–377.

- Hidayah, N., Liu, W.-W., Lai, C.-W., Noriman, N., Khe, C.-S., Hashim, U. and Lee, H. C. (2017), Comparison on graphite, graphene oxide and reduced graphene oxide: Synthesis and characterization, in 'AIP Conference Proceedings', Vol. 1892, AIP Publishing LLC, p. 150002.
- Ho, J., Jow, T. R. and Boggs, S. (2010), 'Historical introduction to capacitor technology', *IEEE Electrical Insulation Magazine* **26**(1), 20–25.
- Huang, Z.-H., Song, Y., Feng, D.-Y., Sun, Z., Sun, X. and Liu, X.-X. (2018), 'High mass loading mno₂ with hierarchical nanostructures for supercapacitors', *Acs Nano* **12**(4), 3557–3567.
- Iwamura, S., Umezu, R., Onishi, K. and Mukai, S. R. (2021), 'Optimal porous structure of mno₂/c composites for supercapacitors', *Korean Journal of Materials Research* **31**(3), 115–121.
- Jin, H., Hu, J., Wu, S., Wang, X., Zhang, H., Xu, H. and Lian, K. (2018), 'Three-dimensional interconnected porous graphitic carbon derived from rice straw for high performance supercapacitors', *Journal of Power Sources* **384**, 270–277.
- Johra, F. T., Lee, J.-W. and Jung, W.-G. (2014), 'Facile and safe graphene preparation on solution based platform', *Journal of Industrial and Engineering Chemistry* **20**(5), 2883–2887.
- Julien, C. M. and Mauger, A. (2017), 'Nanostructured mno₂ as electrode materials for energy storage', *Nanomaterials* **7**(11), 396.
- Julien, C., Mauger, A., Vijn, A. and Zaghib, K. (2016), Lithium batteries, in 'Lithium Batteries', Springer, pp. 29–68.
- Kavitha, C. (2021), 'A review on reduced graphene oxide hybrid nano composites and their prominent applications', *Materials Today: Proceedings* .
- Khanna, V. K. (2019), 'Flexible electronics, volume 3; energy devices and applications', *Flexible Electronics, Volume 3; Energy devices and applications*, by Khanna, Vinod Kumar. ISBN: 978-0-7503-2454-0. IOP ebooks. Bristol, UK: IOP Publishing, 2019 .
- Kuzmenko, A., Van Heumen, E., Carbone, F. and Van Der Marel, D. (2008), 'Universal optical conductance of graphite', *Physical review letters* **100**(11), 117401.

- Laksaci, H., Khelifi, A., Trari, M. and Addoun, A. (2017), 'Synthesis and characterization of microporous activated carbon from coffee grounds using potassium hydroxides', *Journal of cleaner production* **147**, 254–262.
- Lee, C., Wei, X., Kysar, J. W. and Hone, J. (2008), 'Measurement of the elastic properties and intrinsic strength of monolayer graphene', *science* **321**(5887), 385–388.
- Lee, G.-J. and Pyun, S.-I. (2007), Synthesis and characterization of nanoporous carbon and its electrochemical application to electrode material for supercapacitors, in 'Modern aspects of electrochemistry', Springer, pp. 139–195.
- Lewis, E. P., Marshall, C. E., Carman, A. P. and McClung, R. K. (1916), *A Text-book of Physics*, P. Blakiston's son & Company.
- Li, B., Xiong, H. and Xiao, Y. (2020), 'Progress on synthesis and applications of porous carbon materials', *Int. J. Electrochem. Sci* **15**, 1363–1377.
- Lide, D. R. (2004), *CRC handbook of chemistry and physics*, Vol. 85, CRC press.
- Lin, S.-C., Lu, Y.-T., Chien, Y.-A., Wang, J.-A., Chen, P.-Y., Ma, C.-C. M. and Hu, C.-C. (2018), 'Asymmetric supercapacitors based on electrospun carbon nanofiber/sodium-pre-intercalated manganese oxide electrodes with high power and energy densities', *Journal of Power Sources* **393**, 1–10.
- Liu, D., Su, L., Liao, J., Reeja-Jayan, B. and Majidi, C. (2019), 'Rechargeable soft-matter egain-mno2 battery for stretchable electronics', *Advanced Energy Materials* **9**(46), 1902798.
- Liu, J., Meng, L., Fei, Z., Dyson, P. J., Jing, X. and Liu, X. (2017), 'Mno2 nano-sheets as an artificial enzyme to mimic oxidase for rapid and sensitive detection of glutathione', *Biosensors and Bioelectronics* **90**, 69–74.
- Liu, Y.-H., Hsi, H.-C., Li, K.-C. and Hou, C.-H. (2016), 'Electrodeposited manganese dioxide/activated carbon composite as a high-performance electrode material for capacitive deionization', *ACS Sustainable Chemistry & Engineering* **4**(9), 4762–4770.
- Liu, Z., Diao, Z., Yuan, Y., Jia, H., Wang, L. and Fei, W. (2021), 'A two-step thermal treatment method to produce reduced graphene oxide with selectively increasing

- electrochemically active carbonyl group content for high-performance supercapacitor electrode', *Colloids and Surfaces A: Physicochemical and Engineering Aspects* **620**, 126573.
- Lozano-Castello, D., Lillo-Rodenas, M., Cazorla-Amorós, D. and Linares-Solano, A. (2001), 'Preparation of activated carbons from spanish anthracite: I. activation by koh', *Carbon* **39**(5), 741–749.
- Lu, M. (2013), *Supercapacitors: materials, systems, and applications*, John Wiley & Sons.
- Lv, H., Gao, X., Xu, Q., Liu, H., Wang, Y.-G. and Xia, Y. (2017), 'Carbon quantum dot-induced mno₂ nanowire formation and construction of a binder-free flexible membrane with excellent superhydrophilicity and enhanced supercapacitor performance', *ACS applied materials & interfaces* **9**(46), 40394–40403.
- McMullan, D. (1995), 'Scanning electron microscopy 1928–1965', *Scanning* **17**(3), 175–185.
- Menéndez, J., Arenillas, A., Fidalgo, B., Fernández, Y., Zubizarreta, L., Calvo, E. G. and Bermúdez, J. M. (2010), 'Microwave heating processes involving carbon materials', *Fuel Processing Technology* **91**(1), 1–8.
- Miller, J. (2007), 'Batteries and energy storage technology', *Autumn* pp. 61–78.
- Miller, J. R. and Simon, P. (2008), 'Fundamentals of electrochemical capacitor design and operation', *Electrochem. Soc. Interface* **17**(1), 31–2.
- Natelson, D. (2015), *Nanostructures and nanotechnology*, Cambridge University Press.
- Nithya, V., Selvan, R. K., Kalpana, D., Vasylechko, L. and Sanjeeviraja, C. (2013), 'Synthesis of bi₂wo₆ nanoparticles and its electrochemical properties in different electrolytes for pseudocapacitor electrodes', *Electrochimica Acta* **109**, 720–731.
- Novoselov, K. S., Geim, A. K., Morozov, S. V., Jiang, D., Zhang, Y., Dubonos, S. V., Grigorieva, I. V. and Firsov, A. A. (2004), 'Electric field effect in atomically thin carbon films', *science* **306**(5696), 666–669.

- Oliveira, A. E. F., Braga, G. B., Tarley, C. R. T. and Pereira, A. C. (2018), 'Thermally reduced graphene oxide: synthesis, studies and characterization', *Journal of Materials Science* **53**(17), 12005–12015.
- Pal, B., Yang, S., Ramesh, S., Thangadurai, V. and Jose, R. (2019), 'Electrolyte selection for supercapacitive devices: A critical review', *Nanoscale Advances* **1**(10), 3807–3835.
- Pallarés, J., González-Cencerrado, A. and Arauzo, I. (2018), 'Production and characterization of activated carbon from barley straw by physical activation with carbon dioxide and steam', *Biomass and Bioenergy* **115**, 64–73.
- Pandolfo, A. G. and Hollenkamp, A. F. (2006), 'Carbon properties and their role in supercapacitors', *Journal of power sources* **157**(1), 11–27.
- Petreus, D., Moga, D., Galatus, R. and Munteanu, R. A. (2008), 'Modeling and sizing of supercapacitors', *Advances in Electrical and Computer Engineering* **8**(2), 15–22.
- Pollak, C. (1901), 'Electrolytic current rectifier and condenser.'. US Patent 672,913.
- Prasath, A., Athika, M., Duraisamy, E., Sharma, A. S. and Elumalai, P. (2018), 'Carbon-quantum-dot-derived nanostructured mno₂ and its symmetrical supercapacitor performances', *ChemistrySelect* **3**(30), 8713–8723.
- Pratama, B. W. and Dwandaru, W. S. B. (2020), 'Synthesis of reduced graphene oxide based on thermally modified liquid-phase exfoliation', *Nano Express* **1**(1), 010023.
- Qiu, Z., Wang, Y., Bi, X., Zhou, T., Zhou, J., Zhao, J., Miao, Z., Yi, W., Fu, P. and Zhuo, S. (2018), 'Biochar-based carbons with hierarchical micro-meso-macro porosity for high rate and long cycle life supercapacitors', *Journal of Power Sources* **376**, 82–90.
- Qu, D. and Shi, H. (1998), 'Studies of activated carbons used in double-layer capacitors', *Journal of Power Sources* **74**(1), 99–107.
- Ramezani, M., Fathi, M. and Mahboubi, F. (2015), 'Facile synthesis of ternary mno₂/graphene nanosheets/carbon nanotubes composites with high rate capability for supercapacitor applications', *Electrochimica Acta* **174**, 345–355.

- Rana, M., Subramani, K., Sathish, M. and Gautam, U. K. (2017), 'Soya derived heteroatom doped carbon as a promising platform for oxygen reduction, supercapacitor and CO₂ capture', *Carbon* **114**, 679–689.
- Reddy, A. L. M. and Ramaprabhu, S. (2007), 'Nanocrystalline metal oxides dispersed multiwalled carbon nanotubes as supercapacitor electrodes', *The Journal of Physical Chemistry C* **111**(21), 7727–7734.
- Roberts, M., Clemons, C., Wilber, J., Young, G., Buldum, A. and Quinn, D. (2010), 'Continuum plate theory and atomistic modeling to find the flexural rigidity of a graphene sheet interacting with a substrate', *Journal of Nanotechnology* **2010**.
- Saito, Y., Meguro, M., Ashizawa, M., Waki, K., Yuksel, R., Unalan, H. and Matsumoto, H. (2017), 'Manganese dioxide nanowires on carbon nanofiber frameworks for efficient electrochemical device electrodes', *RSC advances* **7**(20), 12351–12358.
- Shamsuddin, M., Yusoff, N. and Sulaiman, M. (2016), 'Synthesis and characterization of activated carbon produced from kenaf core fiber using H₃PO₄ activation', *Procedia Chemistry* **19**, 558–565.
- Shao, Y., El-Kady, M. F., Wang, L. J., Zhang, Q., Li, Y., Wang, H., Mousavi, M. F. and Kaner, R. B. (2015), 'Graphene-based materials for flexible supercapacitors', *Chemical Society Reviews* **44**(11), 3639–3665.
- Sharma, P. and Kumar, V. (2020), 'Study of electrode and electrolyte material of supercapacitor', *Materials Today: Proceedings*.
- Shen, H., Zhang, Y., Song, X., Liu, Y., Wang, H., Duan, H. and Kong, X. (2019), 'Facile hydrothermal synthesis of actinaria-shaped α -MnO₂/activated carbon and its electrochemical performances of supercapacitor', *Journal of Alloys and Compounds* **770**, 926–933.
- Shi, W., Zhou, X., Li, J., Meshot, E. R., Taylor, A. D., Hu, S., Kim, J.-H., Elimelech, M. and Plata, D. L. (2018), 'High-performance capacitive deionization via manganese oxide-coated, vertically aligned carbon nanotubes', *Environmental Science & Technology Letters* **5**(11), 692–700.
- Singu, B. S. and Yoon, K. R. (2019), 'Exfoliated graphene-manganese oxide nanocomposite electrode materials for supercapacitor', *Journal of Alloys and Compounds* **770**, 1189–1199.

- Stern, O. (1924), 'Zur theorie der elektrolytischen doppelschicht', *Zeitschrift für Elektrochemie und angewandte physikalische Chemie* **30**(21-22), 508–516.
- Stobinski, L., Lesiak, B., Malolepszy, A., Mazurkiewicz, M., Mierzwa, B., Zemek, J., Jiricek, P. and Bieloshapka, I. (2014), 'Graphene oxide and reduced graphene oxide studied by the xrd, tem and electron spectroscopy methods', *Journal of Electron Spectroscopy and Related Phenomena* **195**, 145–154.
- Su, W., Zhou, L. and Zhou, Y. (2003), 'Preparation of microporous activated carbon from coconut shells without activating agents', *Carbon (New York, NY)* **41**(4), 861–863.
- Suhendar, H. (2020), Pemisahan ion menggunakan elektroda berbasis karbon nano-fiber polyacrylonitrile (pan)/graphene oxide (go) dalam sistem capacitivi deionization(cdi), Master's thesis, Universitas Gadjah Mada.
- Tang, C., Zhao, K., Tang, Y., Li, F. and Meng, Q. (2021), 'Forest-like carbon foam templated rgo/cnts/mno₂ electrode for high-performance supercapacitor', *Electrochimica Acta* **375**, 137960.
- Tehrani, Z., Thomas, D., Korochkina, T., Phillips, C., Lupo, D., Lehtimäki, S., O'mahony, J. and Gethin, D. (2017), 'Large-area printed supercapacitor technology for low-cost domestic green energy storage', *Energy* **118**, 1313–1321.
- Tsai, W.-T. and Jiang, T.-J. (2018), 'Mesoporous activated carbon produced from coconut shell using a single-step physical activation process', *Biomass Conversion and Biorefinery* **8**(3), 711–718.
- Tseng, L.-H., Hsiao, C.-H., Nguyen, D. D., Hsieh, P.-Y., Lee, C.-Y. and Tai, N.-H. (2018), 'Activated carbon sandwiched manganese dioxide/graphene ternary composites for supercapacitor electrodes', *Electrochimica Acta* **266**, 284–292.
- Vangari, M., Pryor, T. and Jiang, L. (2013), 'Supercapacitors: review of materials and fabrication methods', *Journal of Energy Engineering* **139**(2), 72–79.
- Von Ardenne, M. (1938), 'Das elektronen-rastermikroskop', *Zeitschrift für Physik* **109**(9-10), 553–572.
- von Hippel, A. R. and Morgan, S. (1955), 'Dielectric materials and applications', *Journal of The Electrochemical Society* **102**(3), 68C.

- Wang, D., Fang, G., Xue, T., Ma, J. and Geng, G. (2016), 'A melt route for the synthesis of activated carbon derived from carton box for high performance symmetric supercapacitor applications', *Journal of Power Sources* **307**, 401–409.
- Wang, G., Zhang, L. and Zhang, J. (2012), 'A review of electrode materials for electrochemical supercapacitors', *Chemical Society Reviews* **41**(2), 797–828.
- Wang, H., Fu, Q. and Pan, C. (2019), 'Green mass synthesis of graphene oxide and its mno₂ composite for high performance supercapacitor', *Electrochimica Acta* **312**, 11–21.
- Wang, L., Lei, T., Ren, Z., Jiang, X., Yang, X., Bai, H. and Wang, S. (2020), 'Fe₃O₄@pda@ mno₂ core-shell nanocomposites for sensitive electrochemical detection of trace pb (ii) in water', *Journal of Electroanalytical Chemistry* p. 114065.
- Wang, Y., Guo, J., Wang, T., Shao, J., Wang, D. and Yang, Y.-W. (2015), 'Mesoporous transition metal oxides for supercapacitors', *Nanomaterials* **5**(4), 1667–1689.
- Wang, Y., Lai, W., Wang, N., Jiang, Z., Wang, X., Zou, P., Lin, Z., Fan, H. J., Kang, F., Wong, C.-P. et al. (2017), 'A reduced graphene oxide/mixed-valence manganese oxide composite electrode for tailorable and surface mountable supercapacitors with high capacitance and super-long life', *Energy & Environmental Science* **10**(4), 941–949.
- Williams, H. S. (2011), 'A history of science volume ii, part vi: The leyden jar discovered'.
- Wong, S., Lee, Y., Ngadi, N., Inuwa, I. M. and Mohamed, N. B. (2018), 'Synthesis of activated carbon from spent tea leaves for aspirin removal', *Chinese Journal of Chemical Engineering* **26**(5), 1003–1011.
- Wu, H., Wang, X., Jiang, L., Wu, C., Zhao, Q., Liu, X., Yi, L. et al. (2013), 'The effects of electrolyte on the supercapacitive performance of activated calcium carbide-derived carbon', *Journal of power sources* **226**, 202–209.
- Wu, K., Fu, J., Zhang, X., Peng, X., Gao, B. and Chu, P. K. (2016), 'Three-dimensional flexible carbon electrode for symmetrical supercapacitors', *Materials Letters* **185**, 193–196.

- Xiao, H., Zhang, T., Liang, X. and Gao, Q. (2021), 'A porous rgo with high specific surface area and high content of doped-n modifying the separator for high performance li-s battery', *Electrochimica Acta* p. 138910.
- Xing, W. (2019), 'A ion-sieves facile synthesis for highly of hexagonal selective li+ spinel adsorption λ -mno₂', *Transport of Fluids in Nanoporous Materials* p. 170.
- Xiong, C., Li, M., Zhao, W., Duan, C. and Ni, Y. (2020), 'Flexible n-doped reduced graphene oxide/carbon nanotube-mno₂ film as a multifunctional material for high-performance supercapacitors, catalysts and sensors', *Journal of Materiomics* **6**(3), 523–531.
- Xu, J., Zhou, X. and Chen, M. (2019), 'Pore structure improvement of lignin composite carbon aerogels by introducing manganese ion and its application in supercapacitors', *Materials Research Express* **6**(6), 065036.
- Xu, L., Li, Y., Jia, M., Zhao, Q., Jin, X. and Yao, C. (2017), 'Synthesis and characterization of free-standing activated carbon/reduced graphene oxide film electrodes for flexible supercapacitors', *RSC advances* **7**(71), 45066–45074.
- Yamada, Y. and Ozaki, J. (2004), 'Encyclopedia of nanoscience and nanotechnology vol. 7'.
- Yue, L., Xia, Q., Wang, L., Wang, L., DaCosta, H., Yang, J. and Hu, X. (2018), 'Co₂ adsorption at nitrogen-doped carbons prepared by k₂co₃ activation of urea-modified coconut shell', *Journal of colloid and interface science* **511**, 259–267.
- Zhang, L. L. and Zhao, X. (2009), 'Carbon-based materials as supercapacitor electrodes', *Chemical Society Reviews* **38**(9), 2520–2531.
- Zhang, M., Yang, D. and Li, J. (2020), 'Supercapacitor performances of mno₂ and mno₂/reduced graphene oxide prepared with various electrodeposition time', *Vacuum* **178**, 109455.
- Zhang, Q.-Z., Zhang, D., Miao, Z.-C., Zhang, X.-L. and Chou, S.-L. (2018), 'Research progress in mno₂–carbon based supercapacitor electrode materials', *Small* **14**(24), 1702883.

- Zhao, L., Fan, L.-Z., Zhou, M.-Q., Guan, H., Qiao, S., Antonietti, M. and Titirici, M.-M. (2010), 'Nitrogen-containing hydrothermal carbons with superior performance in supercapacitors', *Advanced materials* **22**(45), 5202–5206.
- Zhao, Y.-Q., Zhao, D.-D., Tang, P.-Y., Wang, Y.-M., Xu, C.-L. and Li, H.-L. (2012), 'MnO₂/graphene/nickel foam composite as high performance supercapacitor electrode via a facile electrochemical deposition strategy', *Materials Letters* **76**, 127–130.
- Zheng, K., Li, Y., Zhu, M., Yu, X., Zhang, M., Shi, L. and Cheng, J. (2017), 'The porous carbon derived from water hyacinth with well-designed hierarchical structure for supercapacitors', *Journal of Power Sources* **366**, 270–277.
- Zhu, S., Li, L., Liu, J., Wang, H., Wang, T., Zhang, Y., Zhang, L., Ruoff, R. S. and Dong, F. (2018), 'Structural directed growth of ultrathin parallel birnessite on β -mno₂ for high-performance asymmetric supercapacitors', *Acs Nano* **12**(2), 1033–1042.
- Zurutuza, A. (Online), *Graphene & Graphite - How Do They Compare?*
URL: <https://www.graphenea.com/pages/graphene-graphite#.XsNZwsAxU2w>