UNIVERSITAS
GADJAH MADA
Flash Flood Characteristics of Ciberang River Its Impact and Mitigation
VUTHY, SAY, Prof. Ir. Djoko Legono, Ph.D; Ir. Adam Pamudji R., M.Sc., Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Adler, R. F., & Negri, A. J. (1988). A Satellite Infrared Technique to Estimate Tropical Convective and Stratiform Rainfall. *Journal of Applied Meteorology*, *27*(1), 30–51.

Agha, R., Cirés, S., Wörmer, L., Domínguez, J. A., & Quesada, A. (2012). Multi-scale strategies for the monitoring of freshwater cyanobacteria: Reducing the sources of uncertainty. *Water Research*, *46*(9), 3043–3053.

Ahn, J., Cho, W., Kim, T., Shin, H., & Heo, J.-H. (2014). Flood Frequency Analysis for the Annual Peak Flows Simulated by an Event-Based Rainfall-Runoff Model in an Urban Drainage Basin. *Water*, *6*(12), 3841–3863.

Al-Juaidi, A. E. M. (2018). A simplified GIS-based SCS-CN method for the assessment of land-use change on runoff. *Arabian Journal of Geosciences*, *11*(11), 269.

Andres, L., Boateng, K., Borja-Vega, C., & Thomas, E. (2018). A Review of In-Situ and Remote Sensing Technologies to Monitor Water and Sanitation Interventions. *Water*, *10*(6), 756.

Asian Development Bank. (2010). *Preliminary Damage and Needs Assessment, Asian Development Bank/World Bank (ADB), Islamabad, Pakistan*. http://siteresources.worldbank.org/PAKISTANEXTN/Resour%0Aces/293051-1264873659180/6750579-1291656195263/PakistanFloodsDNA_%0ADecember2010.pdf

Asian Development Bank. (2013). *Indus Basin Floods: Mechanisms, Impacts, and Management, Philippines*. 55.

Australian Institute for Disaster Resilience. (2014). Technical flood risk management guideline: Flood hazard.

Azmeri, A., & Isa, A. H. (2018). An analysis of physical vulnerability to flash floods in the small mountainous watershed of Aceh Besar Regency, Aceh province, Indonesia. *Jàmbá: Journal of Disaster Risk Studies*, *10*(1).

Ben Khalfallah, C., & Saidi, S. (2018). Spatiotemporal floodplain mapping and prediction using HEC-RAS - GIS tools: Case of the Mejerda river, Tunisia. *Journal of African Earth Sciences*, *142*, 44–51.

Blöschl, G., Nester, T., Komma, J., Parajka, J., & Perdigão, R. A. P. (2013). The June 2013 flood in the Upper Danube basin, and comparisons with the 2002, 1954 and 1899 floods. *Hydrology & Earth System Sciences Discussions*, *10*(7).

BNPB, N. D. M. A. (2020). *Flooding in Jakarta Metropolitan Area, Indonesia*. https://reliefweb.int/sites/reliefweb.int/files/resources/FlashUpdate_02_03Jan2019_Flood_Jakarta_rev1.pdf

Brunner, G. (2002). *HEC-RAS, River Analysis System Hydraulic Reference Manual. Hydrological Engineering Center*.

Brunner, G. (2016). HEC-RAS River Analysis System, 2D Hydraulic reference manual, Version 5.0. *Institute for Water Resources, Hydrological Engineering Center*.

Brunner, M. I., Viviroli, D., Sikorska, A. E., Vannier, O., Favre, A.-C., & Seibert, J. (2017). Flood type specific construction of synthetic design hydrographs. *Water*

UNIVERSITAS
GADJAH MADA
Flash Flood Characteristics of Ciberang River Its Impact and Mitigation
VUTHY, SAY, Prof. Ir. Djoko Legono, Ph.D; Ir. Adam Pamudji R., M.Sc., Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Resources Research, *53*(2), 1390–1406.

Burn, D. H., Attilio, C., & Thomas R., K. (2017). Floods. In Handbook of Applied Hydrology.

Carson, E. C. (2006). Hydrologic modeling of flood conveyance and impacts of historic overbank sedimentation on West Fork Black's Fork, Uinta Mountains, northeastern Utah, USA. *Geomorphology*, *75*(3–4), 368–383.

Chander, G., Markham, B. L., & Helder, D. L. (2009). Summary of current radiometric calibration coefficients for Landsat MSS, TM, ETM+, and EO-1 ALI sensors. *Remote Sensing of Environment*, *113*(5), 893–903.

Che, D., Nangare, M., & Mays, L. W. (2014). Determination of Clark's Unit Hydrograph Parameters for Watersheds. *Journal of Hydrologic Engineering*, *19*(2), 384–387.

Chen, F., & Liu, C. (2012). Estimation of the spatial rainfall distribution using inverse distance weighting (IDW) in the middle of Taiwan. *Paddy and Water Environment*, *10*(3), 209–222.

Chen, S., Lin, T., & Chen, C. (2015). Modeling of natural dam failure modes and downstream riverbed morphological changes with different dam materials in a flume test. *Engineering Geology*, *188*, 148–158.

Cheng, M., Brown, R., & Collier, C. C. (1993). Delineation of Precipitation Areas Using Meteosat Infrared and Visible Data in the Region of the United Kingdom. *Journal of Applied Meteorology*, *32*(5), 884–898.

Chow, V. Te, Maidment, D. R., & Mays, L. W. (1988). Applied Hydrology.

Dasallas, L., Kim, Y., & An, H. (2019). Case Study of HEC-RAS 1D–2D Coupling Simulation: 2002 Baeksan Flood Event in Korea. *Water*, *11*(10), 2048.

Dohmen, A., Szönyi, M., & Gywat, O. (2014). *Central European floods 2013: a retrospective*.

Drusch, M., Del Bello, U., Carlier, S., Colin, O., Fernandez, V., Gascon, F., Hoersch, B., Isola, C., Laberinti, P., Martimort, P., Meygret, A., Spoto, F., Sy, O., Marchese, F., & Bargellini, P. (2012). Sentinel-2: ESA's Optical High-Resolution Mission for GMES Operational Services. *Remote Sensing of Environment*, *120*, 25–36.

Elvidge, S., Angling, M. J., & Nava, B. (2014). On the use of modified Taylor diagrams to compare ionospheric assimilation models. *Radio Science*, *49*(9), 737–745.

Ezz, H. (2018). Integrating GIS and HEC-RAS to model Assiut plateau runoff. *The Egyptian Journal of Remote Sensing and Space Science*, *21*(3), 219–227.

Fan, C., Ko, C.-H., & Wang, W.-S. (2009). An innovative modeling approach using Qual2K and HEC-RAS integration to assess the impact of tidal effect on River Water quality simulation. *Journal of Environmental Management*, *90*(5), 1824–1832.

Farooq, M., Shafique, M., & Khattak, M. S. (2019). Flood hazard assessment and mapping of River Swat using HEC-RAS 2D model and high-resolution 12-m TanDEM-X DEM (WorldDEM). *Natural Hazards*, *97*(2), 477–492.

France, P. W. (1985). A comparison of various techniques for computation of areal rainfall. *Journal of the Institution of Engineers. India. Civil Engineering Division*,

UNIVERSITAS
GADJAH MADA
Flash Flood Characteristics of Ciberang River Its Impact and Mitigation
VUTHY, SAY, Prof. Ir. Djoko Legono, Ph.D; Ir. Adam Pamudji R., M.Sc., Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

66(2), 74–78.

Gale, E. L., & Saunders, M. A. (2013). The 2011 Thailand flood: climate causes and return periods. *Weather*, *68*(9), 233–237.

Gholami, V., Asghari, A., & Taghvaye Salimi, E. (2016). Flood hazard zoning using geographic information system (GIS) and HEC-RAS model (Case study: Rasht City). *Caspian Journal of Environmental Sciences*, *14*(3), 263–272.

Ghoneim, E., & Foody, G. M. (2013). Assessing flash flood hazard in an arid mountainous region. *Arabian Journal of Geosciences*, *6*(4), 1191–1202.

Gourley, J. J., Erlingis, J. M., Hong, Y., & Wells, E. B. (2012). Evaluation of Tools Used for Monitoring and Forecasting Flash Floods in the United States. *Weather and Forecasting*, *27*(1), 158–173.

Gourley, J. J., Flamig, Z. L., Hong, Y., & Howard, K. W. (2014). Evaluation of past, present and future tools for radar-based flash-flood prediction in the USA. *Hydrological Sciences Journal*, *59*(7), 1377–1389.

Gourley, J. J., Flamig, Z. L., Vergara, H., Kirstetter, P. E., Clark, R. A., Argyle, E., Arthur, A., Martinaitis, S., Terti, G., Erlingis, J. M., Hong, Y., & Howard, K. W. (2017). The flash project Improving the Tools for Flash Flood Monitoring and Prediction across the United States. *Bulletin of the American Meteorological Society*, *98*(2), 361–372.

Gupta, H. V., Sorooshian, S., & Yapo, P. O. (1999). Status of Automatic Calibration for Hydrologic Models: Comparison with Multilevel Expert Calibration. *Journal of Hydrologic Engineering*, *4*(2), 135–143.

Haraguchi, M., & Lall, U. (2015). Flood risks and impacts: A case study of Thailand's floods in 2011 and research questions for supply chain decision making. *International Journal of Disaster Risk Reduction*, *14*, 256–272.

Hefley, T. J., Tyre, A. J., & Blankenship, E. E. (2013). Statistical indicators and state–space population models predict extinction in a population of bobwhite quail. *Theoretical Ecology*, *6*(3), 319–331.

Hooke, J. M. (2019). Extreme sediment fluxes in a dryland flash flood. *Scientific Reports*, *9*(1), 1686.

Hou, A. Y., Kakar, R. K., Neeck, S., Azarbarzin, A. A., Kummerow, C. D., Kojima, M., Oki, R., Nakamura, K., & Iguchi, T. (2014). The Global Precipitation Measurement Mission. *Bulletin of the American Meteorological Society*, *95*(5), 701–722.

Hsiao, Y.-S., Hwang, C., Cheng, Y.-S., Chen, L.-C., Hsu, H.-J., Tsai, J.-H., Liu, C.-L., Wang, C.-C., Liu, Y.-C., & Kao, Y.-C. (2016). High-resolution depth and coastline over major atolls of South China Sea from satellite altimetry and imagery. *Remote Sensing of Environment*, *176*, 69–83.

Huffman, G. J., Bolvin, D. T., Braithwaite, D., Hsu, K., Joyce, R., Xie, P., & Yoo, S.-H. (2015). NASA global precipitation measurement (GPM) integrated multi-satellite retrievals for GPM (IMERG). *Algorithm Theoretical Basis Document (ATBD) Version*, *4*, 26.

Huffman, G. J., Bolvin, D. T., Nelkin, E. J., Wolff, D. B., Adler, R. F., Gu, G., Hong, Y.,

UNIVERSITAS
GADJAH MADA
Flash Flood Characteristics of Ciberang River Its Impact and Mitigation
VUTHY, SAY, Prof. Ir. Djoko Legono, Ph.D; Ir. Adam Pamudji R., M.Sc., Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Bowman, K. P., & Stocker, E. F. (2007). The TRMM Multisatellite Precipitation Analysis (TMPA): Quasi-Global, Multiyear, Combined-Sensor Precipitation Estimates at Fine Scales. *Journal of Hydrometeorology*, *8*(1), 38–55.

Hydrologic Engineering Center. (2016). *HEC-RAS River Analysis System, User's Manual, Version 5.0. CPD-68*.

Iliana R, M., Grey, N., John D., B., & Venkat, L. (2017). Remote Sensing Techniques and Data Assimilation for Hydrologic Modeling. In Handbook of Applied Hydrology (p. 1).

Isa, M., Fauzi, A., & Susilowati, I. (2019). Flood risk reduction in the northern coast of Central Java Province, Indonesia: An application of stakeholder's analysis. *Jàmbá Journal of Disaster Risk Studies*, *11*(1).

Kjeldsen, T. R. (2010). Modelling the impact of urbanization on flood frequency relationships in the UK. *Hydrology Research*, *41*(5), 391–405.

Kleidorfer, M., Sitzenfrei, R., & Rauch, W. (2014). Simplifying impact of urban development on sewer systems. *Water Science and Technology*, *70*(11), 1808–1816.

Komori, D., Nakamura, S., Kiguchi, M., Nishijima, A., Yamazaki, D., Suzuki, S., Kawasaki, A., Oki, K., & Oki, T. (2012). Characteristics of the 2011 Chao Phraya River flood in Central Thailand. *Hydrological Research Letters*, *6*, 41–46.

Krzysztofowicz, R., Kelly, K. S., & Long, D. (1994). Reliability of Flood Warning Systems. *Journal of Water Resources Planning and Management*, *120*(6), 906–926.

Kusumastuti, D. I., & Jokowinarno, D. (2012). Time Step Issue in Unit Hydrograph for Improving Runoff Prediction in Small Catchments. *Journal of Water Resource and Protection*, *04*(08), 686–693.

Lamichhane, N., & Sharma, S. (2017). Development of Flood Warning System and Flood Inundation Mapping Using Field Survey and LiDAR Data for the Grand River near the City of Painesville, Ohio. *Hydrology*, *4*(2), 24.

Lawrence, D., Paquet, E., Gailhard, J., & Fleig, A. K. (2014). Stochastic semi-continuous simulation for extreme flood estimation in catchments with combined rainfall–snowmelt flood regimes. *Natural Hazards and Earth System Sciences*, *14*(5), 1283–1298.

Leedal, D., Neal, J., Beven, K., Young, P., & Bates, P. (2010). Visualization approaches for communicating real-time flood forecasting level and inundation information. *Journal of Flood Risk Management*, *3*(2), 140–150.

Li, W., Du, Z., Ling, F., Zhou, D., Wang, H., Gui, Y., Sun, B., & Zhang, X. (2013). A Comparison of Land Surface Water Mapping Using the Normalized Difference Water Index from TM, ETM+ and ALI. *Remote Sensing*, *5*(11), 5530–5549.

Luo, M., Liu, T., Meng, F., Duan, Y., Frankl, A., Bao, A., & De Maeyer, P. (2018). Comparing Bias Correction Methods Used in Downscaling Precipitation and Temperature from Regional Climate Models: A Case Study from the Kaidu River Basin in Western China. *Water*, *10*(8), 1046.

Mahmood, S., & Rahman, A. (2019). Flash flood susceptibility modeling using geo-morphometric and hydrological approaches in Panjkora Basin, Eastern Hindu Kush,

UNIVERSITAS
GADJAH MADA
Flash Flood Characteristics of Ciberang River Its Impact and Mitigation
VUTHY, SAY, Prof. Ir. Djoko Legono, Ph.D; Ir. Adam Pamudji R., M.Sc., Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Pakistan. *Environmental Earth Sciences*, *78*(1), 43.

McFEETERS, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International Journal of Remote Sensing*, *17*(7), 1425–1432.

Merz, B., Thieken, A. H., & Gocht, M. (2007). Flood Risk Mapping At The Local Scale: Concepts and Challenges (pp. 231–251).

Missions, L. (2016). Using the USGS Landsat8 product. *US Department of the Interior-US Geological Survey–NASA*.

Nash, J. E., & Sutcliffe, J. V. (1970). River flow forecasting through conceptual models part I — A discussion of principles. *Journal of Hydrology*, *10*(3), 282–290.

Natakusumah, D. K., Harlan, D., & Hatmoko, W. (2013). *A new synthetic unit hydrograph computation method based on the mass conservation principle*. 27–38.

Neppel, L., Desbordes, M., & Masson, J. M. (1997). Spatial extension of extreme rainfall events: return period of isohyets area and influence of rain gauges network evolution. *Atmospheric Research*, *45*(3), 183–199.

Nguyen, P., Ombadi, M., Gorooh, V. A., Shearer, E. J., Sadeghi, M., Sorooshian, S., Hsu, K., Bolvin, D., & Ralph, M. F. (2020). PERSIANN Dynamic Infrared–Rain Rate (PDIR-Now): A Near-Real-Time, Quasi-Global Satellite Precipitation Dataset. *Journal of Hydrometeorology*, *21*(12), 2893–2906.

Ojha, C., Berndtsson, R., & Bhunya, P. (2008). Engineering hydrology. Oxford university press.

Okamoto, K. i., Ushio, T., Iguchi, T., Takahashi, N., & Iwanami, K. (2005). The global satellite mapping of precipitation (GSMaP) project. *Proceedings. 2005 IEEE International Geoscience and Remote Sensing Symposium, 2005. IGARSS '05.*, *5*, 3414–3416.

Pappenberger, F., Beven, K., Horritt, M., & Blazkova, S. (2005). Uncertainty in the calibration of effective roughness parameters in HEC-RAS using inundation and downstream level observations. *Journal of Hydrology*, *302*(1–4), 46–69.

Patel, D. P., Ramirez, J. A., Srivastava, P. K., Bray, M., & Han, D. (2017). Assessment of flood inundation mapping of Surat city by coupled 1D/2D hydrodynamic modeling: a case application of the new HEC-RAS 5. *Natural Hazards*, *89*(1), 93–130.

Petersen, M. S. (2001). Impacts of Flash Floods. In Coping With Flash Floods (pp. 11–13). Springer Netherlands.

Priyantoro, D., & Limantara, L. M. (2017). Conformity evaluation of synthetic unit hydrograph (case study at upstream Brantas sub watershed, East Java Province of Indonesia). *Journal of Water and Land Development*, *35*(1), 173–183.

Rodrigues, D. T., Gonçalves, W. A., Spyrides, M. H. C., & Santos e Silva, C. M. (2020). Spatial and temporal assessment of the extreme and daily precipitation of the Tropical Rainfall Measuring Mission satellite in Northeast Brazil. *International Journal of Remote Sensing*, *41*(2), 549–572.

Saharia, M., Kirstetter, P.-E., Vergara, H., Gourley, J. J., & Hong, Y. (2017).

UNIVERSITAS
GADJAH MADA
Flash Flood Characteristics of Ciberang River Its Impact and Mitigation
VUTHY, SAY, Prof. Ir. Djoko Legono, Ph.D; Ir. Adam Pamudji R., M.Sc., Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Characterization of floods in the United States. *Journal of Hydrology*, *548*, 524–535.

Shi, W., Huang, M., Gongadze, K., & Wu, L. (2017). A Modified SCS-CN Method Incorporating Storm Duration and Antecedent Soil Moisture Estimation for Runoff Prediction. *Water Resources Management*, *31*(5), 1713–1727.

Singh, V. P. (2017). Handbook of Applied Hydrology.

Smith, G., Davey, E., & Cox, R. (2014). Flood hazard, Technical report 2014/07.

Sophocleous, M. (2010). Review: groundwater management practices, challenges, and innovations in the High Plains aquifer, USA—lessons and recommended actions. *Hydrogeology Journal*, *18*(3), 559–575.

Subramanya, K. (2008). Engineering Hydrology. 7 West Patal Nagar. *New Delhi*, *110*(008).

Sun, F., Sun, W., Chen, J., & Gong, P. (2012). Comparison and improvement of methods for identifying waterbodies in remotely sensed imagery. *International Journal of Remote Sensing*, *33*(21), 6854–6875.

Svensson, C., Kjeldsen, T. R., & Jones, D. A. (2013). Flood frequency estimation using a joint probability approach within a Monte Carlo framework. *Hydrological Sciences Journal*, *58*(1), 8–27.

Tao, J., & Barros, A. P. (2013). Prospects for flash flood forecasting in mountainous regions – An investigation of Tropical Storm Fay in the Southern Appalachians. *Journal of Hydrology*, *506*, 69–89.

Tapiador, F. J., Turk, F. J., Petersen, W., Hou, A. Y., García-Ortega, E., Machado, L. A. T., Angelis, C. F., Salio, P., Kidd, C., Huffman, G. J., & de Castro, M. (2012). Global precipitation measurement: Methods, datasets and applications. *Atmospheric Research*, *104–105*, 70–97.

Taylor, K. E. (2001). Summarizing multiple aspects of model performance in a single diagram. *Journal of Geophysical Research: Atmospheres*, *106*(D7), 7183–7192.

Teegabarapu, R. S. V. (2017). Spatial and Temporal Estimation and Analysis of Precipitation. In Handbook of Applied Hydrology (pp. 39–1).

Teutschbein, C., & Seibert, J. (2012). Bias correction of regional climate model simulations for hydrological climate-change impact studies: Review and evaluation of different methods. *Journal of Hydrology*, *456–457*, 12–29.

Thiessen, A. H. (1911). Precipitation averages for large areas. *Monthly Weather Review*, *39*(7), 1082–1089.

Toming, K., Kutser, T., Laas, A., Sepp, M., Paavel, B., & Nõges, T. (2016). First Experiences in Mapping Lake Water Quality Parameters with Sentinel-2 MSI Imagery. *Remote Sensing*, *8*(8), 640.

US Army Crops of Engineering. (2002). *HEC-RAS. River Analysis System. Hydraulic Reference Manual Version 3.1*.

Valher, A. (2013). *Application of effective rainfall method for estimation of soil water content*.

Webster, P. J., Toma, V. E., & Kim, H.-M. (2011). Were the 2010 Pakistan floods

UNIVERSITAS
GADJAH MADA
Flash Flood Characteristics of Ciberang River Its Impact and Mitigation
VUTHY, SAY, Prof. Ir. Djoko Legono, Ph.D; Ir. Adam Pamudji R., M.Sc., Ph.D
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

predictable? *Geophysical Research Letters*, *38*(4), n/a-n/a.

Wijayanti, P., Zhu, X., Hellegers, P., Budiyono, Y., & van Ierland, E. C. (2017). Estimation of river flood damages in Jakarta, Indonesia. *Natural Hazards*, *86*(3), 1059–1079.

Willmott, C. J., Ackleson, S. G., Davis, R. E., Feddema, J. J., Klink, K. M., Legates, D. R., O'Donnell, J., & Rowe, C. M. (1985). Statistics for the evaluation and comparison of models. *Journal of Geophysical Research*, *90*(C5), 8995.

World Meteorological Organization, W. (1994). Guide to hydrological practices. Secretariat of the World Meteorological Organization.

Xu, H. (2006). Modification of normalised difference water index (NDWI) to enhance open water features in remotely sensed imagery. *International Journal of Remote Sensing*, *27*(14), 3025–3033.

Yalcin, E. (2019). Two-dimensional hydrodynamic modelling for urban flood risk assessment using unmanned aerial vehicle imagery: A case study of Kirsehir, Turkey. *Journal of Flood Risk Management*, *12*(S1).

Yang, X., Xie, X., Liu, D. L., Ji, F., & Wang, L. (2015). Spatial Interpolation of Daily Rainfall Data for Local Climate Impact Assessment over Greater Sydney Region. *Advances in Meteorology*, *2015*, 1–12.

Zhang, D., Quan, J., Zhang, H., Wang, F., Wang, H., & He, X. (2015). Flash flood hazard mapping: A pilot case study in Xiapu River Basin, China. *Water Science and Engineering*, *8*(3), 195–204.