

## DAFTAR PUSTAKA

- Acharya, S., Gurung, D. B., & Saxena, V. P. (2014). Human males and females body thermoregulation: Perfusion effect analysis. *Journal of Thermal Biology*, 45, 30–36. <https://doi.org/10.1016/j.jtherbio.2014.07.006>
- Ahmad, M. W., Mourshed, M., Mundow, D., Sisinni, M., & Rezgui, Y. (2016). Building energy metering and environmental monitoring - A state-of-the-art review and directions for future research. *Energy and Buildings*, 120, 85–102. <https://doi.org/10.1016/j.enbuild.2016.03.059>
- Al-Ali, A. R., Zuolkernan, I. A., Rashid, M., Gupta, R., & Alikarar, M. (2017). A smart home energy management system using IoT and big data analytics approach. *IEEE Transactions on Consumer Electronics*, 63(4), 426–434. <https://doi.org/10.1109/TCE.2017.015014>
- Al-janabi, A., Kavgic, M., Mohammadzadeh, A., & Azzouz, A. (2019). Comparison of EnergyPlus and IES to model a complex university building using three scenarios: Free-floating, ideal air load system, and detailed. *Journal of Building Engineering*, 22(September 2018), 262–280. <https://doi.org/10.1016/j.job.2018.12.022>
- Al-Kuwari, M., Ramadan, A., Ismael, Y., Al-Sughair, L., Gastli, A., & Benammar, M. (2018). Smart-home automation using IoT-based sensing and monitoring platform. *Proceedings - 2018 IEEE 12th International Conference on Compatibility, Power Electronics and Power Engineering, CPE-POWERENG 2018*, 1–6. <https://doi.org/10.1109/CPE.2018.8372548>
- Alwan, A. A., Baravalle, A., Ciupala, M. A., & Falcarin, P. (2018). An open source software architecture for smart buildings. *Advances in Intelligent Systems and Computing*, 869(January), 160–169. [https://doi.org/10.1007/978-3-030-01057-7\\_14](https://doi.org/10.1007/978-3-030-01057-7_14)
- Antoniadou, P., & Papadopoulos, A. M. (2017). Occupants ' thermal comfort : State of the art and the prospects of personalized assessment in office buildings.

*Energy & Buildings*, 153, 136–149.

<https://doi.org/10.1016/j.enbuild.2017.08.001>

Arsandrie, Y., & Kurvers, S. R. (2010). Thermal Comfort in the Different Settings of Low-Income Dwellings in Surakarta, Indonesia. *The 2nd. International Seminar on Tropical Eco-Settlements, November*, 203–211.

ASHRAE. (2013). *Handbook—Fundamentals*.

ASHRAE Standard 55. (2010). Thermal environmental conditions for human occupancy. In *ASHRAE Inc.*

Auliciems, A. (1981). Towards a psycho-physiological model of thermal perception. *International Journal of Biometeorology*, 25(2), 109–122.

Badan Pusat Statistik. (2018). *Statistik Indonesia 2018* (Subdirektorat Publikasi dan Kompilasi Statistik (ed.)). BPS-Indonesia.

Badan Pusat Statistik. (2019). *Statistik Indonesia 2019* (Subdirektorat Publikasi dan Kompilasi Statistik (ed.)). BPS-Indonesia.

Batih, H., & Sorapipatana, C. (2016). Characteristics of urban households' electrical energy consumption in Indonesia and its saving potentials. *Renewable and Sustainable Energy Reviews*, 57, 1160–1173. <https://doi.org/10.1016/j.rser.2015.12.132>

Bellia, L., Boerstra, A., Dijken, F. van, Ianniello, E., Loparda, G., Minichiello, F., Romagnoni, P., & Silva, M. C. G. da. (2010). *Indoor environment and energy efficiency in schools – REHVA Guidebook* (Issue 13).

Borrelli, M., Merema, B., Ascione, F., Francesca De Masi, R., Peter Vanoli, G., & Breesch, H. (2020). Evaluation and optimization of the performance of the heating system in a nZEB educational building by monitoring and simulation. *Energy and Buildings*, 231. <https://doi.org/10.1016/j.enbuild.2020.110616>

Brager, G. S., & Dear, R. de. (1998). Thermal adaptation in the built environment : a literature review. *Energy & Buildings*, 27, 83–96. [https://doi.org/10.1016/S0378-7788\(97\)00053-4](https://doi.org/10.1016/S0378-7788(97)00053-4)

Burton, A., & Bazett, H. (1936). A study of the average temperature of the tissues, of the exchanges of heat and vasomotor responses in man by means of a bath calorimeter. *American Physiological Society*, 117(1), 36–54.

- Canter, D. (1975). *Environmental Interaction : Psychological Approaches to our Physical Surroundings*. Surrey Univ, Press.  
<https://doi.org/10.1080/00140137708931608>
- Carlucci, S., Bai, L., de Dear, R., & Yang, L. (2018). Review of adaptive thermal comfort models in built environmental regulatory documents. *Building and Environment*, 137(February), 73–89.  
<https://doi.org/10.1016/j.buildenv.2018.03.053>
- Cena, K., & Clark, J. A. (1981). Bioengineering Thermal Physiology and Comfort. In *Elsevier Scientific Publishing Company*.
- Chan, S. Y., Chau, C. K., & Leung, T. M. (2017). On the study of thermal comfort and perceptions of environmental features in urban parks: A structural equation modeling approach. *Building and Environment*, 122, 171–183.  
<https://doi.org/10.1016/j.buildenv.2017.06.014>
- Chaudhuri, T., Soh, Y. C., Li, H., & Xie, L. (2019). A feedforward neural network based indoor-climate control framework for thermal comfort and energy saving in buildings. *Applied Energy*, 248(February), 44–53.  
<https://doi.org/10.1016/j.apenergy.2019.04.065>
- Chaudhuri, T., Zhai, D., Soh, Y. C., Li, H., & Xie, L. (2018). Random forest based thermal comfort prediction from gender-specific physiological parameters using wearable sensing technology. *Energy and Buildings*, 166, 391–406.  
<https://doi.org/10.1016/j.enbuild.2018.02.035>
- Cheng, C., Lee, D., & Huang, B. (2018). Energy & Buildings Estimated thermal sensation models by physiological parameters during wind chill stimulation in the indoor environment. *Energy & Buildings*, 172, 337–348.  
<https://doi.org/10.1016/j.enbuild.2018.05.005>
- Chiang, C. M., Chou, P. C., Lai, C. M., & Li, Y. Y. (2001). A methodology to assess the indoor environment in care centers for senior citizens. *Building and Environment*, 36, 561–568. [https://doi.org/10.1016/S0360-1323\(00\)00024-X](https://doi.org/10.1016/S0360-1323(00)00024-X)
- Chiang, C. M., & Lai, C. M. (2002). A study on the comprehensive indicator of indoor environment assessment for occupants' health in Taiwan. *Building and Environment*, 37(4), 387–392. [https://doi.org/10.1016/S0360-1323\(01\)00034-](https://doi.org/10.1016/S0360-1323(01)00034-)

- Chou, J., & Truong, N. (2019). Cloud forecasting system for monitoring and alerting of energy use by home appliances. *Applied Energy*, 249, 166–177.
- CIBSE. (2009). Building Control Systems. In *Encyclopedia of Systems and Control*. The Chartered Institution of Building Services Engineers. [https://doi.org/10.1007/978-1-4471-5102-9\\_185-1](https://doi.org/10.1007/978-1-4471-5102-9_185-1)
- Ciuha, U., Tobita, K., McDonnell, A. C., & Mekjavic, I. B. (2019). The effect of thermal transience on the perception of thermal comfort. *Physiology and Behavior*, 210(July). <https://doi.org/10.1016/j.physbeh.2019.112623>
- Cohen, J. (1988). Statistical Power Analysis for the Behavioral Sciences. In *BMC Public Health* (Vol. 5, Issue 1). Lawrence Erlbaum Associates.
- Crawley, D. B., Hand, J. W., Kummert, M., & Griffith, B. T. (2008). Contrasting the capabilities of building energy performance simulation programs. *Building and Environment*, 43(4), 661–673. <https://doi.org/10.1016/j.buildenv.2006.10.027>
- Croitoru, C., Nastase, I., Bode, F., Meslem, A., & Dogeanu, A. (2015). Thermal comfort models for indoor spaces and vehicles — Current capabilities and future perspectives. *Renewable and Sustainable Energy Reviews*, 44, 304–318. <https://doi.org/10.1016/j.rser.2014.10.105>
- Damiati, S. ., Zaki, S. A., Rijal, H. B., & Wonorahardjo, S. (2016). Field study on adaptive thermal comfort in office buildings in Malaysia, Indonesia, Singapore, and Japan during hot and humid season. *Building and Environment*, 109, 208–223. <https://doi.org/10.1016/j.buildenv.2016.09.024>
- Damiati, S. A., Zaki, S. A., Wonorahardjo, S., Ali, M. S. M., & Rijal, H. B. (2015). Thermal Comfort Survey in Office Buildings in Bandung, Indonesia. *The International Joint-Conference Senvar-Inta-Avan 2015 “Wisdom of The Tropics: Past Present & Future,”* 4, 53–64. <http://www.utm-isi.my/publication/latest-publication/243-sia-2015-conference-proceedings.html>
- Dave, B., Buda, A., Nurminen, A., & Främling, K. (2018). A framework for integrating BIM and IoT through open standards. *Automation in Construction*,

- 95(August), 35–45. <https://doi.org/10.1016/j.autcon.2018.07.022>
- Davoodi, F., Hasanzadeh, H., Alireza Zolfaghari, S., & Maerefat, M. (2017). Developing a new individualized 3-node model for evaluating the effects of personal factors on thermal sensation. *Journal of Thermal Biology*, 69, 1–12. <https://doi.org/10.1016/j.jtherbio.2017.05.004>
- Dear, R. de. (1998). A global database of thermal comfort field experiments. *ASHRAE Transactions*, 104, 1141–1152.
- Dear, R. de. (2011). Revisiting an old hypothesis of human thermal perception : Alliesthesia. *Building Research & Information*, 39(2), 108–117. <https://doi.org/10.1080/09613218.2011.552269>
- Dear, R. de, Brager, G., & Cooper, D. (1998). Developing an Adaptive Model of Thermal Comfort and Preference. *ASHRAE Transactions*, 104.
- Dear, R. de, & Brager, G. S. (2002). Thermal comfort in naturally ventilated buildings : revisions to ASHRAE Standard 55. *Energy & Buildings*, 34, 549–561.
- Dear, R. de, & Fountain, M. (1994). Field investigations on occupant comfort and office thermal environments in a hot-humid climate. *ASHRAE Transactions*, 100(Part 2).
- Delvaeye, R., Ryckaert, W., Stroobant, L., Hanselaer, P., Klein, R., & Breesch, H. (2016). Analysis of energy savings of three daylight control systems in a school building by means of monitoring. *Energy and Buildings*, 127, 969–979. <https://doi.org/10.1016/j.enbuild.2016.06.033>
- Demanega, I., Mujan, I., Singer, B. C., Anđelković, A. S., Babich, F., & Licina, D. (2021). Performance assessment of low-cost environmental monitors and single sensors under variable indoor air quality and thermal conditions. *Building and Environment*, 187(September 2020). <https://doi.org/10.1016/j.buildenv.2020.107415>
- Dhanalakshmi, S., Poongothai, M., & Sharma, K. (2020). IoT Based Indoor Air Quality and Smart Energy Management for HVAC System. *Procedia Computer Science*, 171(2019), 1800–1809. <https://doi.org/10.1016/j.procs.2020.04.193>

- Doherty, T., & Arens, E. (1988). Evaluation of the physiological bases of thermal comfort models. *ASHRAE Transactions*, 94.
- Dongmei, P., Mingyin, C., Shiming, D., & Minglu, Q. (2012). A four-node thermoregulation model for predicting the thermal physiological responses of a sleeping person. *Building and Environment*, 52, 88–97. <https://doi.org/10.1016/j.buildenv.2011.12.020>
- Eini, R., Linkous, L., Zohrabi, N., & Abdelwahed, S. (2021). Smart building management system: Performance specifications and design requirements. *Journal of Building Engineering*, 39(December 2020), 102222. <https://doi.org/10.1016/j.jobe.2021.102222>
- Eliades, D. G., Michaelides, M. P., Panayiotou, C. G., & Polycarpou, M. M. (2013). Security-oriented sensor placement in intelligent buildings. *Building and Environment*, 63, 114–121. <https://doi.org/10.1016/j.buildenv.2013.02.006>
- EN 15251. (2006). *Indoor environmental input parameters for design and indoor air quality, thermal environment, lighting and acoustics*. 1–52.
- Enescu, D. (2017). A review of thermal comfort models and indicators for indoor environments. *Renewable and Sustainable Energy Reviews*, 79, 1353–1379. <https://doi.org/10.1016/j.rser.2017.05.175>
- Erickson, P., Cline, M., Tirpankar, N., & Henderson, T. (2015). Gaussian processes for multi-sensor environmental monitoring. *IEEE International Conference on Multisensor Fusion and Integration for Intelligent Systems, 2015-Octob*, 208–213. <https://doi.org/10.1109/MFI.2015.7295810>
- Fanger, P. O. (1970). *Thermal comfort: Analysis and Applications in Environmental Engineering*. Danish Technical Press.
- Fanger, P. O., & Toftum, J. (2002). *Extension of the PMV model to non-air-conditioned buildings in warm climates*. 34, 533–536.
- Feriadi, H., & Wong, N. H. (2004). Thermal comfort for naturally ventilated houses in Indonesia. *Energy and Buildings*, 36(7), 614–626. <https://doi.org/10.1016/j.enbuild.2004.01.011>
- Fiala, D. (1998). Dynamic Simulation of Human Heat Transfer and Thermal Comfort. In *Dr. Diss. Hochschule Fur Technik*. De Montfort University.

- Fiala, D., Lomas, K. J., & Stohrer, M. (1999). A computer model of human thermoregulation for a wide range of environmental conditions: the passive system. *Journal of Applied Physiology*, 87(5), 1957–1972.
- Fiala, D., Lomas, K. J., & Stohrer, M. (2001). Computer prediction of human thermoregulatory and temperature responses to a wide range of environmental conditions. *International Journal of Biometeorol*, 45, 143–159.
- Fountain, M., & Arens, E. (1993). Air movement and thermal comfort. *ASHRAE Journal*, 35(8), 26–30.
- Frontczak, M., & Wargocki, P. (2011). Literature survey on how different factors influence human comfort in indoor environments. *Building and Environment*, 46(4), 922–937. <https://doi.org/10.1016/j.buildenv.2010.10.021>
- Gagge, A. (1936). The linearity criterion as applied to partitional calorimetry. *American Physiological Society*, 116(3), 656–668.
- Gagge, A., Fobelets, A., & Berglund, L. (1986). A Standard Predictive Index of Human Response to the Thermal Environment. *ASHRAE Transactions, Part 2B*.
- Gagge, A. P., & Nishi, Y. (2011). Heat Exchange Between Human Skin Surface and Thermal Environment. *Comprehensive Physiology*. <https://doi.org/10.1002/cphy.cp090105>
- Gagge, A., Stolwijk, J., & Nishi, Y. (1970). An effective temperature scale based on a simple model of human physiological regulatory response. *ASHRAE Transactions*, 77(1), 247–262.
- Garcia, A., Lacerda, M., Fonseca, I., Reis, F., Rodrigues, L., & Silami-Garcia, E. (2006). Luteal phase of the menstrual cycle increases sweating rate during exercise. *Brazilian Journal of Medical and Biological Research*, 39(9), 1255–1261. <https://doi.org/10.1590/s0100-879x2006000900014>
- Geiger, R., Aron, H., & Todhunter, P. (1961). *The Climate Near the Ground* (5th ed.). Harvard University Press, Cambridge, Mass.
- Gielen, D., Saygin, D., & Rigter, J. (2017a). Renewable Energy prospects: Indonesia. In *International Renewable Energy Agency* (Issue March). <https://www.britishgas.co.uk/business/gas-and-electricity/renewable-energy>



- Gielen, D., Saygin, D., & Rigter, J. (2017b). Renewable Energy prospects: Indonesia. In *International Renewable Energy Agency* (Issue March). [https://www.irena.org/-/media/Files/IRENA/Agency/Publication/2017/Mar/IRENA\\_REmap\\_Indonesia\\_report\\_2017.pdf](https://www.irena.org/-/media/Files/IRENA/Agency/Publication/2017/Mar/IRENA_REmap_Indonesia_report_2017.pdf)
- Goran Trajcovic. (2008). Measurement: Accuracy and Precision, Reliability and Validity. In *Encyclopedia of Public Health*.
- Greenacre, M., & Primicerio, R. (2013). *Multivariate Analysis of Ecological Data* (Rubes Edit). Fundación BBVA.
- Gupta, A., Badr, Y., Negahban, A., & Qiu, R. G. (2021). Energy-efficient heating control for smart buildings with deep reinforcement learning. *Journal of Building Engineering*, 34(August 2020), 101739. <https://doi.org/10.1016/j.jobbe.2020.101739>
- Hamzah, B., Ishak, M. T., Beddu, S., & Osman, M. Y. (2016). Thermal comfort analyses of naturally ventilated university classrooms. *Structural Survey*, 34(4/5), 427–445. <https://doi.org/10.1108/SS-12-2015-0055>
- Hariyanto, A. D. (2005). Thermal comfort study of an air-conditioned design studio in tropical surabaya. *Dimensi Teknik Arsitektur*, 33(1), 76–86.
- Hayat, H., Griffiths, T., Brennan, D., Lewis, R. P., Barclay, M., Weirman, C., Philip, B., & Searle, J. R. (2019). The state-of-the-art of sensors and environmental monitoring technologies in buildings. *Sensors (Switzerland)*, 19(17). <https://doi.org/10.3390/s19173648>
- Hayes, A. F. (2013). *Introduction to Mediation, Moderation, and Conditional Process Analysis - A Regression-Based Approach* (2nd ed.). The Guilford Press.
- Hayes, A. F., & Preacher, K. J. (2014). Statistical mediation analysis with a multicategorical independent variable. *British Journal of Mathematical and Statistical Psychology*, 67(3), 451–470. <https://doi.org/10.1111/bmsp.12028>
- Hensen, J. L. M. (1990). Literature review on thermal comfort in transient conditions. *Building and Environment*, 25(4), 309–316. [https://doi.org/10.1016/0360-1323\(90\)90004-B](https://doi.org/10.1016/0360-1323(90)90004-B)



- Hoof, V., Mazej, M., & Hensen, J. L. M. (2010). Thermal comfort : research and practice. *Frontiers in Bioscience*, 15(2), 765–788. <https://doi.org/10.2741/3645>
- Hugo Hens. (2017). *Building Physics Heat, Air, and Moisture : Fundamentals and Engineering Methods with Examples and Exercices* (Third). Wilhelm Ernst & Sohn.
- Huizenga, C., Hui, Z., & Arens, E. (2001). A model of human physiology and comfort for assessing complex thermal environments. *Building and Environment*, 36, 691–699.
- Humphreys, M. (2008). Outdoor temperatures and comfort indoors. *Building Research and Practice*, 6. <https://doi.org/10.1080/09613217808550656>
- Humphreys, M. A., Nicol, J. F., & Raja, I. A. (2007). Field Studies of Indoor Thermal Comfort and the Progress of the Adaptive Approach. *Advances in Building Energy Research*, 1(1), 55–88. <https://doi.org/10.1080/17512549.2007.9687269>
- Ibaseta, D., García, A., Álvarez, M., Garzón, B., Díez, F., Coca, P., Pero, C. Del, & Molleda, J. (2021). Monitoring and control of energy consumption in buildings using WoT: A novel approach for smart retrofit. *Sustainable Cities and Society*, 65(December 2020). <https://doi.org/10.1016/j.scs.2020.102637>
- Imam, S., Coley, D. A., & Walker, I. (2017). The building performance gap: Are modellers literate? *Building Services Engineering Research and Technology*, 38(3), 351–375. <https://doi.org/10.1177/0143624416684641>
- Indraganti, M., Ooka, R., Rijal, H. B., & Brager, G. S. (2014). Adaptive model of thermal comfort for offices in hot and humid climates of India. *Building and Environment*, 74, 39–53. <https://doi.org/10.1016/j.buildenv.2014.01.002>
- International Energy Agency. (2017). *Energy Efficiency 2017, Laporan khusus : Efisiensi Energi di Indonesia 2017*.
- International Energy Agency. (2018). *Energy efficiency 2018: Analysis and outlook to 2040*.
- International Standard ISO 7730. (2008). *Ergonomics of the thermal environment — Analytical determination and interpretation of thermal comfort using*

*calculation of the PMV and PPD indices and local thermal comfort criteria.*

- Jakubiec, J. A. (2014). *The Use of Visual Comfort Metrics in the Design of Daylit Spaces*. 144. <http://dspace.mit.edu/handle/1721.1/91295>
- Jenn, N. C. (2006). Designing a Questionnaire. *Malaysian Family Physician*, 1(1), 32–35. <https://doi.org/10.4135/9781473913943.n3>
- Ji, W., Cao, B., Geng, Y., Zhu, Y., & Lin, B. (2019). A study on the influences of immediate thermal history on current thermal sensation. *Energy and Buildings*, 198, 364–376. <https://doi.org/10.1016/j.enbuild.2019.05.065>
- Jin, Y., Xiong, Y., Wang, L., Liu, Y. X., & Zhang, Y. (2018). Eco-feedback for thermal comfort and cost efficiency in a nearly zero-energy residence in Guilin, China. *Energy and Buildings*, 173, 1–10. <https://doi.org/10.1016/j.enbuild.2018.04.025>
- Jones, B. W. (2002). Capabilities and limitations of thermal models for use in thermal comfort standards. *Energy and Buildings*, 34, 653–659.
- Karjalainen, S. (2012). Thermal comfort and gender: A literature review. *Indoor Air*, 22(2), 96–109. <https://doi.org/10.1111/j.1600-0668.2011.00747.x>
- Karyono, T. H. (1995). Thermal comfort for the Indonesian workers in Jakarta: Adopting the current ashrae standard for Jakarta would create cool discomfort and in addition waste energy — a greater understanding of true comfort range is called for. *Building Research & Information*, 23(6), 317–323. <https://doi.org/10.1080/09613219508727484>
- Karyono, T. H. (1996). Discrepancy between actual and predicted thermal votes of Indonesian workers in Jakarta, Indonesia. *International Journal of Ambient Energy*, 17(2), 95–100. <https://doi.org/10.1080/01430750.1996.9675224>
- Karyono, T. H. (2000). Report on thermal comfort and building energy studies in Jakarta-Indonesia. *Building and Environment*, 35, 77–90. [https://doi.org/10.1016/S0360-1323\(98\)00066-3](https://doi.org/10.1016/S0360-1323(98)00066-3)
- Karyono, T. H. (2015). Predicting Comfort Temperature in Indonesia, an Initial Step to Reduce Cooling Energy Consumption. *Buildings*, 5(3), 802–813. <https://doi.org/10.3390/buildings5030802>
- Karyono, T. H., Heryanto, S., & Faridah, I. (2015). Air conditioning and the neutral

- temperature of the Indonesian university students. *Architectural Science Review*, 58(2), 174–183. <https://doi.org/10.1080/00038628.2014.1002828>
- Karyono, T. H., Sri, E., Sulistiawan, J., & Triswanti, Y. (2015). Thermal Comfort Studies in Naturally Ventilated Buildings in Jakarta, Indonesia. *Buildings*, 5(3), 917–932. <https://doi.org/10.3390/buildings5030917>
- Karyono, T. H., Wonohardjo, S., Soelami, F. N., & Wisnu, H. (2006). Report on thermal comfort study in Bandung, Indonesia. *Proceedings of International Conference 'Comfort and Energy Use in Building Getting Them Right, June*, 1–9. <http://nceub.commoncense.info/uploads/Karyono.pdf>
- Katić, K., Li, R., & Zeiler, W. (2016). Thermophysiological models and their applications: A review. *Building and Environment*, 106, 286–300. <https://doi.org/10.1016/j.buildenv.2016.06.031>
- Khan, D. S., Kolarik, J., & Weitzmann, P. (2020). Design and application of occupant voting systems for collecting occupant feedback on indoor environmental quality of buildings – A review. *Building and Environment*, 183(April). <https://doi.org/10.1016/j.buildenv.2020.107192>
- Khan, N., Ahmed, M., & Roy, N. (2020). Temporal Clustering Based Thermal Condition Monitoring in Building. *Sustainable Computing: Informatics and Systems, September*. <https://doi.org/10.1016/j.suscom.2020.100441>
- Khatun, A., Hasib, A., Nagano, H., & Taimura, A. (2017). Differences in reported linguistic thermal sensation between Bangla and Japanese speakers. *Journal of Physiological Anthropology*, 36(1), 23. <https://doi.org/10.1186/s40101-017-0139-5>
- Kim, S. K., Shang, Y. I., Kang, J. Y., & Han, S. H. (2013). Implementation of the Wireless Smart Sensor Network for Spatial Comfort Performance of Hanok Residence. *2013 International Conference on Anti-Counterfeiting, Security and Identification (ASID)*.
- Kim, T. H., Ramos, C., & Mohammed, S. (2017). Smart City and IoT. *Future Generation Computer Systems*, 76(July 2014), 159–162. <https://doi.org/10.1016/j.future.2017.03.034>
- King, J., & Perry, C. (2017). Smart Buildings: Using Smart Technology to Save

- Energy in Existing Buildings. In *American Council for an Energy-Efficient Economy* (Issue February). <http://www.ourenergypolicy.org/wp-content/uploads/2017/02/a1701.pdf>
- Kingma, B. (2011). *Human thermoregulation : a synergy between physiology and mathematical modelling A synergy between physiology and*. Universitaire Pers Maastricht.
- Kingma, B., Schweiker, M., & Wagner, A. (2017). Exploring internal body heat balance to understand thermal sensation. *Building Research & Information*, 45(7), 808–818. <https://doi.org/10.1080/09613218.2017.1299996>
- Koelblen, B., Psikuta, A., Bogdan, A., Annaheim, S., & Rossi, R. M. (2018). Thermal sensation models: Validation and sensitivity towards thermo-physiological parameters. *Building and Environment*, 130, 200–211. <https://doi.org/10.1016/j.buildenv.2017.12.020>
- Kolarik, J., Toftum, J., Olesen, B. W., & Shitzer, A. (2009). Occupant responses and office work performance in environments with moderately drifting operative temperatures (RP-1269). *HVAC and R Research*, 15(5), 931–960. <https://doi.org/10.1080/10789669.2009.10390873>
- Kumar, P., Martani, C., Morawska, L., Norford, L., Choudhary, R., Bell, M., & Leach, M. (2016). Indoor air quality and energy management through real-time sensing in commercial buildings. *Energy & Buildings*, 111, 145–153. <https://doi.org/10.1016/j.enbuild.2015.11.037>
- Kurniawan, I., Faridah, & Utami, S. S. (2020). Characterizing of climate chamber thermal environment using the CFD simulation method using IES VE. *AIP Conference Proceedings*, April. <https://doi.org/10.1063/5.0000924>
- Lai, C. K. A., Mui, K. W., Wong, L. T., & Law, L. Y. (2009). An evaluation model for indoor environmental quality (IEQ) acceptance in residential buildings. *Energy and Buildings*, 41(9), 930–936. <https://doi.org/10.1016/j.enbuild.2009.03.016>
- Lai, D., & Chen, C. (2019). Comparison of the linear regression, multinomial logit, and ordered probability models for predicting the distribution of thermal sensation. *Energy and Buildings*, 188–189, 269–277.

<https://doi.org/10.1016/j.enbuild.2019.02.027>

Laskari, M., Karatasou, S., & Santamouris, M. (2017). A methodology for the determination of indoor environmental quality in residential buildings through the monitoring of fundamental environmental parameters: A proposed Dwelling Environmental Quality Index. *Indoor and Built Environment*, 26(6), 813–827. <https://doi.org/10.1177/1420326X16660175>

Lee, J. Y., Stone, E. A., Wakabayashi, H., & Tochihara, Y. (2010). Issues in combining the categorical and visual analog scale for the assessment of perceived thermal sensation: Methodological and conceptual considerations. *Applied Ergonomics*, 41(2), 282–290. <https://doi.org/10.1016/j.apergo.2009.07.007>

Lee, S. Y., Lee, I. B., Yeo, U. H., Kim, R. W., & Kim, J. G. (2019). Optimal sensor placement for monitoring and controlling greenhouse internal environments. *Biosystems Engineering*, 188, 190–206. <https://doi.org/10.1016/j.biosystemseng.2019.10.005>

Li, B., Du, C., Tan, M., Liu, H., Essah, E., & Yao, R. (2018). A modified method of evaluating the impact of air humidity on human acceptable air temperatures in hot-humid environments. *Energy and Buildings*, 158, 393–405. <https://doi.org/10.1016/j.enbuild.2017.09.062>

Li, B., Yang, Y., Tao, R., Liu, H., & Li, Y. (2017). A simplified thermoregulation model of the human body in warm conditions. *Applied Ergonomics*, 59, 387–400.

Li, W., Koo, C., Hyun, S., Lai, J. H. K., & Lee, J. (2019). A conceptual framework for the real-time monitoring and diagnostic system for the optimal operation of smart building: A case study in Hotel ICON of Hong Kong. *Energy Procedia*, 158, 3107–3112. <https://doi.org/10.1016/j.egypro.2019.01.1005>

Liu, H., Wu, Y., Lei, D., & Li, B. (2018). Gender differences in physiological and psychological responses to the thermal environment with varying clothing ensembles. *Building and Environment*, 141, 45–54. <https://doi.org/10.1016/j.buildenv.2018.05.040>

Liu, W., Lian, Z., Deng, Q., & Liu, Y. (2011). Evaluation of calculation methods

- of mean skin temperature for use in thermal comfort study. *Building and Environment*, 46(2), 478–488. <https://doi.org/10.1016/j.buildenv.2010.08.011>
- Lloyd, A. E., & Luk, S. T. K. (2011). Interaction behaviors leading to comfort in the service encounter. *Journal of Services Marketing*, 25(3), 176–189. <https://doi.org/10.1108/08876041111129164>
- Luo, M., Xie, J., Yan, Y., Ke, Z., Yu, P., Wang, Z., & Zhang, J. (2020). Comparing machine learning algorithms in predicting thermal sensation using ASHRAE Comfort Database II. *Energy and Buildings*, 210, 109776. <https://doi.org/10.1016/j.enbuild.2020.109776>
- Luzi, M., Vaccarini, M., & Lemma, M. (2019). A tuning methodology of Model Predictive Control design for energy efficient building thermal control. *Journal of Building Engineering*, 21(September 2018), 28–36. <https://doi.org/10.1016/j.job.2018.09.022>
- Manatsa, D., Chingombe, W., & Matarira, C. H. (2007). Different methods for estimating the mean radiant temperature in an outdoor urban setting. *International Journal of Climatology*, 27. <https://doi.org/10.1002/joc>
- Martín-Garín, A., Millán-García, J. A., Bañri, A., Millán-Medel, J., & Sala-Lizarraga, J. M. (2018). Environmental monitoring system based on an Open Source Platform and the Internet of Things for a building energy retrofit. *Automation in Construction*, 87(March), 201–214. <https://doi.org/10.1016/j.autcon.2017.12.017>
- McIntyre, D. A. (1980). *Indoor Climate*. Applied Science.
- Ministry of Energy and Mineral Resources Republic of Indonesia. (2018). *Handbook of Energy and Economic Statistic of Indonesia*.
- Molina, M., Kiker, P., & Nowak, S. (2016). The Greatest Energy Story You Haven't Heard : How Investing in Energy Efficiency Changed the US Power Sector and Gave Us a Tool to Tackle Climate Change. *American Council for an Energy-Efficient Economy*.
- Nayak, J. K., & Prajapati, J. A. (2006). Handbook on Energy Conscious Buildings. In *R & D project no. 3/4(03)/99-SEC between Indian Institute of Technology, Bombay and Solar Energy Centre, Ministry of Non-conventional Energy*



Sources. <http://xlink.rsc.org/?DOI=C5EE01283J>

- Neves, E. B. (2017). The effect of body fat percentage and body fat distribution on skin surface temperature with infrared thermography. *Journal of Thermal Biology*, 66, 1–9. <https://doi.org/10.1016/j.jtherbio.2017.03.006>
- Neves, E. B., Salamunes, A. C. C., de Oliveira, R. M., & Stadnik, A. M. W. (2017). Effect of body fat and gender on body temperature distribution. *Journal of Thermal Biology*, 70, 1–8. <https://doi.org/10.1016/j.jtherbio.2017.10.017>
- Nicol, F., & Humphreys, M. A. (2002). Adaptive thermal comfort and sustainable thermal standards for buildings. *Energy and Buildings*, 34(6), 563–572. [https://doi.org/10.1016/S0378-7788\(02\)00006-3](https://doi.org/10.1016/S0378-7788(02)00006-3)
- Nicol, F., & Humphreys, M. A. (2004). *Adaptive thermal comfort standards in the hot humid tropics*. 36, 628–637. <https://doi.org/10.1016/j.enbuild.2004.01.016>
- Nicol, F., & Humphreys, M. A. (2008). *Thermal Comfort as Part of a Self-Regulating System*.
- Nicol, F., Humphreys, M., & Roaf, S. (2014). *Adaptive Thermal Comfort*. <https://doi.org/10.1111/j.1574-6976.2007.00082.x>
- Nimlyat, P. S., & Kandar, M. Z. (2015). Appraisal of indoor environmental quality (IEQ) in healthcare facilities: A literature review. *Sustainable Cities and Society*, 17, 61–68. <https://doi.org/10.1016/j.scs.2015.04.002>
- Oke, T. R., Mills, G., Christen, A., & Voogt, J. A. (2017). *Urban Climates*. Cambridge University Press. <https://doi.org/10.1017/9781139016476>
- Parkinson, T., Parkinson, A., & Dear, R. De. (2019). Continuous IEQ monitoring system: Performance specifications and thermal comfort classification. *Building and Environment*, 149, 241–252.
- Parsons, K. (2003). *Human Thermal Environments* (Second edi). Taylor & Francis.
- Parsons, K. (2014). *Human Thermal Environments : The effects of hot, moderat, and cold environments on human health, comfort and performance* (Third Edit). CRC Press.
- Pellegrino, A., Lo Verso, V. R. M., Blaso, L., Acquaviva, A., Patti, E., & Osello, A. (2016). Lighting Control and Monitoring for Energy Efficiency: A Case Study Focused on the Interoperability of Building Management Systems.



- IEEE Transactions on Industry Applications*, 52(3), 2627–2637.  
<https://doi.org/10.1109/TIA.2016.2526969>
- Qi, Y., Liu, J., Lai, D., Zhang, H., Cao, X., Wei, S., & Yoshino, H. (2020). Large-scale and long-term monitoring of the thermal environments and adaptive behaviors in Chinese urban residential buildings. *Building and Environment*, 168(October 2019), 106524. <https://doi.org/10.1016/j.buildenv.2019.106524>
- Ramanathan, N. L. (1964). A New Weighting System for Mean Surface Temperature of the Human Body. *Journal of Applied Physiology*, 19(3), 531–533. <https://doi.org/10.1152/jappl.1964.19.3.531>
- Rattanongphisat, W., Prachaona, T., Harfield, A., Sato, K., & Hanaoka, O. (2017). Indoor Climate Data Analysis Based a Monitoring Platform for Thermal Comfort Evaluation and Energy Conservation. *Energy Procedia*, 138, 211–216. <https://doi.org/10.1016/j.egypro.2017.10.152>
- Ray, P. P. (2016). *An Internet of Things based Approach to Thermal Comfort Measurement and Monitoring*. 22–23.  
<https://doi.org/10.1109/ICACCS.2016.7586398>
- Report of the World Commission on Environment and Development (WECD). (1987). *Our Common Future*. <https://doi.org/10.2307/2621529>
- Roza, A. M., & Shizgal, H. M. (1984). The Harris Benedict equation reevaluated: Resting energy requirements and the body cell mass. *American Journal of Clinical Nutrition*, 40(1), 168–182. <https://doi.org/10.1093/ajcn/40.1.168>
- Rupp, R. F., Vásquez, N. G., & Lamberts, R. (2015). A review of human thermal comfort in the built environment. *Energy and Buildings*, 105, 178–205. <https://doi.org/10.1016/j.enbuild.2015.07.047>
- Saleh, J. M. (2002). *Fluid flow handbook*. McGraw-Hill.
- Santy, Matsumoto, H., & Susanti, L. (2016). Development of a Passive House Standard for Tropical Climates (Indonesia) - The Initial Stage Santy#1,. *CLIMA 2016 - Proceedings of the 12th REHVA World Congress*. [http://vbn.aau.dk/files/233778874/paper\\_753.pdf](http://vbn.aau.dk/files/233778874/paper_753.pdf)
- Schirrer, A., Brandstetter, M., Leobner, I., Hauer, S., & Kozek, M. (2016). Nonlinear model predictive control for a heating and cooling system of a low-

- energy office building. *Energy and Buildings*, 125, 86–98.  
<https://doi.org/10.1016/j.enbuild.2016.04.029>
- Schweiker, M., André, M., Al-Atrash, F., Al-Khatiri, H., Alprianti, R. R., Alsaad, H., Amin, R., Ampatzi, E., Arsano, A. Y., Azar, E., Bannazadeh, B., Batagarawa, A., Becker, S., Buonocore, C., Cao, B., Choi, J. H., Chun, C., Daanen, H., Damiani, S. A., ... Zomorodian, Z. S. (2020). Evaluating assumptions of scales for subjective assessment of thermal environments – Do laypersons perceive them the way, we researchers believe? *Energy and Buildings*, 211, 109761. <https://doi.org/10.1016/j.enbuild.2020.109761>
- Seabrook, T. (2016). *Optimal Placement Strategies of Minimum Effective Sensors for Application in Smart Buildings*.
- Sharma, H., Vaidya, U., & Ganapathysubramanian, B. (2019). A transfer operator methodology for optimal sensor placement accounting for uncertainty. *Building and Environment*, 155(March), 334–349.  
<https://doi.org/10.1016/j.buildenv.2019.03.054>
- Shen, Z., Zhang, T., Jin, J., Yokota, K., Tagami, A., & Higashino, T. (2019). ICCF: An Information-Centric Collaborative Fog Platform for Building Energy Management Systems. *IEEE Access*, 7, 40402–40415.  
<https://doi.org/10.1109/ACCESS.2019.2906645>
- Shinde, S. S. (2009). *Computer Network*. New Age International Publisher.
- Siahaan, P. (2015). Why is it not cool? Temperature terms in Indonesian. In M. Koptjevskaja-Tamm (Ed.), *The Linguistics of Temperature* (pp. 666–700). John Benjamins Publishing Company. <https://doi.org/10.1075/tsl.107.21sia>
- Singh, A., Pandey, Y., Kumar, A., Singh, M. K., Kumar, A., & Mukhopadhyay, S. C. (2017). Ventilation Monitoring and Control System for High Rise Historical Buildings. *IEEE Sensors Journal*, 17(22), 7533–7541.  
<https://doi.org/10.1109/JSEN.2017.2756978>
- Sirombo, E., Filippi, M., Catalano, A., & Sica, A. (2017). Building monitoring system in a large social housing intervention in Northern Italy. *Energy Procedia*, 140, 386–397. <https://doi.org/10.1016/j.egypro.2017.11.151>
- SNI 6390. (2011). *Konsetvasi Energi Sistem Tata Udara pada Sistem Bangunan*.

- Soebarto, V., Zhang, H., & Schiavon, S. (2019). A thermal comfort environmental chamber study of older and younger people. *Building and Environment*, 155, 1–14. <https://doi.org/10.1016/j.buildenv.2019.03.032>
- Stamp, S., Burman, E., Shrubsole, C., Chatzidiakou, L., Mumovic, D., & Davies, M. (2020). Long-term, continuous air quality monitoring in a cross-sectional study of three UK non-domestic buildings. *Building and Environment*, 180(July), 107071. <https://doi.org/10.1016/j.buildenv.2020.107071>
- Stolwijk, J. (1955). A Mathematical Model of Physiological Temperature Regulation in Man. *NASA Report CR-1855*.
- Sudantha, B. H., Warusavitharana, E. J., Ratnayake, G. R., Mahanama, P. K. S., Cannata, M., & Strigaro, D. (2018). Building an open-source environmental monitoring system - A review of state-of-the-art and directions for future research. *2018 3rd International Conference on Information Technology Research, ICITR 2018*, 1–9. <https://doi.org/10.1109/ICITR.2018.8736150>
- Sung, W., Chen, J., & Tsai, M. (2016). *Applications of Wireless Sensor Network for Monitoring System Based on IOT*. 613–617. <https://doi.org/10.1109/SMC.2016.7844308>
- Taherdoost, H. (2018). Validity and Reliability of the Research Instrument; How to Test the Validation of a Questionnaire/Survey in a Research. *SSRN Electronic Journal, September*. <https://doi.org/10.2139/ssrn.3205040>
- Taleghani, M., Tenpierik, M., Kurvers, S., & Dobbeltstein, A. Van Den. (2013). A review into thermal comfort in buildings. *Renewable and Sustainable Energy Reviews*, 26, 201–215. <https://doi.org/10.1016/j.rser.2013.05.050>
- Tanabe, S., Kobayashi, K., Nakano, J., & Ozeki, Y. (2002). Evaluation of thermal comfort using combined multi-node thermoregulation ( 65MN ) and radiation models and computational fluid dynamics ( CFD ). *Energy & Buildings*, 34, 637–646.
- Thapa, S. (2019). Insights into the thermal comfort of different naturally ventilated buildings of Darjeeling, India – Effect of gender, age and BMI. *Energy and Buildings*, 193, 267–288. <https://doi.org/10.1016/j.enbuild.2019.04.003>
- Tochiyara, Y., Lee, J. Y., Wakabayashi, H., Wijayanto, T., Bakri, I., & Parsons, K.

- (2012). The use of language to express thermal sensation suggests heat acclimatization by Indonesian people. *International Journal of Biometeorology*, 56(6), 1055–1064. <https://doi.org/10.1007/s00484-011-0519-1>
- Traboulsi, S., & Knauth, S. (2020). Towards implementation of an IoT analysis system for buildings environmental data and workplace well-being with an IoT open software. *Procedia Computer Science*, 170(2019), 341–346. <https://doi.org/10.1016/j.procs.2020.03.048>
- UU RI No. 32 Tahun 2009. (2009). *Perlindungan dan Pengelolaan Lingkungan Hidup*. <https://doi.org/10.1038/132817a0>
- Valinejadshoubi, M., Moselhi, O., Bagchi, A., & Salem, A. (2020). Development of an IoT and BIM-based automated alert system for thermal comfort monitoring in buildings. *Sustainable Cities and Society*, October 2019, 102602. <https://doi.org/10.1016/j.scs.2020.102602>
- Varas-Muriel, M. J., Fort, R., Martínez-Garrido, M. I., Zornoza-Indart, A., & López-Arce, P. (2014). Fluctuations in the indoor environment in Spanish rural churches and their effects on heritage conservation: Hygro-thermal and CO<sub>2</sub> conditions monitoring. *Building and Environment*, 82, 97–109. <https://doi.org/10.1016/j.buildenv.2014.08.010>
- Waeytens, J., & Sadr, S. (2018). Computer-aided placement of air quality sensors using adjoint framework and sensor features to localize indoor source emission. *Building and Environment*, 144(August), 184–193. <https://doi.org/10.1016/j.buildenv.2018.08.012>
- Wang, L, Wang, Y., Tian, G., & Di, Y. (2017). Human Transien Response Under Local Thermal Simulation. *Thermal Science*, 21(1), 19–24. <https://doi.org/10.2298/TSCI17S1019W>
- Wang, Lizhen, & Zheng, D. (2020). Integrated analysis of energy, indoor environment, and occupant satisfaction in green buildings using real-time monitoring data and on-site investigation. *Building and Environment*, 182(February). <https://doi.org/10.1016/j.buildenv.2020.107014>
- Wong, L. T., Mui, K. W., & Cheung, C. T. (2014). Bayesian thermal comfort

- model. *Building and Environment*, 82, 171–179.  
<https://doi.org/10.1016/j.buildenv.2014.08.018>
- Wright, S. (1917). The Average Correlation Within Subgroups of a Population. *Journal of the Washington Academy of Sciences*, 7(17), 532–535.
- Wu, J., Li, X., Lin, Y., Yan, Y., & Tu, J. (2020). A PMV-based HVAC control strategy for office rooms subjected to solar radiation. *Building and Environment*, 177(March 2020), 106863.  
<https://doi.org/10.1016/j.buildenv.2020.106863>
- Wu, Q., Liu, J., Zhang, L., Zhang, J., & Jiang, L. (2020). Study on thermal sensation and thermal comfort in environment with moderate temperature ramps. *Building and Environment*, 171, 106640.  
<https://doi.org/10.1016/j.buildenv.2019.106640>
- Wu, Y., Liu, H., Li, B., Jokisalo, J., Kosonen, R., Cheng, Y., Zhao, W., & Yuan, X. (2020). Evaluation and modification of the weighting formulas for mean skin temperature of human body in winter conditions. *Energy and Buildings*, 229, 110390. <https://doi.org/10.1016/j.enbuild.2020.110390>
- Yang, S., Wan, M. P., Chen, W., Ng, B. F., & Dubey, S. (2020). Model predictive control with adaptive machine-learning-based model for building energy efficiency and comfort optimization. *Applied Energy*, 271(April), 115147.  
<https://doi.org/10.1016/j.apenergy.2020.115147>
- Yang, X., Li, B., Li, Y., Wang, Y., & Zheng, C. (2017). A Research on Characteristics of Human Heat Stress in Dynamic Hot Environment. *Procedia Engineering*, 205, 2749–2754. <https://doi.org/10.1016/j.proeng.2017.09.870>
- Yang, Y., Li, B., Liu, H., Tan, M., & Yao, R. (2015). A study of adaptive thermal comfort in a well-controlled climate chamber. *Applied Thermal Engineering*, 76, 283–291. <https://doi.org/10.1016/j.applthermaleng.2014.11.004>
- Yanti, R. J., Faridah, Mustika, I. W., Ariananda, D. D., & Utami, S. S. (2020). Analysis of Gaussian process to predict thermal sensor placement for controlling energy consumption on the educational building. *AIP Conference Proceedings*, 2223. <https://doi.org/10.1063/5.0000923>
- Yao, R., Li, B., & Liu, J. (2009). A theoretical adaptive model of thermal comfort

- Adaptive Predicted Mean Vote (aPMV). *Building and Environment*, 44(10), 2089–2096. <https://doi.org/10.1016/j.buildenv.2009.02.014>
- Yao, Y., Lian, Z., Liu, W., & Shen, Q. (2008). Experimental study on physiological responses and thermal comfort under various ambient temperatures. *Physiology and Behavior*, 93(1–2), 310–321. <https://doi.org/10.1016/j.physbeh.2007.09.012>
- Yarlagadda, A., Murthy, J. V. R., & Krishna Prasad, M. H. M. (2015). A novel method for human age group classification based on Correlation Fractal Dimension of facial edges. *Journal of King Saud University - Computer and Information Sciences*, 27(4), 468–476. <https://doi.org/10.1016/j.jksuci.2014.10.005>
- Yau, Y. H., & Chew, B. T. (2014). A review on predicted mean vote and adaptive thermal comfort models. *Building Services Engineering Research and Technology*, 35(1), 23–35. <https://doi.org/10.1177/0143624412465200>
- Yi, L., Fengzhi, L., Yingxi, L., & Zhongxuan, L. (2004). An integrated model for simulating interactive thermal processes in human – clothing system. *Journal of Thermal Biology*, 29, 567–575. <https://doi.org/10.1016/j.jtherbio.2004.08.071>
- Yoganathan, D., Kondepudi, S., Kalluri, B., & Manthapuri, S. (2018). Optimal sensor placement strategy for office buildings using clustering algorithms. *Energy and Buildings*, 158, 1206–1225. <https://doi.org/10.1016/j.enbuild.2017.10.074>
- Yusoff, W. Z. W., & Sulaiman, M. A. (2014). Sustainable Campus: Indoor Environmental Quality (IEQ) Performance Measurement for Malaysian Public Universities. *European Journal of Sustainable Development*, 3(4), 323–338. <https://doi.org/10.14207/ejsd.2014.v3n4p323>
- Zhang, H., Arens, E., & Huizenga, C. (2009). Thermal sensation and comfort models for non-uniform and transient environments: Part I: Local sensation of individual body parts. *Building and Environment*, 45, 380–388.
- Zhang, Y. Y., Kang, K., Lin, J. R., Zhang, J. P., & Zhang, Y. (2020). Building information modeling–based cyber-physical platform for building

performance monitoring. *International Journal of Distributed Sensor Networks*, 16(2). <https://doi.org/10.1177/1550147720908170>

Zhang, Y., & Zhao, R. (2008). Overall thermal sensation, acceptability and comfort. *Building and Environment*, 43(1), 44–50. <https://doi.org/10.1016/j.buildenv.2006.11.036>

Zhou, P., Huang, G., Zhang, L., & Tsang, K. F. (2015). Wireless sensor network based monitoring system for a large-scale indoor space: Data process and supply air allocation optimization. *Energy and Buildings*, 103, 365–374. <https://doi.org/10.1016/j.enbuild.2015.06.042>