



## DAFTAR PUSTAKA

- A-Mohammed A. 2007. Electrocoagulation of phenol for wastewater treatment. *Iraqi Journal of Chemical and Petroleum Engineering* 9(3):37-41.
- Achouri O., Panico A., Bencheikh-Lehocine M., Derbal K., Pirozzi F. 2017. Effect of Chemical Coagulation Pretreatment on Anaerobic Digestion of Tannery Wastewater. *Journal of Environmental Engineering* 143(9):04017039-1 – 04017039-5.
- Adamski W., Szlachta M. 2011. Water treatment technology: principles and modeling. Wroclaw University of Technology. ISBN 978-83-62098-68-2.
- Alqahtani R.T. 2013. Modelling of biological wastewater treatment, Doctor of Philosophy thesis, School of Mathematics and Applied Statistics, University of Wollongong.
- Anderson G.K., Yang G. 1992. Determination of bicarbonate and total volatile acid concentration in anaerobic digesters using a simple titration. *Water Environ. Res.* 64:53–59.
- Angelidaki I., Alves M., Bolzonella D., Borzacconi L., Campos J.L., Guyv A. J., Van Lier J.B. 2009. Defining the biomethane potential (BMP) of solid organic wastes and energy crops: a proposed protocol for batch assays. *Water Science and Technology* 59(5):927-934.
- Angelidaki I., Ellegaard L., Ahring B.K. 1993. A mathematical model for dynamic simulation of anaerobic digestion of complex substrates: focusing on ammonia inhibition. *Biotechnology and Bioengineering* 42:159-166.
- APHA. 2012. Standard Methods for the Examination of Water and Waste Water. 22<sup>nd</sup> Edition, American Public Health Association, American Water Works Association, Water Environment Federation.
- Asaithambi P., Sajjadi, Baharak, Aziz A., Raman A., Daud W., Bin W.M.A. 2016. Performance evaluation of hybrid electrocoagulation process parameters for the treatment of distillery industrial effluent. *Process Safety and Environment Protection* 104:406-412.
- Asaithambi P., Susree M., Saravanathanizhan R., Matheswaran M. 2012. Ozone assisted electrocoagulation for the treatment of distillery effluent. *Desalination* 297: 1-7.
- Aziz A.R.A., Asaithambi P., Daud WMABW. 2016. Combination of electrocoagulation with advanced oxidation processes for the treatment of distillery industrial effluent. *Process Safety and Environment Protection* 99:227-235.



Azis M.M., Sudibyo H., Budhijanto W. 2018. Modeling Lab-sized Anaerobic Fluidized Bed Reactor (AFBR) for Palm Oil Mill Effluent (POME) treatment: from Batch to Continuous Reactors. IOP Conf. Ser.: Mater. Sci. Eng. (316):012072.

Bajpai P. 2018. Chapter 20 - Introductory Chemistry Reviews. Biermann's Handbook of Pulp and Paper (Third Edition). Volume 2: Paper and Board Making, 2018, Pages 401-426. <https://doi.org/10.1016/B978-0-12-814238-7.00020-9>.

Barrera E.L., Spanjers H., Romero O., Rosa E., Dewulf J. 2014. Characterization of the sulfate reduction process in the anaerobic digestion of a very high strength and sulfate rich vinasse. Chemical Engineering Journal 248:383-393.

Batstone D.J., Keller J., Angelidaki I., Kalyuzhnyi S.V., Pavlostathis S.G., Rozzi A., Sanders W.T.M., Siegrist H., Vavilin V.A. 2002. The IWA Anaerobic Digestion Model No 1 (ADM1). Water Science and Technology 45:65-73.

Bayar S., Boncukcuoğlu R., Yilmaz A.E., Fil B.A. 2014. Pre-Treatment of Pistachio Processing Industry Wastewaters (PPIW) by Electrocoagulation using Al Plate Electrode. Separation Science and Technology 49(7):1008-1018.

Bazrafshan E., Biglari H., Mahvi A.H. 2012a. Phenol Removal By Electrocoagulation Process From Aqueous Solutions. Fresenius Environmental Bulletin 21(2):364-371.

Bazrafshan E., Ownagh K.A., Mahvi A.H. 2012b. Application of Electrocoagulation Process Using Iron and Aluminum Electrodes for Fluoride Removal from Aqueous Environment. E-Journal of Chemistry 9(4):2297-2308.

Bond T., Templeton M.R. 2011. History and Future of Domestic Biogas in the Developing World. Energy for Sustainable Development 15:347–354.

Brahmi K., Bouguerra W., Hamrouni B., Elaloui E., Loungou M., Tlili Z. 2019. Investigation of electrocoagulation reactor design parameters effect on the removal of cadmium from synthetic and phosphate industrial wastewater. Arabian Journal of Chemistry 12:1848-1859.

Browne C.A. 1919. The Composition and Calorific Value of Sirups and Molasses Derived From Sugar Cane. Journal of the American Chemical Society 41(9):1432–1440.

Budiyono, Syaichurrozi I., Sumardiono S. 2014a. Effect of Total Solid Content to Biogas Production Rate from Vinasse. International Journal of Engineering, 27(2):177-184.

Budiyono, Syaichurrozi I., Sumardiono S. 2014b. Kinetic Model of Biogas Yield Production from Vinasse at Various Initial pH: Comparison between Modified Gompertz Model and First Order Kinetic Model. Research Journal of Applied Sciences, Engineering and Technology 7(13): 2798-2805.



- Budiyono, Widiasa I.N., Johari S., Sunarso. 2010. Increasing Biogas Production Rate from Cattle Manure Using Rumen Fluid as Inoculums. International Journal of Basic & Applied Sciences IJBAS-IJENS 10(1):41-47.
- Buitrón G., Carvajal C. 2010. Biohydrogen Production from Tequila Vinasse in an Anaerobic Sequencing Batch Reactor: Effect of Initial Substrate Concentration, Temperature, and Hydraulic Retention Time. Bioresource Technology 101:9071 – 9077.
- Čater M., Fanedl L., Logar R.M. 2013. Microbial Community Analyses in Biogas Reactors by Molecular Methods. Acta Chim. Slov. 60(2):243–255.
- Chapleur O., Civade R., Hoyos C., Mazeas L., Bouchez T. 2013. Growing concentrations of phenol increasingly modify microbial communities' dynamics and performances' stability of anaerobic digesters. 13th World Congress on Anaerobic Digestion : Recovering (bio) Ressources for the World, Jun 2013, Santiago de Compostella, Spain. 2013. <hal-011118701>
- Chen J.L., Ortiz R., Steele T.W., Stuckey D.C. 2014. Toxicants inhibiting anaerobic digestion: a review. Biotechnol. Adv. 32:1523–1534.
- David C., Arivazhagan M., Tuvakara F. 2015. Decolorization of distillery spent wash effluent byelectrooxidation (EC and EF) and Fenton processes: A comparative study. Ecotoxicology and Environmental Safety 121:142–148.
- de Barros V.G., Duda R.M., da Silva Vantini J., Omori W.P., Ferro M.I.T., de Oliveira R.A. 2017. Improved methane production from sugarcane vinasse with filter cake in thermophilic UASB reactors, with predominance of Methanothermobacter and Methanosaeca archaea and Thermotogae bacteria. Bioresource Technology 244:371-381.
- Dermouchi A., Lendormi T., Arris S., Lanoiselle J.L., Bencheikh-Lehocine M. 2018. Cutting Oil Emulsion Anaerobic Biodegradation: Electrocoagulation Pretreatment Effect. Chemical Engineering Transactions 64:565-570.
- Deublein D., Steinhauser A. 2008. Biogas from Waste and Renewable Resources. Weinheim: Wiley-VCH Verlag.
- Dogan T., Ince O., Oz N.A., Ince B.K. 2005. Inhibition of Volatile Fatty Acid Production in Granular Sludge from a UASB Reactor. Journal of Environmental Science and Health, 40:633–644.



Dolati M., Aghapour A.A., Khorsandi H., Karimzade S. 2017. Boron removal from aqueous solutions by electrocoagulation at low concentrations. *Journal of Environmental Chemical Engineering* 5(5):5150-5156.

Donneys-Victoria D., Marriaga-Cabral N., Machuca-Martinez F. 2014. Electrocoagulation for landfill leachate treatment: A review of patents and research articles. *Research Signpost* 17-39.

dos Reis C.M., Carosia M.F., Sakamoto I.K., Varesche M.B.A, Silva E.L. 2015. Evaluation of hydrogen and methane production from sugarcane vinassee in an anaerobic fluidized bed reactor. *International journal of hydrogen energy* 40:8498-8509.

Elazzouzi M., Haboubi Kh., Elyoubi M.S. 2017. Electrocoagulation flocculation as a low-costprocess for pollutants removal from urbanwastewater. *Chemical engineering research and design* 117:614–626.

Elbeshbishi E., Nakhla G. 2012. Batch anaerobic co-digestion of proteins and carbohydrates. *Bioresource Technology* 116:170-178.

Espanã-Gamboa E., Mijangos-Cortes J., Barahona-Perez L., Dominguez-Maldonado J., Hernández-Zarate G., Alzate-Gaviria L. 2016. Vinasses: characterization and treatments. *Waste Management & Research* 29(12):1235–1250.

Espinoza-Escalante F., Pelayo-Ortíza C., Navarro-Corona J., González-García Y., Bories A., Gutiérrez-Pulido H. 2009. Anaerobic digestion of the vinasses from the fermentation of Agave tequilana Weber to tequila: The effect of pH, temperature and hydraulic retention time on the production of hydrogen and methane. *Biomass and bioenergy* 33:4–20.

Esposito G., Frunzo L., Panico A., Pirozzi F. 2011. Modelling the Effect of the OLR and OFMSW Particle Size on the Performances of an Anaerobic Co-digestion Reactor. *Process Biochemistry* 46:557-565.

FAO. 2017. Chapter 4 - Methane production.  
<http://www.fao.org/3/w7241e/w7241e0f.htm#4.1.2%20acetogenesis%20and%20dehydration> (Diakses pada 17 Desember 2017).

Fang C., Boe K., Angelidaki I. 2011. Anaerobic co-digestion of desugared molasses with cow manure; focusing on sodium and potassium inhibition. *Bioresource Technology* 102:1005–1011.

Farhadi S., Aminzadeh B., Torabian A., Khatibikamal V., Fard M.A. 2012. Comparison of COD removal from pharmaceutical wastewater by electrocoagulation,



photoelectrocoagulation, peroxy-electrocoagulation and peroxy-photoelectrocoagulation processes. *Journal of Hazardous Materials* 219– 220:35– 42.

Fayad N. 2017. The application of electrocoagulation process for wastewater treatment and for the separation and purification of biological media. *Chemical and Process Engineering*. Université Clermont Auvergne.

García-García I., Bonilla-Venceslada J.L., Jimenez-Pena P.R., Ramos-Gomez E. 1997. Biodegradation of phenol compounds in vinasse using aspergillus terreus and geotrichum candidum. *Water Research* 31(8):2005-1011.

Garcia-Segura S., Eiband M.M.S.G., de Melo J.V., Martínez-Huitle C.A. 2017. Electrocoagulation and advanced electrocoagulation processes: A general review about the fundamentals, emerging applications and its association with other technologies. *Journal of Electroanalytical Chemistry* 801:267-299.

Gerardi M.H. 2003. *The Microbiology of Anaerobic Digesters*. New Jersey: John Wiley & Sons Inc.

Giwa S.O., Polat K., Hapoglu H. 2012. The effects of operating parameters on temperature and electrode dissolution in electrocoagulation treatment of petrochemical wastewater. *Int. J. Eng. Res. Technol.* 1(10):1-9.

Graça N.S., Ribeiro A.M., Rodrigues A.E. 2019. Modeling the electrocoagulation process for the treatment of contaminated water. *Chemical Engineering Science* 197:379-385.

Haddon A. 2019. *Mathematical Modeling and Optimization for Biogas Production*. General Mathematics [math.GM]. Université Montpellier; Universidad de Chile.

Hakizimana J.N., Gourich B., Chafi M., Stiriba Y., Vial C., Drogui P., Naja J. 2017. Electrocoagulation process in water treatment: A review of electrocoagulation modeling approaches. *Desalination* 404:1–21.

Halim L. 2015. Peningkatan Produksi Biogas dari *Stillage* dengan Imobilisasi Bakteri Anaerobik pada Media Padatan Berpori. [Tesis]. Universitas Gadjah Mada, Yogyakarta.

Hao X., Wei J., van Loosdrecht M.C.M., Cao D. 2017. Analysing the mechanisms of sludge digestion enhanced by iron. *Water Res.* 117:58–67.

Hambali E., Musdalipah S., Halomoan A.T., Pattiwiri A.W., Hendroko R. 2007. *Teknologi Bioenergi*. Jakarta: Agromedia.

Hoban D.J., Van den Berg L. 1979. Effect of iron on conversion of acetic acid to methane during methanogenic fermentations. *Journal of Applied Bacteriology* 47: 153-159.



Hossini H., Makhdoumi P., Rastegar S.O., Mohammadi-Moghadam F., Ghaffari H.R., Javid

A., Mirzaei N. 2015. Optimization of the electrocoagulation process for sulfate removal using response surface methodology. Bulgarian Chemical Communications 47D:63-71.

Isa Z., Grusenmeyer S., Verstraete W. 1986. Sulfate Reduction Relative to Methane Production in High-Rate Anaerobic Digestion: Technical Aspects. Applied and Environmental Microbiology 51(3):572-579.

Issah A.-A., Kabera T., Kemausuor F. 2020. Biogas optimisation processes and effluent quality: A review. Biomass and Bioenergy 133:105449.

Inglezakis V.J., Zorpas A.A. 2012. Heat of adsorption, adsorption energy and activation energy in adsorption and ion exchange systems. Desalination and Water Treatment 39(1-3):149-157.

Jackson-Moss C.A., Duncan J.R. 1990. The Effect of Iron on Anaerobic Digestion. Biotechnology Letters 12(2):149-154.

Jijai S., Muleng S., Siripatana C. 2017. Effect of dilution and ash supplement on the biomethane potential of palm oil mill effluent (POME). AIP Conference Proceedings 1868, 020013 (2017).

Jiménez A.M., Borja R., Martín A., Raposo F. 2006. Kinetic analysis of the anaerobic digestion of untreated vinasses and vinasses previously treated with *Penicillium decumbens*. Journal of Environmental Management:303–310.

Jo E.-Y., Park S.-M., Yeo I.-S., Cha J.-D., Lee J.Y., Kim Y.-H., Lee T.-K., Park C.-G. 2015. A study on the removal of sulfate and nitrate from the wet scrubber wastewater using electrocoagulation, Desalination and Water Treatment 1-5, doi: 10.1080/19443994.2015.1028461.

Juanga J.P., Visvanathan C., Tränkler J. 2007. Optimization of Anaerobic Digestion of Municipal Solid Waste in Combined Process and Sequential Staging. Waste Management & Research 25:30–38.

Kabdaşlı I., Arslan-Alaton I., Ölmez-Hancı T., Tünay O. 2012. Electrocoagulation applications for industrial wastewaters: a critical review. Environmental Technology Reviews 1(1):2–45.

Kannan N., Karthikeyan G., Tamilselva N. 2006. Comparison of treatment potential of electrocoagulation of distillery effluent with and without activated Areca catechu nut carbon. Journal of Hazardous Materials B137:1803–1809.

Kaparaju P., Serrano M., Angelidaki I. 2010. Optimization of biogas production from wheat straw stillage in UASB reactor. Journal Applied Energy 87:3779–3783.



Karellas S.B. 2010. Development of an investment decision tool for biogas production from agricultural waste. *Jurnal Renewable and Sustainable Energy Reviews* 14:1273-1282.

Khandegar V., Saroh A.K. 2014. Treatment of Distillery Spentwash by Electrocoagulation. *Journal of Clean Energy Technologies* 2(3):244-247.

Khandegar V., Saroha A.K. 2012. Electrochemical Treatment of Distillery Spent Wash Using Aluminum and Iron Electrodes. *Chinese Journal of Chemical Engineering* 20(3):439-443.

Khandegar V., Saroha A.K. 2013. Electrocoagulation of Distillery Spentwash for Complete Organic Reduction. *International Journal of ChemTech Research* 5(2):712-718.

Khatiwada D., Silveira S. 2017. Scenarios for bioethanol production in Indonesia: How can we meet mandatory blending targets?. *Energy* 119:351-361.

Kiepper B. 2016. Basics of the total suspended solids (tss) wastewater analytical test. <https://www.poultryventilation.com/sites/default/files/TSS%20Analytical%20Test-Oct%202016.pdf> (Diakses pada 4 November 2019).

Kiyuna L.S.M., Fuess L.T., Zaiat M. 2017. Unraveling the influence of the COD/sulfate ratio on organic matter removal and methane production from the biodigestion of sugarcane vinasse. *Bioresource Technology* 232:103-112.

Kobya M., Demirbas E., Sahin O. 2012. Effect of operational parameters on the removal of phenol from aqueous solutions by electrocoagulation using Fe and Al electrodes. *Desalination and Water Treatment* 46(1-3): 366-374.

Kobya M., Senturk E., Bayramoglu M. 2006. Treatment of Poultry Slaughterhouse Wastewaters by Electrocoagulation. *J. Hazard. Mater.* 133(1):172–176.

Kurnianto R.W., Cahyono R.B., Budhijanto W. 2019. Kinetics of Anaerobic Digestion of Dairy Fat Waste with Saponification Pre-Treatment. *Jurnal Rekayasa Proses* 13(2):112-121

Kurniawan Y., Ali S., Aris T. 2005. Potensi Pengembangan Industri Gula sebagai Penghasil Energi di Indonesia. *Pusat Penelitian Perkebunan Gula Indonesia (P3GI)*.

Kuttner P., Weisbock, A.D., Leitner V., Jager A. 2015. Examination of commercial additives for biogas production. *Agronomy Research* 13(2), 337–347.

Kythreotou N., Florides G., Tassou S.A. 2014. A review of simple to scientific models for anaerobic digestion. *Renewable Energy* 71:701-714.

Larue O., Vorobiev E. 2003. Floc size estimation in iron induced electrocoagulation and coagulation using sedimentation data. *Int. J. Mineral Proc.* 71:1-15.



Leme R.M., Seabra J.E.A. 2016. Technical-economic assessment of different biogas upgrading routes from vinasse anaerobic digestion in the Brazilian bioethanol industry. *Energy* 119C:754-766.

Lettinga G., Rebac S., Parshina S., Nozhevnikova A., van Lier J.B., Stams A.J. 1999. High-rate anaerobic treatment of wastewater at low temperatures. *Applied and Environmental Microbiology* 65(4):1696-1702.

Lewis D. 1971. The hydrolysis of iron(III) and iron(II) ions between 25°C and 375°C. *Aktiebolaget Atomenergi*, Studsvik, Nyköping, Sweden.

López-González L.M., Pereda-Reyes I., Romero O.R. 2017. Anaerobic co-digestion of sugarcane press mud with vinasse on methane yield. *Waste Management* 68:139-145.

Lung P. 2011. Solid-state Anaerobic Digestion for Integrated Ethanol Production. [Thesis]. University of Saskatchewan.

Mahajoeno E. 2008. Development of Renewable Energy from Palm Oil Mill Effluent (POME). [Desertasi]. Bogor: IPB.

Mamelkina M.A., Cotillas S., Lacasa E., Sáez C., Tuunila R., Sillanpää M., Häkkinen A., Rodrigo M.A. 2017. Removal of sulfate from mining waters by electrocoagulation. *Separation and Purification Technology* 182:87-93.

Mamelkina M.A., Tuunila R., Sillanpää M., Häkkinen A. 2019. Systematic study on sulfate removal from mining waters by electrocoagulation. *Separation and Purification Technology* 216:43–50.

Mansouri K., Hannachi A., Abdel-Wahab A., Bensalah N. 2012. Electrochemically dissolved aluminum coagulants for the removal of natural organic matter from synthetic and real industrial wastewaters. *Ind. Eng. Chem. Res.* 51:2428–2437.

Martín M.A., Raposo F., Borja R., Martin A. 2002. Kinetic study of the anaerobic digestion of vinasse pretreated with ozone, ozone plus ultraviolet light, and ozone plus ultraviolet light in the presence of titanium dioxide. *Process Biochemistry* 37:699–706.

Matheri A.N., Belaid M., Seodigeng T., Ngila J.C. 2016. The Role of Trace Elements on Anaerobic Co-digestion in Biogas Production. Proceedings of the World Congress on Engineering 2016 Vol II WCE 2016, June 29 - July 1, 2016, London, U.K.

Mollah M.Y., Morkovsky P.G., Gomes A.G., Kesmez M., Parga J. 2004. Fundamentals, Present and Future Perspectives of Electrocoagulation. *J. Hazard. Mater.* 114(1-3):199–210.

Mollah M.Y.A., Schennach R. Parga J.R., Cocke D.L. 2001. Electrocoagulation (EC)-Science and Applications. *Journal of Hazardous Material* 84(1):29-41.



Moraes B.S., Triolo J.M., Lecona V.P., Zaiat M., Sommer S.G. 2015. Biogas production within the bioethanol production chain: use of co-substrates for anaerobic digestion of sugar beet vinasse. *Bioresource Technology* 190:227-234.

Moreno-Casillas H.A., Cocke D.L., Gomes J.A.G., Morkovsky P., Parga J.R., Peterson E. 2007. Electrocoagulation mechanism for COD removal. *Separation and Purification Technology* 56:204–211.

Motte J.-C., Trably E., Escudié R., Hamelin J., Steyer J.-P., Bernet N., Delgenes J.-P., Dumas C. 2013. Total solids content: a key parameter of metabolic pathways in dry anaerobic digestion. *Biotechnology for Biofuels* 6:164.

Mukimin A. 2006. Pengolahan limbah industri berbasis logam dengan teknologi elektrokoagulasi flotasi. [Tesis]. Semarang: Undip.

Münch E. v., Pollard P.C. 1997. Measuring bacterial biomass-COD in wastewater containing particulate matter. *Water Research* 31(10):2550–2556.

Murugananthan M., Raju G.B., Prabhakar S. 2004. Removal of sulfide, sulfate and sulfite ions by electro coagulation. *Journal of Hazardous Materials* B109:37–44.

Nariyan E., Aghababaei A., Sillanpää M. 2017. Removal of pharmaceutical from water with an electrocoagulation process; effect of various parameters and studies of isotherm and kinetic. *Separation and Purification Technology* 188:266-281.

Ni'am M., Othman F., Sohaili J., Fauzia Z. 2007a. Removal of COD and Turbidity to improve Wastewater Quality using Electrocoagulation Technique. *The Malaysian Journal of Analytical Science* 11(1):198-205.

Ni'am M.F., Othman F., Sohaili J., Fauzia Z. 2007b. Electrocoagulation technique in enhancing COD and suspended solids removal to improve wastewater quality. *Water Science & Technology* 56(7):47–53.

Novita S. 2017. Pengaruh Variasi Kuat Arus Listrik dan Waktu Pengadukan pada Proses Elektrokoagulasi untuk Penjernihan Air Baku PDAM Tirtanadi IPA Sunggal. Seminar Nasional Pendidikan Dasar Universitas Negeri Medan 31-44.

O'Kelly B.C. 2014. Drying temperature and water content-strength correlations. *Journal of Environmental Geotechnics* 1(2):81-95.

OECD/NEA. 2014. Chemical Thermodynamics of Iron, Volume 13/1, Chemical Thermodynamics, OECD Publishing, Paris, <https://doi.org/10.1787/g2g3f031-en>.

Olya M.E., Pirkarami A. 2013. Electrocoagulation for the removal of phenol and aldehyde contaminants from resin effluent. *Water Science and Technology* 68(9):1940-1949.



Outlook Energi Nasional. 2014. <https://www.esdm.go.id/assets/media/content/content-indonesia-energy-outlook-2014-v9606uz.pdf> (Diakses 4 April 2021).

Pampillón-González L., Ortiz-Cornejo N.L., Luna-Guido M., Dendooven L., Navarro-Noya Y.E. 2017. Archaeal and Bacterial Community Structure in an Anaerobic Digestion Reactor (Lagoon Type) Used for Biogas Production at a Pig Farm. *J Mol Microbiol Biotechnol* 27:306–317.

Pan C., Troyer L.D., Catalano J.G., Giammar D.E. 2016. Dynamics of Chromium (VI) removal from drinking water by iron electrocoagulation. *Environ. Sci. Technol.* 50(24):13502-13510.

Parga R., Cocke D.L., Valverde V. 2005. Characterization of Electrocoagulation for Removal of Chromium and Arsenic. *Chem. Eng. Technol.* 28(5):605–612.

Pavlostathis S.G., Giraldo-Gomez E. 1991. Kinetics of anaerobic treatment: A critical review. *Critical Reviews in Environmental Control* 21(5,6):411-490.

Peraturan Pemerintah Indonesia No. 79 Tahun 2014. <https://jdih.esdm.go.id/peraturan/PP%20No.%2079%20Thn%202014.pdf> (Diakses 4 April 2021).

Peraturan Menteri Lingkungan Hidup No 5 Tahun 2014. <https://toolsfortransformation.net/wp-content/uploads/2017/05/Permen-LH-5-2014-tentang-Baku-Mutu-Air-Limbah.pdf> (Diakses 26 Juni 2021).

Phalakornkule C., Sukkasem P., Mutchimsattha C. 2010. Hydrogen recovery from the electrocoagulation treatment of dye-containing wastewater. *International Journal of Hydrogen Energy* 35: 10934-10943.

Prasad R.K., Srivastava S.N. 2009. Electrochemical degradation of distillery spent wash using catalytic anode: Factorial design of experiments. *Chemical Engineering Journal* 146:22–29.

Preeti C.S., Aniruddha B.P. 2006. Enhancement in biodegradability of distillery wastewater using enzymatic pretreatment. *Journal of Environmental Management* 78(1):77–85.

Purnomo C.W., Mellyanawaty M., Budhijanto W. 2017. Simulation and Experimental Study on Iron Impregnated Microbial Immobilization in Zeolite for Production of Biogas. *Waste and Biomass Valorization* 8:2413-2421.

Rachmawati S.W., Iswanto B., Winarni. 2009. Pengaruh ph pada proses koagulasi dengan koagulan aluminum sulfat dan ferri klorida. *Jurnal Teknologi Lingkungan*, 5(2):40-45.

Ramkumar Mu., Kumaraswamy K., Mohanraj R.. 2015. *Environmental Management of River Basin Ecosystems*. Springer.



Reis C.E.R., Hu B. 2017. Vinasse from Sugarcane Ethanol Production: Better Treatment or Better Utilization? *Front. Energy Res.* 5(7).

Regueiro L., Veiga P., Figueroa M., Alonso-Gutierrez J., Stams A.J.M., Lema J.M., Carballa M. 2012. Relationship between microbial activity and microbial community structure in six full-scale anaerobic digesters. *Microbiological Research* 167 (2012) 581– 589.

Rezaei H., Narooie M.R., Khosravi R., Mohammadi M.J., Sharafi H., Biglari H. 2018. Humic Acid Removal by Electrocoagulation Process from Natural Aqueous Environments. *Int. J. Electrochem. Sci.* 13:2379 – 2389.

Rincón J.D., Cabrales N.M., Martinez F.M. 2014. Total Solid Removal of Vinasse by Electrocoagulation – Electroflotation. *Dyna* 76(158):41-47.

Sandoval M.A., Nava J.L., Coreño O., Carreño G., Arias L.A., Méndez D. 2017. Sulfate Ions Removal from an Aqueous Solution Modeled on an Abandoned Mine by Electrocoagulation Process with Recirculation. *International Journal of Electrochemical Science* 12:1318 – 1330.

Sarto S., Hidayati R., Syaichurrozi I. 2019. Effect of chemical pretreatment using sulfuric acid on biogas production from water hyacinth and kinetics. *Renewable Energy* 132:335-350

Scherer P., Lippert H., Wolff G. 1983. Composition of the major elements and trace elements of 10 methanogenic bacteria determined by inductively coupled plasma emission spectrometry. *Biological Trace Element Research* 5(3):149-163.

Secula M.S., Crețescu I., Petrescu S. 2011. An experimental study of indigo carmine removal from aqueous solution by electrocoagulation. *Desalination* 277:227–235

Siles J.A., García-García I., Martín A., Martín M.A. 2011. Integrated ozonation and biomethanization treatments of vinasse derived from ethanol manufacturing. *Journal of Hazardous Materials* 188:247–253.

Silva C.E.D.F., Abud A.K.D.S. 2017. Influence of manure concentration as inoculum in anaerobic digestion of vinasse. *Maringá* 39(2):173-180.

Siringo-ringo E., Kusrijadi A., Sunarya Y. 2013. Penggunaan Metode Elektrokoagulasi Pada Pengolahan Limbah Industri Penyamakan Kulit Menggunakan Aluminium sebagai Sacrificial Electrode. *Jurnal Sains dan Teknologi Kimia* 4(2):96-107.

Smaoui Y., Mlaik N., Bouzid J., Sayadi S. 2017. Improvement of Anaerobic Digestion of Landfill Leachate by Using Coagulation-Flocculation, Fenton's Oxidation and Air Stripping Pretreatments. *Environmental Progress & Sustainable Energy* 37(3):1041-1049.



SNI 06-6989.15-2004. <http://sainstkim.teknik.ub.ac.id/wp-content/uploads/2016/12/SNI-06-6989.15-2004-Air-dan-air-limbah-%E2%80%93-Cara-uji-kebutuhan-oksiigen-kimiawi-KOK-refluks-terbuka-dengan-refluks-terbuka secara-titrimetri.pdf> (Diakses 29 Januari 2019).

Soeprijanto, Ismail T., Lastuti M.D., Niken B. 2010. Treatment of Vinassee From Alcohol Industry Wastewater Into Biogas Using Upflow Anaerobic Sludge Blanket (UASB) Bioreactor. Jurnal Purifikasi 11(1):11–20.

Soeprijanto, Perdani A.D., Nury D.F., Pudjiastuti L. 2017. Treatment of oily bilge water by electrocoagulation process using aluminum electrodes. AIP Conference Proceedings 1840:110015.

Sørensen, J. 1982. Reduction of Ferric Iron in Anaerobic, Marine Sediment and Interaction with Reduction of Nitrate and Sulfate. Appl. Environ. Microbiol. 43(2):319-324.

Sounni F., Aissam H., Ghomari O., Merzouki M., Benlemlih M. 2017. Electrocoagulation of olive mill wastewaters to enhance biogas production. Biotechnology Letters 40(2):297-301.

Speece R.E. 1996. Anaerobic Technology for Industrial Wastewaters. USA:Archae Press.

Standard Operating Procedure (SOP) AMBL-105-E. 2017. Fixed (Inorganic Ash) and Volatile Solids by Gravimetric Determination.  
[http://www.cefns.nau.edu/~teb/ambl/sop/SOP\\_AMBL\\_105E\\_FixedVolatileSolids.pdf](http://www.cefns.nau.edu/~teb/ambl/sop/SOP_AMBL_105E_FixedVolatileSolids.pdf).

Strömberg S., Nistor M., Liu J. 2014. Towards eliminating systematic errors caused by the experimental conditions in Biochemical Methane Potential (BMP) tests. Waste Management 34:1939–1948.

Sudibyo H., Shabrina Z.L., Halim L., Budhijanto W. 2017. Mathematical Modelling and Statistical Approach to Assess the Performance of Anaerobic Fixed Bed Reactor for Biogas Production from Piyungan Sanitary Landfill Leachate. Energy Procedia 105:256-262.

Swedish Gas Technology Centre. 2007. Basic data on biogas.  
<http://www.sgc.se/ckfinder/userfiles/files/BasicDataonBiogas2012.pdf> (Diakses 4 April 2021)

Syaichurrozi I. 2013. Kajian produksi biogas dari limbah industri etanol dan pemanfatannya untuk produksi biomassa *spirulina platensis*, [Tesis], Semarang: Universitas diponegoro.

Syaichurrozi I. 2016. Review – Biogas Technology to Treat Bioethanol Vinassee. Waste Technology 4(1):16-23.



Syaichurrozi I. 2018. Biogas production from co-digestion *Salvinia molesta* and rice straw and kinetics. *Renewable Energy* 115:76-86.

Syaichurrozi I., Budiyono, Sumardiono S. 2013. Predicting kinetic model of biogas production and biodegradability organic materials: Biogas production from vinasse at variation of COD/N ratio. *Bioresource Technology* 149:390–397.

Syaichurrozi I., Rusdi R., Hidayat T., Bustomi A. 2016a. Kinetics Studies Impact of Initial pH and Addition of Yeast *Saccharomyces cerevisiae* on Biogas Production from Tofu Wastewater in Indonesia. *International Journal of Engineering* 29(8):1037-1046.

Syaichurrozi I., Rusdi, Dwicahyanto S., Toron Y.S. 2016b. Biogas Production from Co-Digestion Vinassee Waste and Tofu-Processing Wastewater and Kinetics. *International Journal of Renewable Energy Research* 6(3):1057-1070.

Syaichurrozi I., Sarto S., Sediawan W.B., Hidayat M. 2020a. Mechanistic model of electrocoagulation process for treating vinasse waste: Effect of initial pH. *Journal of Environmental Chemical Engineering* 8(3):103756.

Syaichurrozi I., Sarto S., Sediawan W.B., Hidayat M. 2020b. Mechanistic models of electrocoagulation kinetics of pollutant removal in vinasse waste: Effect of Voltage. *Journal of Water Process Engineering* 36:101312.

Syaichurrozi I., Suhirman S., Hidayat T. 2018. Effect of initial pH on anaerobic co-digestion of *Salvinia molesta* and rice straw for biogas production and kinetics. *Biocatalysis and Agricultural Biotechnology* 16:594–603.

Takara K., Ushijima K., Wada K., Iwasaki H., Yamashita M. 2007. Phenolic Compounds from Sugarcane Molasses Possessing Antibacterial Activity against Cariogenic Bacteria. *Journal of Oleo Science* 56(11):611-614.

Vich D.V., Garcia M.L., Varasche M.B.A. 2011. Methanogenic Potential and Microbial Community of Anaerobic Batch Reactors at Different Methylamine/Sulfate Ratios. *Brazilian Journal of Chemical Engineering* 28(1):1-8.

Vrieze J.D., Lathouwer L.D., Verstraete W., Boon N. 2013. High-rate iron-rich activated sludge as stabilizing agent for the anaerobic digestion of kitchen waste. *Water Res.* 47:3732–3741.

Wagh M.P., Nemade P.D. 2015. Treatment of Distillery Spent Wash by Using Chemical Coagulation (CC) and Electro - coagulation [EC]. *American Journal of Environmental Protection* 3(5):159-163.



- Walker M., Zhang Y., Heaven S., Banks C. 2009. Potential errors in the quantitative evaluation of biogas production in anaerobic digestion processes. *Bioresource Technology* 100:6339–6346.
- Wang S., Yuan, R., Liu, C., Zhou B. 2020. Effect of Fe<sup>2+</sup>-adding period on the biogas production and microbial community distribution during the dry anaerobic digestion process. *Process Safety and Environmental Protection* 136:234–241.
- Wanqin Z., Jianbin G., Shubiao W., Renjie D., Jie Z., Qianqian L., Xin L., Tao L., Changle P., Li C., Baozhi W. 2012. Effects of Fe<sup>2+</sup> on the Anaerobic Digestion of Chicken Manure: a Batch Study. 2012 Third International Conference on Digital Manufacturing & Automation.
- Xu Z., Zhao M., Miao H., Huang Z., Gao S., Ruan W. 2014. In situ volatile fatty acids influence biogas generation from kitchen wastes by anaerobic digestion. *Bioresour. Technol.* 163:186–192.
- Yadvika S., Sreekrishnan T.R., Kohli S., Ratna V. 2004. Enhancement of biogas production from solid substrates using different techniques- a review. *Bioresource Technology* 95:1-10.
- Yavuz Y. 2007. EC and EF processes for the treatment of alcohol distillery wastewater. *Separation and Purification Technology* 53:135–140.
- Yu B., Shan A., Zhang D., Lou Z., Yuan H., Huang X., Zhu N., Hu X. 2015. Dosing time of ferric chloride to disinhibit the excessive volatile fatty acids in sludge thermophilic anaerobic digestion system. *Bioresource Technology* 189: 154-161.
- Zazouli M.A., Taghavi M., Bazrafshan E. 2012. Influences of Solution Chemistry on Phenol Removal From Aqueous Environments by Electrocoagulation Process Using Aluminum Electrodes. *J Health Scope.* 1(2):66-70.
- Zhang B., Zhao H., Yu H., Chen D., Li X., Wang W., Piao R., Cui Z. 2016. Evaluation of Biogas Production Performance and Archaeal Microbial Dynamics of Corn Straw during Anaerobic Co-Digestion with Cattle Manure Liquid. *Journal of Microbiology and Biotechnology* 26(4):739–747.
- Zhu X., Zhou P., Chen Y., Liu X., Li D. 2020. The role of endogenous and exogenous hydrogen in the microbiology of biogas production systems. *World Journal of Microbiology and Biotechnology* 36(6):79.
- Ziemiński K., Kowalska-Wentel M. 2015. Effect of enzymatic pretreatment on anaerobic co-digestion of sugar beet pulp silage and vinassee. *Bioresource Technology* 180:274–280.



Zuliyana. 2015. Peningkatan produksi biogas dari fraksi organik sampah kota dalam reaktor *batch* dengan pengaturan kadar *total solid* dan rasio C/N. [Tesis]. Universitas Gadjah Mada, Yogyakarta.

**Website:**

Solubility Product Constant ( $K_{sp}$ ) Values at 25 °C.

<https://users.stlcc.edu/gkrishnan/ksptable.html> (Diakses 14 Maret 2021)

12.5: pH and Kw.

[https://chem.libretexts.org/Courses/Sacramento\\_City\\_College/SCC%3A\\_Chem\\_309\\_-\\_General\\_Organic\\_and\\_Biochemistry\\_\(Bennett\)/Text/12%3A\\_Acids\\_and\\_Bases/12.5%3A\\_pH\\_and\\_Kw](https://chem.libretexts.org/Courses/Sacramento_City_College/SCC%3A_Chem_309_-_General_Organic_and_Biochemistry_(Bennett)/Text/12%3A_Acids_and_Bases/12.5%3A_pH_and_Kw) (Diakses 14 Maret 2021)

Water. <https://webbook.nist.gov/cgi/cbook.cgi?ID=C7732185&Mask=2.> (Diakses 14 Maret 2021)

Glossary: Tonnes of oil equivalent (toe). [https://ec.europa.eu/eurostat/statistics-explained/index.php/Glossary:Tonnes\\_of\\_oil\\_equivalent\\_\(toe\)](https://ec.europa.eu/eurostat/statistics-explained/index.php/Glossary:Tonnes_of_oil_equivalent_(toe)) (Diakses 4 April 2021)  
<https://www.unitjuggler.com/convert-energy-from-toe-to-kWh.html> (Diakses 4 April 2021)