

DAFTAR PUSTAKA

- [1] Lembaga Penyelidikan Ekonomi dan Masyarakat Fakultas Ekonomi dan Bisnis Universitas Indonesia, *Kajian Dampak Sektor Pariwisata Terhadap Perekonomian Indonesia*. 2018.
- [2] H. Song and R. J. Hyndman, "Tourism forecasting: An introduction," *Int. J. Forecast.*, vol. 27, no. 3, pp. 817–821, 2011, doi: 10.1016/j.ijforecast.2011.03.001.
- [3] C. Wang, P. W. Horby, F. G. Hayden, and G. F. Gao, "A novel coronavirus outbreak of global health concern," *Lancet*, vol. 395, no. 10223, pp. 470–473, 2020, doi: 10.1016/S0140-6736(20)30185-9.
- [4] N. Donthu and A. Gustafsson, "Effects of COVID-19 on business and research," *J. Bus. Res.*, vol. 117, no. June, pp. 284–289, 2020, doi: 10.1016/j.jbusres.2020.06.008.
- [5] Y. C. Chen, H. H. Kang, and T. C. Yang, "A study on the impact of SARS on the forecast of visitor arrivals to China," *J. Asia-Pacific Bus.*, vol. 8, no. 1, pp. 31–50, 2007, doi: 10.1300/J098v08n01_04.
- [6] S. Park, J. Lee, and W. Song, "Short-term forecasting of Japanese tourist inflow to South Korea using Google trends data," *J. Travel Tour. Mark.*, vol. 34, no. 3, pp. 357–368, 2017, doi: 10.1080/10548408.2016.1170651.
- [7] X. Li, B. Pan, R. Law, and X. Huang, "Forecasting tourism demand with composite search index," *Tour. Manag.*, vol. 59, pp. 57–66, 2017, doi: 10.1016/j.tourman.2016.07.005.
- [8] K. Volchek, A. Liu, H. Song, and D. Buhalis, "Forecasting tourist arrivals at attractions: Search engine empowered methodologies," *Tour. Econ.*, vol. 25, no. 3, pp. 425–447, 2019, doi: 10.1177/1354816618811558.
- [9] B. Prideaux, E. Laws, and B. Faulkner, "Events in Indonesia: Exploring the limits to formal tourism trends forecasting methods in complex crisis situations," *Tour. Manag.*, vol. 24, no. 4, pp. 475–487, 2003, doi: 10.1016/S0261-5177(02)00115-2.
- [10] W. Anggraeni and L. Aristiani, "Using Google Trend data in forecasting number of dengue fever cases with ARIMAX method case study: Surabaya, Indonesia," *Proc. 2016 Int. Conf. Inf. Commun. Technol. Syst. ICTS 2016*, pp. 114–118, 2017, doi: 10.1109/ICTS.2016.7910283.

- [11] J. S. Armstrong, *Principles of Forecasting : A Handbook for Researchers and Practitioners*. Dordrecht: Kluwer Academic Publishers, 2001.
- [12] S. S. Padhi and R. K. Pati, “Quantifying potential tourist behavior in choice of destination using Google Trends,” *Tour. Manag. Perspect.*, vol. 24, pp. 34–47, 2017, doi: 10.1016/j.tmp.2017.07.001.
- [13] J. M. P. Mangindaan and T. Krityakierne, “Analysis of international visitor arrivals in Bali: Modeling and forecasting with seasonality and intervention,” *J. Phys. Conf. Ser.*, vol. 1132, no. 1, 2018, doi: 10.1088/1742-6596/1132/1/012069.
- [14] K. Wickramasinghe and S. Ratnasiri, “The role of disaggregated search data in improving tourism forecasts: Evidence from Sri Lanka,” *Curr. Issues Tour.*, vol. 0, no. 0, pp. 1–15, 2020, doi: 10.1080/13683500.2020.1849049.
- [15] A. Haqiq and B. Pharmasetiawan, “Data Analytics for Forecasting Arrival of Tourism Visit in Indonesia,” *Proceeding - 2019 Int. Conf. ICT Smart Soc. Innov. Transform. Towar. Smart Reg. ICISS 2019*, pp. 1–6, 2019, doi: 10.1109/ICISS48059.2019.8969795.
- [16] E. Chandakas, “On demand forecasting of demand-responsive paratransit services with prior reservations,” *Transp. Res. Part C Emerg. Technol.*, vol. 120, no. October, p. 102817, 2020, doi: 10.1016/j.trc.2020.102817.
- [17] M. G. Karlaftis and E. I. Vlahogianni, “Statistical methods versus neural networks in transportation research: Differences, similarities and some insights,” *Transp. Res. Part C Emerg. Technol.*, vol. 19, no. 3, pp. 387–399, 2011, doi: 10.1016/j.trc.2010.10.004.
- [18] E. Atmanegara, Suhartono, and R. M. Atok, “Forecasting Foreign Tourist Using Intervention Analysis on Count Time Series,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 546, no. 5, 2019, doi: 10.1088/1757-899X/546/5/052014.
- [19] A. Supriatna, E. Lesmana, L. Aridin, Sukono, and H. Napitupulu, “Comparison between multiplicative Holt Winter and decomposition method in predicting the number of incoming international tourists to Indonesia,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 567, no. 1, 2019, doi: 10.1088/1757-899X/567/1/012047.
- [20] I. J. Thira, N. A. Mayangky, D. N. Kholifah, I. Balla, and W. Gata, “Peramalan Data Kunjungan Wisatawan Mancanegara ke Indonesia menggunakan Fuzzy Time Series,” *J. Edukasi dan Penelit. Inform.*, vol. 5, no. 1, p. 18, 2019, doi: 10.26418/jp.v5i1.31074.
- [21] A. Alamsyah and P. B. A. Friscintia, “Artificial neural network for Indonesian tourism demand forecasting,” *2019 7th Int. Conf. Inf. Commun.*

Technol. ICoICT 2019, pp. 1–7, 2019, doi: 10.1109/ICoICT.2019.8835382.

- [22] S. Rezeki, Suhartono, and Suyadi, “Multi input intervention model for analyzing the impact of the asian crisis and terrorist attacks on tourist arrivals in bali,” *Appl. Math. Sci.*, vol. 7, no. 133–136, pp. 6715–6727, 2013, doi: 10.12988/ams.2013.310598.
- [23] M. Elena, M. H. Lee, Suhartono, Hossein, N. Haizum, and N. A. Bazilah, “Fuzzy time series and sarima model for forecasting tourist arrivals to Bali,” *J. Teknol. (Sciences Eng.*, vol. 57, no. SUPPL.1, pp. 69–81, 2012, doi: 10.11113/jt.v57.1524.
- [24] R. Adhikari K. and A. R.K., “An Introductory Study on Time Series Modeling and Forecasting Ratnadip Adhikari R. K. Agrawal,” *arXiv Prepr. arXiv1302.6613*, 2013.
- [25] V. Papastefanopoulos, P. Linardatos, and S. Kotsiantis, “COVID-19: A comparison of time series methods to forecast percentage of active cases per population,” *Appl. Sci.*, vol. 10, no. 11, pp. 1–15, 2020, doi: 10.3390/app10113880.
- [26] S. Makridakis, E. Spiliotis, and V. Assimakopoulos, “Statistical and Machine Learning forecasting methods: Concerns and ways forward,” *PLoS One*, vol. 13, no. 3, pp. 1–26, 2018, doi: 10.1371/journal.pone.0194889.
- [27] H. Song and G. Li, “Tourism demand modelling and forecasting-A review of recent research,” *Tour. Manag.*, vol. 29, no. 2, pp. 203–220, 2008, doi: 10.1016/j.tourman.2007.07.016.
- [28] Priyamvada and R. Wadhvani, “Review on various models for time series forecasting,” in *Proceedings of the International Conference on Inventive Computing and Informatics, ICICI 2017*, 2018, no. Icici, pp. 405–410, doi: 10.1109/ICICI.2017.8365383.
- [29] Z. Q. Li, H. Q. Pan, Q. Liu, H. Song, and J. M. Wang, “Comparing the performance of time series models with or without meteorological factors in predicting incident pulmonary tuberculosis in eastern China,” *Infect. Dis. Poverty*, vol. 9, no. 1, pp. 1–11, 2020, doi: 10.1186/s40249-020-00771-7.
- [30] A. R. S. Parmezan, V. M. A. Souza, and G. E. A. P. A. Batista, “Evaluation of statistical and machine learning models for time series prediction: Identifying the state-of-the-art and the best conditions for the use of each model,” *Inf. Sci. (Ny).*, vol. 484, pp. 302–337, 2019, doi: 10.1016/j.ins.2019.01.076.
- [31] “UNDANG-UNDANG REPUBLIK INDONESIA NOMOR 10.TAHUN 2009 TENTANG KEPARIWISATAAN,” 2009, [Online]. Available:

http://kemenpar.go.id/asset_admin/assets/uploads/media/old_file/4636_1364-UUTentangKepariwisataannet1.pdf.

- [32] Purwanto, Sunardi, F. T. Julfia, and A. Paramananda, “Hybrid model, neural networks, support vector machine, K-nearest Neighbor, and ARIMA models for forecasting tourist arrivals,” *J. Theor. Appl. Inf. Technol.*, vol. 97, no. 10, pp. 2785–2793, 2019, doi: 10.5281/zenodo.3256521.
- [33] P. Sugiartawan and S. Hartati, “Time series data prediction using elman recurrent neural network on tourist visits in tanah lot tourism object,” *Int. J. Eng. Adv. Technol.*, vol. 9, no. 1, pp. 314–320, 2019, doi: 10.35940/ijeat.A1833.109119.
- [34] Y. Zou, R. V. Donner, N. Marwan, J. F. Donges, and J. Kurths, “Complex network approaches to nonlinear time series analysis,” *Phys. Rep.*, vol. 787, pp. 1–97, 2019, doi: 10.1016/j.physrep.2018.10.005.
- [35] C. Beaumont, S. Makridakis, S. C. Wheelwright, and V. E. McGee, “Forecasting: Methods and Applications,” *J. Oper. Res. Soc.*, vol. 35, no. 1, p. 79, 1984, doi: 10.2307/2581936.
- [36] L. Xiong and Y. Lu, “Hybrid ARIMA-BPNN model for time series prediction of the Chinese stock market,” *2017 3rd Int. Conf. Inf. Manag. ICIM 2017*, pp. 93–97, 2017, doi: 10.1109/INFOMAN.2017.7950353.
- [37] H. Song, R. T. R. Qiu, and J. Park, “A review of research on tourism demand forecasting,” *Ann. Tour. Res.*, vol. 75, no. September 2018, pp. 338–362, 2019, doi: 10.1016/j.annals.2018.12.001.
- [38] Rob J Hyndman, “Forecasting: Principles & Practice,” no. September, p. 138, 2014, [Online]. Available: [robjhyndman.com/uwa%5Cnhttp://robjhyndman.com/papers/forecasting-age-specific-breast-cancer-mortality-using-functional-data-models/](http://robjhyndman.com/papers/forecasting-age-specific-breast-cancer-mortality-using-functional-data-models/).
- [39] R. J. Hyndman and G. Athanasopoulos, “Forecasting: Principles and Practice,” *Princ. Optim. Des.*, pp. 421–455, 2018.
- [40] The Pennsylvania State University, “Applied Time Series Analysis,” 2001. <https://online.stat.psu.edu/stat510/> (accessed May 22, 2021).
- [41] M. S. Hossain, S. Ahmed, and M. J. Uddin, “Impact of weather on COVID-19 transmission in south Asian countries: An application of the ARIMAX model,” *Sci. Total Environ.*, vol. 761, p. 143315, 2020, doi: 10.1016/j.scitotenv.2020.143315.
- [42] G. Serafini *et al.*, “Sentiment-Driven Price Prediction of the Bitcoin based on Statistical and Deep Learning Approaches,” *Proc. Int. Jt. Conf. Neural Networks*, 2020, doi: 10.1109/IJCNN48605.2020.9206704.

- [43] S. Zenker and F. Kock, “The coronavirus pandemic – A critical discussion of a tourism research agenda,” *Tour. Manag.*, vol. 81, no. April, p. 104164, 2020, doi: 10.1016/j.tourman.2020.104164.
- [44] H. Zhang, H. Song, L. Wen, and C. Liu, “Forecasting tourism recovery amid COVID-19,” *Ann. Tour. Res.*, vol. 87, p. 103149, 2021, doi: 10.1016/j.annals.2021.103149.
- [45] S. M. Khaidi, N. Abu, and N. Muhammad, “Tourism demand forecasting - A review on the variables and models,” *J. Phys. Conf. Ser.*, vol. 1366, no. 1, 2019, doi: 10.1088/1742-6596/1366/1/012111.
- [46] M. Ahmed, G. Haider, A. Zaman, R. C. Shehzad, and E. Sciences, “Detecting structural change with heteroskedasticity. Communications in Statistics - Theory and Methods,” no. 1993, pp. 1–20, 2016.
- [47] I. Önder, “Forecasting tourism demand with Google trends: Accuracy comparison of countries versus cities,” *Int. J. Tour. Res.*, vol. 19, no. 6, pp. 648–660, 2017, doi: 10.1002/jtr.2137.
- [48] W. Höpken, T. Eberle, M. Fuchs, and M. Lexhagen, “Google Trends data for analysing tourists’ online search behaviour and improving demand forecasting: the case of Åre, Sweden,” *Inf. Technol. Tour.*, vol. 21, no. 1, pp. 45–62, 2019, doi: 10.1007/s40558-018-0129-4.
- [49] D. R. Fesenmaier, Z. Xiang, B. Pan, and R. Law, *An Analysis of Search Engine Use for Travel Planning*, no. June 2014. 2010.
- [50] Y. Feng, G. Li, X. Sun, and J. Li, “Forecasting the number of inbound tourists with Google Trends,” *Procedia Comput. Sci.*, vol. 162, no. Itqm 2019, pp. 628–633, 2019, doi: 10.1016/j.procs.2019.12.032.
- [51] R. J. Hyndman and A. B. Koehler, “Another look at measures of forecast accuracy,” *Int. J. Forecast.*, vol. 22, no. 4, pp. 679–688, 2006, doi: 10.1016/j.ijforecast.2006.03.001.
- [52] Y. Yao *et al.*, “A paired neural network model for tourist arrival forecasting,” *Expert Syst. Appl.*, vol. 114, pp. 588–614, 2018, doi: 10.1016/j.eswa.2018.08.025.
- [53] J. S. Armstrong and F. Collopy, “Error measures for generalizing about forecasting methods: Empirical comparisons,” *Long Range Plann.*, vol. 26, no. 1, p. 150, 1993, doi: 10.1016/0024-6301(93)90280-s.
- [54] Josef Perktold, S. Seabold, J. Taylor, and Statsmodels-developers, “statsmodels.tsa.statespace.sarimax.SARIMAX,” 2021. <https://www.statsmodels.org/stable/generated/statsmodels.tsa.statespace.sarimax.SARIMAX.html>.

- [55] G. Xie, Y. Qian, and S. Wang, "Forecasting Chinese cruise tourism demand with big data: An optimized machine learning approach," *Tour. Manag.*, vol. 82, no. October 2019, p. 104208, 2021, doi: 10.1016/j.tourman.2020.104208.
- [56] Ben Vogelvang, *Theory and Applications with EViews*. 2005.
- [57] A. Mack and E. Martinez-Garcia, "A Cross-Country Quarterly Database of Real House Prices: A Methodological Note," *Fed. Reserv. Bank Dallas, Glob. Monet. Policy Inst. Work. Pap.*, vol. 2011, no. 99, 2011, doi: 10.24149/gwp99.
- [58] G. Xie, Y. Qian, and S. Wang, "A decomposition-ensemble approach for tourism forecasting," *Ann. Tour. Res.*, vol. 81, no. February 2019, p. 102891, 2020, doi: 10.1016/j.annals.2020.102891.
- [59] X. Yang, B. Pan, J. A. Evans, and B. Lv, "Forecasting Chinese tourist volume with search engine data," *Tour. Manag.*, vol. 46, no. February 2015, pp. 386–397, 2015, doi: 10.1016/j.tourman.2014.07.019.
- [60] R. Rivera, "A dynamic linear model to forecast hotel registrations in Puerto Rico using Google Trends data," *Tour. Manag.*, 2016, doi: 10.1016/j.tourman.2016.04.008.
- [61] S. Sun, Y. Wei, K. L. Tsui, and S. Wang, "Forecasting tourist arrivals with machine learning and internet search index," *Tour. Manag.*, vol. 70, pp. 1–10, 2019, doi: 10.1016/j.tourman.2018.07.010.
- [62] R. Li, C. Rivers, Q. Tan, M. B. Murray, E. Toner, and M. Lipsitch, "Estimated Demand for US Hospital Inpatient and Intensive Care Unit Beds for Patients With COVID-19 Based on Comparisons With Wuhan and Guangzhou, China," *JAMA Netw. open*, vol. 3, no. 5, p. e208297, 2020, doi: 10.1001/jamanetworkopen.2020.8297.
- [63] A. N. I. Venture, "Timeline: China's COVID-19 outbreak and lockdown of Wuhan," 2021. <https://abcnews.go.com/Health/wireStory/timeline-chinas-covid-19-outbreak-lockdown-wuhan-75421357>.
- [64] Badan Pusat Statistik, "Statistik Kunjungan Wisatawan Mancanegara Tahun 2019," *Badan Pus. Stat.*, 2020, [Online]. Available: <https://jambikota.bps.go.id/>.
- [65] KEMENTERIAN HUKUM DAN HAK ASASI MANUSIA REPUBLIK INDONESIA, "Peraturan Menteri Hukum Dan Hak Asasi Manusia Republik Indonesia Nomor 11 Tahun 2020 Tentang Pelarangan Sementara Orang Asing Masuk Wilayah Negara Republik Indonesia," 2020.