



## CONTENTS

|  |      |
|--|------|
| PERNYATAAN . . . . .   | iii  |
| PREFACE . . . . .  | v    |
| NOMENCLATURE AND ABBREVIATION . . . . .                      | vi   |
| ABSTRACT . . . . .   | vii  |
| INTISARI . . . . .   | viii |
| CONTENTS . . . . .   | ix   |
| LIST OF FIGURES . . . . .                                    | xii  |
| LIST OF TABLES . . . . .                                     | xv   |
| CHAPTER I INTRODUCTION . . . . .                             | 1    |
| 1.1 Background . . . . .                                     | 1    |
| 1.2 Research Problem . . . . .                               | 6    |
| 1.3 Research Novelty . . . . .                               | 6    |
| 1.4 Research Objective . . . . .                             | 10   |
| 1.5 Research Benefits . . . . .                              | 10   |
| 1.6 Thesis Outline . . . . .                                 | 11   |
| CHAPTER II LITERATURE REVIEW AND THEORETICAL BASIS . . . . . | 12   |
| 2.1 Literature Review . . . . .                              | 12   |
| 2.1.1 Fixation or Dwell-Based Object Selection . . . . .     | 12   |
| 2.1.2 Gaze Gesture-Based Object Selection . . . . .          | 13   |
| 2.1.3 Smooth-Pursuit-Based Object Selection . . . . .        | 15   |
| 2.2 Theoretical Basis . . . . .                              | 19   |
| 2.2.1 The Basic Principle of Eye and Gaze Tracking . . . . . | 19   |
| 2.2.2 Public Displays and Gaze Challenges . . . . .          | 21   |
| 2.2.3 Linear Time-Invariant (LTI) Systems . . . . .          | 21   |
| 2.2.4 Object Selection Methods . . . . .                     | 22   |
| 2.2.4.1 Mathematical Model . . . . .                         | 23   |
| 2.2.4.2 Pearson Product Moment Coefficient . . . . .         | 24   |
| 2.2.4.3 Rotated Correlation . . . . .                        | 24   |
| 2.2.4.4 2D Correlation . . . . .                             | 25   |
| 2.2.4.5 Spearman's Rank-Order Correlation . . . . .          | 26   |
| 2.2.4.6 Kendall's Tau-b Correlation Coefficient . . . . .    | 26   |
| 2.2.5 Signal Denoising Method . . . . .                      | 27   |
| 2.2.5.1 Exponential Moving Average Filter . . . . .          | 27   |



|  |   |           |
|--|---|-----------|
| 2.2.6  | Event Detection Methods . . . . .   | 28        |
| 2.2.6.1  | Hidden Markov Model . . . . .   | 29        |
| 2.2.6.2  | Velocity and Dispersion Threshold Identification (I-VDT) . . . . .                        | 34        |
| 2.2.6.3  | Velocity and Velocity Threshold Identification (I-VVT) . . . . .                          | 35        |
| 2.2.6.4  | Velocity and Movement Pattern Identification (I-VMP) . . . . .                            | 36        |
| 2.2.7  | Statistical Test . . . . .  | 36        |
| 2.2.7.1  | Kolmogorov-Smirnov Normality Test . . . . .   | 37        |
| 2.2.7.2  | Statistical Mann-Whitney test . . . . .   | 38        |
| 2.2.7.3  | Statistical Kruskal-Wallis test . . . . .   | 38        |
| 2.3  | Research Questions . . . . .  | 39        |
| <b>CHAPTER III METHODOLOGY . . . . .</b>           |   | <b>40</b> |
| 3.1  | Apparatus and Material . . . . .  | 40        |
| 3.1.1  | Apparatus . . . . .   | 40        |
| 3.1.2  | Materials . . . . .   | 40        |
| 3.2  | Research Flow . . . . .   | 42        |
| 3.3  | System Design . . . . .   | 42        |
| 3.3.1  | Methods Implementation . . . . .  | 42        |
| 3.3.2  | Performance Metric . . . . .  | 46        |
| 3.4  | System Evaluation . . . . .   | 46        |
| 3.4.1  | Evaluation of Object Selection Methods . . . . .  | 46        |
| 3.4.2  | Evaluation of Signal Denoising Method . . . . .   | 47        |
| 3.4.3  | Evaluation of Event Detection Methods . . . . .   | 48        |
| 3.4.4  | Comparison with Previous Research . . . . .   | 48        |
| 3.5  | Configuration of Methods Parameter . . . . .  | 48        |
| <b>CHAPTER IV RESULTS AND DISCUSSION . . . . .</b> |   | <b>51</b> |
| 4.1  | Results . . . . .   | 51        |
| 4.1.1  | Object Selection Methods Evaluation Result . . . . .                                      | 51        |
| 4.1.2  | Signal Denoising Method Evaluation Result . . . . .                                       | 58        |
| 4.1.3  | Event Detection Methods Evaluation Result . . . . .                                       | 61        |
| 4.1.4  | Comparison with Previous Research . . . . .   | 64        |
| 4.2  | Discussion . . . . .  | 66        |
| 4.2.1  | Error Analysis . . . . .  | 67        |
| 4.2.2  | EMA Decreased the Accuracy of Application . . . . .                                       | 70        |
| 4.2.3  | The Best Performing Object Selection Technique . . . . .                                  | 71        |
| 4.2.4  | The Compatibility of The Proposed Methods to be Implemented in Real-Time Manner . . . . . | 75        |
| 4.2.5  | Limitations . . . . .   | 76        |
| 4.2.5.1  | Geometric-based Event Detection Methods . . . . .   | 76        |
| 4.2.5.2  | Exponential Moving Average (EMA) as Signal Denoising Method . . . . .                     | 76        |



|  |  |    |
|--|--|----|
| 4.2.5.3  | Selection Duration . . . . .                 | 77 |
| 4.2.5.4  | Horizontal and Linear Trajectories . . . . . | 77 |
| 4.2.6  | Practical Implementation . . . . .           | 77 |
| CHAPTER V CONCLUSIONS AND FUTURE WORKS . . . . . |  | 79 |
| 5.1  | Conclusions . . . . .                        | 79 |
| 5.2  | Future Works . . . . .                       | 80 |
| REFERENCES . . . . .                             |  | 81 |