

DAFTAR PUSTAKA

- [1] E. Setiawan, “Kamus Besar Bahasa Indonesia (KBBI).” [Online]. Available: <https://kbbi.web.id/emosi>.
- [2] T. B. Shalini and L. Vanitha, “Emotion Detection in Human Beings Using ECG Signals,” *Int. J. Eng. Trends Technol.*, vol. 4, no. May, pp. 1337–1342, 2013.
- [3] R. W. Levenson, “Emotion and the autonomic nervous system: a prospectus for research on autonomic specificity,” *Soc. Psychophysiology Emot. Theory Clin. Appl.*, pp. 17–42, 1988.
- [4] M. Umair, N. Chalabianloo, C. Sas., and C. Ersoy, “HRV and Stress: A Mixed-Methods Approach for Comparison of Wearable Heart Rate Sensors for Biofeedback,” *IEEE Access*, pp. 14005–14024, 2021.
- [5] F. Li, K. Shirahama, M. A. Nisar, X. Huang, and M. Grzegorzec, “Deep transfer learning for time series data based on sensor modality classification,” *Sensors (Switzerland)*, vol. 20, no. 15, pp. 1–25, 2020.
- [6] C. Xiefeng, Y. Wang, S. Dai, P. Zhao, and Q. Liu, “Heart sound signals can be used for emotion recognition,” *Sci. Rep.*, vol. 9, no. 1, pp. 1–11, 2019.
- [7] P. Schmidt, A. Reiss, R. Duerichen, and K. Van Laerhoven, “Introducing WeSAD, a multimodal dataset for wearable stress and affect detection,” *ICMI 2018 - Proc. 2018 Int. Conf. Multimodal Interact.*, pp. 400–408, 2018.
- [8] L. Menghini, E. Gianfranchi, N. Cellini, E. Patron, M. Tagliabue, and M. Sarlo, “Stressing the accuracy: Wrist-worn wearable sensor validation over different conditions,” *Psychophysiology*, vol. 56, no. 11, pp. 1–15, 2019.
- [9] M. D. Hssayeni and B. Ghoraani, “Multi-Modal Physiological Data Fusion for Affect Estimation Using Deep Learning,” *IEEE Access*, vol. 9, pp. 21642–21652, 2021.
- [10] P. Siirtola, “Continuous stress detection using the sensors of commercial smartwatch,” *UbiComp/ISWC 2019- - Adjunct Proc. 2019 ACM Int. Jt. Conf. Pervasive Ubiquitous Comput. Proc. 2019 ACM Int. Symp. Wearable Comput.*, no. September, pp. 1198–1201, 2019.
- [11] S. Huang, J. Li, P. Zhang, and W. Zhang, “Detection of mental fatigue state with wearable ECG devices,” *Int. J. Med. Inform.*, vol. 119, no. August, pp. 39–46, 2018.
- [12] J. A. Domínguez-Jiménez, K. C. Campo-Landines, J. C. Martínez-Santos, E.

- J. Delahoz, and S. H. Contreras-Ortiz, "A machine learning model for emotion recognition from physiological signals," *Biomed. Signal Process. Control*, vol. 55, p. 101646, 2020.
- [13] Y. L. Hsu, J. S. Wang, W. C. Chiang, and C. H. Hung, "Automatic ECG-Based Emotion Recognition in Music Listening," *IEEE Trans. Affect. Comput.*, vol. 11, no. 1, pp. 85–99, 2020.
- [14] L. Shu *et al.*, "Wearable emotion recognition using heart rate data from a smart bracelet," *Sensors (Switzerland)*, vol. 20, no. 3, pp. 1–19, 2020.
- [15] A. R. Mello, M. R. Stemmer, and A. L. Koerich, "Incremental and decremental fuzzy bounded twin support vector machine," *Inf. Sci. (Ny)*, vol. 526, pp. 20–38, 2020.
- [16] J. Lin, S. Pan, C. S. Lee, and S. Oviatt, "An explainable deep fusion network for affect recognition using physiological signals," *Int. Conf. Inf. Knowl. Manag. Proc.*, no. 1, pp. 2069–2072, 2019.
- [17] P. Soma-pillay, C. Nelson-piercy, H. Tolppanen, and A. Mebazaa, "Physiological changes in pregnancy," vol. 27, no. 2, pp. 89–94, 2016.
- [18] M. R. Piano and D. Ph, "Alcohol 's Effects on the Cardiovascular System," pp. 219–241.
- [19] N. Wiggert, F. H. Wilhelm, M. Nakajima, and M. Absi, "Chronic Smoking, Trait Anxiety, and the Physiological Response to Stress," vol. 51, no. 12, pp. 1619–1628, 2017.
- [20] Y. Chen, I. Hung, M. Huang, C. Hou, and K. Cheng, "Physiological Signal Analysis for Patients with Depression," pp. 805–808, 2011.
- [21] C. Chen *et al.*, "Complexity Change in Cardiovascular Disease," vol. 13, 2017.
- [22] H. W. Guo, Y. S. Huang, C. H. Lin, J. C. Chien, K. Haraikawa, and J. S. Shieh, "Heart Rate Variability Signal Features for Emotion Recognition by Using Principal Component Analysis and Support Vectors Machine," *Proc. - 2016 IEEE 16th Int. Conf. Bioinforma. Bioeng. BIBE 2016*, pp. 274–277, 2016.
- [23] Y. Xu, I. Hubener, A. K. Seipp, S. Ohly, and K. David, "From the lab to the real-world: An investigation on the influence of human movement on Emotion Recognition using physiological signals," *2017 IEEE Int. Conf. Pervasive Comput. Commun. Work. PerCom Work. 2017*, pp. 345–350, 2017.
- [24] L. Mirmohamadsadeghi, A. Yazdani, and J. M. Vesin, "Using cardio-respiratory signals to recognize emotions elicited by watching music video

- clips,” *2016 IEEE 18th Int. Work. Multimed. Signal Process. MMSP 2016*, 2017.
- [25] H. Shi *et al.*, “Differences of Heart Rate Variability Between Happiness and Sadness Emotion States: A Pilot Study,” *J. Med. Biol. Eng.*, vol. 37, no. 4, pp. 527–539, 2017.
- [26] F. Delmastro, F. Di Martino, and C. Dolciotti, “Physiological Impact of Vibro-Acoustic Therapy on Stress and Emotions through Wearable Sensors,” *2018 IEEE Int. Conf. Pervasive Comput. Commun. Work. PerCom Work. 2018*, pp. 621–626, 2018.
- [27] J. S. Heinisch, I. Hübener, and K. David, “The Impact of Physical Activities on the Physiological Response to Emotions,” *2018 IEEE Int. Conf. Pervasive Comput. Commun. Work. PerCom Work. 2018*, pp. 824–829, 2018.
- [28] F. Li *et al.*, “Photoplethysmography based psychological stress detection with pulse rate variability feature differences and elastic net,” *Int. J. Distrib. Sens. Networks*, vol. 14, no. 9, 2018.
- [29] J. C. Quiroz, E. Geangu, and M. H. Yong, “Emotion recognition using smart watch sensor data: Mixed-design study,” *J. Med. Internet Res.*, vol. 20, no. 8, 2018.
- [30] T. Zhang, A. El Ali, C. Wang, A. Hanjalic, and P. Cesar, “Cornnet: Fine-grained emotion recognition for video watching using wearable physiological sensors,” *Sensors (Switzerland)*, vol. 21, no. 1, pp. 1–25, 2021.
- [31] X. Feng, X. Lu, Z. Li, M. Zhang, J. Li, and D. Zhang, “Investigating the Physiological Correlates of Daily Well-being: A PERMA Model-Based Study,” pp. 169–180, 2020.
- [32] S. Chen *et al.*, “Emotion Recognition Based on Skin Potential Signals with a Portable Wireless Device,” *Sensors*, vol. 21, no. 3, p. 1018, Feb. 2021.
- [33] J. A. Miranda, M. F. Canabal, L. Gutiérrez-Martín, J. M. Lanza-Gutierrez, M. Portela-García, and C. López-Ongil, “Fear Recognition for Women Using a Reduced Set of Physiological Signals,” *Sensors*, vol. 21, no. 5, p. 1587, Feb. 2021.
- [34] C. P. Hsieh, Y. T. Chen, W. K. Beh, and A. Y. A. Wu, “Feature Selection Framework for XGBoost Based on Electrodermal Activity in Stress Detection,” *IEEE Work. Signal Process. Syst. SiPS Des. Implement.*, vol. 2019-Octob, pp. 330–335, 2019.
- [35] J. H. Hong, J. Ramos, and A. K. Dey, “Understanding physiological responses to stressors during physical activity,” *UbiComp’12 - Proc. 2012 ACM Conf. Ubiquitous Comput.*, pp. 270–279, 2012.

- [36] M. Baghizadeh, K. Maghooli, F. Farokhi, and N. J. Dabanloo, "A new emotion detection algorithm using extracted features of the different time-series generated from ST intervals Poincaré map," *Biomed. Signal Process. Control*, vol. 59, p. 101902, 2020.
- [37] S. Poria, E. Cambria, R. Bajpai, and A. Hussain, "A review of affective computing: From unimodal analysis to multimodal fusion," *Inf. Fusion*, vol. 37, pp. 98–125, 2017.
- [38] A. R. Dyck and M. Graver, "Cicero on the Emotions: 'Tusculan Disputations' 3 and 4," *Class. World*, vol. 97, no. 2, p. 220, 2004.
- [39] C. Darwin, "The Expression of the Emotions in Man and Animals.," *J. Anthropol. Inst. Gt. Britain Irel.*, vol. 2, p. 444, 1873.
- [40] P. Ekman, "An Argument for Basic Emotions," *Cogn. Emot.*, vol. 6, pp. 169–200, 1992.
- [41] E. Paul and F. Wallace V., "Measuring Facial Movement," *Environ. Psychol. Nonverbal Behav.*, vol. 1, no. 1, pp. 56–75, 1976.
- [42] R. Plutchik, "The nature of emotions: Human emotions have deep evolutionary roots," *Am. Sci.*, vol. 89, no. 4, pp. 344–350, 2001.
- [43] A. Zenonos, A. Khan, G. Kalogridis, S. Vatsikas, T. Lewis, and M. Sooriyabandara, "HealthyOffice: Mood recognition at work using smartphones and wearable sensors," *2016 IEEE Int. Conf. Pervasive Comput. Commun. Work. PerCom Work. 2016*, no. March, 2016.
- [44] N. H. Frijda and B. Mesquita, "The Analysis of Emotions," in *What Develops in Emotional Development?*, Springer US, 1998, pp. 273–295.
- [45] W. G. Parrott, *Emotions in Social Psychology*. 2000.
- [46] J. A. Russell, "Affective space is bipolar.," *J. Pers. Soc. Psychol.*, vol. 37, no. 3, pp. 345–356, 1979.
- [47] M. Soleymani, J. Lichtenauer, T. Pun, and M. Pantic, "A multimodal database for affect recognition and implicit tagging," *IEEE Trans. Affect. Comput.*, vol. 3, no. 1, pp. 42–55, 2012.
- [48] W. Wundt, "Principles of physiological psychology, 1873.," in *Readings in the history of psychology.*, Appleton-Century-Crofts, 2007, pp. 248–250.
- [49] W. JAMES, "II.—WHAT IS AN EMOTION?," *Mind*, vol. os-IX, no. 34, pp. 188–205, Apr. 1884.
- [50] W. B. Cannon, "The James-Lange theory of emotions: a critical examination

- and an alternative theory. By Walter B. Cannon, 1927.," *Am. J. Psychol.*, vol. 100, no. 3–4, pp. 567–586, 1987.
- [51] S. Schachter and J. Singer, "Cognitive, social, and physiological determinants of emotional state," *Psychol. Rev.*, vol. 69, no. 5, pp. 379–399, Sep. 1962.
- [52] R. S. Lazarus, "Thoughts on the relations between emotion and cognition," *Am. Psychol.*, vol. 37, no. 9, pp. 1019–1024, 1982.
- [53] S. Koelstra *et al.*, "DEAP: A database for emotion analysis; Using physiological signals," *IEEE Trans. Affect. Comput.*, vol. 3, no. 1, pp. 18–31, 2012.
- [54] M. K. Abadi, R. Subramanian, S. M. Kia, P. Avesani, I. Patras, and N. Sebe, "DECAF: MEG-Based Multimodal Database for Decoding Affective Physiological Responses," *IEEE Trans. Affect. Comput.*, vol. 6, no. 3, pp. 209–222, 2015.
- [55] R. Subramanian, J. Wache, M. K. Abadi, R. L. Vieriu, S. Winkler, and N. Sebe, "Ascertain: Emotion and personality recognition using commercial sensors," *IEEE Trans. Affect. Comput.*, vol. 9, no. 2, pp. 147–160, 2018.
- [56] E. Di Lascio, S. Gashi, and S. Santini, "Laughter recognition using non-invasive wearable devices," *ACM Int. Conf. Proceeding Ser.*, pp. 262–271, 2019.
- [57] J. Birjandtalab, D. Cogan, M. B. Pouyan, and M. Nourani, "A non-EEG biosignals dataset for assessment and visualization of neurological status," *IEEE Work. Signal Process. Syst. SiPS Des. Implement.*, pp. 110–114, 2016.
- [58] S. Taamneh *et al.*, "A multimodal dataset for various forms of distracted driving," *Sci. data*, vol. 4, p. 170110, 2017.
- [59] and A. T. C. Rui Wang, Fanglin Chen, Zhenyu Chen, Tianxing Li, Gabriella Harari, Stefanie Tignor, Xia Zhou, Dror Ben-Zeev, "StudentLife: Assessing mental health, academic performance and behavioral trends of college students using smartphones."
- [60] D. B. Geselowitz, "On the Theory of the Electrocardiogram," *Proc. IEEE*, vol. 77, no. 6, pp. 857–876, 1989.
- [61] M. Karg, K. Kühnlenz, and M. Buss, "Recognition of affect based on gait patterns," *IEEE Trans. Syst. Man, Cybern. Part B Cybern.*, vol. 40, no. 4, pp. 1050–1061, 2010.
- [62] J. Michalak, N. F. Troje, J. Fischer, P. Vollmar, T. Heidenreich, and D. Schulte, "Embodiment of Sadness and Depression—Gait Patterns

- Associated With Dysphoric Mood,” *Psychosom. Med.*, vol. 71, no. 5, pp. 580–587, Jun. 2009.
- [63] E. Crane and M. Gross, “Motion capture and emotion: Affect detection in whole body movement,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, vol. 4738 LNCS, pp. 95–101, 2007.
- [64] J. Han and B. Bhanu, “Individual recognition using gait energy image,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 28, no. 2, pp. 316–322, 2006.
- [65] M. B. H. Wiem and Z. Lachiri, “Emotion sensing from physiological signals using three defined areas in arousal-valence model,” *2017 Int. Conf. Control. Autom. Diagnosis, ICCAD 2017*, pp. 219–223, 2017.
- [66] M. V. Villarejo, B. G. Zapirain, and A. M. Zorrilla, “A stress sensor based on galvanic skin response (GSR) controlled by ZigBee,” *Sensors (Switzerland)*, vol. 12, no. 5, pp. 6075–6101, 2012.
- [67] W. Boucsein, *Electrodermal activity: Second edition*, vol. 9781461411. 2012.
- [68] A. Boxtel, “Optimal signal bandwidth for the recording of surface EMG activity of facial, jaw, oral, and neck muscles,” *Psychophysiology*, vol. 38, no. 1, pp. 22–34, 2001.
- [69] E. Andre and J. Kim, “Emotion recognition based on physiological changes in music listening,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 30, no. 12, pp. 2067–2083, 2008.
- [70] P. Nair and I. Kashyap, “Hybrid Pre-processing Technique for Handling Imbalanced Data and Detecting Outliers for KNN Classifier,” *Proc. Int. Conf. Mach. Learn. Big Data, Cloud Parallel Comput. Trends, Prespectives Prospect. Com. 2019*, pp. 460–464, 2019.
- [71] D. Ververidis, C. Kotropoulos, and I. Pitas, “Automatic emotional speech classification,” *ICASSP, IEEE Int. Conf. Acoust. Speech Signal Process. - Proc.*, vol. 1, 2004.
- [72] S. Hatamikia, K. Maghooli, and A. M. Nasrabadi, “The Emotion Recognition System Based on Autoregressive Model and Sequential Forward Feature Selection of Electroencephalogram Signals,” *J. Med. Signals Sens.*, vol. 4, no. 3, pp. 194–201, 2014.
- [73] “KNN (K-Nearest Neighbors) #1. How it works? | by Italo José | Towards Data Science.” [Online]. Available: <https://towardsdatascience.com/knn-k-nearest-neighbors-1-a4707b24bd1d>. [Accessed: 01-Apr-2021].

- [74] A. P. Recognition, “Linear vs . quadratic discriminant analysis classifier : a tutorial Alaa Tharwat,” vol. 3, no. 2, 2016.
- [75] “Linear and Quadratic Discriminant Analysis with covariance ellipsoid — scikit-learn 1.0.dev0 documentation.” [Online]. Available: https://scikit-learn.org/dev/auto_examples/classification/plot_lda_qda.html#sphx-glr-auto-examples-classification-plot-lda-qda-py. [Accessed: 21-Apr-2021].
- [76] L. Rokach and O. Maimon, “Top-down induction of decision trees classifiers - A survey,” *IEEE Trans. Syst. Man Cybern. Part C Appl. Rev.*, vol. 35, no. 4, pp. 476–487, Nov. 2005.
- [77] G. James, D. Witten, T. Hastie, and R. Tibshirani, *An introduction to Statistical Learning*, vol. 7, no. 10. 2000.
- [78] V. N. Vapnik, “An overview of statistical learning theory,” *IEEE Trans. Neural Networks*, vol. 10, no. 5, pp. 988–999, 1999.
- [79] C.-C. Chang and C.-J. Lin, “LIBSVM: A Library for Support Vector Machines.”
- [80] A. J. Smola, A. J. Smola, and B. Schölkopf, “A tutorial on support vector regression,” 2004.
- [81] T. G. Dietterich, “Ensemble methods in machine learning,” in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2000, vol. 1857 LNCS, pp. 1–15.
- [82] Z. H. Zhou, *Ensemble methods: Foundations and algorithms*. 2012.
- [83] T. Chen and C. Guestrin, “XGBoost: A scalable tree boosting system,” *Proc. ACM SIGKDD Int. Conf. Knowl. Discov. Data Min.*, vol. 13-17-Aug, pp. 785–794, 2016.
- [84] H. Takagi, “Statistical Tests for Computational Intelligence Research and Human Subjective Tests,” pp. 1–52, 2013.
- [85] J. Reback *et al.*, “pandas-dev/pandas: Pandas 1.0.3,” Mar. 2020.
- [86] C. R. Harris *et al.*, “Array programming with NumPy,” *Nature*, vol. 585, no. 7825. Nature Research, pp. 357–362, 17-Sep-2020.
- [87] J. D. Hunter, “Matplotlib: A 2D graphics environment,” *Comput. Sci. Eng.*, vol. 9, no. 3, pp. 90–95, 2007.
- [88] M. Waskom, “seaborn: statistical data visualization,” Mar. 2021.

- [89] P. Pedregosa, F; Varoquaux, G; Gramfort, A; Michel, V; Thirion, B; and Grisel, O. and Blondel, . and Prettenhofer *et al.*, “Scikit-learn: Machine Learning in Python,” *J. Mach. Learn. Res.*, vol. 12, pp. 2825–2830, 2011.
- [90] D. Watson, L. A. Clark, and A. Tellegen, “Development and Validation of Brief Measures of Positive and Negative Affect: The PANAS Scales,” *J. Pers. Soc. Psychol.*, vol. 54, no. 6, pp. 1063–1070, 1988.



UNIVERSITAS
GADJAH MADA

Analisis Pengaruh Aktivitas Fisik Pada Respon Fisiologis Menggunakan Biosignal Sensor Untuk Pengenalan Emosi
HAMIDAN Z. WIJASENA, Dr. Ir. Ridi Ferdiana, S.T., M.T., IPM.; Dr. Eng. Ir. Sunu Wibirama, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>



UNIVERSITAS
GADJAH MADA

**Analisis Pengaruh Aktivitas Fisik Pada Respon Fisiologis Menggunakan Biosignal Sensor Untuk
Pengenalan Emosi**

HAMIDAN Z. WIJASENA, Dr. Ir. Ridi Ferdiana, S.T., M.T., IPM.; Dr. Eng. Ir. Sunu Wibirama, S.T., M.Eng., IPM.
Universitas Gadjah Mada, 2021 | Diunduh dari <http://etd.repository.ugm.ac.id/>