

DAFTAR PUSTAKA

- Abraham, C. K. S. Æ. T. E. (2007). Hydrophobic grafted and cross-linked starch nanoparticles for drug delivery. *Bioprocess Biosyst Eng*, 30, 173–180. <https://doi.org/10.1007/s00449-007-0112-5>
- Aparicio-saguil, A. (2016). Effect of ultrasonic treatment on the morphological , physicochemical , functional , and rheological properties of starches with different granule size. *Starch/Stärke*, 68, 1–8. <https://doi.org/10.1002/star.201600019>
- Bel, S., Magnin, A., Pétrier, C., and Boufi, S. (2013). Starch nanoparticles formation via high power ultrasonication. *Carbohydrate Polymers*, 92(2), 1625–1632. <https://doi.org/10.1016/j.carbpol.2012.11.022>
- Bemiller, J. N., and Huber, K. C. (2009). Physical Modification of Food Starch Functionalities. *Food Science and Technology*, 6, 19–69. <https://doi.org/10.1146/annurev-food-022814-015552>
- Bou, S., Bel, S., Magnin, A., Pignon, F., Impérator-clerc, M., and Mortha, G. (2018). Ultrasonics - Sonochemistry Ultrasonic assisted production of starch nanoparticles: Structural characterization and mechanism of disintegration. *Ultrasonics - Sonochemistry*, 41(May 2017), 327–336. <https://doi.org/10.1016/j.ultsonch.2017.09.033>
- Castanha, N., Carvalho, D., Divino, M., Junior, M., Campanella, O. H., Esteves, P., and Augusto, D. (2019). Combining ozone and ultrasound technologies to modify maize starch mechanical. *International Journal of Biological Macromolecules*, 139, 63–74. <https://doi.org/10.1016/j.ijbiomac.2019.07.161>
- Castanha, N., Matta Junior, M. D. da, and Augusto, P. E. D. (2017). Potato starch modification using the ozone technology. *Food Hydrocolloids*, 66, 343–356. <https://doi.org/10.1016/j.foodhyd.2016.12.001>
- Çatal, H., and Ibanoglu, S. (2014). Effect of aqueous ozonation on the pasting, flow and gelatinization properties of wheat starch. *Food Science and Technology*, 59 (1), 577–582. <https://doi.org/10.1016/j.lwt.2014.04.025>
- El-sheikh, M. A., Ramadan, M. A., and El-shafie, A. (2010). Photo-oxidation of rice starch . Part I: Using hydrogen peroxide. *Carbohydrate Polymers*, 80(1), 266–269. <https://doi.org/10.1016/j.carbpol.2009.11.023>

- Farzi, M., Saari, M. M., Emam-djomeh, Z., and Mohammadifar, M. A. (2011). Original article Effect of ultrasonic treatment on the rheological properties and particle size of gum tragacanth dispersions from different species. *International Journal of Food Science and Technology*, 46, 849–854. <https://doi.org/10.1111/j.1365-2621.2011.02558.x>
- Fathi, M., Martín, Á., and McClements, D. J. (2014). Nanoencapsulation of food ingredients using carbohydrate based delivery systems. *Trends in Food Science & Technology*. Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2014.06.007>
- Fouladi, E., and Nafchi, A. M. (2014). Effects of acid-hydrolysis and hydroxypropylation on functional properties of sago starch. *International Journal of Biological Macromolecules*, 1–7. <https://doi.org/10.1016/j.ijbiomac.2014.05.013>
- Hou, H., Dong, H., Liu, G., and Zhang, H. (2007). Preparation and Properties of Oxidized Corn Starches by Semi-Dry Process. *Cereal Chemistry*, 225–230. <http://dx.doi.org/10.1094/CCHEM-84-3-0225>
- Igarzabal, C. I. A., Químicas, F. D. C., & C, U. N. De. (2015). Food Hydrocolloids Nanocrystal-reinforced soy protein films and their application as active packaging, 43, 777–784. <https://doi.org/10.1016/j.foodhyd.2014.08.008>
- Kaur, B., Ariffin, F., Bhat, R., and Karim, A. A. (2012). Progress In Starch Modification in the Last Decade. *Food Hydrocolloids*, 26(2), 398–404. <https://doi.org/10.1016/j.foodhyd.2011.02.016>
- Kim, H., Park, S. S., and Lim, S. (2015). Colloids and Surfaces B : Biointerfaces Preparation , characterization and utilization of starch nanoparticles. *Colloids and Surfaces B: Biointerfaces*, 126, 607–620. <https://doi.org/10.1016/j.colsurfb.2014.11.011>
- Klein, B., Levien, N., Moomand, K., Zanella, V., Colussi, R., Zavareze, R. Dias, G. (2014). Ozone oxidation of cassava starch in aqueous solution at different pH. *Food Chemistry*, 155, 167–173. <https://doi.org/10.1016/j.foodchem.2014.01.058>
- Lacerda, L. D., Leite, D. C., and Nády, P. (2019). Relationships between enzymatic hydrolysis conditions and properties of rice porous starches. *Journal of Cereal Science*, 89(June), 102819. <https://doi.org/10.1016/j.jcs.2019.102819>
- Lamanna, M., Morales, N. J., Lis, N., and Goyanes, S. (2013). Development and characterization of starch nanoparticles by gamma radiation : Potential application as starch matrix filler. *Carbohydrate Polymers*, 97(1), 90–97. <https://doi.org/10.1016/j.carbpol.2013.04.081>

- Lawal, O. S. (2004). Food Chemistry Composition , physicochemical properties and retrogradation characteristics of native , oxidised , acetylated and acid-thinned new cocoyam (*Xanthosoma sagittifolium*) starch. *Food Chemistry*, 87, 205–218. <https://doi.org/10.1016/j.foodchem.2003.11.013>
- Le, D., and Angellier-coussy, H. (2014). Preparation and application of starch nanoparticles for nanocomposites : A review. *Reactive & Functional Polymers* 85, 85, 97–120. <https://doi.org/10.1016/j.reactfunctpolym.2014.09.020>
- Lee, J. S., Kumar, R. N., and Rozman, H. D. (2005). Food Chemistry Pasting , swelling and solubility properties of UV initiated starch-graft-poly (AA), 91, 203–211. <https://doi.org/10.1016/j.foodchem.2003.08.032>
- Lin, N., Huang, J., Chang, P. R., Feng, L., and Yu, J. (2011). Colloids and Surfaces B : Biointerfaces Effect of polysaccharide nanocrystals on structure properties and drug release kinetics of alginate-based microspheres. *Colloids and Surfaces B: Biointerfaces*, 85(2), 270–279. <https://doi.org/10.1016/j.colsurfb.2011.02.039>
- Liu, D., Wu, Q., Chen, H., and Chang, P. R. (2009). Journal of Colloid and Interface Science Transitional properties of starch colloid with particle size reduction from micro- to nanometer. *Journal of Colloid And Interface Science*, 339(1), 117–124. <https://doi.org/10.1016/j.jcis.2009.07.035>
- Majid, I., Nayik, G. A., and Nanda, V. (2015). Ultrasonication and food technology : A review. *Cogent Food & Agriculture*, 20(1), 1–11. <https://doi.org/10.1080/23311932.2015.1071022>
- Majzoobi, M., Radi, M., Farahnaky, A., Jamalain, J., and Tongdang, T. (2011). Physicochemical Properties of Pre-gelatinized Wheat Starch Produced by a Twin Drum Drier. *J. Agr. Sci. Tech*, 13, 193–202.
- Oladebeye, A. O., Oshodi, A. A., Amoo, I. A., and Karim, A. A. (2013). Functional, thermal and molecular behaviours of ozone-oxidised cocoyam and yam starches. *Food Chemistry*, 141(2), 1416–1423. <https://doi.org/10.1016/j.foodchem.2013.04.080>
- Rodrigues, A., and Emeje, M. (2012). Recent applications of starch derivatives in nanodrug delivery. *Carbohydrate Polymers*, 87(2), 987–994. <https://doi.org/10.1016/j.carbpol.2011.09.044>
- Sandhu, K.S; Kaur, M.; Singh, N.; Lim, S. . (2008). Comparizon of Native and Oxydized Normal and Waxy Corn Starches: Phsycochemical, thermal, morphological and Pasting Properties. *LWT*, 41, 1000–1010. <https://doi.org/10.1016/j.lwt.2007.07.012>
- Shi, A., Wang, L., Li, D., and Adhikari, B. (2013). Characterization of starch films containing starch nanoparticles Part 1 : Physical and mechanical properties. *Carbohydrate Polymers*, 96(2), 593–601. <https://doi.org/10.1016/j.carbpol.2012.12.042>

- Sujka, M. (2017). Ultrasonics Sonochemistry Ultrasonic modification of starch – Impact on granules porosity. *Ultrasonics - Sonochemistry*, 37, 424–429.
<https://doi.org/10.1016/j.ultsonch.2017.02.001>
- Sukhija, S., Singh, S., and Riar, C. S. (2016). Effect of oxidation , cross-linking and dual modification on physicochemical , crystallinity , morphological , pasting and thermal characteristics of elephant foot yam (*Amorphophallus paeoniifolius*) starch. *Food Hydrocolloids*, 55, 56–64. <https://doi.org/10.1016/j.foodhyd.2015.11.003>
- Sun, Q., Fan, H., and Xiong, L. (2014). Preparation and characterization of starch nanoparticles through ultrasonic-assisted oxidation methods. *Carbohydrate Polymers*, 106, 359–364.
<https://doi.org/10.1016/j.carbpol.2014.02.067>
- Vanier, N. L., Lisie, S., El, M., Renato, A., Dias, G., and Zavareze, R. (2017). Molecular structure , functionality and applications of oxidized starches : A review. *Food Chemistry*, 221, 1546–1559. <https://doi.org/10.1016/j.foodchem.2016.10.138>
- Vanier, N. L., Zavareze, R., Pinto, V. Z., Klein, B., Botelho, F. T., Renato, A., Elias, M. C. (2012). Physicochemical , crystallinity , pasting and morphological properties of bean starch oxidised by different concentrations of sodium hypochlorite. *Food Chemistry*, 131(4), 1255–1262. <https://doi.org/10.1016/j.foodchem.2011.09.114>
- Zhang, L., Ye, X., Ding, T., Sun, X., Xu, Y., & Liu, D. (2013). Ultrasonics Sonochemistry Ultrasound effects on the degradation kinetics , structure and rheological properties of apple pectin. *Ultrasonics - Sonochemistry*, 20(1), 222–231.
<https://doi.org/10.1016/j.ultsonch.2012.07.021>