

DAFTAR PUSTAKA

- [1] Government of Indonesia, “Undang-Undang Republik Indonesia No. 16 Tahun 2016 tentang Pengesahan Paris Agreement to The United Nations Framework Convention on Climate Change,” p. 71, 2016.
- [2] E. al. Djoko Siswanto, “Issn 2527-3000,” p. 9, 2019.
- [3] K. ESDM, “Rencana Usaha Penyediaan Tenaga Listrik (RUPTL) PT PLN (Persero) 2018 - 2027,” 2018.
- [4] IESR, “Indonesia Clean Energy Outlook 2020,” pp. 1–54, 2020, [Online]. Available: www.iesr.or.id.
- [5] A. Sawwas, “Optimal placement and sizing of photovoltaics and battery storage in distribution networks,” no. March 2019, pp. 1–12, 2020, doi: 10.1002/est2.46.
- [6] L. D. Albright, *Energy Systems Engineering Evaluation and Implementation*. 2008.
- [7] M. A. Rosyied, “Evaluasi Penetrasi Pembangkit Energi Baru Terbarukan Intermittent Pada Sistem Kelistrikan Jawa-Bali,” Universitas Gadjah Mada, 2018.
- [8] E. Zhou, W. Cole, and B. Frew, “Valuing variable renewable energy for peak demand requirements,” *Energy*, vol. 165, pp. 499–511, 2018, doi: 10.1016/j.energy.2018.09.009.
- [9] T. P. Crompton, *Battery Reference Book*. 2000.
- [10] Y. I. K. A. I. Sun, Q. Ding, H. A. O. Xing, P. P. Zeng, and F. E. I. F. E. I. Sun, “Optimal Placement and Sizing of Grid-scale Energy Storage in Distribution Networks with Security Constrains,” *2018 Int. Conf. Power Syst. Technol.*, no. 201804270000475, pp. 1477–1482, 2018.
- [11] A. Cavallo, “Controllable and affordable utility-scale electricity from intermittent wind resources and compressed air energy storage (CAES),” *Energy*, vol. 32, no. 2, pp. 120–127, 2007, doi: 10.1016/j.energy.2006.03.018.
- [12] M. Beaudin, H. Zareipour, A. Schellenberglobe, and W. Rosehart, “Energy

- storage for mitigating the variability of renewable electricity sources: An updated review,” *Energy Sustain. Dev.*, vol. 14, no. 4, pp. 302–314, 2010, doi: 10.1016/j.esd.2010.09.007.
- [13] E. O. Ogunniyi and H. C. V. Z. Pienaar, “Overview of battery energy storage system advancement for renewable (photovoltaic) energy applications,” *Proc. 25th Conf. Domest. Use Energy, DUE 2017*, pp. 233–239, 2017, doi: 10.23919/DUE.2017.7931849.
- [14] R. Atia and N. Yamada, “Distributed renewable generation and storage system sizing based on smart dispatch of microgrids,” *Energies*, vol. 9, no. 3, 2016, doi: 10.3390/en9030176.
- [15] D. B. Santoso, S. Sarjiya, and F. P. Sakti, “Optimal Sizing and Placement of Wind-Based Distributed Generation to Minimize Losses Using Flower Pollination Algorithm,” *JTERA (Jurnal Teknol. Rekayasa)*, vol. 3, no. 2, p. 167, 2018, doi: 10.31544/jtera.v3.i2.2018.167-176.
- [16] A. A. Gessesse, R. Mishra, M. M. Acharya, and K. N. Das, “Genetic algorithm based fuzzy programming approach for multi-objective linear fractional stochastic transportation problem involving four-parameter Burr distribution,” *Int. J. Syst. Assur. Eng. Manag.*, vol. 11, no. 1, pp. 93–109, 2020, doi: 10.1007/s13198-019-00928-0.
- [17] Y. Yang, S. Bremner, C. Menictas, and M. Kay, “Battery energy storage system size determination in renewable energy systems: A review,” *Renew. Sustain. Energy Rev.*, vol. 91, no. March, pp. 109–125, 2018, doi: 10.1016/j.rser.2018.03.047.
- [18] A. Ali, N. Mohd Nor, T. Ibrahim, and M. Fakhizan Romlie, “Sizing and placement of battery-coupled distributed photovoltaic generations,” *J. Renew. Sustain. Energy*, vol. 9, no. 5, 2017, doi: 10.1063/1.4995531.
- [19] and R. G. H. Nazaripouya, Y. Wang, P. Chu, H. R. Pota, “Optimal sizing and placement of battery energy storage in distribution system based on solar size for voltage regulation,” pp. 0–4, 2015.
- [20] R. Rakesh, P. Venkatapapana, and S. Keerthi, “A hybrid algorithm for optimal

- allocation of DG in radial distribution system,” *TENSYMP 2017 - IEEE Int. Symp. Technol. Smart Cities*, no. 1, pp. 0–4, 2017, doi: 10.1109/TENCONSpring.2017.8070009.
- [21] F. Ding and B. Mather, “On Distributed PV Hosting Capacity Estimation, Sensitivity Study, and Improvement,” *IEEE Trans. Sustain. Energy*, vol. 8, no. 3, pp. 1010–1020, 2017, doi: 10.1109/TSTE.2016.2640239.
- [22] S. B. Karanki and D. Xu, “Optimal capacity and placement of battery energy storage systems for integrating renewable energy sources in distribution system,” *2016 Natl. Power Syst. Conf. NPSC 2016*, 2017, doi: 10.1109/NPSC.2016.7858983.
- [23] W. Guan *et al.*, “Optimal placement and sizing of wind / solar based DG sources in distribution system,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 207, no. 1, 2017, doi: 10.1088/1757-899X/207/1/012096.
- [24] V. Kalkhambkar, R. Kumar, and R. Bhakar, “Joint optimal sizing and placement of renewable distributed generation and energy storage for energy loss minimization,” *2017 4th Int. Conf. Adv. Comput. Commun. Syst. ICACCS 2017*, 2017, doi: 10.1109/ICACCS.2017.8014596.
- [25] R. Garmabdari, M. Moghimi, F. Yang, E. Gray, and J. Lu, “Battery energy storage capacity optimisation for grid-connected microgrids with distributed generators,” *2017 Australas. Univ. Power Eng. Conf. AUPEC 2017*, vol. 2017-Novem, pp. 1–6, 2018, doi: 10.1109/AUPEC.2017.8282480.
- [26] Y. Ning, X. Li, X. Ma, X. Jia, and D. Hui, “Optimal schedule strategy of battery energy storage systems for peak load shifting based on interior point method,” *Proc. World Congr. Intell. Control Autom.*, vol. 2016-Septe, pp. 2285–2288, 2016, doi: 10.1109/WCICA.2016.7578532.
- [27] M. R. Jannesar, A. Sedighi, M. Savaghebi, and J. M. Guerrero, “Optimal placement, sizing, and daily charge/discharge of battery energy storage in low voltage distribution network with high photovoltaic penetration,” *Appl. Energy*, vol. 226, no. June, pp. 957–966, 2018, doi: 10.1016/j.apenergy.2018.06.036.
- [28] S. Salee and P. Wirasanti, “Optimal siting and sizing of battery energy storage

- systems for grid-supporting in electrical distribution network,” *1st Int. ECTI North. Sect. Conf. Electr. Electron. Comput. Telecommun. Eng. ECTI-NCON 2018*, pp. 100–105, 2018, doi: 10.1109/ECTI-NCON.2018.8378290.
- [29] C. K. Das, O. Bass, G. Kothapalli, T. S. Mahmoud, and D. Habibi, “Overview of energy storage systems in distribution networks: Placement, sizing, operation, and power quality,” *Renew. Sustain. Energy Rev.*, vol. 91, no. March, pp. 1205–1230, 2018, doi: 10.1016/j.rser.2018.03.068.
- [30] V. Kalkhambkar, R. Kumar, and R. Bhakar, “Optimal Sizing of PV-Battery for Loss Reduction and Mitigation,” *IEEE Int. Conf. Recent Adv. i*, vol. ICRAIE-201, 2014.
- [31] O. Babacan, W. Torre, and J. Kleissl, “Siting and sizing of distributed energy storage to mitigate voltage impact by solar PV in distribution systems,” *Sol. Energy*, vol. 146, pp. 199–208, 2017, doi: 10.1016/j.solener.2017.02.047.
- [32] S. F. Santos, D. Z. Fitiwi, M. R. M. Cruz, C. M. P. Cabrita, and J. P. S. Catalão, “Impacts of optimal energy storage deployment and network reconfiguration on renewable integration level in distribution systems,” *Appl. Energy*, vol. 185, pp. 44–55, 2017, doi: 10.1016/j.apenergy.2016.10.053.
- [33] G. Pepermans, J. Driesen, D. Haeseldonckx, R. Belmans, and W. D’haeseleer, “Distributed generation: Definition, benefits and issues,” *Energy Policy*, vol. 33, no. 6, pp. 787–798, 2005, doi: 10.1016/j.enpol.2003.10.004.
- [34] B. Singh, V. Mukherjee, and P. Tiwari, “Genetic algorithm for impact assessment of optimally placed distributed generations with different load models from minimum total MVA intake viewpoint of main substation,” *Renew. Sustain. Energy Rev.*, vol. 57, pp. 1611–1636, 2016, doi: 10.1016/j.rser.2015.12.204.
- [35] T. K. Yudhantomo, “Studi Stabilitas Transien pada Sistem yang Terintegrasi dengan PLTS,” Universitas Gadjah Mada Yogyakarta, 2019.
- [36] M. Braun, “Reactive Power Supplied By Pv Inverters - Cost-Benefit-Analysis,” 2007.
- [37] A. Ali, D. Raisz, and K. Mahmoud, “Optimal capacity of PV inverter considering reactive power capability and active power curtailment,” *2017 19th Int. Middle-*

- East Power Syst. Conf. MEPCON 2017 - Proc.*, vol. 2018-Febru, no. December, pp. 1411–1415, 2018, doi: 10.1109/MEPCON.2017.8301368.
- [38] S. M. Salih, F. F. Salih, M. L. Hasan, and M. Y. Bedaiawi, “Performance Evaluation of Photovoltaic Models Based on a Solar Model Tester,” *Int. J. Inf. Technol. Comput. Sci.*, vol. 4, no. 7, pp. 1–10, 2012, doi: 10.5815/ijitcs.2012.07.01.
- [39] M. H. Ahmadi *et al.*, “Solar power technology for electricity generation: A critical review,” *Energy Sci. Eng.*, vol. 6, no. 5, pp. 340–361, 2018, doi: 10.1002/ese3.239.
- [40] K. C. Divya and J. Østergaard, “Battery energy storage technology for power systems-An overview,” *Electr. Power Syst. Res.*, vol. 79, no. 4, pp. 511–520, 2009, doi: 10.1016/j.epsr.2008.09.017.
- [41] David Linden, *Handbook of Batteries*. 2004.
- [42] A. Chauhan and R. P. Saini, “A review on Integrated Renewable Energy System based power generation for stand-alone applications: Configurations, storage options, sizing methodologies and control,” *Renew. Sustain. Energy Rev.*, vol. 38, pp. 99–120, 2014, doi: 10.1016/j.rser.2014.05.079.
- [43] Y. Ernis, “Penelitian Hukum Tentang Konsistensi Penggunaan Dan Pemanfaatan Tanah Sesuai Dengan Undang-Undang No. 26 Tahun 2007 Tentang Penataan Ruang,” *Pus. Penelit. dan Pengemb. Sist. Huk. Nas. Badan Pemb. Huk. Nas. Kementrian Huk. dan Hak Asasi Mns. R.I.*, no. 26, pp. 1–147, 2015.
- [44] D. RI, “Peraturan Pemerintah Republik Indonesia Nomor 13 Tahun 2017 Tentang Perubahan Atas Peraturan Pemerintah Nomor 26 Tahun 2008 Tentang Rencana Tata Ruang Wilayah Nasional,” p. 75, 2017.
- [45] G. B. S. Allen J. Wood, Bruce F. Wollenberg, *Power Generation, Operation and Control*, vol. 3, no. 3. 1392.
- [46] P. S. R. Murty, *Power System Analysis*, vol. 53, no. 9. 2013.
- [47] A. M. Eltamaly, A. N. A. Elghaffar, and A. Ahmed, “Optimum Power Flow Analysis By Newton Raphson,” *Ann. Fac. Eng. Hunedoara – Int. J. Eng. Tome*

XVI [2018], no. December, 2018.

- [48] T. Kulworawanichpong, “Simplified Newton-Raphson power-flow solution method,” *Int. J. Electr. Power Energy Syst.*, vol. 32, no. 6, pp. 551–558, 2010, doi: 10.1016/j.ijepes.2009.11.011.
- [49] J. Zhang, R. Lin, and W. Tao, “Study of relay protection modeling and simulation on the basis of DIgSILENT,” *Dianli Xitong Baohu yu Kongzhi/Power Syst. Prot. Control*, vol. 46, no. 11, pp. 62–67, 2018, doi: 10.7667/PSPC170757.
- [50] E. Foster, “A Comparitive Analysis Of The C++, Java, And Python Languages,” *Researchgate*, no. October, 2014.
- [51] Di. P. Factory, “Power Factory DIgSILENT.” <https://www.digsilent.de/en/faq-reader-powerfactory/do-i-need-to-prepare-for-the-python-training.html> (accessed Feb. 02, 2021).
- [52] D. B. Santoso, “Optimisasi Penempatan Dan Kapasitas Wind-Based Distributed Generation Untuk Minimisasi Losses Menggunakan Flower Pollination Algorithm,” pp. 1–101, 2017, [Online]. Available: <https://ci.nii.ac.jp/naid/40021243259/>.
- [53] G. S. A. Info, “Global Solar Atlas,” 2020. <https://globalsolaratlas.info/> (accessed Jun. 22, 2020).
- [54] NASA, “Nasa Prediction Of World Wide Energy Resource.” <https://power.larc.nasa.gov/> (accessed Jun. 22, 2020).
- [55] Power Factory DIgSILENT, “DIgSILENT PowerFactory Technical Reference Documentation PV System,” 2015.
- [56] R. Chedid and A. Sawwas, “Optimal placement and sizing of photovoltaics and battery storage in distribution networks,” *Energy Storage*, vol. 1, no. 4, pp. 1–12, 2019, doi: 10.1002/est2.46.
- [57] Tesla Motors, “Tesla Power Pack.” https://www.tesla.com/it_IT/powerpack (accessed Jun. 26, 2020).
- [58] Asian Development Bank, *Handbook on Battery Energy Storage System*, no. December. 2018.

- [59] M. T. Lawder *et al.*, “Battery Energy Storage System (BESS) and Battery Management System (BMS) for Grid-Scale Applications This paper provides a comprehensive review of battery management systems for grid-scale energy storage applications,” *Proc. IEEE*, vol. 102, no. 6, pp. 1014–1030, 2014, [Online]. Available: <https://pdfs.semanticscholar.org/4c38/39b9145a8b528497faaebfabb81bbd042c72.pdf>.
- [60] International Renewable Energy Agency, *Renewable Power Generation Costs in 2019*. 2020.
- [61] SolarPower Europe, *EU Market Outlook for Solar Power 2020-2024*. 2020.
- [62] H. Wirth, “Recent facts about photovoltaics in Germany,” *Fraunhofer ISE*, vol. 1, no. 100, p. 92, 2017, [Online]. Available: <http://pschuetzenduebe.webclient5.de/wp-content/uploads/130912-Recent-Facts-PV-Germany.pdf>.
- [63] M. Schmela *et al.*, “EU Market Outlook for Solar Power 2019,” 2019.
- [64] E. Vartiainen, G. Masson, and C. Breyer, “PV LCOE in Europe 2014-30 - Final Report, 23 June 2015,” *Eur. PV Technolgy Platf. Steer. Comm. PV LCOE Work. Gr.*, 2015, [Online]. Available: http://www.etippv.eu/fileadmin/Documents/FactSheets/English2015/PV_LCOE_Report_July_2015.pdf.
- [65] A. Jäger-Waldau, *PV Status Report 2019*. 2019.
- [66] G. P. Price.com, “Global Petrol Prices Germany.” https://www.globalpetrolprices.com/Germany/electricity_prices/ (accessed Apr. 30, 2021).
- [67] R. Fu, T. Remo, R. Margolis, R. Fu, T. Remo, and R. Margolis, “2018 U . S . Utility-Scale Photovoltaics- Plus-Energy Storage System Costs Benchmark,” *Natl. Renew. Energy Lab.*, no. November, p. 32, 2018, [Online]. Available: <https://www.nrel.gov/docs/fy19osti/71714.pdf.%0Ahttps://www.nrel.gov/docs/fy19osti/71714.pdf>.

- [68] K. Mongird *et al.*, “Energy Storage Technology and Cost Characterization Report | Department of Energy,” no. July, 2019, [Online]. Available: <https://www.energy.gov/eere/water/downloads/energy-storage-technology-and-cost-characterization-report>.
- [69] A. Mazza, H. Mirtaheri, G. Chicco, A. Russo, and M. Fantino, “Location and sizing of battery energy storage units in low voltage distribution networks,” *Energies*, vol. 13, no. 1, pp. 2–5, 2019, doi: 10.3390/en13010052.
- [70] K. Grygierek and J. Ferdyn-Grygierek, “Multi-objective optimization of the envelope of building with natural ventilation,” *Energies*, vol. 11, no. 6, pp. 1–17, 2018, doi: 10.3390/en11061383.