UNIVERSITAS GADJAH MADA
Pengaruh Teknik Anestesi Umum dan Regional Terhadap Length Of Stay di Recovery Room RSUP dr. Sardjito
NUR RAHMAN AHMAD DEWA AJI, Dr. dr. Djayanti Sari, Sp.An, M.Kes, KAP; dr. Mahmud, Sp.An, KMN, FIPM, M.Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Armstrong, R. A. and Mouton, R. (2018) 'Definitions of anaesthetic technique and the implications for clinical research', *Anaesthesia*. Blackwell Publishing Ltd, pp. 935–940. doi: 10.1111/anae.14200.

Basbaum, A. I., Bautista, D. M., Scherrer, G. and Julius, D. (2009) 'Cellular and Molecular Mechanisms of Pain', *Cell*. Cell, pp. 267–284. doi: 10.1016/j.cell.2009.09.028.

Bokoch, M. P. and Eilers, H. (2017) 'Intravenous Anesthetics', *Basic of Anesthesia*. Elsevier, pp. 104-106.

Borendal Wodlin, N., Nilsson, L., Carlsson, P. and Kjølhede, P. (2011) 'Cost-effectiveness of general anesthesia vs spinal anesthesia in fast-track abdominal benign hysterectomy', *American Journal of Obstetrics and Gynecology*, 205(4), pp. 326.e1-326.e7. doi: 10.1016/j.ajog.2011.05.043.

Braz, L. G., Módolo, N. S. P., do Nascimento, P., Bruschi, B. A. M., Castiglia, Y. M. M., Ganem, E. M., de Carvalho, L. R. and Braz, J. R. C. (2006) 'Perioperative cardiac arrest: A study of 53 718 anaesthetics over 9 yr from a Brazilian teaching hospital', *British Journal of Anaesthesia*, 96(5), pp. 569–575. doi: 10.1093/bja/ael065.

Brown, E. N., Purdon, P. L. and Van Dort, C. J. (2011) 'General anesthesia and altered states of arousal: A systems neuroscience analysis', *Annual Review of Neuroscience*, 34, pp. 601–628. doi: 10.1146/annurev-neuro-060909-153200.

Brown, I., Jellish, W. S., Kleinman, B., Fluder, E., Sawicki, K., Katsaros, J. and Rahman, R. (2008) 'Use of postanesthesia discharge criteria to reduce discharge delays for inpatients in the postanesthesia care unit', *Journal of Clinical Anesthesia*, 20(3), pp. 175–179. doi: 10.1016/j.jclinane.2007.09.014.

Buchanan, F. F., Myles, P. S. and Cicuttini, F. (2011) 'Effect of patient sex on general anaesthesia and recovery', *British Journal of Anaesthesia*, 106(6), pp. 832–839. doi: 10.1093/bja/aer094.

Corey, J. M., Bulka, C. M. and Ehrenfeld, J. M. (2014) 'Is regional anesthesia associated with reduced PACU length of stay? A retrospective analysis from a tertiary medical center', in *Clinical Orthopaedics and Related Research*. Springer New York LLC, pp. 1427–1433. doi: 10.1007/s11999-013-3336-5.

Davenport, DL., Xenos, ES., Hosokawa, P., Radford, J., Henderson, EG. and Endean, ED. (2009) 'The influence of body mass index obesity status on vascular surgery 30-day morbidity and mortality', *Journal of vascular surgery*, 49(1). doi: 10.1016/J.JVS.2008.08.052.

Devereaux, P. J., Xavier, D., Pogue, J., Guyatt, G., Sigamani, A., Garutti, I., Leslie, K., Rao-Melacini, P., Chrolavicius, S., Yang, H., MacDonald, C., Avezum,

Pengaruh Teknik Anestesi Umum dan Regional Terhadap Length Of Stay di Recovery Room RSUP dr.
Sardjito
NUR RAHMAN AHMAD DEWA AJI, Dr. dr. Djayanti Sari, Sp.An, M.Kes, KAP; dr. Mahmud, Sp.An, KMN, FIPM, M.Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

A., Lanthier, L., Hu, W. and Yusuf, S. (2011) 'Characteristics and short-term prognosis of perioperative myocardial infarction in patients undergoing noncardiac surgerya cohort study', *Annals of Internal Medicine*, 154(8), pp. 523–528. doi: 10.7326/0003-4819-154-8-201104190-00003.

Eroglu, A., Apan, A., Erturk, E. and Ben-Shlomo, I. (2015) 'Comparison of the anesthetic techniques', *Scientific World Journal*. Hindawi Publishing Corporation. doi: 10.1155/2015/650684.Gabriel, R. A., Waterman, R. S., Kim, J. and Ohno-Machado, L. (2017) 'A predictive model for extended postanesthesia care unit length of stay in outpatient surgeries', *Anesthesia and Analgesia*, 124(5), pp. 1529–1536. doi: 10.1213/ANE.0000000000001827.

Forman, S. A. and Benkwitz, C. (2018) 'Inhalation Anesthetics', *Anesthesiology,* McGraw-Hills Education, pp. 551-553.

Gabriel, R. A., Waterman, R. S., Kim, J. and Ohno-Machado, L. (2017) 'A predictive model for extended postanesthesia care unit length of stay in outpatient surgeries', *Anesthesia and Analgesia*, 124(5), pp. 1529–1536. doi: 10.1213/ANE.0000000000001827.

Gabriel, R. A., Wu, A., Huang, C. C., Dutton, R. P. and Urman, R. D. (2016) 'National incidences and predictors of inefficiencies in perioperative care', *Journal of Clinical Anesthesia*, 31, pp. 238–246. doi: 10.1016/j.jclinane.2016.01.007.

Ganter, M. T., Blumenthal, S., Dübendorfer, S., Brunnschweiler, S., Hofer, T., Klaghofer, R., Zollinger, A. and Hofer, C. K. (2014) 'The length of stay in the post-anaesthesia care unit correlates with pain intensity, nausea and vomiting on arrival', *Perioperative Medicine*, 3(1). doi: 10.1186/s13741-014-0010-8.

Gerlach, R. M. and Sweitzer, B. J. (2018) 'Overview of Preoperative Assessment and Management', *Anesthesiology*, McGraw-Hills Education, pp. 35-38.

Gonano, C., Kettner, S. C., Ernstbrunner, M., Schebesta, K., Chiari, A. and Marhofer, P. (2009) 'Comparison of economical aspects of interscalene brachial plexus blockade and general anaesthesia for arthroscopic shoulder surgery', *British Journal of Anaesthesia*, 103(3), pp. 428–433. doi: 10.1093/bja/aep173.

Grecu, L., Bittner, E. A., George, E. (2018) 'Recovery of Healthy Patient', *Anesthesiology,* McGraw-Hills Education, pp. 1187-1197.

Hadzic, A., Kerimoglu, B., Loreio, D., Karaca, P. E., Claudio, R. E., Yufa, M., Wedderburn, R., Santos, A. C. and Thys, D. M. (2006) 'Paravertebral blocks provide superior same-day recovery over general anesthesia for patients undergoing inguinal hernia repair', *Anesthesia and Analgesia*, 102(4), pp. 1076–1081. doi: 10.1213/01.ane.0000196532.56221.f2.

Hadzic, A., Williams, B. A., Karaca, P. E., Hobeika, P., Unis, G., Dermksian, J., Yufa, M., Thys, D. M. and Santos, A. C. (2005) 'For outpatient rotator cuff surgery, nerve block anesthesia provides superior same-day recovery over

Pengaruh Teknik Anestesi Umum dan Regional Terhadap Length Of Stay di Recovery Room RSUP dr.
Sardjito
NUR RAHMAN AHMAD DEWA AJI, Dr. dr. Djayanti Sari, Sp.An, M.Kes, KAP; dr. Mahmud, Sp.An, KMN, FIPM, M.Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

general anesthesia', *Anesthesiology*, 102(5), pp. 1001–1007. doi: 10.1097/00000542-200505000-00020.

Harris, M. and Chung, F. (2013) 'Complications of general anesthesia', *Clinics in Plastic Surgery*. Clin Plast Surg, pp. 503–513. doi: 10.1016/j.cps.2013.07.001.Hausman, M. S., Jewell, E. S. and Engoren, M. (2015) 'Regional versus general anesthesia in surgical patients with chronic obstructive pulmonary disease: Does avoiding general anesthesia reduce the risk of postoperative complications?', *Anesthesia and Analgesia*, 120(6), pp. 1405–1412. doi: 10.1213/ANE.0000000000000574.

Horlocker, T. T. (2011) 'Complications of regional anesthesia and acute pain management', *Anesthesiology Clinics*. Anesthesiol Clin, pp. 257–278. doi: 10.1016/j.anclin.2011.04.006.

Irita, K. (2011) 'Risk and crisis management in intraoperative hemorrhage: Human factors in hemorrhagic critical events', *Korean Journal of Anesthesiology*. Korean Society of Anesthesiologists, pp. 151–160. doi: 10.4097/kjae.2011.60.3.151.

Kadry, B., Press, C. D., Alosh, H., Opper, I. M., Orsini, J., Popov, I. A., Brodsky, J. B. and Macario, A. (2014) 'Obesity increases operating roomtimes in patients undergoing primary hip arthroplasty: A retrospective cohort analysis', *PeerJ*, 2014(1). doi: 10.7717/peerj.530.

Kehlet, H. (2005) 'Postoperative opioid sparing to hasten recovery: What are the issues?', *Anesthesiology*. Anesthesiology, pp. 1083–1085. doi: 10.1097/00000542-200506000-00004.

Kehlet, H. and White, P. F. (2001) 'Optimizing anesthesia for inguinal herniorrhaphy: General, regional, or local anesthesia?', *Anesthesia and Analgesia*. Lippincott Williams and Wilkins, pp. 1367–1369. doi: 10.1097/00000539-200112000-00001.

Kilic, E. T. and Naderi, S. (2019) 'Effects of anesthesia protocol on perioperative outcomes and costs of Lumbar Microdiscectomies', *Turkish Neurosurgery*, 29(6), pp. 843–850. doi: 10.5137/1019-5149.JTN.25737-18.4.

Lang, L. H., Parekh, K., Tsui, B. Y. K. and Maze, M. (2017) 'Perioperative management of the obese surgical patient', *British Medical Bulletin*. Oxford University Press, pp. 135–155. doi: 10.1093/bmb/ldx041.

Lau, L., Hung, C., Chan, C., Chow, B., Chui, P., Ho, B., Kung, M., Lui, J., Hui, T., Ho, E., Chan, S. and So, H. (2001) *Anaesthetic clinical indicators in public hospitals providing anaesthetic care in Hong Kong: prospective study*.

Leslie, K., Myles, P. S., Forbes, A., Chan, M. T. V., Short, T. G. and Swallow, S. K. (2005) 'Recovery from bispectral index-guided anaesthesia in a large randomized controlled trial of patients at high risk of awareness', *Anaesthesia and Intensive Care*, 33(4), pp. 443–451. doi: 10.1177/0310057x0503300404.

Leslie, K., Myles, P. S., Forbes, A., Chan, M. T. V., Short, T. G. and Swallow, S. K. (2005) 'Recovery from bispectral index-guided anaesthesia in a large

Pengaruh Teknik Anestesi Umum dan Regional Terhadap Length Of Stay di Recovery Room RSUP dr.
Sardjito
NUR RAHMAN AHMAD DEWA AJI, Dr. dr. Djayanti Sari, Sp.An, M.Kes, KAP; dr. Mahmud, Sp.An, KMN, FIPM, M.Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

randomized controlled trial of patients at high risk of awareness', *Anaesthesia and Intensive Care*, 33(4), pp. 443–451. doi: 10.1177/0310057x0503300404.

Li, J., Lam, D., King, H., Credaroli, E., Harmon, E. and Vadivelu, N. (2019) 'Novel Regional Anesthesia for Outpatient Surgery', *Current Pain and Headache Reports*. Current Medicine Group LLC 1. doi: 10.1007/s11916-019-0809-6.

Lunn, T. H., Kristensen, B. B., Gaarn-Larsen, L., Husted, H. and Kehlet, H. (2012) 'Post-anaesthesia care unit stay after total hip and knee arthroplasty under spinal anaesthesia', Acta Anaesthesiologica Scandinavica, 56(9), pp. 1139–1145. doi: 10.1111/j.1399-6576.2012.02709.x.

Martin, D., Mantziari, S., Demartines, N., Hübner, M., Bismuth, H., Zaninotto, G., *et al.* (2020) 'Defining Major Surgery: A Delphi Consensus Among European Surgical Association (ESA) Members', *World Journal of Surgery*, 44(7), pp. 2211–2219. doi: 10.1007/s00268-020-05476-4.

McKay, R. E. (2017) 'Inhaled Anesthetics', *Basic of Anesthesia*, Elsevier, pp. 83-86.

Misal, U., Joshi, S. and Shaikh, M. (2016) 'Delayed recovery from anesthesia: A postgraduate educational review', *Anesthesia: Essays and Researches*, 10(2), p. 164. doi: 10.4103/0259-1162.165506.

Moore, J. G., Ross, S. M. and Williams, B. A. (2013) 'Regional anesthesia and ambulatory surgery', *Current Opinion in Anaesthesiology*. Curr Opin Anaesthesiol, pp. 652–660. doi: 10.1097/ACO.0000000000000011.

Neuman, M. D., Silber, J. H., Elkassabany, N. M., Ludwig, J. M. and Fleisher, L. A. (2012) 'Comparative effectiveness of regional versus general anesthesia for hip fracture surgery in adults', *Anesthesiology*, 117(1), pp. 72–92. doi: 10.1097/ALN.0b013e3182545e7c.

Nizamuddin, J., O'Connor, M. (2019) 'Anesthesia for Surgery Patients', *Schwartz's Principles of Surgery,* McGraw-Hills Education, pp. 2036-2039.

Pain terms: a list with definitions and notes on usage. Recommended by the IASP Subcommittee on Taxonomy. (1979). *Pain*, *6*(3), 249.

Puruhito and Wirjoatmodjo, K. (1997) 'Anestesi', *Buku-Ajar Ilmu Bedah*, Penerbit Buku Kedokteran EGC, pp. 300-334.

Raja, S. N., Carr, D. B., Cohen, M., Finnerup, N. B., Flor, H., Gibson, S., Keefe, F. J., Mogil, J. S., Ringkamp, M., Sluka, K. A., Song, X. J., Stevens, B., Sullivan, M. D., Tutelman, P. R., Ushida, T. and Vader, K. (2020) 'The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises', *Pain*, 161(9), pp. 1976–1982. doi: 10.1097/j.pain.0000000000001939.

Rathmell, J. P., Wu, C. L., Sinatra, R. S., Ballantyne, J. C., Ginsberg, B., Gordon, D. B., Liu, S. S., Perkins, F. M., Reuben, S. S., Rosenquist, R. W. and Viscusi, E. R. (2006) 'Acute Post-Surgical Pain Management: A Critical Appraisal of Current Practice', *Regional Anesthesia and Pain Medicine*, 31(4 SUPPL.), pp. 1–42. doi: 10.1016/j.rapm.2006.05.002.

UNIVERSITAS GADJAH MADA
Pengaruh Teknik Anestesi Umum dan Regional Terhadap Length Of Stay di Recovery Room RSUP dr. Sardjito
NUR RAHMAN AHMAD DEWA AJI, Dr. dr. Djayanti Sari, Sp.An, M.Kes, KAP; dr. Mahmud, Sp.An, KMN, FIPM, M.Sc
Universitas Gadjah Mada, 2021 | Diunduh dari http://etd.repository.ugm.ac.id/

Sastroasmoro, S., and Ismael, S. (2011) 'Studi Kohort', *Dasar-dasar Metodologi Penelitian Klinis*, CV Sagung Seto, pp. 167–179.

Seago, J. A., Weitz, S. and Walczak, S. (1998) 'Factors influencing stay in the postanesthesia care unit: A prospective analysis', *Journal of Clinical Anesthesia*, 10(7), pp. 579–587. doi: 10.1016/S0952-8180(98)00084-1.

Seago, J. A., Weitz, S. and Walczak, S. (1998) 'Factors influencing stay in the postanesthesia care unit: A prospective analysis', *Journal of Clinical Anesthesia*, 10(7), pp. 579–587. doi: 10.1016/S0952-8180(98)00084-1.

Smetana, G. W., Lawrence, V. A. and Cornell, J. E. (2006) 'Preoperative pulmonary risk stratification for noncardiothoracic surgery: Systematic review for the American College of Physicians', *Annals of Internal Medicine*. American College of Physicians, pp. 581–595. doi: 10.7326/0003-4819-144-8-200604180-00009.

Smith, G. and Goldman, J. (2018) *General Anesthesia for Surgeons*, *StatPearls*. StatPearls Publishing. Available at: http://www.ncbi.nlm.nih.gov/pubmed/29630251 (Accessed: 17 April 2021).

Son, Y. (2010) 'Molecular mechanisms of general anesthesia', *Korean Journal of Anesthesiology*. Korean Society of Anesthesiologists, pp. 3–8. doi: 10.4097/kjae.2010.59.1.3.

Vadivelu, N., Whitney, C. J., Sinatra, R. S. (2009) 'Pain Pathway and Acute Pain Processing', *Acute Pain Management,* Cambridge University Press, pp. 3-20.

Valchanov, K. P. and Arrowsmith, J. E. (2012) 'The role of venodilators in the perioperative management of heart failure', *European Journal of Anaesthesiology*. Eur J Anaesthesiol, pp. 121–128. doi: 10.1097/EJA.0b013e32835016be.

Warren, D. E., Nelson, K., Neal. J. M. (2018) 'Regional Anesthesia', *Anesthesiology,* McGraw-Hills Education, pp. 727-739.

White, P. F. (2001) 'Optimizing Anesthesia for Inguinal Herniorrhaphy: General, Regional, or Local Anesthesia?', *Anesthesia & Analgesia*, 93(6), pp. 1367–1369. doi: 10.1097/00000539-200112000-00001.

Zhong, S., Zhong, Xiaoxue, Zhong, Xiaomei and Liu, Y. (2019) 'Comparison between the effect of epidural anesthesia combined with epidural analgesia and general anesthesia combined with intravenous analgesia on prognosis of ovarian cancer patients', *Oncology Letters*, 17(6), pp. 5662–5668. doi: 10.3892/ol.2019.10216.