

BIBLIOGRAPHIES

- Alam, M., Samad, M. D., Vidyaratne, L., Glandon, A., & Iftekharuddin, K. M. (2019). Survey on Deep Neural Networks in Speech and Vision Systems. *CoRR*, *abs/1908.0*. <http://arxiv.org/abs/1908.07656>
- Alaslani, M., & Elrefaei, L. (2018). Convolutional Neural Network Based Feature Extraction for IRIS Recognition. *International Journal of Computer Science and Information Technology*, *10*, 65–78. <https://doi.org/10.5121/ijcsit.2018.10206>
- Amidi, A. and, & Amidi, S. (2019). *Convolutional Neural Networks cheatsheet*. <https://Stanford.Edu/>. <https://stanford.edu/~shervine/teaching/cs-230/>
- Anand, V., & Kanhangad, V. (2020). PoreNet: CNN-Based Pore Descriptor for High-Resolution Fingerprint Recognition. *IEEE Sensors Journal*, *20*(16), 9305–9313. <https://doi.org/10.1109/JSEN.2020.2987287>
- Aravindan, A., & Anzar, S. M. (2017). Robust partial fingerprint recognition using wavelet SIFT descriptors. *Pattern Analysis and Applications*, *20*(4), 963–979. <https://doi.org/10.1007/s10044-017-0615-x>
- Asha, S., & Chellappan, C. (2014). Partial Fingerprint Matching Using Minutiae Subset. In D. P. Mohapatra & S. Patnaik (Eds.), *Intelligent Computing, Networking, and Informatics* (pp. 445–452). Springer India.
- Ba, J. L., Kiros, J. R., & Hinton, G. E. (2016). *Layer Normalization*.
- Bakhshi, B., & Veisi, H. (2019). End to End Fingerprint Verification Based on Convolutional Neural Network. *2019 27th Iranian Conference on Electrical Engineering (ICEE)*, 1994–1998. <https://doi.org/10.1109/IranianCEE.2019.8786720>
- Barkadehi, M. H., Nilashi, M., Ibrahim, O., Zakeri Fardi, A., & Samad, S. (2018). Authentication systems: A literature review and classification. *Telematics and Informatics*, *35*(5), 1491–1511. <https://doi.org/https://doi.org/10.1016/j.tele.2018.03.018>
- Bazen, A. (2002). Fingerprint Identification - Feature Extraction, Matching and Database Search. *Formal Methods in System Design - FMSD*.
- Çevikalp, H., Dordinejad, G. G., & Elmas, M. (2017). Feature extraction with convolutional neural networks for aerial image retrieval. *2017 25th Signal Processing and Communications Applications Conference (SIU)*, 1–4. <https://doi.org/10.1109/SIU.2017.7960212>

- Claesen, M., & Moor, B. De. (2015). Hyperparameter Search in Machine Learning. *CoRR*, *abs/1502.0*. <http://arxiv.org/abs/1502.02127>
- Daixian, Z. (2010). SIFT algorithm analysis and optimization. *2010 International Conference on Image Analysis and Signal Processing*, 415–419.
<https://doi.org/10.1109/IASP.2010.5476084>
- Darlow, L. N., & Rosman, B. (2017). Fingerprint minutiae extraction using deep learning. *2017 IEEE International Joint Conference on Biometrics (IJCB)*, 22–30.
<https://doi.org/10.1109/BTAS.2017.8272678>
- Delahaye, J.-P. (2019). *The Mathematics of (Hacking) Passwords*.
<https://www.scientificamerican.com/article/the-mathematics-of-hacking-passwords/>
- Deng, J., Guo, J., & Zafeiriou, S. (2018). ArcFace: Additive Angular Margin Loss for Deep Face Recognition. *CoRR*, *abs/1801.0*. <http://arxiv.org/abs/1801.07698>
- Donida Labati, R., Genovese, A., Muñoz, E., Piuri, V., & Scotti, F. (2018). A novel pore extraction method for heterogeneous fingerprint images using Convolutional Neural Networks. *Pattern Recognition Letters*, 113, 58–66.
<https://doi.org/https://doi.org/10.1016/j.patrec.2017.04.001>
- Fausett, L. (1994). *Fundamentals of Neural Networks: Architectures, Algorithms, and Applications*. Prentice-Hall, Inc.
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep Learning*. MIT Press.
- Gottschlich, C. (2015). *Skilled Impostor Attacks Against Fingerprint Verification Systems And Its Remedy*.
- Hurwitz, J. dan D. K. (2018). *Machine Learning for Dummies*. IBM Limited Edition.
- Ioffe, S., & Szegedy, C. (2015). Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift. *CoRR*, *abs/1502.0*.
<http://arxiv.org/abs/1502.03167>
- Jeong, J., Cho, J.-H., & Lee, J.-G. (2021). Filter combination learning for CNN model compression. *ICT Express*, 7(1), 5–9.
<https://doi.org/https://doi.org/10.1016/j.icte.2021.01.001>
- Jie, R., Gao, J., Vasnev, A., & Tran, M.-N. (2020). Regularized Flexible Activation Function Combinations for Deep Neural Networks. *CoRR*, *abs/2007.1*.
<https://arxiv.org/abs/2007.13101>
- Kuwajima, H. (2014). *Backpropagation in Convolutional Neural Network*.
<https://www.slideshare.net/kuwajima/cnnbp>

- Le, H. H., Nguyen, N. H., & Nguyen, T.-T. (2017). Automatic Detection of Singular Points in Fingerprint Images Using Convolution Neural Networks. In N. T. Nguyen, S. Tojo, L. M. Nguyen, & B. Trawiński (Eds.), *Intelligent Information and Database Systems* (pp. 207–216). Springer International Publishing.
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep Learning. *Nature*, 521(7553), 436–444. <https://doi.org/10.1038/nature14539>
- Lee, W., Cho, S., Choi, H., & Kim, J. (2017). Partial fingerprint matching using minutiae and ridge shape features for small fingerprint scanners. *Expert Systems with Applications*, 87, 183–198.
<https://doi.org/https://doi.org/10.1016/j.eswa.2017.06.019>
- Lin, C., & Kumar, A. (2017). Multi-Siamese networks to accurately match contactless to contact-based fingerprint images. *2017 IEEE International Joint Conference on Biometrics (IJCB)*, 277–285.
- Lin, C., & Kumar, A. (2018). Contactless and partial 3D fingerprint recognition using multi-view deep representation. *Pattern Recognition*, 83, 314–327.
<https://doi.org/https://doi.org/10.1016/j.patcog.2018.05.004>
- Lowe, D. (2004). Distinctive Image Features from Scale-Invariant Keypoints. *International Journal of Computer Vision*, 60, 91.
<https://doi.org/10.1023/B:VISI.0000029664.99615.94>
- Maheshwary, S., & Misra, H. (2018). Matching Resumes to Jobs via Deep Siamese Network. *Companion Proceedings of the The Web Conference 2018*, 87–88.
<https://doi.org/10.1145/3184558.3186942>
- Mathur, S., Vjay, A., Shah, J., Das, S., & Malla, A. (2016). Methodology for partial fingerprint enrollment and authentication on mobile devices. *2016 International Conference on Biometrics (ICB)*, 1–8. <https://doi.org/10.1109/ICB.2016.7550093>
- Min, S., Lee, B., & Yoon, S. (2016). Deep Learning in Bioinformatics. *CoRR*, abs/1603.0. <http://arxiv.org/abs/1603.06430>
- Minaee, S., Abdolrashidi, A., Su, H., Bennamoun, M., & Zhang, D. (2019). Biometric Recognition Using Deep Learning: {A} Survey. *CoRR*, abs/1912.0.
<http://arxiv.org/abs/1912.00271>
- Nguyen, T. T., Tahir, H., Abdelrazek, M., & Babar, A. (2020). Deep Learning Methods for Credit Card Fraud Detection. *CoRR*, abs/2012.0.
<https://arxiv.org/abs/2012.03754>
- Reddy, S., Reddy, K. T., & Kumari, V. (2019). *Optimization of Deep Learning using*

Various Optimizers , Loss Functions and Dropout.

SHARMA, S. (2017). *What the Hell is Perceptron?*

<https://towardsdatascience.com/what-the-hell-is-perceptron-626217814f53>

Shorten, C., & Khoshgoftaar, T. M. (2019). A survey on Image Data Augmentation for Deep Learning. *Journal of Big Data*, 6(1), 60. <https://doi.org/10.1186/s40537-019-0197-0>

Soni, U., & Mahesh, G. (2018). *A Survey on State of the Art Methods of Fingerprint Recognition.*

Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout: A Simple Way to Prevent Neural Networks from Overfitting. *Journal of Machine Learning Research*, 15(56), 1929–1958.

<http://jmlr.org/papers/v15/srivastava14a.html>

Stojanović, B., Marques, O., Nešković, A., & Puzović, S. (2016). Fingerprint ROI segmentation based on deep learning. *2016 24th Telecommunications Forum (TELFOR)*, 1–4. <https://doi.org/10.1109/TELFOR.2016.7818799>

Tang, Y., Gao, F., Feng, J., & Liu, Y. (2017). FingerNet: An unified deep network for fingerprint minutiae extraction. *2017 IEEE International Joint Conference on Biometrics (IJCB)*, 108–116. <https://doi.org/10.1109/BTAS.2017.8272688>

Tolosana, R., Vera-Rodriguez, R., Fierrez, J., & Ortega-Garcia, J. (2018). Exploring Recurrent Neural Networks for On-Line Handwritten Signature Biometrics. *IEEE Access*, 6, 5128–5138. <https://doi.org/10.1109/ACCESS.2018.2793966>

Ulyanov, D., Vedaldi, A., & Lempitsky, V. (2016). *Instance Normalization: The Missing Ingredient for Fast Stylization.*

Velásquez, I., Caro, A., & Rodríguez, A. (2018). Authentication schemes and methods: A systematic literature review. *Information and Software Technology*, 94, 30–37. <https://doi.org/10.1016/j.infsof.2017.09.012>

Wang, M., & Deng, W. (2018). Deep Face Recognition: {A} Survey. *CoRR*, abs/1804.0. <http://arxiv.org/abs/1804.06655>

Wang, Y. A., & Hu, J. (2011). Global ridge orientation modeling for partial fingerprint identification. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 33(1), 72–87. <https://doi.org/10.1109/TPAMI.2010.73>

Wani, M., Bhat, F., Afzal, S., & Khan, A. (2020). *Supervised Deep Learning in Fingerprint Recognition* (pp. 111–132). https://doi.org/10.1007/978-981-13-6794-6_7

Wu, Y., & He, K. (2018). Group Normalization. *CoRR*, *abs/1803.0*.

<http://arxiv.org/abs/1803.08494>

Zeng, F., Hu, S., & Xiao, K. (2019). Research on partial fingerprint recognition algorithm based on deep learning. *Neural Computing and Applications*, 31(9), 4789–4798. <https://doi.org/10.1007/s00521-018-3609-8>

Zhang, C., Liu, W., Ma, H., & Fu, H. (2016). Siamese neural network based gait recognition for human identification. *2016 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, 2832–2836.

Zhang, F., Xin, S., & Feng, J. (2019). Combining global and minutia deep features for partial high-resolution fingerprint matching. *Pattern Recognition Letters*, 119, 139–147. <https://doi.org/https://doi.org/10.1016/j.patrec.2017.09.014>

Zhang, Y., Liang, P., & Wainwright, M. J. (2016). Convexified Convolutional Neural Networks. *CoRR*, *abs/1609.0*. <http://arxiv.org/abs/1609.01000>

Zhong, D., Yang, Y., & Du, X. (2018). Palmprint Recognition Using Siamese Network. *CCBR*.