

Daftar Pustaka

- Anderson, M. A., Brenner, D. E., Scheiman, J. M., Simeone, D. M., Singh, N., Sikora, M. J., Rae, J. M. 2010. Reliable Gene Expression Measurements from Fine Needle Aspirates of Pancreatic Tumors. *The Journal of Molecular Diagnostics*, 12(5), 566–575. doi:10.2353/jmoldx.2010.090107
- Antonov, J., Goldstein, D., Oberli, A. 2005. Reliable gene expression measurements from degraded RNA by quantitative real-time PCR depend on short amplicons and a proper normalization. *Lab Invest* **85**, 1040–1050 <https://doi.org/10.1038/labinvest.3700303>
- Arya, M., Shergill, I.S., Williamson, M., Gommersall, L., Arya, N., Patel, H.R. 2005. Basic principles of real-time quantitative PCR. *Expert Review of Molecular Diagnostics*, 5(2), 209–219. doi:10.1586/14737159.5.2.209
- Banfi, G., Salagno, G. L., Lippi, G. 2007. The role of ethylenediamine tetraacetic acid (EDTA) for diagnostic purposes. *Clin Chem Lab Med*. 2007;45(5):565-76. doi: 10.1515/CCLM.2007.110
- Bauer, M., Gramlich I., Polzin S., Patzelt D. 2003. Quantification of mRNA Degradation as Possible Indicator of Postmortem Interval—A Pilot Study. *Leg Med (Tokyo)* 5: 220–227.
- Bauer, M., 2007. RNA in Forensic Science. *Forensic Science International: Genetics* 1 69–74

- Brutin, D., Sobac, B., Loquet, B., & Sampol, J. 2011. Pattern Formation in Drying Drops of Blood. *Journal of Fluid Mechanics*. 667: 85-95.
- Bustin, S.A., Absolute Quantification of mRNA Using Real-Time Reverse Transcription Polymerase Chain Reaction Assays. 2000. *Journal of Molecular Endocrinology* 25, 169–193
- Bustin, S.A., Benes, V, Garson, J.A., Hellemans, J., Huggett, J., Kubista, M., Mueller, R., Nolan, T., Pfaffl, M.W., Shipley, G.L., Vandesompele, J., Wittwer CT. 2009. The MIQE Guidelines: Minimum Information for Publication of Quantitative Real-time PCR Experiments. *Clinical Chemistry*. 55 (4): 611–22.
- Deegan, R.D., Bakajin, O., Dupont, T.F, Huber, G., Nagel, S.R., Witten, T.A. 1997. Capillary Flow as the Cause of Ring Stains from Dried Liquid Drops, *Nature* 19. 827–829.
- Deegan, R.D., 2000. Pattern Formation in Drying Drops, *Phys. Rev.* E61475–485.
- Henssge, C. 1986. Todeszeitbestimmung—eine Methodenkritik, *Beitr. Gerichtl. Med.* 44: 109–116.
- Henssge, C., Madea, B. 2007. Estimation of The Time Since Death. *Forensic Science International*. 165: 182–184
- Kulstein, G., & Wiegand, P. 2018. Comprehensive Examination of Conventional and Innovative Body Fluid Identification Approaches and DNA Profiling

of Laundered Blood-and Saliva-Stained Pieces of Cloths. *International Journal of Legal Medicine*, 132(1), 67-81.

Laan, N., Smith, F., Nicloux, C., & Brutin, D. 2016. Morphology of drying blood pools. *Forensic science international*. 267. 104-109.

Madea, B. 2016. Methods for Determining Time of Death. *Forensic Sci Med Pathol* 12: 451-485

Mandal, S., Kakkar, S., Shrivastava, P. 2017. Suitability of Post-mortem Cardiac Blood for Forensic Genetic Profiling. *Romanian Society of Legal Medicine*, Rom J Leg Med. 25: 390-394

Murray, R.K., 2003. *Illustrated Biochemistry*, 27th Edition. McGraw-Hill. 645 – 646

Nazmi, Syeh Ahmad. 2015. Collection and Preservation of Blood Evidence. *Portal Rasmi myHEALTH Kementerian Kesihatan Malaysia*. Available from: <http://www.myhealth.gov.my/en/collection-preservation-blood-evidence/>
Diakses tanggal 31 Maret 2019

Sampaio-Silva, F., Magalhaes, T., Carvalho, F., Dinis-Oliveira, R.J., Silvestre, R. 2013. Profiling of RNA Degradation for Estimation of Post Mortem Interval. *PLoS ONE* 8(2): e56507. doi:10.1371/journal.pone.0056507

Virkler, K., Lednev I.K. 2009. Analysis of Body Fluids for Forensic Purposes: From Laboratory Testing to Non-Destructive Rapid Confirmatory Identification At A Crime Scene. *Forensic Science International* 188: 1–17